

Technical Information

Drigalski Litmus Lactose Agar

Product Code: DM 1659

Application: -Drigalski Litmus Lactose Agar is recommended as a non-selective differential medium for the detection of enteric pathogens.

Composition**

Ingredients	Gms / Litre
Peptic digest of animal tissue	7.000
Sodium chloride	5.000
Lactose	15.000
Litmus	1.200
Agar	13.000
Final pH (at 25°C)	7.4±0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Drigalski Litmus Lactose Agar is formulated as per Drigalski and Conrad (1) as a differential medium for the detection of enteric pathogens from water, meat, milk and other food materials.

The medium contains lactose as the source of carbon and fermentable carbohydrate in the medium. Peptic digest of animal tissue provide essential nitrogenous nutrients to the microorganisms. Litmus is the pH indicator. Lactose fermenters produce acid and thus change the colour of litmus to red forming red, colonies. Lactose non-fermenters form blue colonies on the medium. Inoculate culture from primary fermentation tubes showing gas either by four-quadrant streaking on the medium or by serial dilution and pour plate technique (2).

Methodology

Suspend 41.2 grams of dehydrated powder media in 1000 ml distilled water. Mix thoroughly & heat to boil to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Mix well and pour into sterile Petri plates.

Quality Control

Appearance

Cream to yellow homogeneous free flowing powder, may have slight dye particles

Gelling

Firm, comparable with 1.3% Agar gel.

Colour and Clarity

Purplish blue coloured, clear to slightly opalescent gel forms in Petri plates

Reaction

Reaction of 4.12% w/v aqueous solution at 25°C. pH : 7.4±0.2

pH Range

7.20-7.60

Cultural Response

DM1659: Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours.

Organism	Inoculum (CFU)	Growth	Recovery	Colour of colony
<i>Enterococcus faecalis</i> ATCC 29212	50-100	fair-good	40-50%	orange-red



Dehydrated Culture Media
Bases / Media Supplements

<i>Escherichia coli</i> ATCC 25922	50-100	luxuriant	>=70%	orange- red
<i>Salmonella Typhimurium</i> ATCC 14028	50-100	luxuriant	>=70%	blue
<i>Shigella flexneri</i> ATCC 12022	50-100	luxuriant	>=70%	blue
<i>Staphylococcus aureus</i> ATCC 25923	50-100	good	50-70%	orange- red

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and the prepared medium at 2-8°C. Use before expiry date on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Drigalski V. and Conrad H., 1902, Z. Hyg. Infektionskr., 39:283.
2. MacFaddin J.F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Volume I, Williams and Wilkins, Baltimore.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specifications for identity and performances parameters.

