

Technical Information

Nutrient MiVeg Agar No. 2

Product Code : VM2269

Application:- Nutrient MiVeg Agar No. 2 is a general purpose medium, recommended for microbiological analysis of water and cultivation of bacteria requiring slightly acidic pH.

Composition

Ingredients	Gms / Litre
MiVeg peptone	10.00
MiVeg extract	10.00
Sodium chloride	5.00
Agar	15.00
Final pH (at 25°C)	7.2±0.2

** Formula adjusted, standardized to suit performance parameters.

Principle & Interpretation

Nutrient MiVeg Agar No. 2 is prepared by using vegetable peptones in place of animal based peptones thereby making the medium free from BSE/TSE risks. MiVeg peptone and MiVeg extract are used in this medium as Miveg substitute in place of Peptic digest of animal tissue and Beef extract respectively.

This medium is the modification of Nutrient Agar No. 2 which is a general purpose medium used for the Examination of Water, Wastewater and dairy products according to Standard Methods describe else where. (1,2). It is like the conventional Nutrient Agar No.2 can be used for the Microbiological analysis of water as per Czech Standards. This medium can also be used for sterility testing of aerobes and maintenance of subcultures (3).

It contains MiVeg peptone and MiVeg extract which supplies the necessary nitrogen compounds, carbon, vitamins and also some trace ingredients necessary for the growth of bacteria. Sodium chloride maintains osmotic balance of the medium.

Methodology

Suspend 40 grams of powder media in 1000 ml distilled water. Mix thoroughly. Heat to boiling to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Quality Control

Physical appearance

Light yellow to yellow coloured may have slightly greenish tinge, homogeneous, free flowing powder.

Gelling

Firm, comparable with 1.5% Agar gel.

Colour and Clarity of prepared medium

Light yellow to amber coloured, clear to slightly opalescent gel forms in petri plates.

Reaction

Reaction of 4.0 % w/v aqueous solution pH: 7.2 ±0.2 at 25°C

pH range

7.0-7.4

Cultural Response/Characteristics

Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours

Organisms (ATCC)	Inoculum (CFU)	Growth	Recovery
<i>Escherichia coli</i> (25922)	10 ² -10 ³	luxuriant	>70%



Dehydrated Culture Media
Bases / Media Supplements

<i>Enterobacter aerogenes</i> (13048)	10 ² -10 ³	luxuriant	>70%
<i>Salmonella</i> serotype Typhimurium (14028)	10 ² -10 ³	luxuriant	>70%
<i>Klebsiella pneumoniae</i> (13883)	10 ² -10 ³	luxuriant	>70%

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Greenberg A.E., Trussell R.R. and Clesceri L.S. (Eds.), 1985, Standard Methods for the Examination of Water and Wastewater, 16th ed., APHA, Washington, D.C.
2. American Public Health Association, 1978, Standard Methods for the Examination of Dairy Products, 14th ed., APHA, Inc., Washington, D.C.
3. MacFaddin, J. (1985); Methods for Isolation-Cultivation- Identification-Maintenance of Medical Bacteria, Vol. I, Williams and Wilkins, Baltimore.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specifications for identity and performance parameters.

