

## Technical Information

### Nutrient MiVeg Broth

#### Product Code : VM1002

**Application:-** Nutrient MiVeg Broth is used as a general culture medium which may be used as an enrichment medium by incorporating 5-10% blood or other biological fluids.

#### Composition

Ingredients	Gms / Litre
MiVeg peptone	5.00
MiVeg extract	1.50
Yeast extract	1.50
Sodium chloride	5.00
Final pH ( at 25°C)	7.4±0.2

\*\* Formula adjusted, standardized to suit performance parameters.

#### Principle & Interpretation

Nutrient MiVeg Broth is a specially prepared by using vegetable peptones instead of animal peptones which makes the medium free from BSE /TSE risk. This medium serves the same purpose as the Nutrient Broth prepared from animal based peptones. Comparatively nutritional properties of MiVeg peptone and MiVeg extract are same as of Peptic digest of animal tissue and Beef extract respectively.

Nutrient Broth is a basic culture medium used for maintaining microorganisms, cultivating fastidious organisms by enriching with serum or blood and are also used for purity checking of microbes prior to biochemical or serological testing (1, 2). Nutrient MiVeg Broth also serves these purposes. This medium can be used for the cultivation and enumeration of bacteria which are not particularly fastidious. Addition of different biological fluids such as horse or sheep blood, serum, egg yolk etc. makes it suitable for the cultivation of related fastidious organisms.

#### Methodology

Suspend 13 grams of powder media in 1000 ml distilled water. Mix thoroughly. Heat to boiling to dissolve the medium completely. Dispense as desired and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. If desired, medium can be enriched with 5-10% blood or other biological fluids.

#### Quality Control

##### Physical Appearance

Yellow coloured, may have slightly greenish tinge, homogeneous, free flowing powder.

##### Colour and Clarity of prepared medium

Light amber coloured, clear solution in tubes.

##### Reaction

Reaction of 1.3 % w/v aqueous solution pH: 7.4 ±0.2 at 25°C

##### pH range

7.2-7.6

##### Cultural Response/Characteristics

Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours

Organisms (ATCC)	Inoculum (CFU)	Growth
<i>Escherichia coli</i> (25922)	10 <sup>2</sup> -10 <sup>3</sup>	good-luxuriant
<i>Pseudomonas aeruginosa</i> (27853)	10 <sup>2</sup> -10 <sup>3</sup>	good-luxuriant
<i>Staphylococcus aureus</i> (25923)	10 <sup>2</sup> -10 <sup>3</sup>	good-luxuriant

*Streptococcus pyogenes* (19615)

$10^2$ - $10^3$

good-luxuriant

## Storage and Shelf Life

**Dried Media:** Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

**Prepared Media:** 2-8° in sealable plastic bags for 2-5 days.



**VM1002 Nutrient MiVeg Broth**

1. Control

2. *Escherichia coli*

3. *Staphylococcus aureus*

## Further Reading

1. Lapage S., Shelton J. and Mitchell T., 1970, 'Methods in Microbiology', Norris J. and Ribbons D. (Eds.), Vol. 3A., Academic Press, London.
2. MacFaddin J.F., 2000(ed), Biochemical Tests for Identification of Medical Bacteria, 3<sup>rd</sup> edition, Lippincott Williams and Wilkins, New York.

## Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specifications for identity and performance parameters.