

Technical Information

Brain Heart Infusion Broth MiVeg

Product Code : VM1210

Application:- Brain Heart Infusion Broth, MiVeg is employed for the propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations.

Composition

Ingredients	Gms / Litre
MiVeg peptone No. 3	10.0
MiVeg special infusion	7.50
MiVeg infusion	10.00
Dextrose	2.00
Sodium chloride	5.00
Disodium phosphate	2.50
Final pH (at 25°C)	7.4±0.2

** Formula adjusted, standardized to suit performance parameters.

Principle & Interpretation

Brain Heart Infusion Broth, MiVeg is prepared by using vegetable peptone in place of animal based medium which makes the medium BSE / TSE risks free. Rosenow (1) devised the original medium by adding brain tissue to dextrose broth. This media is like the conventional media are nutritious and well buffered to support the growth of wide variety of microorganisms (2, 3). With the addition of 10% defibrinated sheep blood, it is useful for isolation and cultivation of *Histoplasma capsulatum* (4) and other fungi. Sodium chloride maintains the osmotic equilibrium. It has been reported that the Brain Heart Infusion Broth, MiVeg with addition of 1.5% agar cause a typical haemolytic reactions when it is present in blood containing media because it contains dextrose hence should not be used for detection of haemolytic activity of Streptococci. Addition of Gentamicin and/or Chloramphenicol is recommended for selective isolation of fungi.

Methodology

Suspend 37.0 grams of powder media in 1000 ml purified/distilled water. Mix thoroughly. Dispense into bottles or tubes and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. For best results, the medium should be used on the day it is prepared, otherwise, it should be boiled or steamed for a few minutes and then cooled before use.

Quality Control

Physical Appearance

Yellow coloured may have slightly greenish tinge, homogeneous, free flowing powder.

Colour and Clarity of prepared medium

Light amber coloured, clear to slightly opalescent solution.

Reaction

Reaction of 3.7 % w/v aqueous solution pH: 7.4±0.2 at 25°C

pH range

7.2-7.6

Cultural Response/Characteristics


Cultural characteristics observed after an incubation at 35-37°C for 24-48 hours

Organisms (ATCC)	Inoculum (CFU)	Growth	Recovery
<i>Neisseria meningitidis</i> (13090)	$<10^3$	luxuriant	>70%
<i>Streptococcus pneumoniae</i> (6303)	$<10^3$	luxuriant	>70%
<i>Streptococcus pyogenes</i> (19615)	$<10^3$	luxuriant	>70%
<i>Staphylococcus aureus</i> (25923)	$<10^3$	luxuriant	>70%

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.



VM1210 Brain Heart Infusion Broth, MiVeg

1. Control
2. *Neisseria meningitidis*
3. *Streptococcus pneumoniae*
4. *Streptococcus pyogenes*
5. *Staphylococcus aureus*

Further Reading

1. Rosenow, 1919, J. Dental Research, 1:205
2. Roseburg T. et al, 1944, J. Inf. Dis., 74:131.
3. Conant N.F., 1950, Diagnostic Procedures and Reagents, 3rd ed., A.P.H.A. Inc., New York.
4. Howard B., Keiser J.F., Weissfeld A., et al, 1994, Clinical and Pathogenic Microbiology, 2nd ed., Mosby Co.
5. Murray PR., Baron, Pfaller, Tenover and Tenover (Eds.), ASM, Washington, D.C. 2003, In Manual of clinical Microbiology, 8th ed.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents. Do not use the products if it fails to meet specifications for identity and performance parameters.