



## **Product Specification**

cdhfinechemical.com

ALLANTOIN FINE POWDER		
PRODUCT CODE	042010	
SYNONYMS	<del>-</del>	
C.I. NO.		
CASR NO.	(97-59-6)	0,
ATOMIC OR MOLECULAR FORMULA	$C_4H_6N_4O_3$	) — ŃH
ATOMIC OR MOLECULAR WEIGHT	158.12	$\searrow$
PROPERTIES	Readily soluble in alkalies. Optically active forms are known. $H_2N^2$	H H
PARAMETER	LIMIT	
Description	White to almost white fine powder.	
Solubility	Soluble with NaOH solution forming clear and colourless solution.	
Assay (Acidimetric,on dried substance)	99 - 101%	
oH (of 0.5% solution in water)	4 – 6	
Melting range	223 – 226°C (Dec.)	
Particle Size(Passing through 200 mesh)	Min. 98%	
MAXIMUM LIMIT OF IMPURITIES		
Loss on drying at 105°C	0.1%	
Sulphated ash	0.1%	
Chloride (Cl)	0.005%	
Sulphate (SO <sub>4</sub> )	0.02%	
Arsenic (As)	0.0002%	
ron (Fe)	0.001%	
Lead (Pb)	0.001%	
Note(s) : Assay (if applicable) method mention	ed.	
Precautionary statements Prevention: Avoid breathing dust/fume/gas/misin a well-ventilated area. Wear protective glove Response: IF INHALED: Remove to fresh air and cautiously with water for several minutes. Remo	ation. Causes skin irritation. Causes serious eye irritation.  st/vapours/spray. Wash thoroughly after handling. Use only outdoors o s/protective clothing/eye protection/face protection.  keep at rest in a position comfortable for breathing. IF IN EYES: Rinse ove contact lenses, if present and easy to do. Continue rinsing. Call a unwell. If eye irritation persists: Get medical advice/attention.	IMDG Code : UN No. : IATA : r

Replace Date 02-Aug. 2018

Hazard Pictogram(s):

greater than 10g should be dissolved in water and transferred to heavy metal waste drums for collection by specialist disposal company.