



Product Specification

cdhfinechemical.com

SODIUM IODATE AR		
PRODUCT CODE	644305	
SYNONYMS	-	
C.I. NO.	-	
CASR NO.	(7681 -55-2)	
ATOMIC OR MOLECULAR FORMULA	NaIO ₃	NalO₃
ATOMIC OR MOLECULAR WEIGHT	197.90	IVaIO3
PROPERTIES	Insoluble in alcohol.	
PARAMETER	LIMIT	
Description	White to off white powder /crystalline powder.	
Solubility	5% solution in water is clear to very slightly hazy.	
Minimum Assay (Iodometric)	99.5%	
pH (5% aq. solution in water)	5.0-8.0	
MAXIMUM LIMIT OF IMPURITIES		
Bromide bromate Chloride, Chlorate (as Cl)	0.02%	
lodide (I)	0.002%	
Sulphate (SO ₄)	0.005%	
Total nitrogen (N)	0.005%	
Calcium (Ca)	0.05%	
Cadmium (Cd)	0.005%	
Cobalt (Co)	0.005%	
Copper (Cu)	0.005%	
Iron (Fe)	0.001%	
Potassium (K)	0.02%	
Nickel (Ni)	0.005%	
Lead (Pb)	0.0005%	
Zinc (Zn)	0.005%	

Note(s): Assay (if applicable) method mentioned.

DANGER

Hazard statements: May cause respiratory irritation. May intensify fire; oxidizer. Harmfulif swallowed. Causes mild skin irritation. Causes serious eye irritation. May cause allergicskin reaction.

Precautionary statements

Prevention: Wash hands thoroughly after handling. Do not eat, drink or smoke whenusing this product. Avoid breathing dust/fume/gas/mist/ vapours/spray. Keep away fromheat. Take any precaution to avoid mixing with combustible or incompatible materials. Contaminated clothing should not be allowed out of the workplace.

Response: Wash contaminated clothing before reuse. Wear eye/face protection. If skinirritation occurs, seek medical advice/attention. IF IN EYES: Rinse cautiously with water forseveral minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment: refer to Label or MSDS. If skin irritation or rash occurs, seek medicaladvice/attention. IF ON SKIN: Gently wash with plenty of soap and water. If eye irritation persists, get medical advice/attention.

IMDG Code : 5.1/II UN No. : 1479

IATA : 5.1

Disposal: Dissolve the chemical to be disposed, in water and allow it to run to waste, diluting with large quantities ofwater. The waste chemical should be buried on a stage approved site .The liquids should be absorbed on sand.

Hazard Pictogram(s):





Replace Date 11-Sep. 2025