


1-PENTANE SULPHONIC ACID SODIUM SALT ANHYDROUS FOR HPLC

PRODUCT CODE	762735
SYNONYMS	--
C.I. NO.	--
CASR NO.	(22767-49-3)
ATOMIC OR MOLECULAR FORMULA	C ₅ H ₁₁ NaO ₃ S
ATOMIC OR MOLECULAR WEIGHT	174.19
PROPERTIES	---



PARAMETER	LIMIT
-----------	-------

Description	White crystalline powder.
Solubility	10% solution in water is clear and colourless.
Identification (By FTIR)	Conforms.
pH of (10% solution in water)	5.5–7.5
Minimum Assay (Acidimetric; on dried substance)	99.0%
UV Transmission (0.005 mol/lit. in water ;1cm cell) at 250nm	Min.98.0%
Absorbance (0.005mol/lit. in water)	
λ200 nm	Max.0.15
λ220 nm	Max.0.05

MAXIMUM LIMIT OF IMPURITY

Loss on drying (at 120°C)	2.0%
---------------------------	------

Note(s) : Assay (if applicable) method mentioned.

WARNING

Hazard statements : Harmful if swallowed. May cause allergic skin reaction. May cause damage to organs through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention: Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours /spray. Do not eat, drink or smoke when using this product. Contaminated clothing should not be allowed out of the workplace.

Response: If skin irritation or rash occurs, seek medical advice/attention. Get medical advice/attention if you feel unwell. IF ON SKIN: Gently wash with plenty of soap and water. Specific treatment: refer to Label or MSDS. Wash contaminated clothing before reuse.

IMDG Code :

4UN No. :

IATA :

Dissolve the chemical to be disposed, in water and allow it to run to waste, diluting with large quantities of water. The quantities greater than 10g should be dissolved in water and transferred to heavy metal waste drums for collection by specialist disposal company. The waste chemical should be buried on a stage approved site. The liquids should be absorbed on sand.

Hazard Pictogram(s) :-



GHS07



GHS08