

## LEAD (METAL) FOIL AR

<b>PRODUCT CODE</b>	<b>561191</b>
<b>SYNONYMS</b>	--
<b>C.I. NO.</b>	--
<b>CASR NO.</b>	<b>7439-92-1</b>
<b>ATOMIC OR MOLECULAR FORMULA</b>	<b>Pb</b>
<b>ATOMIC OR MOLECULAR WEIGHT</b>	<b>207.2</b>
<b>PROPERTIES</b>	<b>Heavy, ductile, soft gray solid soluble in dilute nitric acid, resists corrosion, poor electrical conductor, noncombustible.</b>

<b>PARAMETER</b>	<b>LIMIT</b>
Minimum assay (Complexometric)	99.00%
Foil thickness	0.20 mm

<b>MAXIMUM LIMIT OF IMPURITIES</b>	
Nitric acid insoluble matter	0.01%
Antimony (Sb)	0.01%
Arsenic (As)	0.01%
Bismuth (Bi)	0.01%
Copper (Cu)	0.002%
Iron (Fe)	0.001%
Nickel (Ni)	0.002%
Silver (Ag)	0.001%
Tin (Sn)	0.001%

<b>Note(s): Assay (if applicable) method mentioned.</b>	
<b>WARNING</b> <b>Hazard statements:</b> Suspected of causing cancer. <b>Precautionary statements</b> <b>Prevention:</b> Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Obtain special instructions before use. <b>Response:</b> If exposed or concerned: Get medical attention advice. <b>Disposal:</b> Dispose of contents and container in accordance with relevant legislation.	IMDG Code : UN No. : IATA :

<b>Hazard Pictogram(s) :-</b> <div style="text-align: center;">   <b>GHS08</b> </div>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Replace Date -06-03-2020