



Product Specification

Cu²* O ← Cu²* [OH]₂

IMDG Code: UN No.:

IATA

cdhfinechemical.com

COPPER (II) CARBONATE PURIFIED

PRODUCT CODE 027833

SYNONYMS [Copper (II) hydroxide carbonate]

C.I. NO.

CASR NO. (12069-69-1)
ATOMIC OR MOLECULAR FORMULA CuCO₃.Cu(OH)₂

ATOMIC OR MOLECULAR WEIGHT 221.12

PROPERTIES Soluble in acids, insoluble water.

PARAMETER LIMIT

Description Fine green powder.

Solubility 10% solution in dilute HCl is bright and clear without sedimentation.

Assay (as copper Iodometric) 54.0 - 57.0%

MAXIMUM LIMIT OF IMPURITIES

 Chloride
 (CI)
 0.05%

 Sulphate
 (SO₄)
 0.05%

 Iron
 (Fe)
 0.05%

 Nickel
 (Ni)
 0.05%

Note(s): Assay (if applicable) method mentioned.

HAZARD WARNING

Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention: Avoid breathing dust/fume/gas/mist/vapours/spray. Wash... thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air and keep at rest in a positioncomfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before re- use. Wash contaminated clothing before reuse. Collect

Disposal: The quantities greater than 10g should be dissolved in dilute acid and transferred to heavy metal waste drum for collection by specialist disposal company.

Hazard Pictogram(s):





S07_____GH