

## **Product Specification**

cdhfinechemical.com

IMDG Code: 4.3/II

: 1390

: 4.3

UN No.

IATA

SODAMIDE	
218085	
(7782-92-5)	
NH₂Na	$NH_2Na$
39.01	ini izina
LIMIT	
White to grayish – white powder.	
Decomposes in hot alcohol.	
98.0%	
About 210°C	
0.1%	
	218085  (7782-92-5) NH <sub>2</sub> Na  39.01  LIMIT  White to grayish – white powder. Decomposes in hot alcohol. 98.0% About 210°C

DANGER Note(s): Assay (if applicable) method mentioned.

HAZARD STATEMENTS: Flammable liquid and vapour. Harmful in contact with skin. Harmful if inhaled. May be harmful if swallowed. May be corrosive to metals. Causes severe skin burns and eye damage. . Causes serious eye damage. Harmful to aquatic life.

## PRECAUTIONARY STATEMENTS:

Prevention: Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Keep only in original container. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take

precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. Absorb spillage to prevent material

Disposal: Add in small quantities to large, stirred excess of water, keeping the final concentration less than 2%. Neutralize with 5% sodium hydroxide soln. and run to waste with large quantities of running water.

Hazard pictogram(s):



Replace Date 13.01.2023