



Dehydrated Culture Media
Bases / Media Supplements

Technical Information

Fuchsin Lactose Broth

Product Code: DM 1079

Application: - Fuchsin Lactose Broth can be used for the determination of the coliform titre in the bacteriological examination of water and other materials.

Composition**

Ingredients	Gms / Litre
Peptone, special	5.000
Meat extract	3.000
Lactose	5.000
Basic fuchsin	0.013
Final pH (at 25°C)	6.8±0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Most workers in water bacteriology are of the view that the plain Lactose Broth generally used for presumptive test is not altogether satisfactory, as it gives many false positive results. A number of modifications have been suggested to overcome this problem of false positive results. In most of the modifications, dyes are used to restrict the growth of gram-positive organisms, which are responsible for false positive presumptive test results in plain Lactose Broth. To overcome this problem addition of basic fuchsin in plain Lactose Broth has been advocated by Ritter ⁽²⁾.

Fuchsin Lactose Broth is a selective medium, which may be used in parallel with Lactose Broth (DM1026) in the control of water filtration plant operation ⁽¹⁾. Basic fuchsin inhibits many gram-positive organisms, which are responsible for false positive results. However Fuchsin Lactose Broth may not be used as Lactose Broth with all waters, but could be used as a confirmatory medium. This was studied by McCrady while studying procedures for the detection of the presence of coliforms in water ⁽³⁾.

Acid production is observed by the formation of pink to red medium whereas non-fermenters will show no change in the colour of the medium.

Peptone special and meat extract in the medium provides nitrogen and other nutrients necessary to support bacterial growth. Basic fuchsin inhibits many gram-positive organisms, which are responsible for false positive results. Lactose is the fermentable carbohydrate.

Methodology

Suspend 13.01 grams of powder media in 1000 ml distilled water. Shake well & heat if necessary to dissolve the medium completely.

Dispense in tubes containing inverted Durhams tubes and sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Caution: Basic fuchsin is a potential carcinogen and care should be taken to avoid inhalation of the powdered dye and contamination of the skin.

Quality Control

Physical Appearance

Light pink to purple homogeneous free flowing powder

Colour and Clarity of prepared medium

Light pink coloured, clear solution without any precipitate

Reaction

Reaction of 1.3% w/v aqueous solution at 25°C. pH : 6.8±0.2

pH range 6.60-7.00





Dehydrated Culture Media
Bases / Media Supplements

Cultural Response/ characteristics

DM 1079: Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours.

Organism	Inoculum (CFU)	Growth	Acid Production	Gas
<i>Enterobacter aerogenes</i> ATCC 13048	50-100	luxuriant	Positive reaction, pink red colour	Negative reaction
<i>Escherichia coli</i> ATCC 25922	50-100	luxuriant	Positive reaction, pink red colour	Positive reaction
<i>Salmonella Enteritidis</i> ATCC 13076	50-100	luxuriant	Negative reaction no change	Negative reaction
<i>Salmonella Typhimurium</i> ATCC 14028	50-100	luxuriant	Negative reaction	Negative reaction
<i>Staphylococcus aureus</i> ATCC 25923	$\geq 10^3$	inhibited		
<i>Enterococcus faecalis</i> ATCC 29212	$\geq 10^3$	inhibited		

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Standard Methods for the Examination of Water and Sewage, 1946, 9th Ed., p. 226.
2. Ritter, 1932, J. Am. Water Works Assoc., 24:4 13.
3. McCrady, 1937, Am. J. Publ. Health, 27: 1243.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.

