

Technical Information

Phenol Red Broth Base w/ Meat extract

Product Code: DM 1279

Application: - Phenol Red Broth Base w/ Meat extract is a highly nutritive basal medium which can be used to study fermentation of carbohydrates.

Composition**

Composition		
Ingredients	Gms / Litre	
Casein enzymic hydrolysate	10.000	
Meat extract	1.000	
Sodium chloride	5.000	
Phenol red	0.018	
Final pH (at 25°C)	7.4±0.2	
**Formula adjusted, standardized to suit perform	ance parameters	

Principle & Interpretation

Phenol Red Broth Base w/ Meat extract is a complete medium without added carbohydrates. The carbohydrate of choice can be added for determination of fermentation reactions by pure cultures of microorganisms ^(1, 2). Ability of an organism to ferment specific carbohydrate added in basal medium, results in the production of acid and gas which helps in the differentiation between genera and species. It can also be used as a negative control for studying fermentation reactions.

Casein enzymic hydrolysate and meat extract provide nitrogenous nutrients to the organisms. Phenol red is the pH indicator which turns yellow at acidic pH. Sodium Chloride maintains osmotic equilibrium.

Methodology

Suspend 16.02 grams of powder media in 1000 ml distilled water. Add the test carbohydrate in desired quantity. Shake well & heat if necessary to dissolve the medium completely. Mix well and dispense in tubes containing inverted Durham's tubes. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Note: For critical studies, it is recommended to use filter sterilized carbohydrate which is to be incorporated aseptically in the sterile medium base, if desired.

Quality Control

Physical Appearance

Light yellow to pink coloured homogeneous free flowing powder

Colour and Clarity of prepared medium

Red coloured clear solution without any haziness

Reaction

Reaction of 1.6% w/v aqueous solution at 25°C. pH: 7.4±0.2

pH range 7.20-7.60

Cultural Response/ characteristices

DM 1279: Cultural characteristics observed after an incubation at 35 - 37°C for 18 - 24 hours





Organism	Inoculum (CFU)	Growth	Acid	Gas	•	Gas w/ addition of dextrose
Escherichia coli ATCC 25922	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, yellow colour	Positive reaction
Klebsiella pneumoniae ATCC 13883	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, yellow colour	Positive reaction
Proteus vulgaris ATCC 13315	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, yellow colour	Positive reaction
Salmonella Typhimurium ATCC 14028	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, yellow colour	Positive reaction
Shigella flexneri ATCC 12022	50-100	luxuriant	Negative reaction, no colour change	Negative reaction	Positive reaction, yellow colour	Negative reaction

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

- 1. MacFaddin J., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. 1, Williams and Wilkins, Baltimore.
- 2. Finegold and Barou, 1986, Bailey and Scotts Diagnostic Microbiology, 7th ed., The C.V. Mosby Co., St. Louis.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performens parameters.

