

Technical Information

CAL Broth (Cellobiose Arginine Lysine Broth)

Product Code: DM 1894

Application: - CAL (Cellobiose Arginine Lysine) Broth is used for selective isolation and biochemical characterization of *Yersinia enterocolitica*.

Composition**

Ingredients	Gms / Litre
Yeast extract	3.000
Sodium chloride	5.000
Cellobiose	3.500
L-Arginine	6.500
L-Lysine hydrochloride	6.500
Sodium deoxycholate	1.500
Neutral red	0.030
Final pH (at 25°C)	7.1±0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Yersinia enterocolitica is an invasive enteric pathogen belonging to the family *Enterobacteriaceae*, which causes several well-recognized diseases especially in younger persons along with several uncommon post-infection syndromes⁽¹⁾. Enterocolitis due to *Y. enterocolitica* is characterized by diarrhea, low fever and abdominal pain. CAL Broth used for selective isolation of *Y. enterocolitica* was originally formulated by Dudley and Shotts⁽²⁾. CAL Broth is a differential medium also which differentiates *Yersinia form biochemically similar organism of enterobacteriaceae* on the basis of cellobiose fermentation and lysine or arginine decarboxylation. CAL Broth is also used for the enumeration of *Y. enterocolitica* from water and other liquid specimens⁽³⁾.

Yeast extract provides essential nutrients to the organisms. Cellobiose is the fermentable carbohydrate. Sodium chloride maintains the osmotic equilibrium. Sodium deoxycholate makes the medium selective by inhibiting the accompanying gram-positive bacteria, which may cause contamination during cultivation. L-arginine and L-lysine are the amino acids, decarboxylation of which makes the medium differential. Neutral red is the indicator, which turns red under acidic conditions.

Methodology

Suspend 26 grams of powder media in 1000 ml distilled water. Shake well and heat if necessary to dissolve the medium completely. DO NOT OVERHEAT OR AUTOCLAVE. Mix well and dispense into sterile test tubes.

Quality Control

Physical Appearance

Light yellow to pink homogeneous free flowing powder

Colour and Clarity of prepared medium Red coloured, clear solution in tubes

Reaction

Reaction of 2.6% w/v aqueous solution at 25°C. pH : 7.1±0.2

pH range 6.90-7.30

Cultural Response/ characteristics

DM 1894: Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours

Organism	Inoculum (CFU)	Growth	Cellobiose	Arginine decarboxylation	Lysine decarboxylation
<i>Escherichia coli</i> ATCC 25922	50-100	good	Negative reaction	variable reaction	variable reaction
<i>Proteus mirabilis</i> A TCC 25933	50-100	good	Negative reaction	Negative reaction	Negative reaction
<i>Pseudomonas aeruginosa</i> ATCC 27853	50-100	good	Negative reaction	Negative reaction	positive reaction
<i>Yersinia enterocolitica</i> ATCC 27729	50-100	good-luxuriant	Negative reaction	Negative reaction	Negative reaction

Storage and Shelf Life

Dried Media : Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media : 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Cover T. L., and Aber R. C., 1989, *Yersinia Enterocolitica*, N. Engl. J. Med., 32:16-24
2. Dudley M. V. and Shotts E. B., 1979, J. Clin. Microbiol., 10 (2):180.
3. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. 1, Williams and Wilkins, Baltimore.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Donot use the products if it fails to meet specificatons for identity and performens parameters.