

Technical Information

Lactose Monohydrate Broth (Broth Medium D)

Product Code: DM 2003E

Application: - Lactose Broth is used for the detection of coliform bacteria in water, foods, and dairy products as per Standard Methods.

Composition**					
Ingredients	Gms / Litre				
Peptic digest of animal tissue	5.000				
Beef extract	3.000				
Lactose	5.000				
Final pH (at 25°C)	6.9±0.2				

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Lactose Broth is recommended by European pharmacopoeia⁽⁴⁾ for selective pre-enrichment of *Enterobacteriaceae* as well as for *E.colli* and *Salmonella* in water, food and pharmaceutical products. The medium is used for detection of specified microorganisms of non-sterile products according to European pharmacopoeia (EP). This medium is also recommended by other pharmacopoeia⁽⁵⁻⁷⁾ also. Lactose Broth is also recommended by APHA for performance and confirmation of the presumptive test for coliform bacteria in water⁽¹⁾ food⁽²⁾, milk⁽³⁾. This medium can be used as an alternate to Lauryl Sulphate Broth in the presumptive test of the MPN of standard coliforms. Pancreatic digest of gelatin and beef extract in the medium supply essential nutrients to the organisms. Lactose is a fermentable carbohydrate for the coliforms. Tubes of Lactose Broth are inoculated with dilutions of water or milk, etc. under test, and incubated at 35°C and examined for gas formation after 24 and 48 hours.

Members of the coliform group are defined as aerobic and facultative anaerobic gram-negative and non-sporing bacilli, which ferment lactose with gas formation within 48 hours at 3 5°C. In testing dairy products, Lactose Broth is used only in the completed test ⁽³⁾. Large water samples may require double strength Lactose Broth to minimize the final volume.

Methodology

Suspend 13 grams of powder media in 1000 ml distilled water. Shake well & heat if necessary to dissolve the medium completely. For larger inocula (10 ml or more), concentrated medium may be prepared taking into account medium dilution by the volume of inoculum added. Dispense in tubes containing inverted fermentation vial (Durham tube) as desired. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.





Quality Control

Quality Control				
Physical Appearance				
Cream to yellow homogeneous	free flowing powder			
Colour and Clarity of prepared r	nedium			
Light to medium amber coloure	d clear solution witho	ut any precipitate		
Reaction Reaction of 1.3% w/v aqueous s	olutions at 25°C. pH :	6.9±0.2		
pH range 6.70-7.10 Cultural Response/Characterist DM 2003E: Cultural characterist		incubation at 35-37°	C for 18-48 hours.	
Organism	lnoculum (CFU)	Growth	Gas	
Enterobacter aerogenes ATCC 13048	50-100	Luxuriant	positive reaction	
Enterococcus faecalis ATCC 29212	50-100	Luxuriant	Negative reaction	
Escherichia coli ATCC 25922	50-100	luxuriant	positive reaction	
Pseudomonas aeruginosa ATCC 27853	50-100	Luxuriant	Negative reaction	
Pseudomonas aeruginosa ATCC 9027	50-100	Luxuriant		
Escherichia coli ATCC 8739	50-100	Luxuriant	positive reaction	
Escherichia coli NCTC 9002	50-100	luxuriant	positive reaction	

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label. **Prepared Media:** 2-8⁰ in sealable plastic bags for 2-5 days.

Further Reading

1. Corry J. E. L., Curtis G. D. W., and Baird R. M., Culture Media for Food Microbiology, Vol. 34, Progress in Industrial Microbiology, 1995, Elsevier, Amsterdam

2. Eaton A. D., Clesceri L. S., Rice E. W. and Greenberg A W.(Eds.), 2005, Standard Methods for the Examination of Water and Wastewater, 21st Ed., APHA, Washington, D.C.

 Downes F. P. and Ito K., (Eds.), 2001, Compendium of Methods for the Microbiological Examination of Foods, 4th Ed., APHA, Washington, D.C.

Wehr H. M. and Frank J. H., 2004, Standard Methods for the Microbiological Examination of Dairy Products, 17th Ed., APHA Inc., Washington, D.C.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conforms solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate.
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specificatons for identity and performens parameters.





