

Technical Information

Brain Heart Infusion Agar with 3.0% Agar

Product Code: DM 2069

Application: - Brain Heart Infusion Agar with 3% Agar is used for cultivation of fastidious microorganisms using hard (3%) agar gel.

Composition**

Ingredients	Gms / Litre
Calf brain, infusion from	200.000
Beef heart, infusion from	250.000
Proteose peptone	10.000
Sodium chloride	5.000
Dextrose	2.000
Disodium phosphate	2.500
Agar	30.000
Final pH (at 25°C)	7.4±0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

It is a general purpose medium that can support luxuriant growth of wide variety of microorganisms and used for primary isolation of aerobic bacteria from clinical specimens ⁽¹⁾. Brain Heart Infusion Agar with 3% Agar is also used for cultivation of fastidious microorganisms that require hard agar gel.

Proteose peptone and infusions (Calf brain Beef heart) serve as sources of carbon, nitrogen, essential growth factors, amino acids and vitamins. Dextrose serves as a source of energy. Disodium phosphate helps in maintaining the buffering action of the medium whereas sodium chloride maintains the osmotic equilibrium of the medium.

Methodology

Suspend 67 grams of powder media in 1000 ml distilled water. Shake well and heat to dissolve the medium completely. Dispense as desired.

Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.



Dehydrated Culture Media
Bases / Media Supplements

Quality Control

Physical Appearance

Cream to yellow homogeneous free flowing powder

Gelling

Firm, comparable with 3.0% Agar gel

Colour and Clarity of prepared medium

Light amber coloured clear to slightly opalescent gel forms in Petri plates.

Reaction

Reaction of 6.7% w/v aqueous solution at 25°C. pH : 7.4±0.2

pH range

7.20-7.60

Cultural Response/Characteristics

DM2069: Cultural characteristics observed after an incubation at 35- 37°C for 18-24 hours.

Organism	Inoculum (CFU)	Growth
<i>Candida albicans</i> ATCC 10231	50-100	luxuriant
<i>Escherichia coli</i> ATCC 25922	50-100	luxuriant
<i>Shigella flexneri</i> ATCC12022	50-100	luxuriant
<i>Staphylococcus aureus</i> ATCC 25923	50-100	Luxuriant
<i>Streptococcus pneumoniae</i> ATCC 6303	50-100	luxuriant

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Conant N.F 1950, Diagnostic Procedures and Reagents 3rd ed. APHA Inc. New York.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.





Dehydrated Culture Media
Bases / Media Supplements



Central Drug House (P) Ltd. Corp. Office : 7/28, Vardaan House, Ansari Road, Daryaganj, New Delhi-110002 (INDIA)
Phone : +91-11- 49404040 (100 Lines) Fax : +91-11- 49404050 E-mail : sales@cdhfinechemical.com Website : www.cdhfinechemical.com