

Technical Information

M-Endo Broth

Product Code: DM 2107

Application: - M-Endo Broth is used for estimation of coliforms in water samples using membrane filter technique.

Composition**

Ingredients	Gms / Litre	
Peptic digest of animal tissue	20.000	
Yeast extract	6.000	
Lactose	25.000	
Dipotassium phosphate	7.000	
Basic fuchsin	1.000	
Sodium sulphite	2.500	
Final pH (25°C)	7.5±0.2	
**Formula adjusted standardized to suit perform:	ance narameters	

Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

It is possible to remove bacteria from fluids by passing them through filters with such small pore size that bacteria are arrested. This filtration technique enables fairly large volumes of water to pass rapidly under pressure, but prevents the passage of any bacteria present. These bacteria are retained on the surface of the membrane which when brought into contact with suitable liquid nutrients diffuse upwards through the pores thereby inducing the organisms to grow as surface colonies which can be counted $^{(1)}$.

M-Endo Broth was used for studying coliform in milk lines milk handling equipment (2) and swimming pool waters (3) using membrane filter technique. This medium gives higher counts and is most satisfactory over many media since coliform colonies develop rapidly ⁽⁴⁾, preliminary enrichment and saturated relative humidity are not necessary and results are comparable with the Standard Methods MPN Test.

Peptic digest of animal tissue and yeast extract provide essential nutrients especially nitrogenous for the coliforms. Lactose is the fermentable carbohydrate. Sodium sulphite and basic fuchsin inhibit the growth of gram-positive organisms. Phosphates buffer the medium. Coliforms ferment lactose and the resulting acetaldehyde reacts with sodium sulphite and basic fuchsin to form red colonies and similar colouration of the medium. Lactose non-fermenters form colourless colonies.

Methodology

Suspend 61.5 grams of powder media in 1000 ml distilled water. Shake well & heat to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 5 minutes. Cool and use as required in membrane filtration technique. The medium should be used on the same day of its rehydration.

Caution: Basic fuchsin is a potential carcinogen and care should be taken to avoid inhalation of the powdered dye and contamination of the skin.

Quality Control

Physical Appearance

Light pink to purple homogeneous free flowing powder

Colour and Clarity of prepared medium

Pinkish orange coloured opalescent solution in tubes

Reaction

Reaction of 6.15% w/v aqueous solution at 25°C. pH: 7.5±0.2

pH range 7.30-7.70

Cultural Response/ characteristices

DM 2107: Cultural characteristics observed after an incubation at 35-37°C for 18-48 hours.





Organism	Inoculum (CFU)	Growth	Colour of Colony (on Membrane filter)
Escherichia coli ATCC 25922	50-100	good-luxuriant	purple with metallic sheen
Enterobacter aerogenes ATCC 13048	50-100	good-luxuriant	pink to red (may have sheen)
Salmonella Typhi ATCC 6539	50-100	luxuriant	colourless to very light pink
Staphylococcus aureus ATCC 25923	>=10 ³	inhibited	
Klebsiella pneumoniae ATCC 13883	50-100	good-luxuriant	pink to red
Salmonella Typhimurium ATCC 14028	50-100	luxuriant	colourless to very light pink

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

- 1. Cruickshank R., Duguid J. P., Marmion B. P., Swain R. H. A., (Eds.), Medical Microbiology, 1975, 12th Ed. Vol. II, Churchill Livingstone
- 2. Olson, Brown and Mickle, 1960, J., Milk and Food Tech., 23:86.
- 3. Shipe E. L. and Fields A., 1955, Public Health Lab., 13:44.
- 4. Slanetz L. W. and Bartley C. H., 1955, Applied Microbiol., 3:46.

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Donot use the products if it fails to meet specifications for identity and performens parameters.

