

## Technical Information

### High Salt Nutrient Agar

#### Product Code: DM 2218

**Application:** - High Salt Nutrient Agar is recommended for the isolation, cultivation and confirmation of salt tolerant *Vibrio* species

#### Composition\*\*

Ingredients	Gms / Litre
Peptic digest of animal tissue	5.000
Meat extract	5.000
Sodium chloride	30.000
Agar	15.000
Final pH ( at 25°C)	8.5±0.2

\*\*Formula adjusted, standardized to suit performance parameters

#### Principle & Interpretation

*Vibrios* are easy to isolate from both clinical and environmental materials, though some species may require growth factors and /or vitamins. *Vibrio parahaemolyticus* is the main cause of bacterial diarrhea associated with the consumption of contaminated food products. Media can be made selective for isolating *Vibrios* by adding suitable selective agents <sup>(1)</sup>. Based on their ability to grow at pH values above 8.0 and at 3% or higher concentrations of NaCl high concentrations of NaCl and alkaline pH have also been used to select certain *Vibrio* species, *Vibrio cholerae* is a non-halophilic *organism* which cannot grow in media with a concentration of sodium chloride greater than 5-6% and is able to grow in media without NaCl <sup>(2)</sup>. High Salt Nutrient Agar is recommended for the isolation, cultivation and confirmation of salt-tolerant *Vibrio* species in products intended for human consumption or animal feeding stuffs in accordance with ISO Committee under specification ISO/DIS 8914:1990 <sup>(3)</sup>. Meat extract, L-cysteine hydrochloride and peptic digest of animal tissue are sources of carbon, nitrogen, vitamins and minerals. Sodium chloride maintains the osmotic balance of the medium and provides the essential ions. Inoculate 25 grams of test portion to 225 ml Salt Polymyxin Broth Base (DM1821I) and 225 ml Alkaline Peptone Water (DM1618I). Incubate the two broths at 35-37°C for 7-8 hours. After incubation, inoculate a loopful from M821I onto TCBS Agar (DM1189), Tryptone Sucrose Tetrazolium Agar Base (DM2217) and High Salt Nutrient Agar (DM2218). Repeat the plating procedure for M61 8I. Incubate the plates at 35-37°C for 20-24 hours. Confirm presumptive *Vibrio* colonies by performing the biochemical tests. This can be performed by inoculation into High Salt Peptone Yeast Extract Agar (DM2219). This medium can be used to differentiate between aerobic and anaerobic growth.

#### Methodology

Suspend 55 grams of powder media in 1000 ml distilled water. Shake well and heat to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Mix well and dispense as desired.

## Quality Control

### Physical Appearance

Cream to yellow homogeneous free flowing powder

### Gelling

Firm, comparable with 1.5% Agar gel

### Colour and Clarity of prepared medium

Light yellow coloured, clear to slightly opalescent gel forms in Petri plates

### Reaction

Reaction of 5.5% w/v aqueous solution at 25°C. pH : 8.5±0.2

**pH Range** 8.30-8.70

### Cultural Response/Characteristics

DM2218: Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours.

Organism	Inoculum (CFU)	Growth	Recovery
<i>Vibrio cholerae</i> ATCC 15748	50-100	Good-luxuriant	>=50%
<i>Vibrio parahaemolyticus</i> ATCC 17802	50-100	Good-luxuriant	>=50%

## Storage and Shelf Life

**Dried Media:** Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

**Prepared Media:** 2-8<sup>0</sup> in sealable plastic bags for 2-5 days.

## Further Reading

1. Collee J. G., Fraser A. G., Marmion B. P., Simmons A., (Eds.), Mackie and McCartney Practical Medical Microbiology, 1996, 14th Edition, Churchill Livingstone
2. Bruno Gomez-Gil and Roque A., Isolation, Enumeration and Preservation of the Vibrionaceae, Thompson F. L., Austin B. and Swings J., The Biology of Vibrios, ASM press.
3. International Organization for Standardization (ISO), 1990, Draft ISO/DIS 8914: 1990

## Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at CDH is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.