

Technical Information

High Salt Peptone Yeast Extract Agar

Product Code: DM 2219

Application: - High Salt Peptone Yeast Extract Agar is recommended for the isolation, cultivation and confirmation of salt tolerant *Vibrio* species.

Composition**		
Ingredients	Gms / Litre	
Peptic digest of animal tissue	10.000	
Meat extract	2.000	
Yeast extract	6.000	
Sodium chloride	30.000	
L-Cysteine hydrochloride	0.300	
Glucose (Dextrose)	2.000	
Agar	15.000	
Final pH (at 25°C)	7.5±0.2	
**Formula adjusted standardized to suit performant	re narameters	

Principle & Interpretation

Vibrios are easy to isolate from both clinical and environmental materials, though some species may require growth factors and /or vitamins. Vibrio parahaemolyticus is the major cause of bacterial diarrhea associated with the consumption of contaminated food products. Media can be made selective for Vibrios by adding suitable selective agents (1). Based on their ability to grow at pH values above 8.0 and at 3% or higher concentrations of NaCl high concentrations of NaCl and alkaline pH have also been used to select certain Vibrio species, Vibrio cholerae is a non-halophilic organism, which cannot grow in media with a concentration of sodium chloride greater than 5-6% but able to grow in media without NaCl (2). High Salt Nutrient Agar / High Salt Peptone Yeast Extract Agar is recommended for the isolation, cultivation and confirmation of salt-tolerant Vibrio species in products intended for human consumption or animal feeding stuffs in accordance with ISO Committee under specification ISO/DIS 8914:1990 (3). Meat extract, yeast extract, L-cysteine hydrochloride and peptic digest of animal tissue are sources of carbon, nitrogen, vitamins and minerals. Glucose is the fermentable carbohydrate. Sodium chloride maintains the osmotic balance of the medium and provides the essential ions. Inoculate 25 grams of test portion to 225 ml Salt Polymyxin Broth Base (DM1821I) and 225 ml Alkaline Peptone Water (DM1618I). Incubate the two broths at 35-37°C for 7-8 hours. After incubation, inoculate a loopful from M821I onto TCBS Agar (DM189), Tryptone Sucrose Tetrazolium Agar Base (DM2217) and High Salt Nutrient Agar (DM2218). Repeat the plating procedure for (DM1618I). Incubate the plates at 35-37°C for 20-24 hours. Confirm presumptive Vibrio colonies by performing the biochemical tests. This can be performed by inoculation into High Salt Peptone Yeast Extract Agar (DM2219). This medium can be used to differentiate between aerobic and anaerobic growth.

Methodology

Suspend 65.3 grams of powder media in 1000 ml distilled water. Shake well and heat to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Mix well and dispense as desired.





Quality Control

Physical Appearance

Cream to yellow homogeneous free flowing powder

Gelling

Firm, comparable with 1.5% Agar gel

Colour and Clarity of prepared medium

Light yellow coloured, clear to slightly opalescent gel forms in tubes

Reaction

Reaction of 6.53% w/v aqueous solution at 25°C. pH: 7.5±0.2

pH Range 7.30-7.70

Cultural Response/Characteristics

DM2219: Cultural characteristics observed after an incubation at 35-37°C for 18-24 hours.

Organism	Inoculum (CFU)	Growth
Vibrio cholerae ATCC 15748	50-100	Good-luxuriant
Vibrio parahaemolyticus ATCC 17802	50-100	Good-luxuriant

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label. **Prepared Media:** 2-8⁰ in sealable plastic bags for 2-5 days.

Further Reading

- 1.Collee J. G., Fraser A. G., Marmion B. P., Simmons A., (Eds.), Mackie and McCartney Practical Medical Microbiology, 1996, 14th Edition, Churchill Livingstone
- 2. Bruno Gomez-Gil and Roque A., Isolation, Enumeration and Preservation of the Vibrionaceae, Thompson F. L., Austin B. and Swings J., The Biology of Vibrios, ASM press.
- 3.International Organization for Standardization (ISO), 1990, Draft ISO/DIS 8914: 1990

Disclaimer:

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- Central Drug House Pvt. Ltd. reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specificatons for identity and performens parameters.

