

Technical Information

Letheen Broth, AOAC

Product Code: DM 1165

Application:- Letheen Broth, AOAC is recommended for determination of bactericidal activity of quaternary ammonium compounds using *Escherichia coli* or *Staphylococcus aureus* ATCC 6538.

Composition**

Ingredients	Gms / Litre
Peptic digest of animal tissue	10.000
Beef extract	5.000
Lecithin	0.700
Polysorbate 80	5.000
Sodium chloride	5.000
Final pH (at 25°C)	7.0±0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Letheen Broth was developed by Quisno, Gibby and Foter ⁽²⁾ who added lecithin and Polysorbate 80 to FDA Broth. Letheen Broth is recommended by AOAC to determine the phenol coefficient of cationic surfactants ⁽³⁾. Letheen Medium is also recommended for testing preservatives in cosmetics ⁽⁴⁾.

Beef extract, casein enzymic hydrolysate, supply essential nutrients and other trace elements for the microbial growth. Lecithin and polysorbate 80 enables the recovery of bacteria from solutions containing residues of disinfectant used in cleanliness / sanitization of utensils and equipments. Lecithin neutralizes quaternary ammonium compounds and polysorbate 80 neutralizes phenolic disinfectants, hexachlorophene and formalin ^(5, 1). Dehydrated medium may appear lumpy with brown sugar appearance, which does not indicate any deterioration ⁽¹⁾ of media for determination of bactericidal activity of preservatives etc.

Methodology

Suspend 25.7 grams of powder media in 1000 ml distilled water. Shake well & heat if necessary to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes. Mix well and dispense as desired.

Quality Control

Physical Appearance

Cream to yellow homogeneous free flowing powder

Colour and Clarity of prepared medium

Light yellow coloured clear solution in tubes

Reaction

Reaction of 2.57% w/v aqueous solution at 25°C. pH : 7.0±0.2

pH range 6.80-7.20

Cultural Response/Characteristics

DM1165: Cultural characteristics observed after an incubation at 35-37°C for 24-48 hours.



Dehydrated Culture Media
Bases / Media Supplements

Organism	Inoculum (CFU)	Growth
<i>Escherichia coli</i> ATCC 25922	50-100	good-luxuriant
<i>Staphylococcus aureus</i> ATCC 6538	50-100	good-luxuriant
<i>Escherichia coli</i> ATCC 8739	50-100	Good-luxuriant
<i>Staphylococcus aureus</i> ATCC 25923	50-100	luxuriant

Storage and Shelf Life

Dried media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8⁰ in sealable plastic bags for 2-5 days.

Further Reading

1. MacFaddin J. F., 1985, Media for Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Vol. 1, Williams and Wilkins, Baltimore.
2. Weber and Black, 1948, Am. J. Public Health, 38:1405.
3. Horwitz, (Ed.), 2000, Official Methods of Analysis of AOAC International, 17th Ed., Vol.I, AOAC International, Gaithersburg, Mb.
4. American Society for Testing and Materials, 1991, Standard Test Methods for preservatives in water-containing cosmetics, E640-78. Annual Book of ASTM Standards, ASTM, Philadelphia, Pa.
5. Favero (Chm.), 1967, A State of the Art Report, Biological Contamination Control Committee, American Association for Contamination Control.

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specifications for identity and performance parameters.

