

Technical Information

Antibiotic Assay Medium No. 6

Product Code: DM1223

Application: - Antibiotic Assay Medium No. 6 is used for induction of spore production in *Bacillus subtilis* strains used in antibiotic assays.

Composition**

Ingredients	Gms / Litre
Casein enzymic hydrolysate	17.000
Papaic digest of soyabean meal	3.000
Sodium chloride	5.000
Dextrose	2.500
Dipotassium phosphate	2.500
Manganese sulphate	0.030
Final pH (at 25°C)	7.0±0.2

**Formula adjusted, standardized to suit performance parameters

Principle & Interpretation

Antibiotic Assay media are used for antibiotic assays. Grove and Randall have elucidated antibiotic assays and media in their comprehensive treatise on antibiotic assays ⁽¹⁾. Schmidt and Moyer have reported the use of antibiotic assay medium for the liquid formulation used in the performance of antibiotic assay ⁽²⁾. These media are prepared as per FDA ⁽³⁾.

Casein enzymic hydrolysate and papaic digest of soyabean meal provides the nutrients and growth factors. Dextrose provides as energy source. Dipotassium phosphate provides the buffering system. Manganese sulphate helps in the early initiation of *Bacillus* species.

Methodology

Suspend 30.03 grams of powder media in 1000 ml distilled water. Shake well & heat to dissolve the medium completely. Sterilize by autoclaving at 15 lbs pressure (121°C) for 15 minutes.

Quality Control

Physical Appearance

Cream to yellow homogeneous free flowing powder

Colour and Clarity of prepared medium

Light amber coloured clear solution may contain slight precipitate.

Reaction

Reaction of 3.0% w/v aqueous solution at 25°C. pH : 7.0±0.2

pH range 6.80-7.20

Cultural Response/ characteristics

DM 1223: Cultural characteristics observed after an incubation at different temperatures for 6 days.

Organism	Inoculum (CFU)	Growth	Incubated at	antibiotics assayed
Bacillus cereus ATCC 10876	50-100	luxuriant	30°C	positive
Bacillus stearothermophilus ATCC 7953	50-100	luxuriant	55°C	positive
Bacillus subtilis ATCC 6633	50-100	luxuriant	35°C	positive
Bacillus pumilus ATCC 14884	50-100	luxuriant	35°C	positive



Dehydrated Culture Media
Bases / Media Supplements

Storage and Shelf Life

Dried Media: Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

Prepared Media: 2-8° in sealable plastic bags for 2-5 days.

Further Reading

1. Grove and Randall, 1955, Assay Methods of Antibiotics Medical Encyclopedia, Inc<(>,<)>

New York.

2. Schmidt and Moyer, 1944; J. Bact, 47:199.

3. Tests and Methods of Assay of Antibiotics and Antibiotic containing Drugs, FDA, CFR, 1983. Title 21, part 436, Subpart D, Was hington, D.C. U.S Government printing office, paragraphs 436, 100-436, 106 pg 242-259 (April 1).

Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Do not use the products if it fails to meet specificatons for identity and performens parameters.

