

## Technical Information

### M-Tetrathionate Broth Base

#### Product Code: DM 2115

**Application:** - M-Tetrathionate Broth Base with added iodine solution is used for selective enrichment of *Salmonellae* using membrane filter technique.

#### Composition\*\*

Ingredients	Gms / Litre
Proteose peptone	5.000
Bile salts	1.000
Sodium thiosulphate	30.000
Final pH ( at 25°C)	8.0±0.2

\*\*Formula adjusted, standardized to suit performance parameters

#### Principle & Interpretation

Enrichment media allow the multiplication of a particular species for their isolation in pure culture <sup>(1)</sup>. M - Tetrathionate Broth is prepared as per the formulation devised by Kabler and Clark <sup>(2)</sup> for selective enrichment of *Salmonella* using membrane filter technique. The formulation is similar to Tetrathionate Broth except calcium carbonate. Tetrathionate Broth Base was originally described by Mueller <sup>(3)</sup> and found that the medium selectively inhibits coliforms and permits the unrestricted growth of enteric pathogens. Proteose peptone provides nitrogenous nutrients for the bacterial metabolism. Tetrathionate is formed by the addition of iodine solution. The selectivity of the medium depends upon the ability of thiosulphate and tetrathionate in combination, to suppress commensal organisms <sup>(4, 5)</sup>. Only those organisms possessing the tetrathionate reductase enzyme can grow on this medium. Bile salts inhibit many gram-positive microorganisms. Soak sterile cotton absorbent pads placed in 5-6 cm Petri plates with 2 ml of M-Tetrathionate Broth Base and place the membrane filter inoculum on them. Incubate at 35-37°C for 3 hours and then transfer inoculum membrane filter onto absorbent pads soaked with 2 ml M-Brilliant Green Broth (DM2102). Incubate at 35-37°C for 15-21 hours. After M-BGB incubation, add urease test reagent (urea- 20 gram, bromothymol blue 0.16 gm and phenol red 0.2 grams in 1000 ml distilled water) to absorbent pads and allow to set for 15-20 minutes to permit reagent to diffuse throughout the medium for development of colour.

#### Methodology

Suspend 3.6 grams of powder media in 100 ml distilled water. Shake well & heat if necessary to dissolve the medium completely. Cool below 45°C and add 2 ml Iodine solution containing 0.5 grams potassium iodide and 0.6 grams iodine crystals. Complete medium should be used on the day of preparation.

## Quality Control

### Physical Appearance

White to light yellow homogeneous free flowing powder

### Colour and Clarity of prepared medium

Amber coloured clear solution without any precipitate

### Reaction

Reaction of 3.6% w/v aqueous solution at 25°C. pH : 8.0±0.2

### pH range

7.80-8.20

### Cultural Response/Characteristics

DM2115: Cultural characteristics observed with added Iodine solution ( containing Potassium Iodide and Iodine crystals), after an incubation at 35-37°C for 18-24 hours.

Organism	Recovery (by Mile Misra test)	Colour colony (on membrane filter in	Colour (after addition of urease testre
<i>Escherichia coli</i> ATCC 25922	Fair-good	Yellow-green	Yellow
<i>Salmonella Enteritidis</i> ATCC 13076	Good-excellent	Pink-red	Red
<i>Salmonella Typhimurium</i> ATCC 14028	Good-excellent	Pink-red	red

## Storage and Shelf Life

**Dried media:** Store below 30°C in tightly closed container and use before expiry date as mentioned on the label.

**Prepared Media:** 2-8<sup>o</sup> in sealable plastic bags for 2-5 days.

## Further Reading

1. Collee J. G., Fraser A. G., Marmion B. P., Simmons A., (Eds.), Mackie and McCartney, Practical Medical Microbiology, 1996, 14th Edition, Churchill Livingstone
2. Kabler P. W. and Clark H. F., 1952, Am. J. Public Health, 42:390.
3. Mueller G. M., 1923, Compt. Rend. Seo. Biol., 89:434
4. Pollock M. R. and Knor R., 1943, Biochem J., 37: 476
5. MacFaddin J. F., 1985, Vol. I, Media for the Isolation-Cultivation-Identification-Maintenance of Medical Bacteria, Williams and Wilkins, Baltimore.

## Disclaimer :

- User must ensure suitability of the product(s) in their application prior to use.
- The product conform solely to the technical information provided in this booklet and to the best of knowledge research and development work carried at **CDH** is true and accurate
- **Central Drug House Pvt. Ltd.** reserves the right to make changes to specifications and information related to the products at any time.
- Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing of diagnostic reagents extra.
- Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.
- Donot use the products if it fails to meet specificatons for identity and performens parameters.