

CDH

PRODUCT CATALOGUE







CDH at a glance...

- Rich experience of more than 30 years
- Highly qualified and experienced team
- Professional management
- ISO 9001:2008
- OHSAS 18001:2007
- WHO GMP CERTIFIED

Decide with Confidence
DUNS NO 92-028-4838

your partner in research
since 1981

Dear Customers,

We are glad to release our new catalogue and it is our pleasure to thank you all for your kind patronage and support which makes us more stronger every year to serve you with bests of our capabilities..

Idea Innovation and invention are the part of our company policy and this year has come with the several consolidation of all . We are pleased to inform you that CDH has introduced around 900 new products with the growing demand and meet your requirements and be a part of your research always.

Now CDH has expanded the production capacity by setting second state-of-the-art manufacturing facility at Dahej– Gujarat place which competes all the International Industrial hubs across the Asia. The area is spread over 35000 sqm nearly 8.6 acres of land in compliance to GMP with ultra modern infrastructure and first phase is well completed and operational since July 2014. We would utilize the 6000 litres state-of-the-art for high purity solvents with the storage capacity of 300000 litres of solvents.

Every year we add on Super Stockists / Distributors / Stockists to ensure availability at your door step and and this year to make it the best we have launched two new company operated stock points at Bhiwandi (Mumbai) and Vadodara (Gujarat)with the well settled team of technicians marketing, administration and operation is our main power to serve our valued customers over the years with the efficient management of the company.

Production Unit and R&D Center



PRODUCTION CAPABILITIES

SOLVENTS

CDH has the complete in house production facilities.

We have highly sophisticated facilities for distillation and purification of different kind of solvents. **CDH** offers the most comprehensive range of solvents from HPLC to Electronic grade to Dry solvents. We utilize over 7000 liters state of the art distillation reactors of both SS / GLR for high purity solvents.

Our storage capacity is over 140000 liters with our current capacity, we can increase our production and packaging capability to meet the requirements of our customers worldwide.





EQUIPMENTS	CAPACITY
S. S. Distillation unit cum reactor	1000L
S. S. Distillation unit cum reactor	230L
Glasslined reactor with Distillation unit	600L
Glasslined reactor with Distillation unit	1600L
Glasslined reactor with Distillation unit	200L
Glass Distillation cum reactor	100L
Glass Distillation unit	50L
Glass Distillation unit	20L





OUR TIRELESS EFFORTS TO MAINTAIN CONSISTENT QUALITY

solids

CDH is recognized as a benchmark for wide range of products of high purity. Our Analytical Reagent grade is in compliance to the specification of IP, BP, USP and EP grades. We also produce MB (Molecular Biology Reagents), Reagents for Microbiology, Reagents for Biochemistry, etc. using superior quality raw material. During manufacturing our team of engineers ensures that the quality and purity of each product is as per specification by conducting series of tests at different stages of production. Environmental & Safety concerns are also taken into account.

Our production operation offers a wide range of products under one roof. Our engineers and chemists employ variety of ultra modern techniques for the development of new products.







EQUIPMENTS	CAPACITY
S.S. Evaporating pan jacketed	1000L
S.S. Evaporating pan jacketed	750L
S.S. Jacketed crystalliser pan	500L
Glasslined Jacketed evaporating pan	500L
Glasslined Jacketed evaporating pan	50L
S.S. Evaporating pan jacketed	50L
S.S. 316 High pressure autoclave	10L
S.S Vibrator / Shifter	
S.S. Centrifuge Basket size	dia 24, 18, 10
S.S 316 Nutsche filter	250 L
S.S 316 Nutsche filter	130 L
Steam heated tray dryer	12 tray
Steam heated tray dryer	24 tray
Steam / Electric heated tray dryer	48 tray



QUALITY ASSURANCE

CDH ensures all the products have clearly defined specifications guranteed by careful and sophisticated quality control with compliance to the international standard requirements.

Our Q C and R & D departments are equipped with highly modern and sophisticated facilities to attain precise results

We at **CDH** feel that Quality is the most important aspect without any substitute. In addition to that we are constantly monitoring our sales and customer care services to build closer relation with our customers.



CDH

Certification








- ISO 9001:2008
- OHSAS 18001:2007
- WHO GMP CERTIFIED

new label specimen



GHS – Hazard Pictograms



Explosives



Flammable Liquids



Oxidizing Liquids



Compressed Gases



Corrosive to Metals



Acute Toxicity



Skin Corrosion



Skin Irration




$CMR_{1)}$, $STOT_{,2)}$ Aspiration Hazard



Hazardous to the Aquatic Environment

PRODUCT INFORMATION

Complete access to online COA / MSDS / SPECIFICATION
at www.cdhfinechemical.com




Material Safety Data Sheet

Acetonitrile for HPLC

1. Product Identification
Synonyms: Methyl Cyanide; Cyanomethane; Ethanenitrile; Ethyl nitrile
CAS No: 75-05-8
Molecular Weight: 41.05
Chemical Formula: CH_3CN

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Acetonitrile	75-05-8	99.9 - 100%	Yes
Acrylonitrile	107-13-1	< 0.001%	No

3. Hazards Identification
Potential Health Effects
In most cases, cyanide poisoning causes a deceptively healthy pink to red skin color. However, if a physical injury or lack of oxygen is involved, the skin color may be bluish. Reddening of the eyes and pupil dilation are symptoms of cyanide poisoning. Cyanosis tends to be associated with severe cyanide poisonings. Inhalation: Effects of overexposure are often delayed, possibly due to the slow formation of cyanide anions in the body. These cyanide anions prevent the body from using oxygen and can lead to internal asphyxiation. Early symptoms may include nose and throat irritation, flushing of the face, and chest tightness. Higher concentrations may produce headache, nausea, vomiting, respiratory depression, weakness, blood changes, thyroid changes, irregular heart beat, abdominal pain, convulsions, shock, unconsciousness and death, depending on concentration and time of exposure. This highly toxic material has insufficient warning properties to prevent personnel from working in contaminated atmospheres. Ingestion: Gastric irritation may occur. Other symptoms parallel those from inhalation exposure. Skin Contact: May cause irritation. May be absorbed through skin with health effects to parallel those of inhalation. Eye Contact: Splashes may cause eye irritation with redness and pain.

4. First Aid Measures
Inhalation: If inhaled, remove to fresh air. If breathing is labored or with coughing, give 100% supplemental oxygen. If not breathing, begin artificial respiration. DO NOT GIVE MOUTH-TO-MOUTH RESUSCITATION.
Ingestion: If swallowed, get medical attention immediately; do not induce vomiting. Never give anything by mouth to an unconscious person. If not breathing, begin artificial respiration. DO NOT GIVE MOUTH-TO-MOUTH RESUSCITATION.
Skin Contact: Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.
Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Central Drug House (P) Ltd. Corp. Office : 7/28, Vardaan House, Ansari Road, Daryaganj, New Delhi-110002 (INDIA)
Phone : +91-11-40640640 (100 Lines) Fax : +91-11-40640650 E-mail : sales@cdhfinechemical.com Website : www.cdhfinechemical.com


Central Drug House (P) Ltd.
AN ISO 9001:2008 CERTIFIED COMPANY
Manufacturers of : Laboratory Fine Chemicals & Dehydrated Culture Media

CERTIFICATE OF ANALYSIS

Product Code : 014044
Name of Product : Acetonitrile for HPLC & spectroscopy
Molecular Formula : CH_3CN
Grade : HPLC
Batch No. : 070612
Mfg. : June 2012
Best Before : May 2017
CAS No. : 75-05-8

TEST	LIMITS	OBSERVED
Description	A clear colourless liquid not more than 10 APHA in colour.	
Solubility	50% solution in water is clear & colourless.	
Identification	Passes test.	
Minimum assay (GC)	99.8%	99.79%
Wt. per ml at 20°C	0.780-0.783g	0.781g
Refractive index n_D^{20}	1.343-1.345	1.344
Maximum limits of impurities:		
Water	0.03%	0.041%
Acidity	0.002%	0.00069%
Residue on evaporation	0.0004%	0.0003%
UV transmission (Min %)		
195 nm	72%	75%
200 nm	82%	93%
210 nm	97%	97.5%
240 nm	98%	98.3%
254 nm	99%	99.2%

Remarks : Sample complies as per above specification.

ANALYST

MANAGER (Q.C.)

This COA has been generated electronically and it is valid without signature.

In compliance with standard specifications of CDH

Corp. Office : 7/28, Vardaan House, Ansari Road, Daryaganj, New Delhi-110002(India) | Phone : +91-11-40640640 (100 Lines) Fax : +91-11-40640650, 23278032 | E-mail : sales@cdhfinechemical.com | Website : www.cdhfinechemical.com


Central Drug House (P) Ltd.
AN ISO 9001:2008 CERTIFIED COMPANY
Manufacturers of : Laboratory Fine Chemicals & Dehydrated Culture Media

Product Specification

ACETONITRILE
FOR HPLC & SPECTROSCOPY


PARAMETER	LIMIT
PRODUCT CODE	014044
SYNONYMS	Methyl cyanide
C.I. NO.	N/A
CAS NO.	75-05-8
ATOMIC OR MOLECULAR FORMULA	CH_3CN
ATOMIC OR MOLECULAR WEIGHT	41.05
PROPERTIES	Limpid liquid, high dielectric constant, high polarity, strongly reactive, burns with a luminous flame
Description	A clear colourless liquid not more than 10 APHA in colour.
Solubility	50% solution in water is clear & colourless.
Minimum assay (By GC)	99.8%
Wt. per ml at 20°C	0.780 - 0.783 g
Refractive index n_D^{20}	1.343-1.345
MAXIMUM LIMIT OF IMPURITIES	
Water	0.03%
Acidity (as CH_3COOH)	0.002%
Alkalinity (as NH_3)	0.002%
Residue on evaporation	0.0004%
UV transmission (Min %)	
195 nm	72%
200 nm	82%
210 nm	97%
240 nm	98%
254 nm	99%

Note(s) : Assay if applicable) method mentioned.

Filtered through 0.2 µm membrane filter. Packed under inert gas.

Corp. Office : 7/28, Vardaan House, Ansari Road, Daryaganj, New Delhi-110002(India) | Phone : +91-11-40640640 (100 Lines) | E-mail : sales@cdhfinechemical.com
Fax : +91-11-40640650, 23278032 | Website : www.cdhfinechemical.com

QUALITY CONTROL CERTIFIED



Grades of Purity

ANALYTICAL REAGENT (AR)



The Product Catalogue covers many AR Products conforming to the highest international standards for Analytical and Research work of the most responsible character. The trace impurities in these Products are restricted to the lowest possible limits for the utmost precision in laboratory work. We have designed a lot of products to meet the analytical specifications of IP, BP, USP, EP to fulfill the requirements of

FOR SYNTHESIS (LR & EP)



General purpose reagents used in many potential applications in chemical laboratories, careful control ensures that a consistently high defined quality is maintained throughout.

FOR MICROSCOPY



Microscopy stains are standardised by UV spectrum and controlled by TLC. They correspond normally to the specifications given in H.J. Conn's Biological Stain (1977).

FOR BIOCHEMISTRY




Highly Purified Reagents for use in Biochemical research and analysis. They are free from inhibits such as traces of heavy metals and tested with a view for Biochemical work.

FOR MICROBIOLOGY



Products which have been specially purified and tested for their microbiological applications.



PURE, PURIFIED



Purified commercial products used in many chemical laboratories.

DIAGNOSTIC REAGENTS



These are specially produced for the use of various hospitals, clinical & pathological laboratories for diagnostic purpose.

HPLC GRADE



Continuing advances in the use of HPLC have led to an increased demand for solvents and reagents in wider range of application areas, particularly for biomolecular and ion separation. Key parameters such as UV absorbance, transmittance, non-volatile matter, moisture content, fluorescence impurities and assay are very carefully controlled.

DRY SOLVENTS



These solvents are processed & distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

SPECTROSCOPY GRADE

These are solvents of high optical purity for UV / Visible / IR / Fluorescence / NMR and Mass spectroscopy. The certificate of guarantee includes assay, minimum transmission at certain defined wavelengths in UV range, moisture content, non-volatile matter etc.



BUFFERS



Suitable for working where pH varies in the field of Biochemistry / Biotechnology.

EL GRADE CHEMICALS



These chemicals have very stringent limits for metallic impurities as required by the Electronic Industry.

BP / USP / EP



Suitable for Pharmaceutical application and these products are specially purified to meets the Analytical specification of BP/USP/EP

contents

CDH	LABORATORY CHEMICALS	1-193
CDH	CROSS REFERENCE FOR NEW PRODUCT CODE	194-198
microgen	DEHYDRATED CULTURE MEDIA	199-259
microgen	CULTURE MEDIA BASES	260-263
microgen	READY PREPARED MEDIA PLATES	264-265
microgen	READY PREPARED STERILE SOLID MEDIA	266-267
microgen	READY PREPARED LIQUID MEDIUM	268-270
CDH	READYMADE STAINING SOLUTIONS	271-272
microgen	ANTI-BACT/FUNGAL/MICROBIAL AGENTS	273
microgen	DODECA DISCS (Antibiotic Combined Discs)	274



Central Drug House (P) Ltd.

AN ISO 9001:2008 COMPANY

Corporate Office : 7/28, Vardaan House, Mahavir Street
Ansari Road, Darya Ganj, New Delhi-110002 (INDIA)
Phone : +91-11-49404040 (100 lines)
Fax : +91-11-49404050, 23280932
E-mail : export@cdhfinechemical.com
Website : www.cdhfinechemical.com

Works : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)

For any further information please contact

Sachin Aggarwal (Director)
E-mail : sachin@cdhfinechemical.com

Saurabh Aggarwal (Director)
E-mail : saurabh@cdhfinechemical.com





LOT ORDERING :

Customers are requested to place their orders for products in their lot size as much as possible.

E.g. 4x2.5 ltr or 20x500 ml, so on and so forth. Lot shipments are easier to handle and reduce any chance of breakage or damage during transit.

QUOTATIONS :

For special products, or customized packing, please place your requests via mail / email or fax only. We shall revert back to you with availability & pricing information at the earliest.

BULK PACKS :

Please get in touch with us for special pricing on products required in their bulk packs.

CUSTOM SYNTHESIS :

CDH may also be able to supply products not listed in this catalogue. Please get in touch with us for your customized product requirements. We shall be most glad to evaluate them.

terms of sale



PRICES

Prices mentioned in the CD-ROM are in US Dollars and may change due to international currency fluctuation. Special Prices can be given on request.

PAYMENTS

All payments for orders under USD $ 10000.00 will be advance T/T, Orders exceeding the same will be accepted on LC from International Banks only.

STANDARD PACKING FOR SOLVENTS

Central Drug House (P) Ltd. will follow standard packings as under, due to the risk of transporting hazardous material by Air or Sea

SOLVENTS

4×2.5 Litres & 16×500ml

QUOTE

All quotes are on Ex Works basis, please specify if you require FOB, CIF etc. Forwarding Agent - CDH use its own forwarding agent for all its export to assure safe and timely shipments. We will not be responsible for damage or non shipment if a client would prefer to use their forwarding agent, once the material is handed over to the forwarding agent.

Min Order Sea-USD 10,000.00

Min Order Air-USD 5,000.00

Documentation-USD 100.00 for all orders.

AMENDMENT/CANCELLATION

No amendment or cancellation of order will be accepted once the goods have been packed for despatch.

FORCE MAJEURE

Not withstanding whatever contained herein, in the event due to reasons beyond our control such as riots, strike, civil commotions, shortage of raw material, act of God, Government restrictions etc. we are prevented from making supplies, we or our authorised stockists will not be liable for any penalisation for delay or non-supply of the items.

INSURANCE

Consignment can be insured at buyers request and at their cost, if instructions in this behalf are received with order. Insurance charges are normally 1.5% on non-dangerous and 3% on dangerous products.

BREAKAGE & SHORTAGE

The goods are packed with utmost care by experienced hands using the most suitable packing materials. Our responsibility, however, ceases as soon as the consignment leaves our warehouse. Claims if any for loss, damage, breakage, or delay in transit will not be entertained by us. Buyers are advised to refer such claims to the carriers or insurers.

BULK ENQUIRIES

Special Prices will be offered in bulk containers and large quantities.

SPECIAL NOTE

All chemicals enlisted in this Price list are for LABORATORY USE ONLY. No responsibility is accepted if these items are used for House Hold uses or other applications or for an accident or loss due to mishandling.

We solicit your enquiries for other than listed items.

CONTACT

E-mail : export@cdhfinechemical.com

WE RESERVE THE RIGHT TO DISCONTINUE MARKETING ANY ITEM WITHOUT NOTICE.

ALL DISPUTES WILL BE SUBJECT TO DELHI JURISDICTION ONLY.

global presence



International

We are having distributors network for more than 50 countries of the world.

Algeria
Argentina
Armenia
Australia
Azerbaijan
Bahrain
Bangladesh
Belgium
Benin
Bhutan
Botswana
Brazil
Cameroon
Colombia
Costa Rica
Cuba
Egypt
Estonia
Ethiopia
France
Germany
Ghana
Indonesia
Iran
Iraq
Israel
Italy
Jordan
Kazakhstan
Kenya
Kuwait
Lebanon
Madagascar
Malaysia
Mauritius
Mexico
Mozambique
Myanmar
Nepal
New Zealand
Nigeria
Oman
Pakistan
Panama
Peru
Philippines
Qatar
Republic of Korea
Romania
Russian Federation
Rwanda
Saudi Arabia
Serbia
Singapore
South Africa
Spain
Sri Lanka
Sudan
Switzerland
Tajikistan
Togo
Tunisia
Turkey
Uganda
Ukraine
United Arab Emirates
United Republic of Tanzania
Uruguay
Uzbekistan
Yemen
Zimbabwe

In India

Andaman Nicobar
- Port Blair

Andhra Pradesh
- Anantapur
- Guntur
- Hyderabad
- Kakinada
- Secunderabad
- Tirupati
- Vijayawada
- Visakhapatnam
- Warangal

Assam
- Guwahati
- Jorhat

Bihar
- Patna

Chandigarh

Chhattisgarh
- Raipur

Delhi

Goa
- Panaji

Gujarat
- Ahmedabad
- Anand
- Ankleshwar
- Bhavnagar
- Jamnagar
- Junagadh
- Navsari
- Rajkot
- Surat
- Vadodara
- Vapi

Haryana
- Ambala Cantt
- Hissar
- Karnal
- Kurukshetra

Himachal Pradesh
- Baddi
- Mandi
- Palampur
- Parwanoo
- Shimla
- Solan

Jammu & Kashmir
- Jammu
- Srinagar

Jharkhand
- Dhanbad
- Jamshedpur
- Ranchi

Karnataka
- Bangalore
- Dharwad
- Gulbarga
- Hubli
- Mangalore
- Mysore

Kerala
- Calicut
- Cannanore
- Cochin
- Kottayam
- Thiruvananthapuram
- Trichur

Madhya Pradesh
- Bhopal
- Gwalior
- Indore
- Jabalpur
- Raipur

Maharashtra
- Amarawati
- Aurangabad
- Jalgaon
- Kolhapur
- Mumbai
- Nagpur
- Nashik
- Navi Mumbai
- Pune
- Thane

Manipur
- Imphal

Meghalaya
- Shillong

Mizoram

Orissa
- Berhampur
- Balasore
- Bhubaneshwar
- Cuttack
- Sambalpur

Pondicherry

Punjab
- Amritsar
- Ludhiana
- Patiala
- Jalandhar

Rajasthan
- Bikaner
- Jaipur
- Jodhpur
- Udaipur
- Kota
- Pilani
- Alwar
- Junjhunu


Tamil Nadu
- Chennai
- Coimbatore
- Erode
- Kanchipuram
- Karaikudi
- Madurai
- Salem
- Tiruchirapalli

Tripura
- Agartala

Uttarakhand
- Dehradun
- Srinagar
- Haldwani
- Roorkee
- Rudrapur

Uttar Pradesh
- Agra
- Aligarh
- Allahabad
- Bareilly
- Faizabad
- Ghaziabad
- Gorakhpur
- Jhansi
- Kanpur
- Lucknow
- Mathura
- Meerut
- Varanasi

West Bengal
- Asansol
- Jalpaiguri
- Jamshedpur
- Kolkatta
- North 24 Parganas
- Siliguri



SPECIALLY DRIED SOLVENTS

CDH®

493915 Pack Size :

Chloroform specially dried

ANALYTICAL REAGENT

$CHCl_3$

CAS NO : 67-66-3

M. W.: 119.38

NO GHH

NO GHS

Description : A clear liquid, not more than 10 Hazen units in colour, with a characteristic odour.
(Stabilize with 0.6-1.0% ethanol as preservative.)

Minimum assay	99.0-99.4%
Wt. per ml at 20° C	1.474-1.479 g
Boiling range (95%)	60.0-62.0° C
Refractive index	1.4440-1.4450

Suitability for use with dithizone Passes test

Maximum limits of impurities:

Water	0.05%
Acidity (HCl)	0.0005%
Non-volatile matter	0.0005%
Ionised chloride (Cl)	0.00002%
Free chlorine (Cl)	0.0005%
Metallic impurities	No reaction
Aldehydes & Ketones ($CH_3.CHO$)	0.005%
Organic impurities	Passes tests

IMPORTANT : No liability accepted for accidents in handling or use. Packed for servicing industry (including industrial quality control laboratories; academic & research institutions universities etc.)
Customer care : care@cdhfinechemical.com
www.cdhfinechemical.com

QUALITY CONTROL CERTIFIED

Best Before : Mfd. : Batch No. :

Central Drug House (P) Ltd. 7/28 Vardaan House, Daryaganj, New Delhi-110002 (INDIA)

PRODUCT RANGE

450410	Acetone	500390	Cyclohexane	515970	1,4 Dioxane	617675	2-Propanol
493915	Chloroform	508710	Dichloromethane	029193	Methanol	515510	Dimethyl sulphoxide

..... and many more



- Minimum assay and Maximum limit of trace impurities.
- Useful in moisture sensitive reactions.
- Easy availability.

Organic Solvents, Properties and Drying

Solvent	Boiling Point°C	$d_4^{20°}$	$n_D^{20°}$	Flash Point °C	MAC ppm	MAC mg/m³	Drying Agent
Acetic Acid	118	1.049	1.372	+40	10	25	P_2O_5, $CuSO_4$
Acetone	56	0.791	1.359	–18	1000	2400	K_2CO_3 Molecular sieve 0.3 mm
Acetonitrile	82	0.782	1.344	+6	40	70	$CaCl_2$: P_2O_3 ; K_2CO_3 Molecular sieve 0.3mm
Aniline	184	1.022	1.586	+76	S,B,2	8	KOH; BaO
Anisole	154	0.995	1.518	+51			$CaCl_2$; Distillation ; Na
Benzene	80	0.879	1.501	–10	S.A		Na ; Pb/Na, $CaCl_2$, Distillation
1– Butanol	117	0.810	1.399	+29	100	300	K_2CO_3; Distillation
2– Butanol	100	0.808	1.398	+24	100	300	K_2CO_3; Distillation
tert–Butanol	82	0.786	1.384	+11	100	300	CaO ; freeze out
n–Butyl Acetate	127	0.882	1.394	+33	200	950	$MgSo_4$
Carbon Disulfide	46	1.263	1.626	–30	S,10	30	$CaCl_2$; P_2O_5
Carbon Tetrachloride	77	1.594	1.460	non–flammable	S,10 B	65	Distillation : $CaCl_2$; P_2O_5 ; Pb/Na Molecular sieve 0.4 mm
Chlorobenzene	132	1.106	1.525	+29	50	230	$CaCl_2$; Distillation : P_2O_5
Chloroform	62	1.486	1.448	non–flammable	B, 10	50	$CaCl_2$; P_2O_5 ; Pb/Na Molecular sieve 0.4 mm
Cyclohexane	81	0.779	1.426	–17	300	1050	Na; Na/Pb; $LiAlH_4$; Molecular sieve 0.4 mm
Dekalin (Decahydro–Naphthalene)	189–191	0.886	1.48	<54	–	–	$CaCl_2$; Na; Pb/Na, Naphthalene
Dichloromethane (Methylene Chloride)	40	1.325	1.424	non–flammable	100	360	$CaCl_2$; Pb/Na Molecular sieve 0.4 mm
Diethyl Carbonate	126	0.975	1.384	+25	–	–	K_2CO_3 : Na_2SO_4
Diethyl Ether	34	0.714	1.353	–40	400	1200	$CaCl_2$: Na; Pb/Na, $LiAlH_4$ Molecular sieve 0.4 mm
Diethylene Glycol–dibutyl Ether	255	0.885	1.423	+118	–	–	$CaCl_2$: Na;
Diethylene Glycol–diethyl Ether	188	0.906	1.412	+82.5	–	–	$CaCl_2$: Na;
Diethylene Glycol–dimethyl Ether	164	0.945	1.407	+70	–	–	$CaCl_2$: Na;
Diisopropyl Ether	68	0.726	1.368	–23	500	2100	$CaCl_2$: Na; Molecular Sieve 0.4
Dimethyl Fomamide	153	0.950	1.430	+62	S, 20	60	Distillation ; Molecular sieve 0.4 mm
Dimethyl Sulfoxide	189	1.101	1.478	+95	–	–	Distillation ; Molecular sieve 0.3 mm

Organic Solvents, Properties and Drying

Solvent	Boiling Point °C	$d_4^{20°}$	$n_D^{20°}$	Flash Point °C	MAC ppm	MAC mg/m³	Drying Agent
1, 4- Dioxan	101	1.034	1.422	+11.8	S, 50	180	$CaCl_2$; Na; Molecular sieve 0.4 mm
Ethyl Acetate	77	0.901	1.372	–4	400	1400	K_2CO_3 ; P_2O_5; Na_2SO_4 Molecular Sieve 0.4 mm
Ethylene Glycol	197	1.109	1.432	+111	–	–	Distillation ; Na_2SO_4
Ethylene Glycol Monoethyl Ether	135	0.930	1.408	+41	S, 20	75	Distillation
Ethylene Glycol Monomethyl Ether	125	0.965	1.402	+52	S, 5	15	Distillation
Ethyl Formate	54	0.924	1.360	–20	100	300	$MgSO_4$; Na_2SO_4
Ethyl Methyl Ketone	80	0.806	1.379	–4.4	200	590	K_2CO_3
Formamide	211	1.134	1.447	155	–	–	Na_2SO_4;CaO
Glycerol	290	1.260	1.475	+176			Distillation
n-Hexane	69	0.659	1.375	– 23	5	21	Na; Pb/Na; $LiAlH_4$; Molecular sieve 0.4 mm
Isobutanol	108	0.803	1.396	+28	100	300	K_2CO_3; CaO; Mg; Ca
Isobutyl Methyl Ketone	117	0.801	1.396	+15.5	100	400	K_2CO_3
Methyl Acetate	57	0.933	1.362	–10	200	610	K_2CO_3; CaO
Nitrobenzene	211	1.204	1.556	+92	S, 1	5	$CaCl_2$; P_2O_5; Distillation
n-Pentane	36	0.626	1.358	–49	1000	2950	Na; Pb
1-Propanol	97	0.804	1.385	+15	–	–	CaO; Mg
2-Propanol	82	0.785	1.378	+12	400	980	CaO; Mg; Molecular sieve 0.3 mm
Pyridine	116	0.982	1.510	+20	5	15	KOH; BaO; Molecular sieve 0.4 mm
Tetrahydrofuran	66	0.887	1.405	–17.5	200	590	Molecular Sieve 0.4 mm
Tetralin (Tetrahydro-Naphthalene)	207	0.970	1.541	+78	–	–	$CaCl_2$; Na
Toluene	111	0.867	1,496	+4	200	750	Distillation ; Na; $CaCl_2$; Molecular sieve 0.4 mm
Trichloroethylene	87	1.462	1.478	non-flammable	B, 50	260	Distillation; Na_2SO_4; K_2CO_3
Xylene (isomeric mixture)	136–140	~ 0.86	~1.50	+25	100	440	Distillation ; Na; $CaCl_2$; Molecular sieve 0.4 mm

Product Code	Product Name	Packing
001000 $C_{15}H_{20}O_4$ (14375-45-2)	(±)-**Abscisic Acid** Extra Pure (ABA) M. W.: 264.32	**25 mgm** **100 mgm** **500 mgm**
033001 (9000-01-5)	**Acacia** (Gum Acacia, Gum Arabic)	**500 gm** **5 kg** **25 kg**
450005 (9000-01-5)	**Acacia** enzyme free **AR** Meets Analytical Specification of IP, B.P., U.S.P., N.F., Ph.EVR.	**500 gm**
025946 $C_{12}H_{10}$ (83-32-9)	**Acenaphthene** for Synthesis M. W.: 154.21 Assay (GC) 98.0%	**100 gm** **500 gm**
450050 $C_{12}H_{10}$ (83-32-9)	**Acenaphthene AR** M. W.: 154.2 Assay 99.0%	**100 gm** **500 gm**
044117 $C_4H_{10}N_2O_4S$ (7365-82-4)	**ACES** Buffer M. W.: 182.2 Assay 99.0%	**25 gm** **100 gm**
025945 C_2H_4O (75-07-0)	**Acetaldehyde** Soln. Pract M. W.: 44.05 Assay (By acidimetric) 20-30% w/w	**500 ml** **2.5 lit**
027005 $CH_3.CONH_2$ (60-35-5)	**Acetamide** for Synthesis M. W.: 59.07 Assay 98.0%	**250 gm** **500 gm** **25 kg**
001120 $C_2H_6N_2.HCl$ (124-42-5)	**Acetamidinium Chloride** for Synthesis (Acetamidium Hydrochloride) M. W.: 94.54	**250 gm**
027008 $C_6H_5.NH.CO.CH_3$ (103-84-4)	**Acetanilide** for Synthesis M. W.: 135.17 Assay 98.5%	**250 gm** **500 gm** **25 kg** **50 kg**
800100	**Acetate Buffer** Solution pH 4.6 pH (as such) 4.6±0.2	**500 ml**
027017 $CH_3.COOH$ (64 -19-7)	**Acetic Acid Glacial** for Synthesis Meets Analytical Specification of IP M. W.: 60.05 Assay (acidimetric) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
450140 $CH_3.COOH$ (64-19-7)	**Acetic Acid Glacial** (about 1.05) **AR** & **P Test** (Unaffected by chromic acid) Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 60.05 Assay (acidimetric) 99.7%	**500 ml** **2.5 lit** **25 lit** **200 lit**
700100 CH_3COOH (64-19-7)	**Acetic Acid** for HPLC & Spectroscopy M.W. 60.05 Assay (GC) 99.8%	**1 lit** **2.5 lit**
450230 CH_3COOH (64-19-7)	**Acetic Acid Glacial** (Aldehyde Free) **AR** Specially suitable for use in determination of Cholesterol in blood plasma and for wij's solution M. W.: 60.05 Assay (acidimetric) 99.8%	**500 ml** **2.5 lit** **25 lit** **200 lit**
700140 CH_3COOH (64-19-7)	**Acetic Acid** EL Grade M. W.: 60.05 Assay (acidimetric) 99.8%	**500 ml** **2.5 lit**
D00990 $C_2D_4O_2$ (1186-52-3)	**Acetic** d_3 **Acid**-d M. W.: 64 08 (for NMR Spectroscopy) Assay Min. 99 atom%D	**10x0.75 ml** **10 ml**
800240	**Acetic Acid** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
800260	**Acetic Acid** 2M (2N) Volumetric Solution Nist Traceable	**1 lit**
800280	**Acetic Acid** Solution 3%	**500 ml**
800300	**Acetic Acid** Solution 5% Assay 4.9-5.1%	**500 ml**
800320	**Acetic Acid** Solution 10%	**500 ml**
025998 $C_{10}H_{11}NO_2$ (102-01-2)	**Aceto Acetanilide** Tech. M. W.: 177.20	**500 gm** **25 kg** **50 kg**
800340	**Acetone Alcohol** 50% Solution Decolourizer	**500 ml**
027023 $(CH_3)_2CO$ (67-64-1)	**Acetone** for Synthesis M. W.: 58.08 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
450320 $(CH_3)_2CO$ (67-64-1)	**Acetone AR/ACS** Meets Analytical Specification of BP,USP,Ph,Eur M. W.: 58.08 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
450410 $(CH_3)_2CO$ (67-64-1)	**Acetone** Specially Dried **AR** M. W.: 58.08 Assay (GC) 99.5%	**500 ml** **2.5 lit**
700330 $(CH_3)_2CO$ (67-64-1)	**Acetone** EL Grade M. W.: 58.08 Assay (GC) 99.8%	**2.5 lit**
700380 $(CH_3)_2CO$ (67-64-1)	**Acetone** for HPLC & Spectroscopy M. W.: 58.08 Assay (GC) 99.8%	**1 lit** **2.5 lit**
700430 C_3H_6O (67-64-1)	**Acetone** for Pesticide Residue Analysis M. W.: 58.08 Assay 99.9%	**1 lit**
D01269 C_3D_6O (666 52 4)	**Acetone** d_6 (for NMR Spectroscopy) M. W.: 64 13 Assay Min. 99 5 atom%D	**10 ml**
D01278 C_3D_6O (666 52 4)	**Acetone** d_6 (for NMR Spectroscopy) M. W.: 64 13 Assay Min. 99 5 atom%D	**10x0.75 ml**
001320 C_4H_7NO (75-86-5)	**Acetone Cyanohydrin** for Synthesis M. W.: 85.1 Assay 99.0%	**250 ml**

Product Code	Product Name	Packing
029220 CH_3CN (75-05-8)	**Acetonitrile** for Synthesis M. W.: 41.05 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
450500 CH_3CN (75-05-8)	**Acetonitrile AR** M. W.: 41.05 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
700580 CH_3CN (75-05-8)	**Acetonitrile** for praparative (HPLC) M. W.: 41.05 Assay (GC) 99.8%	**2.5 lit**
700630 CH_3CN (75-05-8)	**Acetonitrile** for HPLC & Spectroscopy M. W.: 41.05 Assay (GC) 99.8%	**1 lit** **2.5 lit**
700640 CH_3CN (75-05-8)	**Acetonitrile** for Gradient Grade M. W.: 41.05 Assay (GC) 99.9%	**1 lit** **2.5 lit**
700780 CH_3CN (75-05-8)	**Acetonitrile** for Pesticide Residue Analysis M. W.: 41.05 Assay (GC) 99.9%	**1 lit**
700920 CH_3CN (75-05-8)	**Acetonitrile** Dna for Synthesis M. W.: 41.05 Assay 99.8%	**1 lit** **2.5 lit**
D01548 C_2D_3N (2206 26 0)	**Acetonitrile** d_3 (for NMR Spectroscopy) M. W.: 44 08 Assay Min. 99 8 atom%D	**10 ml**
D01557 C_2D_3N (2206 26 0)	**Acetonitrile** d_3 (for NMR Spectroscopy) M. W.: 44 08 Assay Min. 99 8 atom%D	**10x0.75 ml**
800400	**Acetonitrile** with 0.1% Acetic Acid for LCMS	**2.5 lit**
800405	**Acetonitrile** with 0.1% Formic Acid for LCMS	**2.5 lit**
800410	**Acetonitrile**/Water 50:50 (w/w) for HPLC	**2.5 lit**
001520 $C_2H_5NO_2$ (546-88-3)	**Aceto Hydroxamic Acid** M. W: 75.07 Assay 98.0%	**1 gm** **5 gm**
801040	**Aceto Orcein** Solution	**100 ml**
027030 $C_6H_5.CO.CH_3$ (98-86-2)	**Acetophenone** M. W.: 120.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
451005 $C_6H_5.CO.CH_3$ (98-86-2)	**Acetophenone AR** M. W.: 120.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
027035 $CH_3.CO.CH_2.CO.CH_3$ (123-54-6)	**Acetyl Acetone** for Synthesis M. W.: 100.12 Assay (GC) 98.0%	**250 ml** **500 ml** **2.5 lit**

Product Code	Product Name	Packing
451095 $CH_3.CO.CH_2.CO.CH_3$ (123-54-6)	**Acetyl Acetone AR** M. W.: 100.12 Assay (GC) 99.5%	**100 ml** **250 ml** **500 ml**
001620 $C_6H_8O_3$ (517-23-7)	a-**Acetyl**-g-**Butyrolactone** for Synthesis M.W.: 128.13 Assay 99.0%	**100 gm** **500 gm**
027037 CH3COCl (75-36-5)	**Acetyl Chloride** for Synthesis M. W.: 78.50 Assay (ex Cl) 98.0-102.0%	**500 ml** **2.5 lit**
451185 $C_7H_{16}INO_2$ (2260-50-6)	**Acetyl Choline Iodide AR** M. W.: 273.12 Assay (Argentometry) 98.5%	**5 gm**
024001 $C_5H_9NO_3S$ (616-91-1)	N-**Acetyl**-L-**Cysteine** M. W.: 163.19 Assay (Iodometric) 99.0%	**10 gm** **100 gm**
001820 $C_6H_{11}NO_3S$ (7652-46-2)	N-**Acetyl L-Cysteine Methyl Ester** for Biochemistry M. W.: 177.22 Assay (HPLC) 90%	**5 gm** **25 gm**
001900 $C_8H_{15}NO_6$ (1811-31-0)	N-**Acetyl**-D-**Galactosamine** for Biochemistry M. W.: 221.21 Assay (ex N) 98%	**100 mgm** **500 mgm**
001950 $C_8H_{15}NO_6$ (7512-17-6)	N-**Acetyl**-D-**Glucosamine** for Biochemistry M. W.: 221.21 Assay 99.0%	**1 gm** **5 gm**
002000 $C_4H_7NO_3$ (543-24-8)	N-**Acetyl Glycine** M. W.: 117.10 Assay 98.0%	**100 gm** **500 gm**
002050 $C_7H_{13}NO_3S$ (1115-47-5)	N-**Acetyl**-DL-**Methionine** for Biochemistry M. W.: 191.25 Assay 98.0-101.5%	**100 gm** **250 gm**
002100 $C_{11}H_{19}NO_9$ (131-48-6)	N-**Acetyl Neuraminic Acid** (Nana) for Biochemistry M. W.: 309.27 Assay 95.0%	**100 mgm** **500 mgm** **1 gm**
002150 $C_7H_{11}NO_2$ (32161-06-1)	1-**Acetyl**-4-**Piperidone** M. W.: 141.17 Assay 94%	**5 ml**
002300 C_7H_7NO (1122-62-9)	2-**Acetyl Pyridine** for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	**25 ml** **100 ml**
002350 C_7H_7NO (350-03-8)	3-**Acetyl Pyridine** for Synthesis (Methyl 2-Pyridyl Ketone) M. W.: 121.14 Assay (GC) 98.0%	**100 ml**
	Acetylene Tetra Bromide See 1,1,2,2-Tetrabromoethane	
451275 $C_7H_{16}INOS$ (1866-15-5)	•S-**Acetyl Thiocholine Iodide AR** M. W.: 289.17 Assay (Argentometric) 98.5%	**1 gm** **5 gm**

Product Code	Product Name	Packing
002400 $C_{13}H_{14}N_2O_3$ (87-32-1)	N-**Acetyl**-DL-**Tryptophan** for Biochemistry M. W.: 246.27 Assay 99%	**25 gm**
002450 $C_{13}H_{17}NO_4.H_2O$ (36546-50-6)	N-**Acetyl**-L-**Tyrosine Ethyl Ester** for Biochemistry M. W.: 269.29	**5 gm** **10 gm**
801740	**Acid Alcohol**	**125 ml** **500 ml**
801790	**Acid Fast Decolourizer**	**125 ml**
	Acid Fuchsin See Fuchsin acid	
801840	**Acid Mixture** (Phosphoric Sulphuric)	**125 ml**
801890	**Acid Molybdate** Solution For determination of Phosphate in boiler water	**500 ml**
027041 $C_{17}H_{19}N_3.½ZnCl_2.HCl$ (10127-02-3)	**Acridine Orange** (M.S.) C.I. 46005 M.W:. 369.94 Dye content 87.0%	**25 gm**
027043 $C_{14}H_{14}Cl\ N_3$ (8048-52-0)	**Acriflavine** for Biochemistry C.I. 46000 M.W:. 259.7 Dye content (dried) 98.5-105%	**5 gm** **25 gm**
002500 (8063-24-9)	**Acriflavin Hydrochloride** Fluoroscence Grade	**25 gm**
027045 C_3H_5NO (79-06-1)	**Acrylamide** M. W.: 71.08 Assay (G.C) 98.5%	**500 gm** **25 kg** **50 kg**
910548 C_3H_5NO (79-06-1)	**Acrylamide** for Electrophoresis M. W.: 71.08 Assay 99.0%	**25 gm** **100 gm** **500 gm**
451365 C_3H_5NO (79-06-1)	**Acrylamide** 3X CRYST **AR** M. W.: 71.08 Assay (GC) 99.9%	**25 gm** **100 gm** **500 gm**
910550 C_3H_5NO (79-06-1)	**Acrylamide 3x** cryst. For molecular biology DNase, RNase, protease And Phosphate not detected M.W. : 71.08 Assay Min. 99.9%	**25 gm** **100 gm** **500 gm** **1 kg**
910560 C_3H_5NO (79-06-1)	**Acrylamide** for Electrophoresis (Low Conductance<5uS/cm) 3x Crystallised M.W.: 71.08 Assay (By GC) 99.5%	**100 gm** **500 gm**
002600 $C_7H_{13}NO_4S$ (15214-89-8)	2-**Acrylamido** 2-**Methyl-Propane Sulphonic Acid** for Synthesis M.W. : 207.25 Assay 98.5%	**250 gm** **1 kg**
025974 $C_3H_4O_2$ (79-10-7)	**Acrylic Acid** for Synthesis M. W.: 72.06 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
027047 $CH_2.CH.CN$ (107-13-1)	**Acrylonitrile** Stabilised for Synthesis (Vinyl Cyanide) M. W.: 53.06 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
452025 C_3H_3N (107-13-1)	**Acrylonitrile AR** (vinyl cyanide) M. W.: 53.06 Assay 99.5%	**500 ml**
452115 $C_{15}H_{23}NO_4$ (66-81-9)	•**Actidione AR** (Cycloheximide) Inhibitor of Protein Biosynthesis (Antibiotic against yeast) M. W.: 281.35 Assay 99.0%	**1 gm** **5 gm**
002800 $C_6H_{10}N_2O_5$ (26239-55-4)	**ADA Buffer** for Biochemistry [N-(Carbamoylmethyl)-Iminodiacetic Acid N-(2-Acetamido)Iminodiacetic Acid] M. W.: 190.2 Assay 98%	**25 gm** **100 gm** **500 gm**
	Adam's Catalyst See Platinum Oxide	
042001 $C_5H_5N_5$ (73-24-5)	**Adenine** for Biochemistry Meets Analytical Specification of BP, USP M. W.: 135.13 Assay (Non-aqueous by potentiometric w.r. to dried sub) 98.5-101%	**5 gm** **25 gm** **1 kg**
025975 $C_5H_5N_5.½H_2SO_4$ (321-30-2)	**Adenine Sulphate** (Adenine Hemisulphate) M.W.: 184.17 Assay (Acidimetric) 98.0%	**10 gm** **100 gm**
042003 $C_{10}H_{13}N_5O_4$ (58-61-7)	**Adenosine** M.W.: 267.24 Assay (Spectrophotometric) (259 nm at pH 7.0) 98.5%	**5 gm** **25 gm**
042097 $C_{10}H_{13}N_5Na_2O_{10}P_2$ (16178-48-6)	•**Adenosine**-5-**Diphosphate Disodium Salt** (ADP-Na_2) M. W.: 471.17 Assay (dried) 95.0%	**500 mgm** **1 gm** **5 gm**
042066 $C_{10}H_{12}N_5Na_2O_7P$ (4578-31-8)	•**Adenosine**-5-**Mono Phosphate Disodium Salt** (AMP-Na_2) M. W.: 391.19 Assay (Spectrophotometric) (259 nm at pH 7.0) 96.0%	**1 gm** **5 gm** **25 gm**
042008 $C_{10}H_{14}N_5Na_2O_{13}P_3.4H_2O$ (987-65-5)	•**Adenosine**-5-**Triphosphate Disodium Salt** (ATP-Na_2) M. W.: 623.21 Assay (Spectrophotometric; on dried material) 98.0%	**1 gm** **5 gm** **25 gm**
027049 $C_6H_{10}O_4$ (124-04-9)	**Adipic Acid** Pure M. W.: 146.14 Assay 99.0%	**500 gm** **25 kg** **50 kg**
038002 $CH_2(OH).(CH.OH)_3CH_2OH$ (488-81-3)	**Adonitole** M. W.: 152.15	**5 gm**

033003 (9002-18-0)	**Agar Agar Shredded** for Bacteriology
025952 (9002-18-0)	**Agar Powder Ultra Pure** Recommended for use in immunoelectro phoretic procedures, Nutritional Studies (vitamin assay media) or sensitivity testing procedure Gelling Temperature not more than 35°C (Equivalent to noble agar)
025953 (9002-18-0)	**Agar Powder Certified** Etensively processed to guarantee the absence of inhibition, allowing growth of even the most sensitive microorganisms, it can be used in electrophoretic studies. Immunodiffusion assays and tissue culture procedures
033180 (9002-18-0)	**Agar Powder Extra Pure** Recommended for culture media, disc diffusion, susceptibility tests where low mineral/metal content is desirable. Gelling Temperature not more than 38°C
025951 (9002-18-0)	**Agar Purified Powder** Free from all nitrogenous compounds, Inorganic salts andvitamins and therefore ideal for culture media and bacteriological work Gelling Temperature not more than 38°C
033004 (9002-18-0)	**Agar Powder Bacteriological** Bacterial content as per IP recommended for routine bacteriological work and particularly useful in pharmaceutical preparation where it passes in microbial limit tests for the presence of bacteria.
025999 (9002-18-0)	**Agar Agar Powder No.I**

AGAROSE

911000	Agarose high EEO
911020	Agarose medium EEO type II
911100	Agarose low EEO regular grade
911150	Agarose superior grade type II
911200	Agarose low melting gelling temp.~35^{0} C
911250	Agarose for Molecular Biology
911300	Agarose Low-6
911350	Agarose Low-8







Product Code	Product Name	Packing
452725 $C_6H_3(OH)_2.CH(OH).CH_2.NH.CH_3$ (51-43-4)	L-**Adrenaline AR/ACS** M. W.: 183.21 Assay 99.0%	**1 gm** **5 gm**
452205 $C_9H_{13}NO_3.C_4H_6O_6$ (51-42-3)	**Adrenaline Hydrogen Tartrate AR** (Adrenaline Hydrogen Tartrate) Meets IP,BP,USP,Ph,Eur M. W.: 333.3 Assay (Non-aqueous) 99.0%	**1 gm** **5 gm**
025980	**Aerosil 200** (Fumed Silica Gel)	**100 gm** **250 gm**
038003 $C_{15}H_{16}O_9.+ H_2O$ (531-75-9)	**Aesculin** M. W.: 340.28 (Anhydrous) (Anhydrous)	**5 gm** **25 gm**
033003 (9002-18-0)	**Agar Agar Shredded** for Bacteriology	**500 gm**
025952 (9002-18-0)	**Agar Powder** Ultra Pure Recommended for use in immunoelectro phoretic procedures, Nutritional Studies (vitamin assay media) or sensitivity testing procedure Gelling Temperature not more than 35°C (Equivalent to noble agar)	**500 gm**
025953 (9002-18-0)	**Agar Powder** Certified Etensively processed to guarantee the absence of inhibition, allowing growth of even the most sensitive microorganisms, it can be used in electrophoretic studies. Immunodiffusion assays and tissue culture procedures	**500 gm**
033180 (9002-18-0)	**Agar Powder** Extra Pure Recommended for culture media, disc diffusion, susceptibility tests where low mineral/metal content is desirable. Gelling Temperature not more than 38°C	**500 gm**
025951 (9002-18-0)	**Agar** Purified Powder Free from all nitrogenous compounds, Inorganic salts and vitamins and therefore ideal for culture media and bacteriological work Gelling Temperature not more than 38°C	**500 gm**
033004 (9002-18-0)	**Agar** Powder Bacteriological Bacterial content as per IP recommended for routine bacteriological work and particularly useful in pharmaceutical preparation where it passes in microbial limit tests for the presence of bacteria.	**100 gm** **250 gm** **500 gm** **5 kg** **25 kg**

Product Code	Product Name	Packing
025999 (9002-18-0)	**Agar Agar** Powder No. I	**500 gm** **25 kg**
911000 (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	**Agarose High EEO**	**10 gm** **25 gm** **100 gm** **500 gm**
911010 (9012-36-6) This high EEO Agarose is suitable for protein separation by immunodiffusion & countercurrent immunoelectrophoresis techniques.	**Agarose High EEO** **for molecular biology** DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911020 (9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	**Agarose Medium EEO type II**	**10 gm** **25 gm**
911050 (9012-36-6) A highly purified medium EEO Agarose suitable for protein separations by immunodiffusion & immunoelectrophoresis techniques.	**Agarose Medium EEO type II** for molecular biology DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm**
911100 (9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	**Agarose Low EEO** **Regular grade**	**10 gm** **25 gm** **100 gm**
911120 (9012-36-6) A highly purified low EEO Agarose suitable for routine nucleic acid analysis,having good resolution & low staining background. Can be used for various routine applications like nucleic acid separation & purification, checking PCR products & plasmid preparations, RE analysis and immunoelectrophoresis techniques, etc. Ranges of separation: 100bp to 25kb.	**Agarose Low EEO** for molecular biology DNase, RNase, Protease not detected	**10 gm** **25 gm** **100 gm**
911150 (9012-36-6) A very high quality low EEO, high gel strength Agarose with superior gel clarity and wider resolution range from 100bp to 25kb nucleic acid fragments, ideal for various applications like separations & purifications, PCR &RE analysis, southern & northern blotting, immunoelectrophoresis techniques, etc. Ranges of separation: 100bp To 25kb.	**Agarose Low EEO** **Superior grade type II** for molecular biology	**10 gm** **25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
911200	**Agarose Low Melting** **gelling temp ~35°C** melting temp (4% gel) ~65°C suitable for separation of DNA fragments <1000 base pairs (bp) & can distinguish fragments as small as 8 bp. suitable for molecular biology (9012-36-6)	**5 gm** **10 gm** **25 gm** **100 gm**
911250	**Agarose** suitable for molecular biology (9012-36-6)	**5 gm** **10 gm** **25 gm**
911300	**Agarose Low-6** suitable for molecular biology (9012-36-6) Ranges of Separation: 10-1200bp at concentrations between 1.8-5% in 1xTAE Buffer. Agarose Low-6 is a high quality agarose specially formulated for molecular screening with an improved efficiency resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-6 gels, they should be stored at 4°-8°C for 30 minutes before use.	**5 gm** **10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
911350	**Agarose Low-8** suitable for molecular biology (9012-36-6) Ranges of Separation: (10-1200bp) 1.8% ..... 400-1200bp 3% .....150-800bp 4.5% .....15-400bp Agarose Low-8 has been specially developed for molecular screening applications and improves resolution of small DNA fragments and PCR products. To achieve the best resolution of Agarose Low-8 gels, they should be stored at 4° - 8°C for 30 minutes before use.	**5 gm** **10 gm** **25 gm** **100 gm** **500 gm** **1 kg**
	Aibn See (A-A-Azo-Iso-Butyronitrile)	
003550 $C_{21}H_{24}N_2O_3$ (483-04-5)	**Ajmalicine** Pure M.W. 352.43 Assay 98.0%	**1 gm**
003570 $C_{20}H_{26}N_2O_2$ (4360-12-7)	**Ajmaline** Pure M.W. 326.44 Assay 98.0%	**1 gm**
452815 $C_6H_{12}N_2O_3$ (1596-84-5)	**Alar (B-9) AR** Plant Growth Regular M.W. 160.17 Assay (dried) 99.0%	**1 gm** **5 gm**
037009 $NH_2.CH_2.CH_2.COOH$ (107-95-9)	B-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
037005 $C_3H_7NO_2$ (338-69-2)	D-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non-aqueous, on dry basis) 98.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
037007 $CH_3CH(NH_2)COOH$ (302-72-7)	DL-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non aqueous) 98.5%-100.5%	**25 gm** **100 gm** **1 kg**
037006 $CH_3CH(NH_2)COOH$ (56-41-7)	L-**Alanine** for Biochemistry M. W.: 89.09 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **500 gm**
003870 $C_{17}H_{21}NO_5$ (42854-62-6)	L-**Alanine Benzyl Ester-P-Toluene Sulfonate** for Biochemistry M. W.: 351.42 Assay 95.0%	**25 gm**
003880 $C_4H_9NO_2.HCl$ (2491-20-5)	L-**Alanine Methyl Ester Hydrochloride** for Biochemistry M. W.: 139.58 Assay 99%	**5 gm** **25 gm**
802370	**Albert's** Stain **A**	**125 ml** **500 ml**
802380	**Albert's** Stain **B**	**125 ml** **500 ml**
	Albumin Bovine See Bovin Albumin	
802390	**Albert Metachromatic stains kit**	**KIT**
025955 $C_{56}H_{68}Cl_4CuN_{16}S_4$ (33864-99-2)	**Alcian Blue** 8GX for Microscopy (Ingrain blue 1) C.I. 74240 M.W.: 1298.88 Dye content (Spectrophotometric) abt. 50%	**5 gm** **25 gm**
802440	**Alcian Blue Solution** for Microscopy Clear, Permanent Stain for Mucin	**100 ml**
025969 $C_{16}H_{32}O_5$ (513-87-9)	**Aleuritic Acid** M. W.: 304.43	**25 gm** **1 kg**
027898 $(C_6H_8O_6)n$ (9005-32-7)	**Alginic Acid** Meet BP,Ph,Eur. M.W:(176.13)n Assay (as COOH w.r.t. Dried subs.) 19-25%	**500 gm** **5 kg** **25 kg** **50 kg**
004000 $C_{25}H_{54}NCl$ (5137-55-3)	**Aliquat 336 ~** (Trioctyl Methyl Ammonium Chloride) M. W.: 404.17 Assay 80.0%	**250 ml** **1 lit**
	Alizarin Complexone See 3-Aminomethylalizarin N,N'-Diacetic Acid	
452905 $CO.C_6H_4.CO.C_6H_2(OH)_2$ (72-48-0)	**Alizarin** pH indicator **AR** C.I. 58000 M. W.: 240.22	**25 gm** **100 gm**
004100 $C_{28}H_{20}N_2Na_2O_8S_2$ (4403-90-1)	**Alizarin Cyanin Green G** (C.I. 61570) M. W.: 622.59	**25 gm** **100 gm**
013005 $C_{14}H_6Na_2O_7S$ (130-22-3)	**Alizarin Red** S pH Indicator C.I. 58005 M.W:.364.24 Dye content (Spectro) 70%	**25 gm** **100 gm**
802720	**Alizarin Red** Solution 0.1 % w/v (Alizarin alcohol Solution)	**50 ml**

Product Code	Product Name	Packing
453645 $C_{13}H_9N_3O_5$ (2243-76-7)	**Alizarin Yellow** R **AR** for Microscopy M. W:.287.23 Assay (Dye content) 70.0%	**25 gm** **100 gm**
013006 $C_{13}H_8N_3NaO_5$ (584-42-9)	**Alizarin Yellow GG** M. W:.309.21	**25 gm** **100 gm**
802725	**Alkali Blue** (6B) Solution 0.1% in Alcohol	**250 ml**
802727	**Alkali Blue** Solution Indicator for Neutralization and Saponification Number acc. to DIN 51558/559	**1 lit**
004300 $C_{32}H_{28}N_3NaO_4S$ (30586-13-1)	**Alkali Blue** (6B) (pH Indicator) (C.I. 42750) M. W.: 573.65	**5 gm** **25 gm**
802860	**Alkaline Copper Tartrate** Solution (Folin and wu ; Alkaline copper Soln.)	**500 ml**
042010 $C_4H_6N_4O_3$ (97-59-5)	**Allantoin** Fine Powder M. W.: 158.12 Assay (Acidimetric, dried) 99-101%	**100 gm** **1 kg** **5 kg**
042011 $C_4H_2N_2O_4.H_2O$ (2244-11-3)	**Alloxan** Monohydrate M. W.: 160.09 Assay (ex N) 98.5%	**25 gm**
025981 C_3H_6O (107-18-6	**Allyl Alcohol** for Synthesis (2-Propan-1-ol) M. W.: 58.08 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
453835 C_3H_6O (107-18-6)	**Allyl Alcohol AR** (2-propen-1-ol) M. W.: 58.08 Assay 99.5%	**500 ml**
004550 C_3H_5Br (106-95-6)	**Allyl Bromide** (3-Bromo-1-Propene) (Stabilised with Silver Wire) M. W.: 120.98 Assay (GC) 98.0%	**250 ml** **500 ml**
025984 C_3H_5Cl (107-05-1)	**Allyl Chloride** for Synthesis M. W.: 76.53 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
004600 C_3H_5I (556-56-9)	**Allyl Iodide** (3-Iodo-1-Propene)` M. W.: 167.98 Assay 97%	**100 ml**
	Alpha Benzoinoxime See a-Benzoinoxime	
803140	**Aluminium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
803190	**Aluminium** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
027064 Al (7429-90-5)	**Aluminium** (Metal) Fine Powder At. W. 26.98 Assay (Complexometric) 99.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
025961 Al (7429-90-5)	**Aluminium Foil** Tech. (Roll) At. W. : 26.98 Assay 97.0%	**100 gm**
453925 Al (7429-90-5)	**Aluminium Foil** (Roll) **AR** At. W. : 26.98 Assay (Complexometry) 99.0%	**100 gm**
027067 Al (7429-90-5)	**Aluminium Foil** 0.14mm thickness Sheet At W. 26.98 Assay 99.0%	**250 gm** **500 gm** **25 kg** **50 kg**
454015 Al (7429-90-5)	**Aluminium Foil** (Sheets) 0.14 **AR** At. W. : 26.98	**250 gm** **500 gm**
004700 Al (7429-90-5)	**Aluminium Ingots** At. W.: 26.98 Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
027070 $AlNH_4(SO_4)_2.12H_2O$ (7784-26-1)	**Aluminium Ammonium Sulphate** 12 Hydrate M. W.: 453.32 Assay (Complexometry ex Al) 99.0%	**500 gm** **25 kg** **50 kg**
454105 $AlNH_4(SO_4)_2.12H_2O$ (7784-26-1)	**Aluminium Ammonium Sulphate AR/ACS** M. W.: 453.32 Assay (Complexometric ex Al) 99.5%	**500 gm** **25 kg** **50 kg**
004900 (11121-16-7)	**Aluminium Borate** Assay 96%	**500 gm**
004950 (7727-15-3)	**Aluminium Bromide** (Hydrated)	**500 gm**
005000 $Al_2(CO_3)_3$ (53547-27-6)	**Aluminium Carbonate** (Basic) M.W. : 233.96	**500 gm**
027073 $AlCl_3$ (7446-70-0)	**Aluminium Chloride** Anhydrous M. W.: 133.34 Assay (Argentometric) 98.0%	**250 gm** **500 gm** **25 kg** **50 kg**
005025 $AlCl_3.6H_2O$ (7784-13-6)	**Aluminium Chloride** Hexahydrate Purified M. W.: 241.43 Assay 97.0-101.0%	**500 gm** **25 kg** **50 kg**
454195 $AlCl_3.6H_2O$ (7784-13-6)	**Aluminium Chloride** Hexahydrate **AR** Meet BP,USP,Ph,Eur. M. W.: 241.43 Assay (Complexometric) 97-102%	**500 gm** **25 kg** **50 kg**
027075 $AlF_3 + H_2O$ (7784-18-1)	**Aluminium Fluoride** M. W.: 83.98+H_2O Assay (Complexometric, after drying) 97.0%	**500 gm** **25 kg** **50 kg**
027076 $Al(OH)_3$ (21645-51-2)	**Aluminium Hydroxide** GEL (Powder) M. W.: 78.00 Assay(Al_2O_3) 47%	**250 gm** **500 gm** **25 kg**
027079 $Al(NO_3)_3.9H_2O$ (7784-27-2)	**Aluminium Nitrate** Nonahydrade Cryst. M. W.: 375.13 Assay (Complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
454285 $Al(NO_3)_3.9H_2O$ (7784-27-2)	**Aluminium Nitrate** Nonahydrate **AR/ACS** M. W.: 375.13 Assay (Complexometric) 98.5%	**500 gm** **25 kg**

Product Code	Product Name	Packing
005100 $C_6Al_2O_{12}$ (814-87-9)	**Aluminium Oxalate** M.W. : 318.2	**500 gm**
005150 Al_2O_3 (1344-28-1)	**Aluminium Oxide Calcined** (Activated Alumina, Activated 2-5mm, Alumina) M. W.: 101.96	**500 gm** **25 kg** **50 kg**
015003 Al_2O_3 (1344-28-1)	**Aluminium Oxide G Neutral** (with Binder) for TLC M. W.: 101.96	**500 gm** **25 kg** **50 kg**
015141 Al_2O_3 (1344-28-1)	**Aluminium Oxide Acidic** (Brockmann Grade I, II) (pH value 3.5 - 4.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	**500 gm** **25 kg** **50 kg**
015140 Al_2O_3 (1344-28-1)	**Aluminium Oxide Basic** (Brockmann Grade I, II) (pH value 9.5 ± 0.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	**500 gm** **25 kg** **50 kg**
015139 Al_2O_3 (1344-28-1)	**Aluminium Oxide Neutral** (Brockmann Grade I, II) (pH value 6.5 - 7.5) M. W.: 101.96 Mesh size (100-300 mesh) Min. 90.0%	**500 gm** **25 kg** **50 kg**
454375 Al_2O_3 (1344-28-1)	**Aluminium Oxide AR** M. W.: 101.96 Assay (Al_2O_3) 99.9%	**25 gm** **100 gm**
005200 AlO_4P (7784-30-7)	**Aluminium Phosphate** Pract M. W.: 121.95 Assay 98.0%	**500 gm**
027085 $AlK(SO_4)_2.12H_2O$ (7784-24-9)	**Aluminium Potassium Sulphate** Purified Dodecahydrate (Potassium Alum) M. W.: 474.38 Assay (ex Al) 99.0%	**500 gm** **2.5 kg** **25 kg** **50 kg**
454465 $AlK(SO_4)_2.12H_2O$ (7784-24-9)	**Aluminium Potassium Sulphate AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 474.38 Assay (Complexometric) 99.5%	**500 gm** **2.5 kg** **25 kg** **50 kg**
027087 $C_9H_{21}AlO_3$ (555-31-7)	**Aluminium-tri-iso-Propoxide** for Synthesis M. W.: 204.25 Assay (Iodometric) 97.0%	**500 gm** **25 kg** **50 kg**
005400 $[CH_3(CH_2)_{16}COO]_3Al$ (637-12-7)	**Aluminium Stearate** Extra Pure M.W. : 877.35	**1 kg** **25 kg**
027090 $Al_2(SO_4)_3.16H_2O$ (16828-11-8)	**Aluminium Sulphate** Purified Hexadecahydrate M. W.: 630.38 Assay 98.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
454555 $Al_2(SO_4)_3.16H_2O$ (16828-11-8)	**Aluminium Sulphate AR/ACS** (Hexadecahydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 630.38 Assay [As $Al_2(SO_4)_3.16H_2O$] 99.5-102%	**500 gm** **25 kg** **50 kg**
454645 $C_{22}H_{23}N_3O_9$ (569-58-4)	**Aluminon AR/ACS** Reagent for Aluminium M. W.: 473.44	**10 gm** **25 gm**
803610	**Aluminon** Reagent	**125 ml** **500 ml**
026265 $C_{20}H_{11}N_2Na_3O_{10}S_3$ (915-67-3)	**Amaranth** C.I. 16185 M. W.: 604.50 Assay (Dye content titanometry) 85.0%	**25 gm** **1 kg**
803660	**Amaranth** Solution	**100 ml** **500 ml**
	Amberlite 120 See Ceralite IR 120	
	Amberlite 400 See Ceralite IR 400	
	Amberlite 410 See Ceralite IR 410	
	Amberlite IRC See Ceralite IRC 50	
005610 (9042-11-9)	**Amberlite CG-50 I Hydrogen** form (Weakly Acidic Cation Exchange Resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005620 (39464-90-9)	**Amberlite® 200C Na FORM** (Strongly Acidic Macroreticular Cation Exchange Resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005630 (52439-77-7)	**Amberlite® IRA-402 Cl FORM** (Strongly Basic Anion Exchange Resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005640 (149146-26-9)	**Amberlite® IRA-404 Cl FORM** (Strongly Basic Anion Exchange Resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005650 (80747-90-6)	**Amberlite® IRA-67** (weakly basic anion exchange resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005660 (9050-97-9)	**Amberlite® IRA-900 Cl** (Type-1) (strongly basic macroreticular anionexchange resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005670 (37264-66-7)	**Amberlite® IRA-910 Cl** (Type-2) (strongly basic macroreticular anionexchange resin) (Product of Dow Chemicals)	**250 gm** **1 kg**
005680 (79620-27-2)	**Amberlite® IRA-958 Cl FORM** (strongly basic macroreticular anionexchange resin) (Product of Dow Chemicals)	**250 gm** **1 kg**

Product Code	Product Name	Packing
005690 (201615-38-5)	**Amberlite® IRA-96 Free Base** (weakly basic macroreticular anion exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
005700 (79620-28-3)	**Amberlite® IRC-748 NA Form** (chelating cation exchange resin) (Product of Dow Chemicals)	100 gm 250 gm 500 gm 1 kg
005710	**Amberlite® IRC-76 H Form** (weakly acidic cation exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
005720 (211811-37-9)	**Amberlite® IRC-86 H Form** (weakly acidic cation exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
005730 (79956-14-2)	**Amberlite® IRN-150** (Mixed Bed) (strongly acidic cation and strongly basic anion exchange resin) (Product of Dow Chemicals)	250 gm 1 kg
005740 (80892-32-6)	**Amberlite® IRP 64** (cation exchange resin)	1 kg
005750 (9002-23-7)	**Amberlite® IR-120H** (strongly acidic cation exchange resin) (Product of Dow Chemicals)	250 gm 1 kg 5 kg
005760	**Amberlite® MB-20** (mixed bed resin) (Product of Dow Chemicals)	250 gm 1 kg
005770	**Amberlite® MB-9L** (mixed bed resin) (without indicator) (Product of Dow Chemicals)	250 gm 1 kg
005780 (97396-56-0)	**Amberlite® XAD-1180** (polymeric adsorbent) (Product of Dow Chemicals)	250 gm 1 kg
005790 (104219-63-8)	**Amberlite® XAD-16** (polymeric adsorbent) (Product of Dow Chemicals)	100 gm 250 gm 500 gm 1 kg
005800 (37380-43-1)	**Amberlite® XAD-7HP** (polymeric adsorbent) (Product of Dow Chemicals)	250 gm 1 kg
005810	**Amberlyst® 35 WET H Form** (strongly acidic cation polymeric catalyst)	250 gm 1 kg
005820	**Amberlyst® 40 WET H Form** (strongly acidic cation polymeric catalyst)	250 gm 1 kg
005830 (39389-20-3)	**Amberlyst® 15 DRY H Form** (Industrial grade stronglyacidic catalyst)	250 gm 1 kg
005840 (9037-24-5)	**Amberlyst® 15 WET** (strongly acidic macroreticular, polymeric catalyst)	250 gm 1 kg
005850 (125004-35-5)	**Amberlyst® 16 WET** (strongly acidic macroreticular, polymeric catalyst)	250 gm 1 kg
005860 (9049-93-8)	**Amberlyst® A-21** (weakly basic anion exchange resin, polymeric catalyst)	250 gm 1 kg
005870 (39339-85-0)	**Amberlyst® A26 OH** (strongly basic anion exchange resin	250 gm 1 kg
015042 $C_{22}H_{14}N_6O_9S_2Na_2$ (1064-48-8)	**Amido Black** 10B C.I. 20470 M. W.: 616.50 Dye content (Titanometry on Dried Subs.) Abt 50.0%	25 gm 100 gm
	Amido Sulphonic Acid See Sulphamic Acid	
025941 $C_{22}H_{43}N_5O_{13}.2H_2SO_4$ (39831-55-5)	**Amikacin Sulphate** for Lab use Potency not less than 900 mcg/mg M. W.: 781.76 Assay (HPLC) 99.0%	1 gm
025958 $C_8H_{10}N_2O$ (122-80-5)	p-**Amino Acetanilide** Pure M. W.: 150.18 Assay (NT) 98.0%	100 gm 500 gm
006140 C_8H_9NO (99-92-3)	4-**Amino Acetophenone** for Synthesis M. W.: 135.16 Assay 98.0%	100 gm 500 gm
	Amino Acetic Acid See Glycine	
025986	**Amino Acid Kit of 24 items** (each tube contain 1 gm except 3 (3,4-Dihydroxy Phenyl) DL-Alanine and L-Hydroxy Proline which contain 0.1 gm) DL- Alanine, DL-Nor-Leucine, DL-2-Amino-n-butyric Acid, L-Leucine, L-Arginine Monohydrochloride, L-Lysine Monohydrochloride, DL-Aspartic Acid, DL-Methionine, L-Cysteine Hydrochloride, L-Ornithine Monohydrochloride, L-Cystine, DL-Phenyl Alanine, 3-(3,4-Di Hydroxy Phenyl) DL-Alanine, L-Proline, L-Glutamic Acid, DL-Serine, Glycine, DL-Threonine, L-Histidine Monohydrochloride, DL-Tryptophan, L-Hydroxy Proline, L-Tyrosine, DL-ISO-Leucine & DL-Valine	Set
454855 $C_{11}H_{13}N_3O$ (83-07-8)	p-**Amino Antipyrine AR** M. W.: 203.24 Assay (non-aqueous) 98.0%	25 gm 100 gm
006350 $C_{12}H_{11}N_3$ (60-09-3)	4-**Amino Azobenzene** (4-phenylazoaniline) for Synthesis M. W.: 197.24 Assay 98.0%	100 gm 500 gm

Product Code	Product Name	Packing
006450 $C_7H_7NO_2$ (99-05-8)	m-**Amino Benzoic Acid** (3-Aminobenzoic Acid) for Synthesis M. W.: 137.4 Assay 98.0%	**100 gm** **500 gm**
025913 $NH_2C_6H_4COOH$ (150-13-0)	p-**Amino Benzoic Acid** Pract. (4-Amino Benzoic acid) M. W.: 137.14 Assay (acidimetric) 98.5-100.5%	**100 gm** **500 gm**
006500 $C_{13}H_{11}NO$ (2835-77-0)	2-**Amino Benzophenone** M. W.: 197.23 Assay 98.0%	**25 gm** **100 gm**
025916 $C_2H_5CH(NH_2)CO_2H$ (2835-81-6)	DL-2-**Amino Butyric Acid** M. W.: 103.12 Assay 99.0%	**25 gm** **100 gm**
025917 $C_4H_9NO_2$ (56-12-2)	p-**Amino Butyric Acid** M. W.: 103.12 Assay (Non aqueous) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg**
454945 $C_4H_9NO_2$ (56-12-2)	p-**Amino Butyric Acid AR** for biochemistry M. W.: 103.12 Assay (NT) 99.0%	**10 gm** **25 gm** **100 gm**
006950 $C_6H_{13}NO_2$ (60-32-2)	6-**Amino Caproic Acid** for Biochemistry M. W.: 131.17 Assay 99.0%	**100 gm** **500 gm**
007105 $H_2NC_6H_3(Cl).COC_6H_5$ (719-59-5)	2-**Amino**-5-**Chloro Benzophenone** M. W.: 231.68 Assay 98.0%	**100 gm** **500 gm**
007205 $H_6NC_6H_2Cl_2CO_2H$ (56961-25-2)	4-**Amino**-3,5-**Dichloro Benzoic Acid** M. W.: 206.03 Assay 98.0%	**5 gm** **25 gm**
	4-**Amino**-N-N,**Diethyl Aniline Sulphate** See NN-Diethyl-p-Phenylene Sulphate Diamine	
007300 $C_6H_5NHC_6H_4NH_2$ (101-54-2)	P-**Amino Diphenylamine** Crystalline M. W.: 184.24 Assay 98.0%	**250 gm**
	2-**Amino Ethanol** See Ethanolamine Mono	
007350 $C_8H_{10}FNO_2S.HCl$ (30827-99-7)	4-(2-**Amino Ethyl) Benzene Sulphonyl Fluoride Hydrochloride** for Biochemistry (AEBSF-2-Hydrochloride) (Substitute for PMSF) M. W.: 239.7 Assay 98.0%	**25 mgm** **100 mgm**
025963 $C_6H_{15}N_3$ (140-31-8)	1-(2-**Amino Ethyl**) **Piperazine** M. W.: 129.21 Assay (GC) 99.0%	**100 ml** **500 ml**
007550 $C_4H_{12}N_2O$ (111-41-1)	2-(2-**Amino Ethylamino**) **Ethanol** for Synthesis, [N-(2-Aminoethyl) Ethanolamine,N-(2-2-Hydroxyethyl) Ethylenediamine] M. W.: 104.15	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
007650 $C_2H_8N_4O_3$ (2582-30-1)	**Amino Guanidine Bicarbonate** (1-Aminoguanidinium Hydrogen Carbonate, Guanylhydrazine Bicarbonate Salt) for Synthesis M. W.: 136.11 Assay 97.0%	**100 gm** **500 gm**
	4-**Amino**-3-**Hydroxy Naphthalene 1-Sulphonic Acid** See 1-Amino-2-Naphthol-4-Sulphonic Acid	
007750 $C_{19}H_{15}NO_8.2H_2O$ (3952-78-1)	3-**Amino Methylalizarin**- N,N-**Diacetic Acid** (Alizarin Complexone) M. W.: 421.36 Assay 95.0%	**1 gm** **5 gm**
455125 $C_4H_{11}NO_2$ (115-69-5)	2-**Amino**-2-**Methyl**-1,3-**Propanediol AR** M. W.: 105.14 Assay (GC) 99.0%	**100 gm**
007850 $(CH_3)_2C(NH_2)CH_2OH$ (124-68-5)	2-**Amino**-2-**Methyl-Propan-1-OL** (Isobutanolamine) M. W.: 89.14	**500 ml** **2.5 lit** **25 lit**
455645 $(CH_3)_2C(NH_2)CH_2OH$ (124-68-5)	2-**Amino**-2-**Methyl-Propan-1-OL AR** (Isobutanolamine) M. W.: 89.14	**500 ml** **2.5 lit**
007950 $C_6H_8N_2$ (1603-40-3)	2-**Amino**-3-**Methylpyridine** for Synthesis M. W.: 108.14 Assay 95.0%	**100 gm** **500 gm**
007965 $C_6H_8N_2$ (1824-81-3)	2-**Amino**-6-**Methylpyridine**(6-Amino -2-Picoline) for Synthesis M. W.: 108.1 Assay 98.0%	**25 gm** **100 gm** **500 gm**
008075 $C_4H_{10}N_2O$ (4319-49-7)	4-**Amino Morpholine** M. W.:102.14 Assay 97.0%	**10 gm**
008175 (5460-09-3)	8-**Amino**-1-**Naphthol**-3,6 **Disulphonic Acid Sodium Salt**	**100 gm**
027126 $NH_2C_{10}H_5(OH)SO_3H$ (116-63-2)	1-**Amino**-2-**Naphthol**-4-**Sulphonic Acid** M. W.: 239.25	**25 gm** **100 gm**
455735 $NH_2.C_{10}H_5(OH).SO_3H$ (116-63-2)	1-**Amino**-2-**Naphthol**-4-**Sulphonic Acid AR** For determination of Phosphates M. W.: 239.25	**25 gm** **100 gm**
4-**Amino Phenazone** See p-Amino Antipyrine		
025931 C_6H_7NO (591-27-5)	m-**Aminophenol** (3-Aminophenol) M. W.: 109.13 Assay(non-aqueous) 99.0%	**100 gm** **500 gm**
025912 C_6H_7NO (95-55-6)	o-**Aminophenol** Pract (2-Aminophenol) M. W.: 109.13 Assay (GC) 95.0%	**100 gm** **250 gm**

Product Code	Product Name	Packing
455805 C_6H_7NO (95-55-6)	o-**Aminophenol AR** (2-Aminophenol) M. W.: 109.13 Assay 98.0%	**100 gm** **500 gm**
025911 C6H7NO (123-30-8)	p-**Aminophenol** Pract (4-Aminophenol) M. W.: 109.13 Assay (Non-aqueous titration) 96.0%	**100 gm** **250 gm**
008555 $C_{19}H_{20}N_8O_5$ (54-62-6)	3-**Amino Pterin** (4-Amino Folic Acid) M. W.: 440.4 Assay 98.0%	**10 mgm** **25 mgm**
027135 N.CH.CH.CH.CH. $C.NH_2$ (504-29-0)	2-**Amino Pyridine** for Synthesis (o-Amino Pyridine) M. W.: 94.12 Assay (G.C) 98.0%	**100 gm** **1 kg**
008655 $C_5H_6N_2$ (462-08-8)	3-**Amino Pyridine** (m-Aminopyridine) (for Synthesis) M. W.: 94.12 Assay 99.0%	**100 gm** **500 gm**
008665 $C_5H_6N_2$ (504-24-5)	4-**Amino Pyridine** for Synthesis (p-Amino pyridine) M. W.: 94.12	**10 gm** **100 gm**
008765 $C_7H_7NO_3$ (89-57-6)	5-**Amino Salicylic Acid** for Synthesis (5-Amino-2-Hydroxybenzoicacid, Mesalamine) M. W.: 153.14	**100 gm** **500 gm**
008865 $CH_3N_5.H_2O$ (15454-54-3)	5-**Amino Tetrazole** Monohydrate for Biochemistry M. W.: 103.08 Assay 97.0%	**100 gm**
009015 $C_3N_4N_2S$ (96-50-4)	2-**Amino Thiazole** for Synthesis M. W.: 100.14 Assay 97.0%	**100 gm**
009075 C_6H_7NS (137-07-5)	2-**Amino Thiophenol** for Synthesis (2-Mercaptoaniline) M. W.: 125.19 Assay 98.0%	**500 ml**
009125 $C_2H_4N_2$ (61-82-5)	3-**Amino**-1,2,4-**Triazole** for Synthesis (Amitrol,3-Amino-1H-1,2,4-Triazole) M. W.: 84.08	**25 gm** **100 gm** **1 kg**
009135 $C_2H_4N_4$ (584-13-4)	4-**Amino**-1,2,4-**Triazole** (4-H-1,2,4-Triazole-4-Amine) M. W.: 84.08	**100 gm** **500 gm**
009235 $C_{20}H_{23}N.HCl$ (549-18-8)	**Amitriptyline Hydrochloride** for Biochemistry M. W.: 313.86	**10 gm** **25 gm** **100 gm** **250 gm**
804500	**Ammonia** Buffer Solution	**500 ml**
804550	**Ammonia** Buffer Solution for Hardness of Water Determination	**500 ml** **2.5 lit**
804600	**Ammonia** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**

Product Code	Product Name	Packing
804750	**Ammonia** Solution About 10% w/v NH_3	**500 ml**
009305 NH_3 (1336-21-6)	**Ammonia** Solution (SP. GR. 0.91) M. W.: 17.03 Assay (NH_3) About 25%	**500 ml** **1 lit** **2.5 lit** **5 lit** **25 lit**
456145 NH_3 (1336-21-6)	**Ammonia** Solution **AR** (SP. GR. 0.91) M. W.: 17.03 Assay (NH_3) About 25%	**500 ml** **1 lit** **2.5 lit** **5 lit** **25 lit**
009315 NH_3 (1336-21-6)	**Ammonia** Solution (SP. GR. 0.89) M. W.: 17.03 Assay (NH_3) About 28-30%	**500 ml** **2.5 lit** **25 lit**
456165 NH_3 (1336-21-6)	**Ammonia Solution AR/ACS** (SP. GR. 0.89) M. W.: 17.03 Assay (NH_3) About 28-30%	**500 ml** **2.5 lit** **25 lit**
703740 NH_3 (1336-21-6)	**Ammonia Soln.** for HPLC Concentration In Water ~10% M. W.: 17.03	**500 ml**
027142 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** Cryst. Pure M. W.: 77.08 Assay (ex NH3) 96.0%	**500 gm** **25 kg** **50 kg**
456255 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** Cryst. **AR/ACS** M. W.: 77.08 Assay (ex NH3) 98.0%	**500 gm** **25 kg** **50 kg**
703790 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for HPLC M. W.: 77.08 Assay (Acidimetric; ex NH_3 Calculated. on dried subs.) 99.0%	**500 gm**
913150 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for Molecular Biology M. W.: 77.08 Assay (Acidimetric ex NH3 Calc. on dry subs.) 99.0%	**100 gm** **500 gm**
703890 CH_3COONH_4 (631-61-8)	**Ammonium Acetate** for ULC-MS Hygroscopic M. W.: 77.08	**100 gm**
456300 $C_6H_{16}N_2O_4$ (3385-41-9)	**Ammonium Adipate AR** M. W.: 180.20 Assay (Acidimetric) 99.6%	**500 gm** **25 kg**
703940 $C_6H_{16}N_2O_4$ (3385-41-9)	**Ammonium Adipate** EL Grade M. W.: 180.20 Assay (Acidimetric) 99.0%	**500 gm**
	Ammonium Aluminium Sulphate **(Ammonium Alum)** See Aluminium Ammonium Sulphate	
025988 $C_6H_5COONH_4$ (1863-63-4)	**Ammonium Benzoate** M. W.: 139.15 Assay(by acidimetry) 98.0%	**500 gm** **25 kg**
	Ammonium Bicarbonate See Ammonium Hydrogen Carbonate	

Product Code	Product Name	Packing
	Ammonium Bichromate See Ammonium Dichromate	
009415 $NH_4F.HF$ (1341-49-7)	**Ammonium Bifluoride** Pure (Ammonium Hydrogen Difluoride) M. W.: 57.04 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
456390 $NH_4F.HF$ (1341-49-7)	**Ammonium Bifluoride AR** M. W.: 57.04 Assay (acidimetric) 98.5%	**500 gm**
	Ammonium Bismuth Citrate See Bismuth Ammonium Citrate	
009435 $(NH_4)HSO_4$ (7803-63-6)	**Ammonium Bisulphate** Pure (Ammonium Hydrogen Sulphate) M. W.: 115.11 Assay 98.0%	**250 gm** **500 gm**
027145 NH_4Br (12124-97-9)	**Ammonium Bromide** M. W.: 97.94 Assay (Argentometric; on dried substance) 99.0%	**500 gm** **25 kg** **50 kg**
456435 NH_4Br (12124-97-9)	**Ammonium Bromide AR/ACS** M. W.: 97.94 Assay (Argentometric; after drying) 99.5%	**500 gm** **25 kg** **50 kg**
027147 $NH_4HCO_3 + NH_2CO_2NH_4$ (10361-29-2)	**Ammonium Carbonate** Purified M. W.: 157.13 Assay (Acidimetric NH3) 30-33%	**500 gm** **25 kg** **50 kg**
456525 $NH_4HCO_3 + NH_2COONH_4$ (10361-29-2)	**Ammonium Carbonate AR/ACS** M. W.: 157.13 Assay (Acidimetric) : 31.0%	**500 gm** **25 kg** **50 kg**
805100	**Ammonium Ceric Nitrate** N/20 Soln. Normality 0.05 ± 0.0005	**500 ml**
RE0100 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate** (Ammonium Cerium (IV) Nitrate) M. W.: 548.23 Assay (after drying ex Ce) 98.0%	**25 gm** **100 gm** **1 kg**
RE0110 $(NH_4)_2[Ce(NO_3)_6]$ (16774-21-3)	**Ammonium Ceric Nitrate AR** M. W.: 548.23 Assay (after drying ex Ce) 99.0%	**100 gm** **500 gm**
RE0120 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate** Dihydrate (Ammonium Cerium (IV) Sulphate) M. W.: 632.55 Assay (ex Ce) 90.0-105.0%	**100 gm** **500 gm**
RE0130 $(NH_4)_4[Ce(SO_4)_4].2H_2O$ (10378-47-9)	**Ammonium Ceric Sulphate AR** (Ceric Ammonium Sulphate) M. W.: 632.55 Assay 99.0%	**100 gm** **500 gm**
027149 NH_4Cl (12125-02-9)	**Ammonium Chloride** Purified M. W.: 53.49 Assay (ex Cl) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
456615 NH_4Cl (12125-02-9)	**Ammonium Chloride AR** Suitable for Chromatographic use M. W.: 53.49 Assay (Argentometric; ex Cl) 99.8%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
913350 NH_4Cl (12125-02-9)	**Ammonium Chloride** Molecular Biology M. W.: 53.49	**500 gm**
025994 $(NH_4)_2 Pt Cl_6$ (16919-58-7)	**Ammonium Chloro Platinate** M. W.: 443.87 Assay of Pt ~ 44%	**1 gm**
009685 $(NH_4)_2CrO_4$ (7788-98-9)	**Ammonium Chromate** Extra Pure M. W.: 152.07 Assay 98.0%	**500 gm**
	di-**Ammonium Citrate** See diammonium hydrogen Citrate	
027153 $(NH_4)_3C_6H_5O_7$ (3458-72-8)	tri-**Ammonium Citrate** M. W.: 243.22 Assay (ex NH_3) 97.0-103.0%	**500 gm** **25 kg** **50 kg**
456705 $(NH_4)_3C_6H_5O_7$ (3458-72-8)	tri-**Ammonium Citrate AR** M. W.: 243.22 Assay (acidimetric) 98.5-101.0%	**500 gm** **25 kg** **50 kg**
027159 $(NH_4)_2Cr_2O_7$ (7789-09-5)	**Ammonium Dichromate** Cryst. M. W.: 252.06 Assay (iodometric) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
456795 $(NH_4)_2Cr_2O_7$ (7789-09-5)	**Ammonium Dichromate AR** M. W.: 252.06 Assay (after drying) 99.5%	**500 gm** **25 kg** **50 kg**
027161 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate** Purified M. W.: 115.03 Assay (acidimetric) 98.0-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**
456885 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Ortho Phosphate AR** M. W.: 115.03 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
704940 $NH_4H_2PO_4$ (7722-76-1)	**Ammonium Dihydrogen Orthophosphate** for HPLC (Ammonium Phosphate Monobasic) M. W.: 115.03 Assay 99.0%	**500 gm**
027882 (1185-57-5)	**Ammonium Ferric Citrate** Brown Meets Analytical Specification of IP Iron content (iodometric) 20.5 - 22.5%	**500 gm** **25 kg** **50 kg**
456995 (1185-57-5)	**Ammonium Ferric Citrate** Brown **AR** (Ammonium Iron (III) Citrate)	**500 gm** **25 kg** **50 kg**
025929 (1185-57-5)	**Ammonium Ferric Citrate** Green	**500 gm**
457005 (1185-57-5)	**Ammonium Ferric Citrate** Green **AR**	**500 gm**
027164 $NH_4Fe(SO_4)_2.12H_2O$ (7783-83-7)	**Ammonium Ferric Sulphate** Dodecahydrate M. W.: 482.18 Assay (ex Fe) 98.0-101.0%	**500 gm** **25 kg** **50 kg**
457050 $NH_4Fe(SO_4)_2.12H_2O$ (7783-83-7)	**Ammonium Ferric Sulphate AR/ACS** Dodecahydrate M. W.: 482.1 Assay (Iodometric) 99.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
027166	**Ammonium Ferrous Sulphate**	500 gm
	Hexahydrate Cryst.	1 kg
$(NH_4)_2SO_4FeSO_4.6H_2O$	M. W.: 392.13	5 kg
(7783-85-9)	Assay (redox titration) 98.5%	25 kg
		50 kg
457095	**Ammonium Ferrous Sulphate AR/ACS**	500 gm
	Hexahydrate	5 kg
$(NH_4)_2SO_4.FeSO_4.6H_2O$	M. W.:392.13	25 kg
(7783-85-9)	Assay (redox titration) 99.0%	50 kg
027167	**Ammonium Fluoride**	500 gm
NH_4F	M. W.: 37.04	1 kg
(12125-01-8)	Assay (Acidimetric) 95.0%	25 kg
457140	**Ammonium Fluoride AR**	250 gm
NH_4F	M. W.: 37.04	500 gm
(12125-01-8)	Assay (Acidimetric) 98.0%	1 kg
		25 kg
027169	**Ammonium Formate**	250 gm
$H.COONH_4$	M. W.: 63.06	500 gm
(540-69-2)	Assay (Acidimetric ex NH_3) 97.0%	25 kg
457185	**Ammonium Formate AR**	500 gm
$H.COONH_4$	M. W.: 63.06	50 kg
(540-69-2)	Assay (Acidimetric ex NH_3)97.0%	
D06957	**Ammonium d_4 Formate** d	1 gm
CD_5NO_2	M. W.: 68 06 (for NMR Spectroscopy)	5 gm
(65387 23 7)	Assay Min. 98 atom%D	
	Ammonium Hepta Molybdate	
	See Ammonium Molybdate	
027170	**Ammonium Hydrogen Carbonate**	500 gm
	(Ammonium Bicarbonate)	1 kg
NH_4HCO_3	M. W.: 79.06	5 kg
(1066-33-7)	Assay (acidimetric) 98.5%	25 kg
		50 Kg
457230	**Ammonium Hydrogen Carbonate AR**	500 gm
	(Ammonium Bicarbonate)	25 kg
NH_4HCO_3	M. W.: 79.06	50 kg
(1066-33-7)	Assay (Acidimetric) 99.0%	
027171	Di-**Ammonium Hydrogen-Citrate**	500 gm
	(di-Ammonium Citrate**)**	25 kg
$C_6H_8O_7.2NH_3$	M.W.: 226.18	50 kg
(3012-65-5)		
	Ammonium Hydrogen Difluoride	
	See Ammonium Bifluoride	
027173	di-**Ammonium Hydrogen Ortho**	500 gm
	Phosphate Anhydrous Purified	5 kg
$(NH_4)_2HPO_4$	M. W.: 132.06	25 kg
(7783-28-0)	Assay (acidimetric) 97.0-102%	50 kg
457275	di-**Ammonium Hydrogen Ortho**	500 gm
	Phosphate Anhydrous **AR**	25 kg
$(NH_4)_2HPO_4$	M. W.: 132.06	50 kg
(7783-28-0)	Assay (Acidimetric) 98.0-102.0%	
027180	**Ammonium Iodide**	100 gm
NH_4I	M. W.: 144.94	500 gm
(12027-06-4)	Assay 99.0%	
457320	**Ammonium Iodide AR/ACS**	50 gm
NH_4I	M. W.: 144.94	250 gm
(12027-06-4)	Assay (redox titration of iodide) 99.0%	

Product Code	Product Name	Packing
	Ammonium Iron (III) **Citrate**	
	See Ammonium Ferric Citrate	
805450	**Ammonium Iron** (II) **Sulphate**	1 lit
	0.1M (0.1N) Volumetric Solution	
	Nist Traceable	
	Ammonium Iron (II) **Sulphate**	
	See Ammonium Ferrous Sulphate	
	Ammonium Iron (III) **Sulphate**	
	See Ammonium Ferric Sulphate	
	Ammonium Meta Vanadate	
	See Ammonium-m-Vanadate	
027187	**Ammonium Molybdate** Tetrahydrate	100 gm
	Cold Soluble	250 gm
$(NH_4)_6.Mo_7O_{24}.4H_2O$	M. W.: 1235.9	500 gm
(12054-85-2)	Assay (Oxidimetric) 98.0-102.0%	1 kg
		25 kg
457430	**Ammonium Molybdate** Tetrahydrate	100 gm
	AR Cold Soluble	500 gm
$(NH_4)_6.Mo_7O_{24}.4H_2O$	M. W.: 1235.9	1 kg
(12054-85-2)	Assay (Oxidimetric) 99.0%	25 kg
457435	**Ammonium Molybdate AR**	100 gm
	Tetrahydrate Hot soluble	500 gm
	for steel industry	1 kg
$(NH_4)_6.Mo_7O_{24}.4H_2O$	M. W.: 1235.9	
(12054-85-2)	Assay (Oxidimetric) 99.0%	
	Ammonium Mono Vanadate	
	See Ammonium-m-Vanadate	
027189	**Ammonium Nickel Sulphate**	250 gm
	Hexahydrate	500 gm
	(di-Ammonium Nickel (II) Sulphate)	25 kg
$(NH_4)_2Ni(SO_4)_2.6H_2O$	M. W.: 394.97	50 kg
(7785-20-8)	Assay (Complexometric) 98.5%	
457460	**Ammonium Nickel Sulphate AR**	500 gm
	Hexahydrate	25 kg
$(NH_4)_2Ni(SO_4)_2.6H_2O$	M. W.: 394.97	50 kg
(7785-20-8)	Assay (Complexometric) 99.0%	
027192	**Ammonium Oxalate** Monohydrate	500 gm
	Purified	5 kg
$(COONH_4)_2H_2O$	M. W.: 142.11	25 kg
(6009-70-7)	Assay (ex oxalate) 99.0%	50 kg
457480	**Ammonium Oxalate** Monohydrate **AR**	500 gm
$(COONH_4)_2H_2O$	M. W.: 142.11	25 kg
(6009-70-7)	Assay 99.0%	50 kg
025979	**Ammonium Para Tungstate**	100 gm
$(NH_4)_{10}H_2W_{12}O_{42}.XH_2O$	M. W.: 3060.46 (anhy.)	500 gm
(11120-25-5)	Assay (Dried) 98.0%	
025989	**Ammonium Pentaborate** Tetrahydrate	500 gm
$(NH_4)B_5O_84H_2O$	M. W.: 272.14	25 kg
(12007-89-5)	Assay (Acidimetric) 99.0%	50 kg
457490	**Ammonium Pentaborate** Tetrahydrate **AR**	500 gm
$(NH_4)B_5O_84H_2O$	M. W.: 272.14	50 kg
(12007-89-5)	Assay(Acidimetric) 99.5%	
457500	**Ammonium Perchlorate AR**	100 gm
NH_4ClO_4	M. W.: 117.49	
(7790-98-9)		

Product Code	Product Name	Packing
	Ammonium Peroxidisulphate See Ammonium Persulphate	
027195 $(NH_4)_2S_2O_8$ (7727-54-0)	**Ammonium Persulphate** M. W.: 228.19 Assay (iodometric) 98.0%	**500 gm** **5 kg** **50 kg**
457510 $(NH_4)_2S_2O_8$ (7727-54-0)	**Ammonium Persulphate AR** M. W.: 228.19 Assay (iodometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
914350 $(NH_4)_2S_2O_8$ (7727-54-0)	**Ammonium Persulphate** for Molecular Biology M. W.: 228.19 Assay (iodometric) 98.0%	**100 gm** **500 gm**
	Ammonium Phosphate Dibasic See di-Ammonium Hydrogen Orthophosphate	
	Ammonium Phosphate Mono basic See Ammonium Dihydrogen Orthophosphate	
805600	**Ammonium Potassium Oxalate** Soln. Assay: 10.0±0.5%	**125 ml**
025954 $C_8H_4N_5O_6.NH_4$ (3051-09-0)	**Ammonium Purpurate** (Murexide) C.I. 56085 M. W.: 284.19	**5 gm** **25 gm** **500 gm**
457535 $C_8H_4N_5O_6.NH_4$ (3051-09-0)	**Ammonium Purpurate AR/ACS** M. W.: 284.19	**5 gm** **25 gm** **500 gm**
457695 $C_5H_{12}N_2H_2$ (5108-96-3)	**Ammonium Pyrrolidine Dithiocarbamate AR** (Pyrrolidinecarbodithioic Acid Ammonium Salt, Ammonium Tetramethylene Pithio Carbamate) M. W.: 164.29	**10 gm** **25 gm**
009905 $NH_4[Cr(NH_3)_2(SCN)_4]H_2O$ (13573-16-5)	**Ammonium Reineckate** Monohydrate Colour Reagent And Precipitant For Mercury M. W.: 354.44	**25 gm**
457745 $NH_4[Cr(NH_3)_2(SCN)_4]H_2O$ (13573-16-5)	**Ammonium Reineckate** Monohydrate **AR** M. W.: 354.44 Assay 96.0%	**25 gm**
025957 $C_4N_2O_4H_{12}$ (2226-88-2)	**Ammonium Succinate** M. W.: 152.15 Assay 99.0%	**500 gm**
027201 $NH_4SO_3NH_2$ (7773-06-0)	**Ammonium Sulphamate** (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox Titration) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
457790 $NH_4SO_3NH_2$ (7773-06-0)	**Ammonium Sulphamate AR** (Ammonium Amido Sulphonate) M. W.: 114.13 Assay (Redox titration) 99.0%	**100 gm** **500 gm**
805850	**Ammonium Sulphate** 0.5M (1N) Volumetric Solution Nist Traceable	**1 lit**
027202 $(NH_4)_2SO_4$ (7783-20-2)	**Ammonium Sulphate** Purified M. W.: 132.13 Assay (Acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
457815 $(NH_4)_2SO_4$ (7783-20-2)	**Ammonium Sulphate AR/ACS** M. W.: 132.13 Assay after driying (acidimetry) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
045206 $H_8N_2SO_4$ (7783-20-2)	**Ammonium Sulphate** enzyme grade low Heavy Metals Content M. W.: 132.13 Assay 99.5%	**250 gm** **1 kg**
914550 $(NH_4)_2 SO_4$ (7783-20-2)	**Ammonium Sulphate** for Molecular Biology M.W.: 132.14 Assay 99.5%	**250 gm** **500 gm**
D08757 $D_8N_2O_4S$ (13814-01-2)	**Ammonium d_8 Sulphate** M. W.: 140 2 (for NMR Spectroscopy) Assay Min. 98 atom%D	**5 gm**
805950	**Ammonium Sulphide** Soln. (Yellow)	**500 ml** **2.5 lit**
	Ammonium Sulphocyanide See Ammonium Thiocyanate	
025959 $(CHOH.COONH_4)_2$ (3164-29-2)	**Ammonium (+) Tartrate** M. W.: 184.15 Assay (ex NH_3) 98.0%	**500 gm** **25 kg** **50 kg**
457840 $(CHOH.COONH_4)_2$ (3164-29-2)	**Ammonium (+) Tartrate AR** M. W.: 184.15 Assay (ex NH_3) 99.0%	**500 gm** **25 kg** **50 kg**
025991	**Ammonium Tetraborate**	**500 gm**
027206 NH_4SCN (1762-95-4)	**Ammonium Thiocyanate** Cryst. Purified Also suitable for Silver Recovery M. W.: 76.12 Assay (argentometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
457865 NH_4SCN (1762-95-4)	**Ammonium Thiocyanate AR/ACS** M. W.: 76.12 Assay (Argentometric) 99.0%	**500 gm** **25 kg** **50 kg**
806100	**Ammonium Thiocyanate** 0.1M/ (0.1N) CTITRINORM Volumetric Solution Nist Traceable	**1 lit**
806150	**Ammonium Thiocyanate** 1M (1N) Volumetric Solution Nist Traceable	**1 lit**
025924 $C_2H_7NO_2S$ (5421-46-5)	**Ammonium Thioglycollate** Abt 59% M. W.: 109.15 Assay Abt 59.0%	**500 ml**
027207 $(NH_4)_2S_2O_3$ (7783-18-8)	**Ammonium Thiosulphate** Cryst. M. W.: 148.20 Assay (iodometric) 98.0%	**1 kg**
	Ammonium para **Tungstate** See Ammonium Para Tungstate	
027186 NH_4VO_3 (7803-55-6)	**Ammonium-m-Vanadate** M. W.: 116.98 Assay (oxidimetric) 98.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
457890 NH_4VO_3 (7803-55-6)	**Ammonium-m-Vanadate AR** M. W.: 116.98 Assay (oxidimetric) 99.0%	**100 gm** **500 gm**
025919 $C_{16}H_{19}N_3O_5S$ (26787-78-0)	**Amoxycillin** for Lab Use M. W.: 365.40	**1 gm**
009925 (1397-89-3)	**Amphotericine - B** for Biochemistry	**1 gm** **5 gm**
009950 $C_{16}H_{18}N_3N_aO_4S$ (69-52-3)	**Ampicillin Sodium Salt** for Biochemistry for Lab Use M. W.: 371.39	**5 gm** **25 gm**
093000 $C_{16}H_{19}N_3O_4S.3H_2O$ (7177-48-2)	•**Ampicillin** Trihydrate for Lab Use M. W.: 403.46 Assay (anhydrous HPLC) 96-100.5%	**5 gm**
009965 $C_{20}H_{27}NO_{11}$ (29883-15-6)	D-**Amygadlin** for Biochemistry M. W.: 457.43 Assay 99.0%	**10 gm**
009975 $C_7H_{14}O_2$ (628-63-7)	N-**Amyl Acetate** for Synthesis M. W.: 130.18 Assay 99.0%	**500 ml** **2.5 lit**
	iso-**Amyl Acetate** See Iso-Amyl Acetate	
	iso-**Amyl Alcohol** See Iso-Amyl Alcohol	
029455 $C_5H_{12}O$ (71-41-0)	n-**Amyl Alcohol** for synthesis (n-Pentanol) M. W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
457915 $C_5H_{12}O$ (71-41-0)	n-**Amyl Alcohol AR** M.W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
010405 $C_5H_{12}O$ (75-85-4)	tert-**Amyl Alcohol** for Synthesis (2-Methyl-2-Butanol Tert-Pentyl Alcohol, Dimethyl Ethyl Carbinol) M. W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
458115 $C_5H_{12}O$ (75-85-4)	tert-**Amyl Alcohol AR** (2-Methyl-2-Butanol, Tert-Pentyl Alcohol, Dimethylethyl Carbinol) M. W.: 88.15	**500 ml** **2.5 lit** **25 lit** **200 lit**
	a-**Amylase** See Diastase	
010455 $C_{12}H_{16}O_2$ (2049-96-9)	**Amyl Benzoate** for Synthesis M. W.: 192.25 Assay 98.0%	**500 gm**
010465 $C_9H_{18}O_2$ (540-18-1)	N-**Amyl Butyrate** for Synthesis M. W.: 158.24	**500 gm**
010485 $C_{14}H_{18}O_2$	N-**Amyl Cinnamate** for Synthesis M. W.: 218.29	**500 gm**
010495 $C_{14}H_{18}O$ (122-40-7)	a-**Amyl Cinnamaldehyde** for Synthesis M.W. : 202.29	**500 gm**

Product Code	Product Name	Packing
010595 $C_6H_{12}O_2$ (638-49-3)	**Amyl Formate** for Synthesis M. W.: 116.15	**500 gm**
	iso-Amyl Iodide See Iso-Amyl Iodide	
010605 $C_9H_{18}O_2$ (106-27-4)	**Amyl Isobutyrate** for Synthesis M. W.: 158.24	**500 gm**
010615 $C_{10}H_{20}O_2$ (25415-62-7)	**Amyl Isovalerate** for Synthesis M. W.: 172.26	**500 gm**
038005 (9037-22-3)	•**Amylopectin** From Potato Starch	**1 gm**
038006 (9005-82-7)	•**Amylose** From Potato Starch	**1 gm**
010625 $C_{13}H_{18}O_2$ (5137-52-0)	**Amyl Phenyl Acetate** for Synthesis M. W.: 206.28	**500 gm**
010635 $C_8H_{16}O_2$ (624-54-4)	**Amyl Propionate** for Synthesis M. W.: 144.21	**500 gm**
010645 $C_{12}H_{16}O_3$ (2050-08-0)	**Amyl Salicylate** for Synthesis M. W.: 208.25	**500 gm**
806250	**Andrade's** Indicator	**125 ml**
010845 $CH_3CH{=}CHC_6H_4OCH_3$ (4180-23-8)	tran-**Anethole** for Synthesis [Anethole, 1-Methoxy-4-(1-Propenyl) Benzene] M. W.: 148.20	**500 ml** **2.5 lit**
010865 $C_{10}H_{12}O$ (104-46-1)	**Anethole** for Synthesis M. W.: 148.20	**500 ml** **2.5 lit**
	Aneurine Hydrochloride See Thiamine Hydrochloride	
027226 $C_6H_5NH_2$ (62-53-3)	**Aniline** for Synthesis M. W.: 93.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
458205 $C_6H_5NH_2$ (62-53-3)	**Aniline AR** M. W.: 93.13 Assay (By GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
010965 $C_{37}H_{32}N_{10}O_9S_3$ (66687-07-8)	**Aniline Blue** di-**Ammonium Salt** M. W.: 786.87	**25 gm**
010975 (8004-91-9)	**Aniline Blue** (Spirit Soluble) C.I. 42775 for Microscopy	**25 gm** **100 gm** **500 gm**
034003 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Aniline Blue** (Water Soluble) C.I. 42780 for Microscopy M. W.: 799.80	**10 gm** **25 gm** **100 gm**
027229 $C_6H_5NH_2HCl$ (142-04-1)	**Aniline Hydrochloride** for Synthesis M. W.: 129.59 Assay (Argentometric; ex Cl) 99-100.5%	**250 gm** **500 gm**

Product Code	Product Name	Packing
027230 $(C_6H_5NH_2)_2H_2SO_4$ (542-16-5)	**Aniline Sulphate** M. W.: 284.33 Assay (acidimetric) 98.0%	**250 gm** **500 gm**
	2-**Aminoethanol** See Ethanolamine	
027231 $CH_3OC_6H_4CHO$ (123-11-5)	**Anisaldehyde** M. W.: 136.15 Assay (GC) 99.0%	**250 ml** **500 ml** **25 lit**
	p-**Anisaldehyde** See **Anisaldehyde**	
011275 $C_8H_8O_3$ (586-38-9)	M-**Anisic Acid** for synthesis (m-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	**25 gm** **100 gm**
011285 $C_8H_8O_3$ (579-75-9)	O-**Anisic Acid** for Synthesis M. W.: 152.15 Assay 98.0%	**100 gm** **1 Kg**
011295 $C_8H_8O_3$ (100-09-4)	p-**Anisic Acid** for Synthesis (4-Methoxy Benzoic Acid) M. W.: 152.15 Assay 98.0%	**100 gm** **500 gm**
011395 $C_8H_{10}O_2$ (105-13-5)	**Anisic Alcohol** for Synthesis (Anise Alcohol, Anisyl Alcohol) M. W.: 138.16 Assay 98.0%	**100 gm** **500 gm**
011495 $CH_3OC_6H_4NH_2$ (536-90-3)	m-**Anisidine (3-Methoxyaniline, (Anise Alcohol, Anisyl Alcohol) 3-Aminoanisole, 3-Aminophenyl Methyl Ether)** for Synthesis M. W.: 123.15 Assay 98.0%	**100 ml** **500 ml**
027233 C_7H_9NO (90-04-0)	o-**Anisidine** M. W.: 123.16 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027235 C_7H_9NO (104-94-9)	p-**Anisidine** M. W.: 123.16 Assay (GC) 98.0%	**250 gm** **500 gm**
459005 C_7H_9NO (104-94-9)	p-**Anisidine AR** M. W.: 123.16 Assay (GC) 98.0%	**100 gm**
027237 $CH_3OC_6H_5$ (100-66-3)	**Anisole** M. W.: 108.14 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit**
026017 $C_{14}H_{10}$ (120-12-7)	**Anthracene** Pure (Blue Fluorescence) M. W.: 178.23 Assay (GC) 97.0%	**100 gm** **500 gm**
014611 $C_{14}H_{10}$ (120-12-7)	**Anthracene** for Scintillation grade M. W.: 178.22 Assay (GC) 99.5%	**25 gm** **100 gm**
D12357 $C_{14}D_{10}$ (1719 06 8)	**Anthracene** d_{10} M. W.: 188 29 (for NMR Spectroscopy) Assay Min. 98 atom%D	**1 gm**
027243 $(C_6H_4CO)_2$ (84-65-1)	**Anthraquinone** for Synthesis M. W.: 208.22 Assay 98.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
011695 $C_{14}H_7NaO_5S.H_2O$ (153277-35-1)	**Anthraquinone-2-Sulphonic Acid Sodium Salt** M. W.: 328.27 Assay (HPLC) 97.0%	**25 gm** **100 gm**
011725 $C_{14}H_{10}O$ (90-44-8)	**Anthrone** for Synthesis M. W.: 194.23 Assay (GC) 97.0%	**10 gm** **25 gm**
459095 $C_{14}H_{10}O$ (90-44-8)	**Anthrone AR/ACS** M. W.: 194.23 Assay (GC) 98.0%	**10 gm** **25 gm**
025926 Sb (7440-36-0)	**Antimony** Metal Lumps At. W.: 121.75 Assay (Iodometric) 99.5%	**100 gm** **500 gm**
027248 Sb (7440-36-0)	**Antimony** (Metal) Powder At. W.: 121.75 Assay (Iodometric; ex Sb) 98.5%	**500 gm** **25 kg**
459185 Sb (7440-36-0)	**Antimony** (Metal) Powder **AR** At. W.: 121.75 Assay (Trace metals basis) 99.99%	**10 gm** **25 gm**
011795 Sb (7440-36-0)	**Antimony Ingots** A. W.: 121.75 Assay (Trace metals basis) 99.999%	**10 gm** **25 gm**
806500	**Antimony** Atomic Absorption Std. Solution Contains 1000 mg/lit AAS in HNO_3	**250 ml**
806550	**Antimony** 1000 ppm single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml**
806600	**Antimony** 1000 ppm single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
806650	**Antimony** 10000 ppm single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
	Antimony (III) **Chloride** See Antimony Trichloride	
011895 N_3O_9Sb (20328-96-5)	**Antimony Nitrate** Pure (Antimony Trinitrate) M.W. : 307.77	**500 gm**
	Antimony (III) **Oxide** See Antimony Trioxide	
011915 Sb_2O_5 (1314-60-9)	**Antimony Pentoxide** (Antimony (V) Oxide) M. W.: 323.52 Assay 99.0%	**250 gm**
025940 $C_4H_4O_7KSb1/2H_2O$ (28300-74-5)	**Antimony Potassium Tartrate** M. W.: 324.92	**250 gm** **500 gm** **25 kg** **50 kg**
459275 $C_4H_4O_7KSb\ 1/2H_2O$ (28300-74-5)	**Antimony Potassium Tartrate AR** M. W.: 324.92	**100 gm** **500 gm**
011935 Sb_2S_5 (1315-04-4)	**Antimony Sulphide Golden** (Antimony Pentasulphide) M. W.: 403.85 Assay (Sb basis) 60.0%	**500 gm** **25 kg**

Product Code	Product Name	Packing
026019 Sb_2S_3 (1345-04-6)	**Antimony** (III) **Sulphide** (Antimony Sulphide Black) M. W.: 339.68 Assay (Oxidimetric) 95.0%	**500 gm** **25 kg**
027258 $SbCl_3$ (10025-91-9)	**Antimony Trichloride** M. W.: 228.11 Assay (Iodometric; ex Sb) 98.5%	**100 gm** **500 gm** **5 kg** **25 kg**
459365 $SbCl_3$ (10025-91-9)	**Antimony Trichloride AR/ACS** M. W.: 228.11 Assay (Iodometric; ex Sb) 99.0%	**100 gm** **250 gm** **500 gm**
011985 SbF_3 (7783-56-4)	**Antimony Trifluoride** Pure (Antimony (III) Fluoride) M. W.: 178.76 Assay 98.0%	**250 gm**
027261 Sb_2O_3 (1309-64-4)	**Antimony Trioxide** Pure M. W.: 291.50 Assay (Iodometric) 99.0%	**500 gm** **1 kg** **50 kg**
459455 Sb_2O_3 (1309-64-4)	**Antimony Trioxide AR** M. W.: 291.50 Assay (Iodometric) 99.0%	**500 gm** **25 kg**
011990 $C_{11}H_{12}N_2O$ (60-80-0)	**Antipyrine** (Phenazone) M.W.: 188.23 Assay 99.0%	**100 gm** **250 gm** **500 gm**
012095 $C_{284}H_{432}N_{84}O_{79}S_7$ (9087-70-1)	**Aprotinin From Bovine Lung Activity** Min 5400 KIU/mg for Biochemistry M. W. 6511.52	**5 mgm**
459545 $C_5H_{10}O_5$ (10323-20-3)	D-**Arabinose** for Biochemistry **AR** M. W.: 150.13	**5 gm** **25 gm**
038008 $C_5H_{10}O_5$ (5328-37-0)	L **(+) Arabinose AR** M. W.: 150.13 Assay 99.0%	**10 gm** **25 gm**
012185 $C_5H_{12}O_5$ (488-82-4)	D(+)**Arabitol [D (+) Arabinitol]** for Biochemistry M. W.: 152.15	**1 gm** **5 gm** **25 gm**
012235 $C_5H_{12}O_5$ (7643-75-6)	L (-) **Arabitol [L (-) Arabinitol]** for Biochemistry M. W.: 152.15	**1 gm** **5 gm** **25 gm**
012265 $C_{12}H_{16}O_7$ (497-76-7)	p-**Arbutin** for Biochemistry M. W.: 272.25	**10 gm** **25 gm** **50 gm**
038009 $C_8H_{13}NO_2.HBr$ (300-08-3)	**Arceoline Hydrobromide** M. W.: 236.11	**250 mgm**
037190 $C_6H_{14}N_4O_2$ (74-79-3)	L-**Arginine** for Biochemistry M. W.: 174.20 Assay (Non-aqueous) 98.0%	**25 gm** **100 gm** **1 kg**
037016 $C_6H_{14}N_4O_2HCl$ (1119-34-2)	L-**Arginine Monohydrochloride** For Biochemistry M. W.: 210.67 Assay (Non-aqueous) 98.5%	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
012365 $C_6H_8AsNO_3$ (98-50-0)	p-**Arsanilic Acid** for Synthesis M. W.: 217.05 Assay 99.0%	**100 gm** **500 gm**
459635 $C_{16}H_{10}N_2O_{11}S_2AsNa_3$ (520-10-5)	**Arsenazo** I **AR** (Neothorone) M. W.: 614.28	**5 gm**
459725 $C_{22}H_{16}As_2N_4Na_2O_{14}S_24H_2O$ (62337-00-2)	**Arsenazo** III **AR** M. W.: 892.40	**5 gm**
012465 (7440-38-2)	**Arsenic Metal** Reference Standard Assay (Trace metal basis) 99.999%	**5 gm**
012475 (7440-38-2)	**Arsenic Metal Lump**	**100 gm**
807000	**Arsenic** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
807050	**Arsenic** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
807100	**Arsenic** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
012575 As_2O_5 (1303-28-2)	**Arsenic Pentoxide** for Synthesis M. W.: 229.84	**25 gm**
012585 As_2S_3 (1303-33-9)	**Arsenic Sulphide** for Synthesis (di-Arsenic Trisulphide) M. W.: 246.04	**25 gm**
025910 As_2O_3 (1327-53-3)	**Arsenic Trioxide** Pract M. W.:197.84 Assay (iodometric) 95.0%	**500 gm**
459815 As_2O_3 (1327-53-3)	**Arsenic Trioxide AR** M. W.: 197.84 Assay (iodometric) 99.0%	**100 gm** **500 gm**
	Arsenous Oxide See Arsenic Trioxide	
025968 (1334-28-1	**Asbestos** for Gooch Crucibles	**100 gm** **500 gm**
459905 (1310-73-2)	**Ascarite AR** 1.6-3 mm Acid Washed Absorption capacity for CO_2 : 50.0%	**100 gm** **250 gm**
012685 (9029-44-1)	**Ascorbate Oxidase from Cucurbita** SP. Lyophilized Powder, Activity ~275-325u/mg (Ascorbase, L-Ascorbate: Oxygen Oxidoreductase	**2000** **Units**
044006 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid** M. W.: 176.13 Assay (iodometric) 99.0%	**25 gm** **100 gm** **500 gm** **5 kg** **25 kg**
459995 $C_6H_8O_6$ (50-81-7)	L-**Ascorbic Acid AR** for Biochemistry Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:176.13 Assay (iodometric) 99.7%	**100 gm** **500 gm** **25 kg**

Product Code	Product Name	Packing
037019 $C_4H_8N_2O_3.H_2O$ (5794-24-1)	D-**Asparagine** Monohydrate for Biochemistry M. W.: 150.14 Assay 99.0%	**5 gm** **25 gm**
025923 $C_4H_8N_2O_3.H_2O$ (3130-87-8)	DL-**Asparagine** Monohydrate M. W.: 150.14 Assay (NT) 98.0%	**25 gm** **100 gm**
037020 $C_4H_8N_2O_3.H_2O$ (5794-13-8)	L-**Asparagine** Monohydrate for Biochemistry M. W.: 150.13 Assay (Non-aqueous) 98.5%	**25 gm** **100 gm** **1 kg**
012885 $C_{14}H_{18}O_5N_2$ (22839-47-0)	**Aspartame** for Synthesis M.W.: 294.30	**5 gm** **100 gm**
037022 $NH_2CH(COOH)CH_2COOH$ (617-45-8)	DL-**Aspartic Acid** M. W.: 133.10 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
037021 $NH_2CH(COOH)CH_2.COOH$ (56-84-8)	L-**Aspartic Acid** Pure M. W.: 133.10 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
027039 $C_9H_8O_4$ (50-78-2)	**Aspirin** (Acetyl Salicylic Acid) M. W.: 180.16	**250 gm**
027277 $(C_{17}H_{23}NO_3)_2.H_2SO_4.H_2O$ (5908-99-6)	**Atropine Sulphate** Monohydrate Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:694.84 Assay (Non-aqueous; Calc. w.r.t. anhy. subs.) 99.0-101%	**5 gm** **10 gm** **25 gm**
034095 $C_{17}H_{21}N_3.HCl$ (2465-27-2)	**Auramine** for Microscopy (Auramine-O) C.I. 41000 M. W.: 303.84	**25 gm** **100 gm** **1 kg**
013085 $C_{17}H_{21}N_3$ (2465-27-2)	**Auramine** O **'Certified Grade'** M. W.: 303.83	**100 gm**
013125 $C_{20}H_{30}O_7$ (522-16-7)	**Aurantin** for Synthesis M. W.: 372.37	**500 gm**
	Aurin Tricarboxylic Acid Ammonium Salt See Aluminon	
013225 $C_9H_{16}O_4$ (123-99-9)	**Azelaic Acid** for Synthesis M. W.: 188.20 Assay 98.0%	**100 gm** **500 gm**
013355 $C_6H_5N{=}NC_6H_5$ (103-33-3)	**Azobenzene** M. W.: 182.22 Assay 98.0%	**25 gm**
013405 $C_{28}H_{18}N_3NaO_6S_2$ (25641-18-3)	**Azocarmine G** for Histology (Acid Red 101) C.I. No. 50085 M. W.: 579.59	**25 gm**

Product Code	Product Name	Packing
013505 $C_2H_4N_4O_2$ (123-77-3)	**Azodicarbonamide** for Synthesis M. W.: 116.07 Assay 97.0%	**500 gm**
013595 $C_8H_{12}N_4$ (78-67-1)	a, a-**Azo Iso Butyronitrile** (**AIBN**, 2,2-**Azo Bis** [2-2,**Methyl** **Propionitrile**] for synthesis M. W.: 164.21 Assay 98.0%	**100 gm** **250 gm** **1 kg** **5 kg**
013695 $C_{17}H_{12}NaO_8H_2.XH_2O$ (206752-32-1)	**Azomethane- H-monosodium** **Salt Hydrate** Assay 97.0%	**1 gm** **5 gm**
013795 $C_{18}H_{13}N_3Na_2O_8S_2$ (3734-67-6)	**Azophloxine (Acid Red I)** (C.I. 18050) M. W.: 509.42	**25 gm** **100 gm**
013895 $C_{14}H_{14}N_3SCl$ (531-53-3)	**Azur A** (M.S.) (C.I. 52005) M. W.: 291.80	**10 gm** **25 gm** **1 kg**
013900 $C_{15}H_{16}ClN_3S$ (531-55-5)	**Azur B** (M.S.) (Azur I) C.I. 52010 M. W.: 305.83	**5 gm** **25 gm** **1 kg**
013905 $C_{13}H_{12}ClN_3S$ (531-57-7)	**Azur C** M. W.: 277.77	**5 gm** **25 gm**
	Azur I for Microscopy See Azur B	
034006 $C_{16}H_{18}N_3S.C_{15}H_{16}N_3S.2Cl$ (37247-10-2)	**Azur** II for Microscopy M. W.: 625.68	**10 gm** **25 gm**
034007 (53092-85-6)	**Azur** II **Eosine** for Microscopy	**25 gm**



Product Code	Product Name	Packing
	B-9 See Alar	
025882 $C_{66}H_{103}N_{17}O_{16}S$ (1405-87-4)	•**Bacitracin** 50,000 Units in vial M. W.: 1422.72 Potency 50000 Unit/gm	**vial**
036004 (8007-47-4)	**Balsam Canada** Natural	**500 gm**
019995 (8007-47-4)	**Balsam Canada** Synthetic	**100 gm** **500 gm**
020005 (8007-00-9)	**Balsam Peru**	**500 gm**
020010 (9000-64-0)	**Balsam Tolu**	**500 gm**
027284 $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid** M. W.:128.09 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
461405 $C_4H_4N_2O_3$ (67-52-7)	**Barbituric Acid AR** M. W.:128.09 Assay (acidimetric) 99.5%	**25 gm** **100 gm**
807400	**Barfoed's** Reagent	**125 ml**
807450	**Barium** Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3	**250 ml**
807500	**Barium** 1000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable	**100 ml** **500 ml**
807550	**Barium** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
025898 $C_4H_6O_4Ba$ (543-80-6)	**Barium Acetate** M. W.: 255.43 Assay (complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
461585 $C_4H_6O_4Ba$ (543-80-6)	**Barium Acetate AR/ACS** M. W.: 255.43 Assay (Complexometric) 98.0%	**500 gm**
025899 B_2O_4Ba (13701-59-2)	**Barium Borate** M.W. : 181.15 Assay 96.0%	**250 gm**
027287 $BaBr_2.2H_2O$ (7791-28-8)	**Barium Bromide** Dihydrate M. W.: 333.17 Assay 98.0%	**500 gm** **25 kg** **50 kg**
027288 $BaCO_3$ (513-77-9)	**Barium Carbonate** M. W.:197.34 Assay (acidimetric) 99.0-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461740 $BaCO_3$ (513-77-9)	**Barium Carbonate AR** M. W.: 197.34 Assay 99.0%	**500 gm** **25 kg** **50 kg**
020215 $BaCO_3$ (513-77-9)	**Barium Carbonate** Practical Grade M. W.: 197.34	**500 gm** **25 kg** **50 kg**
461765 $BaCO_3$ (513-77-9)	**Barium Carbonate AR** M. W.: 197.34 Assay (Base on Trace metal analysis) 99.99%	**25 gm** **100 gm**

Product Code	Product Name	Packing
461790 $BaC_6Cl_2O_4$ (13435-46-6)	**Barium Chloranilate AR/ACS** M. W.: 344.31 Assay (ex Ba) 99.0%	**25 gm**
808050	**Barium Chloride** 0.1M (0.2N) Volumetric Solution Nist Traceable	**1 lit**
808100	**Barium Chloride** 10% Solution Assay ($BaCl_2.2H_2O$) Abt 10.0% W/W	**500 ml**
027290 $BaCl_2.2H_2O$ (10326-27-9)	**Barium Chloride** Dihydrate Cryst. Pure M. W.:244.27 Assay (Argentometric) 99.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461815 $BaCl_2.2H_2O$ (10326-27-9)	**Barium Chloride** Dihydrate **AR** M. W.:244.27 Assay 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
025869 $BaCrO_4$ (10294-40-3)	**Barium Chromate** M. W.: 253.32 Assay (Iodometric) 98.0%	**500 gm**
461840 $BaCrO_4$ (10294-40-3)	**Barium Chromate AR** M. W.: 253.32 Assay (iodometric) 99.0%	**100 gm** **500 gm** **5 kg**
461865 $C_{24}H_{20}BaN_2O_6S_2$ (6211-24-1)	**Barium Diphenylamine Sulphonate AR** Redox Indicator M. W.: 633.9	**5 gm** **25 gm**
020415 BaF_2 (7787-32-8)	**Barium Fluoride** Pure M. W.: 175.32	**500 gm**
461890 BaF_2 (7787-32-8)	**Barium Fluoride AR** M. W.: 175.32 Assay (Trace metal basis) 99.99%	**25 gm**
027295 $Ba(OH)_2.8H_2O$ (12230-71-6)	**Barium Hydroxide** Octahydrate Purified M. W.:315.47 Assay (acidimetric) 97.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461915 $Ba(OH)_2.8H_2O$ (12230-71-6)	**Barium Hydroxide** Octahydrate **AR** M. W.:315.47 Assay 98.0%	**500 gm** **25 kg** **50 kg**
027297 $Ba(IO_3)_2.H_2O$ (7787-34-0)	**Barium Iodate** M. W.: 505.15 Assay 98.0%	**100 gm**
020565 BaI_2Aq (13718-50-8)	**Barium Iodide** Pure M. W.: 391.15 Aq. Assay 99.0%	**100 gm**
027299 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate** Purified M. W.: 261.34 Assay 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
461940 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate AR/ACS** M. W.:261.34 Assay 99.5%	**500 gm** **25 kg** **50 kg**
706440 $Ba(NO_3)_2$ (10022-31-8)	**Barium Nitrate** EL Grade M. W.: 261.34 Assay (ex Ba) 99.5%	**5 kg**

Product Code	Product Name	Packing
025870 BaC_2O_4 (516-02-9)	**Barium Oxalate** M. W.: 225.35	**250 gm**
020695 BaO (1304-28-5)	**Barium Oxide** M.W.: 153.34 Assay 97.0%	**500 gm**
808500	**Barium Perchlorate** 0.005 M/lit Volumetric Solution Iso Propanol/Water	**1 lit**
025876 $Ba(ClO_4)_2.3H_2O$ (10294-39-0)	**Barium Perchlorate** (Trihydrate) M. W.: 390.29 Assay 99.0 - 101.0%	**250 gm**
461965 $Ba(ClO_4)_2$ (13465-95-7)	**Barium Perchlorate** (Anhydrous) **AR** M. W.: 336.23 Assay 98.0%	**250 gm**
020740 BaO_2 (1304-29-6)	**Barium Peroxide** M. W.: 169.34 Assay (iodometric on dried basis) 90.0%	**500 gm** **25 kg** **50 kg**
025874 $Ba_3(PO_4)_2$ (13517-08-3)	**Barium Phosphate** M. W.: 601.92 Assay (ex Ba) 55.0%	**250 gm**
020895 $C_{36}H_{70}O_4Ba$ (6865-35-6)	**Barium Stearate** Pure M.W.: 704.28	**1 kg** **25 kg**
027303 $BaSO_4$ (7727-43-7)	**Barium Sulphate** M. W.: 233.39 Assay (Gravimetric) 95.0%	**500 gm** **2 kg** **25 kg**
461990 $BaSO_4$ (7727-43-7)	**Barium Sulphate AR** M. W.: 233.39 Assay (Gravimetric; as $BaSO_4$) 97.5-100.5%	**500 gm** **25 kg**
020995 BaS (21109-95-5)	**Barium Sulphide** M. W.: 169.39 Assay 98.0%	**500 gm**
021050 BaO_3S (7787-39-5)	**Barium Sulphite** Pure M. W.: 217.39	**500 gm**
021075 $C_4H_4BaO_6$ (5908-81-6)	**Barium Tartrate** Pure M. W.: 285.39 Assay 98.0%	**500 gm**
021115 $BaTiO_3$ (12047-27-7)	**Barium Titanate** for Synthesis M.W.: 233.19 Assay 98.0%	**500 gm**
808700	**Barritt** Reagent **A**	**100 ml**
808710	**Barritt** Reagent **B**	**100 ml**
	Basic Fuchsin See Fuchsin Basic	
462015 $C_{26}H_{20}N_2$ (4733-39-5)	**Bathocuproin AR** M. W.: 360.46 Assay (non-aqueous) 99.0%	**100 mgm**
462040 $C_{26}H_{18}N_2O_6S_2Na_2$ (52698-84-7)	**Bathocuproin Disulphonic Acid Disodium Salt AR** M. W.: 564.55 Assay (non-aqueous titration on anhydrous substance) 98.5%	**100 mgm**
462065 $C_{24}H_{16}N_2$ (1662-01-7)	**Bathophenanthroline AR** (Reagent for Colorimetric determination of Iron) M. W.: 332.41 Assay (non aqueous; dried) 99.5%	**100 mgm** **250 mgm** **1 gm**
462090 $C_{24}H_{16}N_2Na_2O_6S_2$ (52746-49-3)	**Bathophenanthroline Disulphonic Acid Disodium Salt AR** M.W. : 536.50	**100 mgm** **250 mgm**
033031	**Beef Extract** Powder for Bacteriology	**500 gm**
033017 (8012-89-3)	**Bees wax** (white)	**500 gm**
033018 (8012-89-3)	**Bees Wax** (yellow) for Histology	**500 gm**
808810	**Benedict's** Reagent Qualitative for detection of Sugar in Urine	**500 ml** **5 lit** **25 lit**
808820	**Benedict's** Reagent Quantitative	**500 ml**
026022 $H_2Al_2O_6Si$ (1302-78-9)	**Bentonite** Powder M. W.: 180.1	**500 gm** **25 kg** **50 kg**
021415 $C_{10}H_{10}O$ (122-57-6)	**Benzalacetone** for Synthesis (Benzylidieneacetone, Methyl Styryl Ketone, 4-Phenyl-3-Butene-2-One) M. W.: 146.19	**500 gm**
021445 $C_{15}H_{12}O$ (614-47-1)	**Benzalacetophenone** for Synthesis (Chalcone) M. W.: 208.26 Assay 97.0%	**100 gm** **500 gm**
	Benzethonium Chloride See Hyamine 1622	
027310 C_6H_5CHO (100-52-7)	**Benzaldehyde** for Synthesis M. W.:106.12 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462115 C_6H_5CHO (100-52-7)	**Benzaldehyde AR** M. W.:106.12 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
021495 (63449-41-2)	**Benzalkonium Chloride** 50% Solution w/v Aqueous Soln. Assay 49-51 w/v	**500 ml** **5 lit** **25 lit** **200 lit**
027311 $C_6H_5CO.NH_2$ (55-21-0)	**Benzamide** for synthesis M. W.: 121.14 Assay (ex N) 98.5%	**500 gm** **25 kg** **50 kg**
027312 $C_6H_5.CO.NH.C_6H_5$ (93-98-1)	**Benzanilide** for Synthesis M. W.: 197.24 Assay (GC) 99.0%	**100 gm** **500 gm**
027315 C_6H_6 (71-43-2)	**Benzene** for Synthesis M. W.:78.11 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462140 C_6H_6 (71-43-2)	**Benzene AR/ACS** M. W.:78.11 Assay (GC) 99.7%	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Packing
706945 C_6H_6 (71-43-2)	**Benzene** EL Grade M. W.: 78.11 Assay (GC) 99.7%	**1 lit**
462005 C_6H_6 (71-43-2)	**Benzene** Scintillation Grade M. W.: 78.11 Assay (GC) 99.7%	**500 ml** **2.5 lit**
706950 C_6H_6 (71-43-2)	**Benzene** for HPLC & Spectroscopy M. W.: 78.11 Assay (GC) 99.8%	**1 lit**
D14175 C_6D_6 (1076-43-3)	**Benzene** d_6 (for NMR Spectroscopy) M. W.: 188 29 Assay Min. 99 5 atom%D	**10 ml**
D14517 C_6D_6 (1076-43-3)	**Benzene** d_6 (for NMR Spectroscopy) M. W.: 188 29 Assay Min. 99 8 atom%D	**10x0.75 ml**
021217 $C_6H_5SO_3H$ (98-11-3)	**Benzene Sulphonic Acid** for Synthesis M. W.: 158.18	**500 gm**
025860 $C_6H_5ClO_2S$ (98-09-9)	**Benzene Sulphonyl Chloride** M. W.: 176.62 Assay (GC) 98.0%	**500 ml**
021755 $C_9H_4O_5$ (552-30-7)	1,2,4-**Benzene Tricarboxylic** Anhydride M. W.: 192.13 Assay 97.0%	**250 gm** **1 kg**
021855 $C_{13}H_{12}O$ (91-01-0)	**Benzhydrol** for Synthesis (diphenylmethanol, Diphenyl carbinol) M. W.: 184.24 Assay 98.0%	**500 ml** **2.5 lit**
027329 $C_6H_5.CO.CO.C_6H_5$ (134-81-6)	**Benzil** for Synthesis M. W.: 210.23 Assay (GC) 99.0%	**250 gm** **1 kg**
027330 $C_{14}H_{12}O_3$ (76-93-7)	**Benzilic Acid** for Synthesis M. W.: 228.25 Assay (Acidimetric) 98.0%	**100 gm** **250 gm** **1 kg**
027331 $C_6H_4.N:CH.NH$ (51-17-2)	**Benzimidazole** for Synthesis M. W.: 118.13 Assay (non-aqueous) 98.0%	**25 gm** **100 gm** **500 gm**
021955 $C_{35}H_{25}N_7Na_2O_{10}S_2$ (3441-14-3)	**Benzo Fast Scarlet 4BS** (C.I. 29160) M. W.: 813.74 Dye Content (Titanometry on dried substance) Min 30%	**25 gm**
	7,8-**Benzoflavone** See a-Naphthoflavone	
027333 $C_7H_6O_2$ (65-85-0)	**Benzoic Acid** for Synthesis M. W.:122.12 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
462165 $C_7H_6O_2$ (65-85-0)	**Benzoic Acid** (Iron Free) **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.:122.12 Assay (Acidimetric) 99.9%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
D15417 $C_7HD_5O_2$ (1079 02 3)	**Benzoic** d_5 **Acid** (for NMR Spectroscopy) M. W.: 127 15 Assay Min. 99 atom%D	**1 gm**
022105 $C_{14}H_{10}O_3$ (93-97-0)	**Benzoic Anhydride** for Synthesis M. W.: 226.23	**100 gm** **500 gm**
027336 $C_6H_5CH(OH)COC_6H_5$ (119-53-9)	**Benzoin** for Synthesis M. W.: 212.25 Assay (GC) 98.0%	**100 gm** **250 gm** **25 kg**
462190 $C_6H_5CH(OH).C.(NOH)C_6H_5$ (441-38-3	a-**Benzoin Oxime AR** (Cupron) M. W.: 227.26 Assay 98.5%	**25 gm** **100 gm**
027337 C_6H_5CN (100-47-0)	**Benzonitrile for Synthesis** M. W.:103.12 Assay 99.0%	**500 ml**
027338 $(C_6H_5)_2.CO$ (119-61-9)	**Benzophenone** Purified M. W.:182.22 Assay (GC) 99.0%	**250 gm** **500 gm**
022205 $C_{13}H_{12}N_2$ (5350-57-2)	**Benzophenone Hydrazone** M. W.:196.25	**100 gm** **500 gm**
022225 $C_{17}H_6O_7$ (2421-28-5)	3,3,4,4-**Benzophenone Tetra Carboxylic Dianhydride** Pure for synthesis M. W.: 322.23	**25 gm** **500 gm**
022275 $C_6H_4O_2$ (106-51-4)	p-**Benzoquinone** (p-Quinone,1,4-Benzoquinone) M. W.:108.09	**100 gm** **250 gm** **5 kg**
025873 $C_7H_5Cl_3$ (98-07-7)	**Benzotrichloride** M. W.: 195.48 Assay (GC) 99.0%	**500 ml** **2.5 lit**
027344 $C_6H_5N_3$ (95-14-7)	1,2,3, **Benzotriazole** for Synthesis (IH-Benzotriazole) M. W.:119.13 Assay 99.0%	**100 gm** **1 kg** **10 kg**
027347 $C_{10}H_{10}O_2$ (93-91-4)	**Benzoyl Acetone** M. W.: 162.19 Assay (GC) 98.0%	**10 gm** **50 gm**
040007 $C_{15}H_{23}ClN_4O_3$ (2645-08-1)	•N-a-**Benzoyl**-L-**Arginine Ethyl Ester Hydrochloride** (BAEE) M. W.: 342.83 Assay (Argentometric) 99.0%	**1 gm** **5 gm**
027349 C_6H_5COCl (98-88-4)	**Benzoyl Chloride** for Synthesis (Benzoic acid chloride) M. W.: 140.57 Assay (ex Cl) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462215 C_6H_5COCl (98-88-4)	**Benzoyl Chloride AR** M. W.: 140.57 Assay 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462240 $C_6H_5CON(OH)C_6H_5$ (304-88-1)	N-**Benzoyl**-N-**Phenyl Hydroxylamine AR** M. W.: 213.23	**5 gm**

Product Code	Product Name	Packing
027350 $(C_6H_5.CO)_2O_2$ (94-36-0)	**Benzoyl Peroxide** (25% with Water) M. W.:242.23 Assay (anhydrous basis) 98.0%	**500 gm** **25 kg** **50 kg**
022475 $C_6H_5COCH_2CH_2COOH$ (2051-95-8)	3-**Benzoyl Propionic Acid** M. W.: 178.18	**50 gm** **250 gm**
066036 $C_9H_{10}O_2$ (140-11-4)	**Benzyl Acetate** for Synthesis M. W.:150.17 Assay (GC) 99.0%	**500 ml**
022565 $C_{12}H_{11}N_5$ (1214-39-7)	N^6-**Benzyl Adenine** (6-Benzyl Aminopurine) M. W.: 225.26 Assay (Non-aqueous) 99.0%	**1 gm** **5 gm** **25 gm** **500 gm**
027354 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol** for Synthesis M. W.:108.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
462265 $C_6H_5CH_2OH$ (100-51-6)	**Benzyl Alcohol AR/ACS** M. W.:108.14 Assay (GC) 99.0%	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
027355 $C_7H_7NH_2$ (100-46-9)	**Benzylamine** M.W. : 107.16 Assay (Acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
463385 $C_7H_7NH_2$ (100-46-9)	**Benzylamine AR** M.W. : 107.16 Assay 99.0%	**250 ml** **500 ml**
027357 $C_6H_5COOCH_2C_6H_5$ (120-51-4)	**Benzyl Benzoate** M. W.:212.25 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
025865 C_7H_7Br (100-39-0)	**Benzyl Bromide** M. W.: 171.04 Assay (GC) 98.0%	**500 ml**
022675 $C_{19}H_{20}O_4$ (85-68-7)	**Benzyl Butyl Phthalate** for Synthesis (Butylbenzyl Phthalate) M. W.: 312.36 Assay 98.0%	**500 ml** **2.5 lit**
027361 $C_6H_5.CH_2Cl$ (100-44-7)	**Benzyl Chloride** for Synthesis M. W.: 126.59 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
027362 C_8H_7N (140-29-4)	**Benzyl Cyanide** M. W.: 117.15 Assay (ex N) 98.0%	**500 ml** **2.5 lit**
022775 $CH_3(CH_2)_{15}N(Cl)CH_3)_2CH_2C_6H_5$ (122-18-9)	**Benzyl Dimethyl-N-Hexadecyl Ammonium Chloride** (Cetylkonium Chloride) M. W.: 396.09	**100 gm** **500 gm**
	Benzylidene Acetone See Banzal Acetone	
023075 $C_{11}H_{14}O_2$ (103-28-6)	**Benzyl Isobutyrate** for Synthesis M. W.: 178.23	**500 gm**

Product Code	Product Name	Packing
023085 $C_{12}H_{16}O_2$ (103-38-8)	**Benzyl Isovalerate** for Synthesis M. W.: 192.25	**500 gm**
023185 $C_6H_6CH_2NHCH_3$ (103-67-3)	N-**Benzyl Methylamine** (N-methyl benzylamine) M. W.: 121.18	**250 ml** **500 ml**
023335 $C_6H_5CH_2OC_6H_4CHO$ (4397-53-9)	4-**Benzyl Oxybenzaldehyde** M. W.: 212.24 Assay 97.0%	**100 gm**
023405 $C_{15}H_{14}O_2$ (102-16-9)	**Benzyl Phenyl Acetate** for Synthesis M. W.: 226.27	**500 gm**
023455 $C_{10}H_{12}O_2$ (122-63-4)	**Benzyl Propionate** for Synthesis M. W.: 164.2 Assay 98.0%	**500 gm**
025883 $C_{12}H_{11}N$ (101-82-6)	2-**Benzyl Pyridine** M. W.: 169.23 Assay (GC) 98.0%	**100 gm**
023505 $C_{14}H_{12}O_3$ (118-58-1)	**Benzyl Salicylate** for Synthesis M. W.: 228.24 Assay 98.0%	**500 gm**
463965 $[C_6H_5.CH_2.S.C.(:NH).NH_3]Cl$ (538-28-3)	S-**Benzyl Thiuronium Chloride AR** M. W.: 202.70 Assay (Argentometric) 98.0%	**100 gm** **500 gm** **25 kg**
023705 $C_{19}H_{34}NBr$ (25316-59-0)	**Benzyl Tributyl Ammonium Bromide** for Synthesis M. W.: 276.48	**100 gm**
023735 $C_{19}H_{34}ClN$ (23616-79-7)	**Benzyl Tributyl Ammonium Chloride** for Synthesis (Tributylbenzylammonium Chloride) M. W.: 311.93	**100 gm** **500 gm** **25 kg**
066041 $C_{13}H_{22}ClN$ (56-37-1)	**Benzyl Triethyl Ammonium Chloride** M. W.: 227.78 Assay (Argentometric) 98.0%	**500 gm** **25 kg**
066042 $C_6H_5.CH_2.N(CH_3)_3.Cl$ (56-93-9)	**Benzyl Trimethyl Ammonium Chloride** M. W.: 185.70 Assay (argentometric) 98.0%	**500 gm** **25 kg** **50 kg**
809300 $C_{10}H_{17}NO$ (100-85-6)	**Benzyl Trimethyl ammonium Hydroxide** 40% Soln. in Methanol M. W.: 167.25	**100 ml** **500 ml**
809350	**Beryllium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
809400	**Beryllium** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**50 ml** **100 ml**
464085 $BeSO_4.4H_2O$ (7787-56-6)	**Beryllium Sulphate AR** (Beryllium Sulphate Tetrahydrate) M. W.: 177.14	**25 gm** **100 gm**

Product Code	Product Name	Packing
044133 $C_6H_{15}NO_5S$ (10191-18-1)	**BES** Buffer M.W.: 213.25 Assay (T) 99.0%	25 gm 100 gm
809500	**Bial's Reagent** for Detection Of Pentoses And Glucoronic Acid	125 ml 250 ml
044109 $C_6H_{13}NO_4$ (150-25-4)	**Bicine** Buffer M. W.: 163.17 Assay (non-aqueous) 99.0%	25 gm 100 gm
023935 $C_{22}H_{14}N_4O_7S_2 2Na$ (4196-99-0)	**Biebrich Scarlet** (W.S) (C.I. 26905) M. W.: 556.48	25 gm 100 gm
023985	**Bile Salt** for Bacteriology Bile acid : Min. 70%	100 gm 500 gm
	Bile Salt Mixture See Culture Media Basis	
464175 $C_{33}H_{36}N_4O_6$ (635-65-4)	**•Bilirubin AR** M. W.: 584.68 Minimum assay (spectrophotometric) 99.0%	100 mgm 1 gm
044011 $C_{10}H_{16}N_2O_3S$ (58-85-5)	•**D-Biotin** for Biochemistry (Vitamin-H) M. W.:244.31 Assay (Acidimetric) 99-102%	100 mgm 1 gm 10 gm
028240 $(C_6H_5)_2$ (92-52-4)	**Biphenyl** for Synthesis M. W.: 154.21 Assay (GC) 98.0%	100 gm 1 kg
D16227 $C_{12}D_{10}$ (1486 01 7)	**Biphenyl** d_{10} (for NMR Spectroscopy) M.W.: 164 27 Assay Min. 99.0 atom%D	1 gm
024175 $C_{13}H_{10}O_2$ (92-92-2)	4-**Biphenyl Carboxylic Acid** for Synthesis (4-Phenylbenzoic Acid) M. W.: 198.22	100 gm
024185 $HOC_6H_4C_6H_4OH$ (92-88-6)	**Biphenyl**-4:4-**Diol** for Synthesis M. W.: 186.21	100 gm
464265 $(C_5H_4N)_2$ (366-18-7)	2,2-**Bipyridyl AR** (a,a-Bipyridyl) M. W.:156.19 Assay (non-aqueous) 99.5%	5 gm 25 gm
464355 $C_{18}H_{12}N_2$ (119-91-5)	2,2-**Biquinoline AR** (2,2-Diquinolyl) M. W.: 256.31 Assay (Non-aqueous) 99.0%	1 gm 5 gm
	Bis-(2-Chloro Ethyl) Ether See 2-Chloro ethyl ethar	
024425 $(ClCH_2CH_2)_2NH.HCl$ (821-48-7)	Bis-2-**Chloro Ethylamine Hydrochloride** for Synthesis M. W.: 178.49 Assay 98.0%	500 gm
024525 $C_6H_4(CH_2Cl)_2$ (612-12-4)	**Bis** 1;2-**(Chloro Methyl Benzene)** for Synthesis M. W.: 175.06 Assay 98.0%	25 gm

Product Code	Product Name	Packing
464445 $C_{14}H_{22}N_4O_2$ (370-81-0)	**Bis-Cyclohexanone Oxalyl Dihydrazone AR** M. W.: 278.36 Assay (Non-aqueous) 99.0%	10 gm 25 gm
335105 $C_{17}H_{22}N_2$ (101-61-1)	4,4-**Bis(Dimethylamino-Phenyl) Methane** (N,N,N'N'Tetramethyl-4,4-Diaminodiphenylmethane, Michler's base, 4,4-Methylenebis)(N,N-Dimethyl Aniline) M. W.: 254.37 Assay 98.0%	25 gm 100 gm 500 gm
024705 $[(C_6H_5)_2PC_{10}H_6-]_2$ (76189-56-5)	**Bis-(Diphenylphosphino)-1,1 -Binaphthyl 97 (S)-(-)-2,2'(S)-(-)-Binap** M. W.: 622.67	100 mgm 250 mgm
707600 $C_{27}H_{26}P_2$ (6737-42-4)	1,3-**Bis-(Diphenylphosphino) Propane** for HPLC M. W.: 412.45	100 mgm 1 gm
024805 $C_{22}H_{42}O_4$ (103-23-1)	Bis(**2-Ethylhexyl) Adipate** for Synthesis (Dioctyl Adipate; DOA) M. W.: 370.57	500 ml 2.5 lit
024825 $C_{24}H_{38}O_4$ (117-81-7)	Bis-(2-**Ethyl Hexyl) Phthalate** for Synthesis M. W.: 390.56	500 ml 2.5 lit
024845 $C_{26}H_{50}O_4$ (122-62-3)	Bis-2-**Ethyl Hexyl Sebacate** for Synthesis M. W.: 426.68	500 ml 2.5 lit
025841 $C_{18}H_{20}Cl_2N_8$ (10114-58-6)	**Bismark Brown (G) Y** for Microscopy C.I. 21000 M. W.: 419.32 Dye content (titanometry) Abt 50.0%	25 gm 100 gm 1 kg
034010 $C_{21}H_{24}N_8.2HCl$ (5421-66-9)	**Bismark Brown R** C.I.21010 M. W.:461.40 Dye content (Spectrophotometric) Abt 40%	25 gm 100 gm 1 kg
809900	**Bismuth** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	250 ml
809950	**Bismuth** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	100 ml
027384 Bi (7440-69-9)	**Bismuth** (Metal) Granulated At. W. 208.98 Assay (complexometric) 99.0%	100 gm 500 gm
025839 Bi (7440-69-9)	**Bismuth** Metal Lump M.W. : 208.98 Assay (Complexometric) 99.5%	100 gm
026465 Bi (7440-69-9)	**Bismuth** Metal Powder M.W. : 208.98	100 gm
464885 Bi (7440-69-9)	**Bismuth** Ingots **AR** M.W. : 208.98 Assay 99.99%	10 gm

Product Code	Product Name	Packing
026485 $CH_3(CO_2)_3Bi$ (22306-37-2)	**Bismuth (III) Acetate** M.W. : 386.11	**500 gm**
464930 (31886-41-6)	**Bismuth Ammonium Citrate AR** Assay (Complexometric ex Bi) ~ 45%	**100 gm** **1 kg**
026515 (13702-38-0)	**Bismuth Arsenate**	**100 gm**
026545	**Bismuth Borate**	**100 gm**
024565 $BiBr_3$ (7787-58-8)	**Bismuth (III) Bromide** M. W.: 448.69	**500 gm**
	Bismuth Carbonate (Basic) See Bismuth oxy Cartbonate	
024615	**Bismuth Chromate**	**500 gm**
025877 $BiC_6H_5O_7$ (813-93-4)	**Bismuth (III) Citrate** M. W.: 398.08 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
026595 BiF_3 (7787-61-3)	**Bismuth (III) Fluoride** M. W.: 265.98	**500 gm**
026615 BiI_3 (7787-64-6)	**Bismuth (III) Iodide** (Bismuth Triiodide) M. W.: 589.69	**25 gm**
027388 $Bi(NO_3)_3.5H_2O$ (10035-06-0)	**Bismuth Nitrate** Pentahydrate Purified (Bismuth III Nitrate) M. W.: 485.07 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
465020 $Bi(NO_3)_3.5H_2O$ (10035-06-0)	**Bismuth Nitrate** Pentahydrate **AR** M. W.:485.07 Assay (Complexometric) 98.5%	**100 gm** **500 gm**
	Bismuth Nitrate Basic See Bismuth Subnitrate	
026645 $Bi_2(C_2O_4)_3$ (6591-55-5)	**Bismuth Oxalate** M. W.: 682.02	**500 gm**
027389 Bi_2O_3 (1304-76-3)	**Bismuth Oxide** M. W.:465.96 Assay (Complexometric) (ex Bi) 99.0%	**100 gm** **500 gm**
026695 Bi_2O_3 (1304-76-3)	**Bismuth Oxide** M. W.:465.96 Assay (Trace metal basis) 99.999%	**100 gm**
027390 Bi_2CO_5 (5892-10-4)	**Bismuth Oxycarbonate** (Bismth Carbonate Basic, Bismuth Sub Carbonate) M. W.: 510.01 Assay (as Bi on dried basis) 80-82%	**100 gm** **500 gm**
027391 BiOCl (7787-59-9)	**Bismuth Oxychloride** M. W.:260.43 Assay (Complexometric; Bi) 79.0-82.0%	**100 gm** **500 gm**
	Bismuth Oxynitrate See Bismuth Subnitrate	
	1,4-**Bis** (5-**Phenyl Oxazol** -2-**yl**) **Benzene** See POPOP	

Product Code	Product Name	Packing
025875 $BiPO_4$ (10049-01-1)	**Bismuth Phosphate** M. W.: 303.95 Assay 98.0%	**100 gm** **500 gm**
026750 $C_7H_5BiO_4$ (14882-18-9)	**Bismuth (III) Salicylate** M. W.: 362.09	**100 gm**
026790 $C_7H_5BiO_6$ (99-26-3)	**Bismuth Subgallate** (Basic Bismuth Gallate) M. W.: 394.40	**100 gm** **500 gm**
026810 $Bi(O)NO_3$ (10361-46-3)	**Bismuth Subnitrate** M.W.: 286.99 Assay (Bi) 71.0-74.0%	**100 gm** **500 gm**
465110 $Bi(O)NO_3$ (10361-46-3)	**Bismuth Subnitrate AR** M.W.: 286.99 Assay (Complexometric) (as Bi) 71.0-74.0%	**100 gm** **500 gm**
027404 $Bi_2(SO_4)_3$ (7787-68-0)	**Bismuth Sulphate** M. W.: 706.18	**100 gm** **250 gm** **500 gm**
024925	**Bismuth Sulphite**	**100 gm**
026880 (6591-56-6)	**Bismuth Tritartrate**	**500 gm**
025065 $BiCl_3$ (7787-60-2)	**Bismuth Trichloride** M. W.: 315.34 Assay (ex Bi) 92.0%	**100 gm** **500 gm**
465495 $C_2H_2N_2S_3$ (1072-71-5)	**Bismuthiol-I AR (Reagent** for The Determination of BI, Cu, Pb, Sb M. W.: 150.25 Assay 98.0%	**10 gm**
028643 $C_{15}H_{16}O_2$ (80-05-7)	**Bisphenol A** M. W.: 228.29 Assay (GC) 97.0%	**500 gm** **25 kg** **50 kg**
465625 $C_{20}H_{18}N_4O_2$ (7477-67-0)	**Bispyrazolone AR** [3.3-Dimethyl-1,1-Diphenyl- (4,4-bi-2-Pyrazoline)-5,5-Dione] (for Determination of Cyanide) M. W.: 346.38	**5 gm** **25 gm**
026970 $C_{24}H_{54}OSn_2$ (56-35-9)	**Bis-Tributyl Tin Oxide** for Synthesis M. W.: 596.10 Assay 96.0%	**250 ml**
027060 $C_8H_{18}F_3NOSi_2$ (25561-30-2)	N,O-**Bis-(Trimethylsilyl) Trifluoro** **Acetamide** M. W.: 257.40 Assay 99.0%	**25 ml** **100 ml**
044127 $C_8H_{19}NO_5$ (6976-37-0)	**Bis-Tris** for Biochemistry M.W.: 209.24 Assay (Non-aqueous) 98.0%	**25 gm** **100 gm**
465715 $NH_2.CO.NH.CO.NH_2$ (108-19-0)	**Biuret AR** M. W.: 103.08 Assay (Kjeldhal method) 96.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
810300	**Biuret** Reagent	**125 ml**
026039 $Ca(OCl)_2$ (7778-54-3)	**Bleaching** Powder About 33% Available Chlorine M. W.: 142.98	**500 gm** **25 kg** **50 kg**
465805 $C_{40}H_{32}N_8O_2Cl_2$ (1871-22-3)	**Blue Tetrazolium** for Microscopy **AR** (Blue tetrazolium chloride) M.W 727.66 Assay (Argentometric; ex Cl on dried basis) 95.0%	**1 gm** **5 gm**
BOC026 $C_8H_{15}NO_4$ (3303-84-2)	•**BOC**-B-**Alanine** for Biochemistry M.W 189.21	**5 gm** **25 gm**
BOC010 $C_8H_{15}NO_4$ (7764-95-6)	•**BOC**-D-**Alanine** M.W 189.21	**10 gm** **25 gm**
BOC014 $C_{11}H_{20}N_2O_5S$ (19746-37-3)	•**BOC**-S-**Acetamidomethyl-L-Cysteine** for Biochemistry M.W 292.35	**10 gm** **25 gm**
BOC020 $C_8H_{15}NO_4$ (15761-38-3)	•**BOC**-L-**Alanine** M. W.: 189.21 Assay (on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC023 $C_9H_{17}NO_4$ (28875-17-4)	•**BOC**-L-**Alanine Methyl Ester** for Biochemistry M. W.: 203.24	**10 gm** **25 gm**
BOC028 $[(CH_3)_3COCO]_2O$ (24424-99-5)	•**BOC-Anhydride AR** M. W.: 218.25	**5 gm** **25 gm**
BOC030 $C_9H_{16}N_2O_5$ (75647-01-7)	•**BOC**-D-**Asparagine** M. W.: 232.23	**10 gm** **25 gm**
BOC040 $C_9H_{16}N_2O_5$ (7536-55-2)	•**BOC**-L-**Asparagine** M. W.: 232.23	**10 gm** **25 gm** **100 gm**
BOC045 $C_{16}H_{21}NO_6$ (7536-58-5)	•**BOC**-L-**Aspartic Acid**-4- **Benzylester** M. W.: 323.34	**10 gm** **25 gm**
BOC050 (62396-48-9)	•**BOC**-D-**Aspartic Acid**	**10 gm** **25 gm**
BOC060 $C_9H_{15}NO_6$ (13726-67-5)	•**BOC**-L-**Aspartic Acid** M. W.: 233.22	**10 gm** **25 gm** **100 gm**
BOC063 $C_{15}H_{21}NO_5S$ (5068-28-0)	•**BOC**-L-**Benzyl**-L-**Cysteine** for Biochemistry M.W.: 311.40	**10 gm** **25 gm**
BOC065 $C_6H_5CH_2SCH_2CH(COOH)NHCOOC(CH_3)_3$ (23680-31-1)	N-**BOC**-O-**Benzyl**-L- **Serine** for Biochemistry M. W.: 311.40	**10 gm** **25 gm**
BOC070 $C_{16}H_{28}N_2O_8S_2$ (10389-65-8)	•**BOC**-L-**Cystine** M. W.: 440.53	**10 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
BOC080 (34404-28-9)	•**BOC**-D-**Glutamic Acid**	**10 gm** **25 gm**
BOC090 $C_{10}H_{17}NO_6$ (2419-94-5)	•**BOC**-L-**Glutamic Acid** M. W.: 247.25	**10 gm** **25 gm** **100 gm**
BOC093 $C_{17}H_{23}NO_6$ (13574-13-5)	•**BOC**-L-**Glutamic Acid**-5- **Benzyl Ester** for Biochemistry M. W.: 337.37	**10 gm** **25 gm**
BOC100 $C_{10}H_{18}N_2O_5$ (61348-28-5)	•**BOC**-D-**Glutamine** M. W.: 246.26	**10 gm** **25 gm**
BOC110 $C_{10}H_{18}N_2O_5$ (13726-85-7)	•**BOC**-L-**Glutamine** M. W.: 246.26	**10 gm** **25 gm** **100 gm**
BOC120 $C_7H_{13}NO_4$ (4530-20-5)	•**BOC-Glycine** M. W.: 175.18 Assay Cal. on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC122 $C_8H_{15}NO_4$ (31954-27-5)	•**BOC-Glycine Methyl Ester** for Biochemistry M. W.: 189.21	**10 ml** **25 ml**
BOC124 $C_{17}H_{19}N_5O_8$ (25024-53-7)	•**BOC-Histidine** for Biochemistry M. W.: 421.36	**5 gm**
BOC128 $C_{11}H_{22}N_2O_3$ (77279-24-4)	1-**BOC**-4-(2-**Hydroxyethyl) Piperazine** M. W.: 230.30	**5 gm**
BOC130 $C_{11}H_{19}NO_4$ (84358-13-4)	•**BOC-Isonipecotic Acid** for Biochemistry M. W.: 229.27	**10 gm** **25 gm**
BOC135	•**BOC-Isonipecotic Acid Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC140 $C_{11}H_{21}NO_4$ (55721-65-8)	•**BOC**-DL-**Isoleucine** M. W.: 231.29	**10 gm**
BOC150 $C_{11}H_{21}NO_4$ (13139-16-7)	•**BOC**-L-**Isoleucine** M. W.: 231.29	**10 gm** **25 gm** **100 gm**
BOC160 $C_{11}H_{21}NO_4$ (16937-99-8)	•**BOC**-D-**Leucine** M. W.: 231.29	**10 gm** **25 gm**
BOC162 $C_{11}H_{21}NO_4$ (13139-15-6)	•**BOC**-L-**Leucine** for Biochemistry M. W.: 231.29	**5 gm** **25 gm** **100 gm**
BOC180 $C_{11}H_{22}N_2O_4$ (2418-95-3)	•**BOC**-L-**Lysine** M. W.: 246.30	**10 gm** **25 gm** **100 gm**
BOC182 (15098-69-8)	•N-a-ε-T-**BOC**-L-**Lysine Dicyclohexyl ammonium** Salt for Biochemistry	**10 gm** **25 gm**

Product Code	Product Name	Packing
BOC184 $C_{10}H_{19}NO_4S$ (2488-15-5)	•**BOC**-L-**Methionine** for Biochemistry M. W.: 249.33	**25 gm** **100 gm**
BOC186 $C_{11}H_{19}NO_4$ (1487631-41-1)	•**BOC-Nipecotic Acid Methyl Ester** for Biochemistry M. W.: 229.27	**10 gm** **25 gm**
BOC188 (7535-56-0)	•**BOC-4-Nitro-L- Phenylalanine Ethyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC189 $C_{14}H_{18}N_2O_6$ (33305-77-0)	•**BOC**-4-**Nitro-L- Phenylalanine** for Biochemistry M. W.: 310.30	**10 gm** **25 gm**
BOC190 $C_{14}H_{19}NO_4$ (18942-49-9)	•**BOC-D-Phenylalanine** M. W.: 265.30	**10 gm** **25 gm**
BOC192 (35909-92-3)	•**BOC**-D-**Phenylalanine Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC194 (33125-05-2)	•**BOC**-D-**Phenylglycine** for Biochemistry	**10 gm** **25 gm**
BOC200 $C_{14}H_{19}NO_4$ (13734-34-4)	•**BOC-L-Phenylalanine** M. W.: 265.31 Assay (Cal. on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC204 $C_{15}H_{21}NO_4$ (51987-73-6)	•**BOC**-L-**Phenylalanine Methyl Ester** for Biochemistry M. W.: 279.33	**10 gm** **25 gm**
BOC206 $C_{13}H_{17}NO_4$ (2900-27-8)	•**BOC**-L-**Phenylglycine** for Biochemistry M. W.: 251.28	**10 gm** **25 gm**
BOC208 $C_{11}H_{19}NO_4$ (26250-84-0)	•**BOC**-L-**Pipecolinic Acid** for Biochemistry M. W.: 229.27	**10 gm** **25 gm**
BOC210 $C_{10}H_{17}NO_4$ (37784-17-1)	•**BOC-D-Proline** M. W.: 215.25	**10 gm** **25 gm**
BOC212 (733323-65-6)	•**BOC**-D-**Proline Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC220 $C_{10}H_{17}NO_4$ (15761-39-4)	•**BOC-L-Proline** M. W.: 215.25 Assay (Cal. on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC223 (59936-29-7)	•**BOC**-L-**Proline Methyl Ester** for Biochemistry	**10 gm** **25 gm**
BOC230 $C_8H_{15}NO_5$ (6368-20-3)	•**BOC-D-Serine** M. W.: 205.21	**10 gm** **25 gm**
BOC240 $C_8H_{15}NO_5$ (3262-72-4)	•**BOC-L-Serine** M. W.: 205.21	**10 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
BOC250 (55674-67-4)	•**BOC-D-Threonine**	**10 gm** **25 gm**
BOC260 $C_9H_{17}NO_5$ (2592-18-9)	•**BOC-L-Threonine** M. W.: 219.23	**10 gm** **25 gm** **100 gm**
BOC270 $C_{16}H_{20}N_2O_4$ (5241-64-5)	•**BOC-D-Tryptophane** M. W.: 304.34	**10 gm** **25 gm**
BOC280 $C_{16}H_{20}N_2O_4$ (13139-14-5)	•**BOC-L-Tryptophane** M. W.: 304.34	**10 gm** **25 gm** **100 gm**
BOC290 $4\text{-}(OH)C_6H_4CH_2CH(COOH)NHC(O)OC(CH_3)_3$ (3978-80-1)	•**BOC-L-Tyrosine** M. W.: 281.30	**10 gm** **25 gm** **100 gm**
BOC294 $4\text{-}(OH)C_6H_4CH_2CH[NHCO_2C(CH_3)_3]CO_2HCH_3$ (4326-36-7)	•**BOC**-L-**Tyrosine Methyl Ester** for Biochemistry M. W.: 295.33	**10 gm** **25 gm**
BOC300 $C_{10}H_{19}NO_4$ (22838-58-0)	•**BOC-D-Valine** M. W.: 217.26	**10 gm** **25 gm**
BOC310 $C_{10}H_{19}NO_4$ (13734-41-3)	•**BOC-L-Valine** M. W.: 217.26 Assay (Cal on dried subs) 99.0%	**10 gm** **25 gm** **100 gm**
BOC313 $C_{11}H_{21}NO_4$ (58561-04-9)	•**BOC**-L-**Valine Methyl Este**r for Biochemistry M. W.: 231.29	**10 gm** **25 gm**
465895 $Na_2B_4O_7$ (1330-43-4)	**Borax** Anhydrous **AR** M. W.: 201.22 Assay 99.0%	**500 gm**
810600	**Borax Carmine** Alcoholic Solution	**125 ml**
810620	**Borax Carmine** Aqueous Solution	**125 ml**
027200	**Borax Carmine** (Grenacher) (powder) (M.S.)Bromo Cresol Green-Methyl Red.Indicator	**25 gm**
030230 $Na_2B_4O_7.10H_2O$ (1303-96-4)	**Borax** Decahydrate (Di-Sodium Tetraborate) M. W.: 381.36 Minimum assay (acidimetric) 99.0-103.0%	**500 gm** **5 kg** **25 kg** **50 kg**
465985 $Na_2B_4O_710H_2O$ (1303-96-4)	**Borax** Decahydrate **AR** M. W.: 381.36 Assay (Acidimetric) 99.5-102.5%	**500 gm** **5 kg** **25 kg** **50 kg**
045011 H_3BO_3 (10043-35-3)	**Boric Acid** Powder M. W.:61.83 Assay (acidimetric) 99.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
027410 H_3BO_3 (10043-35-3)	**Boric Acid** Crystal M. W.: 61.83 Assay (acidimetric) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
466075 H_3BO_3 (10043-35-3)	**Boric Acid** Crystal **AR** Meets of IP, BP, USP, PH. Eur. M. W.: 61.83 Assay (Acidimetric) 99.5%	**500 gm** **5 kg** **50 kg**
918000 H_3BO_3 (10043-35-3)	**Boric Acid** for Molecular Biology M. W.: 61.83 Assay (Acidimetric) 99.5%	**250 gm** **500 gm**
466515 H_3BO_3 (10043-35-3)	**Boric Acid** Special **AR** M. W.: 61.83	**1 kg**
D18927 BD_3O_3 (14149 58 7)	**Boric Acid** d_3 (for NMR Spectroscopy) M.W.:64.86 Assay Min. 98.0 atom%D	**5 gm**
810740	**Boric Acid 4%** (w/v) Aqueous Solution	**100 ml**
	Boric Anhydride See di-Boron Trioxide	
027300 $C_{10}H_{18}O$ (464-43-7)	**Borneol** for Synthesis M. W.: 154.25	**500 gm**
810840	**Boron** Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in H_2O	**250 ml**
810860	**Boron** (B) 1000 ppm Single Element Standard for ICP in H_2O Nist Traceable	**100 ml** **500 ml**
027392 B (7440-42-8)	**Boron** (Metal) **Powder** M. W.: 10.81	**25 gm** **100 gm**
027395 Cbu (12069-32-8)	**Boron Carbide** 90 Mesh M. W.: 55.26	**25 gm** **100 gm**
027400 CB_4 (12069-32-8)	**Boron Carbide** 150 Mesh M. W.: 55.25 Assay 98.0%	**25 gm** **100 gm**
027405 CB_4 (12069-32-8)	**Boron Carbide** 220 Mesh M. W.: 55.25 Assay 98.0%	**25 gm** **100 gm**
027415 BN (10043-11-5)	**Boron Nitride** M. W.: 24.82 Assay(Alkalimetric) 98.0%	**50 gm** **500 gm**
025985 Bbr_3 (10294-33-4)	**Boron Tribromide** for Synthesis M.W.: 250.52	**100 gm** **500 gm**
025885 $BF_3C_4H_{10}O$ (109-63-7)	**Boron Trifluoride Etherate** (Boron Trifluoride Ethyl Ether complex) 48-53% Bf_3 M. W.: 141.93 Assay (BF_3) abt. 50%	**500 ml** **2.5 lit** **25 lit** **200 lit**
027411 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous M. W.: 69.62 Assay 97.0%	**250 gm** **500 gm**
466605 B_2O_3 (1303-86-2)	di-**Boron Trioxide** Anhydrous **AR** For Analysis of Silicates M. W.: 69.62 Assay 98.0%	**250 gm** **1 kg**

Product Code	Product Name	Packing
811000	**Borsche's** Reagent For detection of Ketones	**125 ml**
811040	**Bouin's** Fluid (Bouin's Picro Formal fixing Soln.)	**100 ml** **500 ml**
044155 (9048-46-8)	•**Bovine Albumin** FRACTION V Assay (Calculated to anhy.material) 97.0%	**5 gm** **10 gm** **100 gm**
044004 (9048-46-8)	•**Bovine Albumin** Molecular Biology Assay (ex N) 98.0%	**5 gm** **10 gm** **100 gm**
027585 $C_{16}H_{14}O_5$ (474-07-7)	**Brazilin** for Microscopy M.W. : 286.28	**5 gm** **10 gm**
811100	**Brij 35** 30% Solution	**500 ml**
056003 (9002-92-0)	**Brij 35** Solid	**500 gm**
027625 $C_{28}H_{17}N_5Na_4O_{14}S_4$ (2519-30-4)	**Brilliant Black** BN C.I.-28440 M.W.: 867.68	**10 gm**
	Brilliant Blue FCF See Erioglaucine	
025854 $C_{17}H_{20}ClN_3O$ 1/2 $ZnCl_2$ (81029-05-2)	**Brilliant Cresyl Blue** Indicator C.I. 51010 M.W.:386.0 Dye content (titanometry) Abt 45.0%	**5 gm** **25 gm** **100 gm**
811200	**Brilliant Cresyl Blue** Solution Alcoholic	**125 ml**
811220	**Brilliant Cresyl Blue** Solution Aqueous	**125 ml**
027675 $C_{22}H_{14}N_4Na_2O_7S_2$ (5413-75-2)	**Brilliant Crocein** (M.S.) C.I. 27290 M. W.: 556.49	**25 gm**
811270	**Brilliant Green** 1% (w/v) Aqueous Indicator Solution	**100 ml**
034015 $C_{27}H_{34}N_2O_4S$ (633-03-4)	**Brilliant Green** Indicator C.I. 42040 For Bacteriology & Microscopy M. W.:482.65 Dye content (titanometry) 95.0%	**25 gm** **100 gm** **1 kg**
025853 $C_{26}H_{18}N_4Na_2O_8S_2$ (3051-11-4)	**Brilliant Yellow** C.I. 24890 M. W.: 624.56 Assay (Spectrophotometric) Abt 70.0%	**25 gm**
PA0075	**Brilliant Yellow** Indicator Papers	**200 lvs**
811281	**Bromide Bromate** Volumetric Solution 0.05 M (0.1N)	**500 ml**
811283	**Bromide Bromate** Volumetric Solution 0.025 M (0.5N)	**500 ml**
025852 Br_2 (7726-95-6)	**Bromine** M.W. : 159.82	**5x20 ml**
027423 Br_2 (7726-95-6)	**Bromine** for Synthesis M. W.: 159.82 Assay (iodometric) 99.0%	**2x250 ml**

Product Code	Product Name	Packing
466695 Br_2 (7726-95-6)	**Bromine AR** M. W.: 159.82 Assay (iodometric) 99.5%	**2x250 ml**
811320	**Bromine** water	**500 ml**
	Bromine Volumetric Solution 0.05M (0.1 N) In Water See (Bromide bromate solution 0.05 M)	
027832 $BrCH_2CH(OCH_3)_2$ (7252-83-7)	**Bromo Acetaldehyde Dimethylacetal** (2-Bromo-1,1-Dimethoxyethane) M. W.: 169.02	**100 ml** **500 ml**
025855 C_8H_8BrNO (103-88-8)	p-**Bromo Acetanilide** for Synthesis M.W. : 214.07 Assay (GC) 98.0%	**100 gm** **500 gm**
025851 $C_2H_3BrO_2$ (79-08-3)	**Bromoacetic Acid** for Synthesis M.W. :138.95 Assay (Alkalimetric) 98.0%	**100 gm** **500 gm**
027935 C_8H_7BrO (99-90-1)	4-**Bromo Acetophenone** for Synthesis (1-acetyl-4-bromobenzene) M.W.: 199.04 Assay 98.0%	**100 gm** **250 gm**
028035 $BrCH_2COBr$ (598-21-0)	**Bromo Acetyl Bromide** for Synthesis M.W. : 201.84 Assay 98.0%	**100 gm**
027431 C_6H_6BrN (106-40-1)	p-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay (GC) 98.0%	**100 gm** **500 gm**
028245 C_6H_6BrN (615-36-1)	2-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay 98.0%	**25 gm** **100 gm**
028250 $BrC_6H_4NH_2$ (591-19-5)	3-**Bromo Aniline** for Synthesis M. W.: 172.02 Assay 98.0%	**25 ml** **100 ml**
028350 C_7H_7BrO (2398-37-0)	3-**Bromo Anisole** for Synthesis (1-Bromo-3-Methoxybenzene) M. W.: 187.04 Assay 98.0%	**100 ml** **500 ml**
028355 $BrC_6H_4OCH_3$ (104-92-7)	4-**Bromo Anisole** for Synthesis (1-bromo-4-methoxybenzene) M. W.: 187.04 Assay 98.0%	**100 ml** **500 ml**
028455 BrC_6H_4CHO (3132-99-8)	3-**Bromo Benzaldehyde** for Synthesis M. W.: 185.02 Assay 97.0%	**25 ml** **100 ml**
028465 BrC_6H_4CHO (1122-91-4)	4-**Bromo Benzaldehyde** for Synthesis M. W.: 185.02 Assay 99.0%	**25 ml** **100 ml**
027434 C_6H_5Br (108-86-1)	**Bromo Benzene** for Synthesis M. W.:157.01 Assay (GC) 98.0%	**250 ml** **500 ml** **2.5 lit**
467305 C_6H_5Br (108-86-1)	**Bromo Benzene AR** (Phenyl Bromide) M. W.:157.01 Assay 99.0%	**250 ml**

Product Code	Product Name	Packing
028865 $C_7H_5BrO_2$ (88-65-3)	2-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**100 gm** **500 gm**
028875 $BrC_6H_4CO_2H$ (585-76-2)	3-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**5 gm** **25 gm** **100 gm**
028885 $BrC_6H_4CO_2H$ (586-76-5)	4-**Bromo Benzoic Acid** for Synthesis M. W.: 201.02 Assay 98.0%	**50 gm** **250 gm**
029005 BrC_6H_4CN (6952-59-6)	3-**Bromo Benzonitrile** for Synthesis (M-Bromobenzonitrile) M. W.: 182.02	**25 gm** **100 gm**
029015 BrC_6H_4CN (623-00-7)	4-**Bromo Benzonitrile** (p-Bromobenzonitrile) M. W.: 182.02	**25 gm** **100 gm**
467485 $C_{13}H_9OBr$ (90-90-4)	p-**Bromo Benzophenone AR** M. W.: 261.12 Assay (GC) 98.0%	**100 gm**
029115 C_7H_8BrN (3959-07-7)	4-**Bromo Benzyl Amine** M. W.: 186.05 Assay 96.0%	**1 gm**
	1-**Bromo Butane** See n-Butyl Bromide	
029215 C_4H_9Br (78-76-2)	2-**Bromo Butane** (sec-Butyl Bromide) M. W.: 137.03	**100 ml** **500 ml**
029315 C_8H_6BrClO (536-38-9)	2-**Bromo**-4'-**Chloro Acetophenone** M. W.: 233.49 Assay 98.0%	**100 gm**
025856 C_7H_6BrCl (60633-25-2)	2-**Bromo**-4-**Chloro Anisole** M.W.: 221.48 Assay 97.5%	**100 gm**
467575 BrC_6H_4Cl (106-39-8)	1-**Bromo**-4- **Chlorobenzene AR** M. W.: 191.45 (1-Bromo-4-chloro Benzene)	**100 gm** **500 gm**
029625 $C_{14}H_{15}BrClNO_6$ (7240-90-6)	5-**Bromo**-4-**Chloro**-3-**Indoly**l β D-**Galactopyranoside** (X-Gal,Bcig, 5-Bromo-4-Chloro-3-Indoly β-D-Galactoside) M. W.: 408.60 Assay 98%	**100 mgm** **1 gm**
467695 $C_{19}H_{10}Br_2Cl_2O_5S$ (2553-71-1)	**Bromo Chlorophenol Blue AR** M. W.: 581.06	**5 gm**
467715 $C_{19}H_9Br_2Cl_2NaO_5S$ (102185-52-4)	**Bromo Chlorophenol Blue Sodium Salt AR** M. W.: 603.04	**5 gm**
029725 C_3H_6BrCl (109-70-6)	1-**Bromo**-3-**Chloropropane** for Synthesis M. W.: 157.44 Assay 98.0%	**500 ml**
	Bromo Cresol Blue See Bromo Cresol Green	

Product Code	Product Name	Packing
467805 $C_{21}H_{14}Br_4O_5S$ (76-60-8)	**Bromo Cresol Green** Indicator **AR** M. W.: 698.04	**5 gm** **25 gm**
467885 $C_{21}H_{13}Br_4NaO_5S$ (62625-32-5)	**Bromo Cresol Green Sodium AR** M. W.: 720.00	**5 gm** **25 gm**
467905 $C_{21}H_{14}Br_4O_5S$ (76-60-8)	**Bromo Cresol Green** Cerified Grade **AR** (pH 3.8-5.4) M. W.: 698.01	**5 gm**
811740	**Bromo Cresol Green** Solution	**125 ml**
811745	**Bromo Cresol Green Sodium Salt** Solution 0.04%	**125 ml**
811750	**Bromo Cresol Green/Methyl Red** Mixed Indicator Solution In Alcohol	**500 ml**
467995 $C_{21}H_{16}O_5Br_2S$ (115-40-2)	**Bromo Cresol Purple** Indicator **AR** M. W.:540.24	**5 gm** **25 gm**
811780	**Bromo Cresol Purple** Indicator Solution	**125 ml**
029828 $C_{21}H_{15}Br_2NaO_5S$ (62625-30-3)	**Bromo Cresol Purple Sodium Salt** M. W.: 562.22	**10 gm** **50 gm**
029925 $C_6H_{11}Br$ (108-85-0)	**Bromo Cyclohexane** for Synthesis (Cyclohexyl Bromide) M. W.: 163.06	**500 ml**
030015 $C_{10}H_{21}Br$ (112-29-8)	1-**Bromo Decane** for Synthesis (n-Decyl Bromide) M. W.: 221.18	**100 ml** **500 ml**
027455 C_2H_5Br (74-96-4)	**Bromo Ethane** for Synthesis M. W.: 108.97 Assay (GC) 99.0%	**250 ml** **500 ml** **25 lit**
030100 $BrCH_2CH_2SO_3Na$ (4263-52-9)	2-**Bromo Ethane Sulphonic Acid** **Sodium Salt** for Synthesis M. W.: 211.01	**10 gm** **50 gm**
030175 $C_2H_6BrN.HBr$ (2576-47-8)	**2-Bromo Ethylamine Hydrobromide** (2-Aminoethyl Bromide Hydrobromide) M. W.: 204.89	**500 gm**
027460 $CHBr_3$ (75-25-2)	**Bromoform** Pure M. W.: 252.73 Assay (GC) 98.0%	**250 ml**
027459 $CHBr_3$ (75-25-2)	**Bromoform** Special Grade M. W.: 252.73 Assay (GC) 99.0%	**250 ml**
030270 C_6H_4BrF (460-00-4)	1-**Bromo**-4-**Fluorobenzene** for Synthesis (P-Bromofluorobenzene) (Stabilised with Ethanol) M. W.: 175.00	**100 ml**
030325 C_5H_3BrFN (128071-98-7)	4-**Bromo-2-Fluoropyridine** M. W.: 175.99	**1 gm** **5 gm**

Product Code	Product Name	Packing
030375 $C_5H_3BrO_3$ (585-70-6)	5-**Bromo-2-Furoic Acid** M. W.: 190.98	**25 gm**
030425 $C_7H_{15}Br$ (629-04-9)	1-**Bromo Heptane** for Synthesis (n-Heptyl Bromide) M. W.: 179.10	**100 ml**
030475 $C_{16}H_{33}Br$ (112-82-3)	1-**Bromo Hexadecane** for Synthesis (N-Hexadecyl Bromide, Cetyl Bromide) M. W.: 305.34	**100 ml** **500 ml**
030525 $CH_3(CH_2)_5Br$ (111-25-1)	1-**Bromo Hexane** for Synthesis (N-Hexyl Bromide) M. W.: 165.07	**100 ml** **500 ml**
030572 C_8H_6BrN (10075-50-0)	5-**Bromo Indole** for Synthesis M.W.: 196.04	**5 gm** **25 gm**
030625 $C_7H_4BrIO_2$ (25252-00-0)	2-**Bromo**-5-**Iodobenzoic Acid** M. W.: 326.91	**1 gm** **10 gm**
468085 $C_{10}H_8BrNO_2$ (17357-14-1)	•5-**Bromo Indoxyl Acetate AR** M. W.:254.09 Assay (HPLC) 99.0%	**100 mgm**
030675 $CH_3OC_6H_4COCH_2Br$ (2632-13-5)	2-**Bromo**-4'-**Methoxy Acetophenone** M. W.: 229.07	**5 gm**
030725 $C_{11}H_9BrO$ (5111-65-9)	2-**Bromo**-6-**Methoxy-Naphthalene** for Synthesis M. W.: 237.09	**25 gm** **100 gm**
030775 $(CH_3)_3Br$ (507-19-7)	2- **Bromo**-2-**Methylpropane** for Synthesis Methylpropane (tert-Butyl Bromide) M. W.: 137.02	**100 ml** **500 ml**
030825 $C_{10}H_7Br$ (90-11-9)	1-**Bromo Naphthalene** for Synthesis M. W.: 207.07	**100 ml** **500 ml**
030875 $C_{16}H_{17}BrO_6$ (15572-30-2)	6-**Bromo-2-Naphthyl** B-D-**Galactopyranoside** M. W.: 385.20	**1 gm**
030925 $C_3H_6BrNO_4$ (52-51-7)	2-**Bromo**-2-**Nitropropane**-1,3- **Propanediol** (Bronopol) M.W.: 199.99	**100 gm** **500 gm**
030975 $C_9H_{19}Br$ (693-58-3)	1-**Bromo Nonane** for Synthesis (Nonyl Bromide) M. W.: 207.15	**100 ml** **500 ml**
468525 $C_8H_{17}Br$ (111-83-1)	1-**Bromo Octane AR** (n-Octyl Bromide) M. W.: 193.12	**100 ml** **500 ml**

Product Code	Product Name	Packing
031025 $C_5H_{11}Br$ (110-53-2)	1-**Bromo Pentane** for Synthesis (N-Amyl Bromide) (N-Pentyl Bromide) M. W.: 151.04	**100 ml** **500 ml**
031075 $BrC_6H_4COCH_2Br$ (99-73-0)	4-**Bromo Phenacyl Bromide** M. W.: 277.94	**25 gm**
031225 C_6H_5BrO (95-56-7)	2-**Bromo Phenol** for Synthesis M. W.: 173.01	**25 gm** **100 gm**
031245 C_6H_5BrO (106-41-2)	4-**Bromo Phenol** for Synthesis M. W.: 173.01	**100 gm** **500 gm**
468705 $C_{19}H_{10}O_5SBr_4$ (115-39-9)	**Bromo Phenol Blue** Indicator **AR** M. W.: 669.98	**5 gm** **25 gm**
920000 $C_{19}H_{10}Br_4O_5S.Na$	**Bromo Phenol Blue Sodium** Salt for Moleculer Biology for Electro phoresis M. W.: 691.95	**5 gm**
812000	**Bromo Phenol Blue** Solution	**125 ml**
812010	**Bromo Phenol Blue** ABT. 1% Solution in DMF	**50 ml**
812050	**Bromo Phenol Blue-Xylene Cyanol** Dye Solution	**5 ml**
031545 $CH_3CHBrCOOH$ (598-72-1)	2-**Bromo Propionic Acid** for Synthesis M. W.: 152.97	**100 gm** **500 gm**
	1-**Bromo Propane** See n-Propyl Bromide	
	2-**Bromo Propane** See ISO-Propyl Bromide	
468805 $C_{19}H_{10}Br_2O_8S$ (16574-43-9)	**Bromo Pyrogallol Red AR** M. W.: 558.15	**1 gm** **5 gm**
027491 $(CH_2.CO)_2NBr$ (128-08-5)	N-**Bromo Succinimide** M. W.: 177.98 Assay (iodometric) 99.0%	**100 gm** **500 gm** **2.5 kg**
469035 $C_4H_4BrNO_2$ (128-08-5)	N-**Bromo Succinimide AR** M. W.: 177.98	**100 gm** **500 gm**
469215 $C_{20}H_8Br_4Na_2O_{10}S_2$ (71-67-0)	**Bromo Sulphalein AR** M. W.: 838.00	**1 gm**
020021 $C_{27}H_{27}Br_2NaO_5S$ (34722-90-2)	**Bromo Thymol Blue Sodium Salt** M. W.: 646.37	**10 gm**
469395 $C_{27}H_{28}Br_2O_5S$ (76-59-5)	**Bromo Thymol Blue AR** (pH Indicator) M. W.:624.40	**5 gm** **25 gm**
812170	**Bromo Thymol Blue** Solution	**125 ml**
PA0100	**Bromo Thymol Blue** Paper	**200 lvs**

Product Code	Product Name	Packing
031845 $CH_3C_6H_4Br$ (95-46-5)	2-**Bromo Toluene** for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03	**100 ml**
031865 $CH_3C_6H_4Br$ (591-17-3)	3-**Bromo Toluene** for Synthesis M. W.: 171.03 Assay (GC) 98.0%	**25 ml** **100 ml**
031885 $CH_3C_6H_4Br$ (106-38-7)	4-**Bromo Toluene** for Synthesis (1-Bromo-2-Methylbenzene) M. W.: 171.03 Assay 98.0%	**100 gm** **500 gm**
031985 $CH_3(CH_2)_{10}Br$ (693-67-4)	1-**Bromo Undecane** for Synthesis (Undecyl Bromide) M. W.: 235.20	**25 gm**
469575 $C_4H_3BrN_2O_2$ (51-20-7)	5-**Bromo Uracil AR** M. W.:190.99 Assay (Alkalimetric) 97.0%	**1 gm** **5 gm**
	Bronopol see 2-Bromo-2-Nitro Prohane-1,3-propanediol	
469865 $C_{23}H_{26}N_2O_4$ (357-57-3)	**Brucine AR** M. W.:394.47 Assay (non aq.) 99.0%	**10 gm** **25 gm**
470045 $(C_{23}H_{26}N_2O_4)_2H_2SO_47H_2O$ (60583-39-3)	**Brucine Sulphate** Heptahydrate **AR** M.W.:1013.12 Assay (Non-aqueous) 99.0%	**25 gm** **250 gm**
032205	**BTS Catalyst** for Gas Purification	**25 gm** **100 gm**
812500	**Buffer** kit pH 4.0-7.0-9.0-10.0 +/-0.02 at (25°C)	**1 Box**
812300	**Buffer** Powder pH Approx. 4.0	**10 cP**
812320	**Buffer** Powder pH Approx. 6.4	**10 cP**
812340	**Buffer** Powder pH Approx. 6.8	**10 cP**
812360	**Buffer** Powder pH Approx. 7.0	**10 cP**
812380	**Buffer** Powder pH Approx. 7.2	**10 cP**
812400	**Buffer** Powder pH Approx. 9.0	**10 cP**
812420	**Buffer** Powder pH Approx. 9.2	**10 cP**
812440	**Buffer** Powder pH Approx. 10.0	**10 cP**
812600	**Buffer** Solution pH 2.0 (Citrate) on receipt store at 2-8 °C	**500 ml** **2.5 lit** **5 lit**
812610	**Buffer** Solution pH 3.0 (Citrate) on receipt store at 2-8 °C	**500 ml** **2.5 lit** **5 lit**
812620	**Buffer** Solution pH 4.0 (Phthalate) on receipt store at 2-8 °C	**500 ml** **2.5 lit** **5 lit**
812630	**Buffer** Solution pH 4.0 Citrisol Concentrated on receipt store at 2-8 °C	**3 Amp** **6 Amp**
812640	**Buffer** Solution pH 5.0 (Citrate) on receipt store at 2-8 °C	**500 ml** **2.5 lit** **5 lit**

Product Code	Product Name	Packing
812650	**Buffer** Solution pH 6.0 (Acetate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812660	**Buffer** Solution pH 6.0 (Citrate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812670	**Buffer** Solution pH 6.4 (Saline Phosphate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812680	**Buffer** Solution pH 6.8 (Phosphate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812690	**Buffer** Solution pH 7.0 (Phosphate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812700	**Buffer** Solution pH 7.0 Citrisol Concentrated on receipt store at 2-8 ^{0}C	**3 Amp** **6 Amp**
812710	**Buffer** Solution pH 7.2 (Albumine Phosphate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812720	**Buffer** Solution pH 7.6 (CitroPhosphate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812730	**Buffer** Solution pH 8.0 (Borate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812740	**Buffer** Solution pH 9.0 (Borate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812750	**Buffer** Solution pH 9.2 (Borate) on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812760	**Buffer** Solution pH 10.0 on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
812770	**Buffer** Solution pH 12.0 on receipt store at 2-8 ^{0}C	**500 ml** **2.5 lit** **5 lit**
032405 $C_4H_{10}O_2$ (107-88-0)	1,3-**Butanediol** for Synthesis M. W.: 90.12 Assay 98.0%	**500 ml** **2.5 lit**
032425 $C_4H_{10}O_2$ (110-63-4)	1,4-**Butanediol** for Synthesis (1,4-Butylene Glycol, Tetramethylene Glycol) M. W.: 90.12	**500 ml** **2.5 lit**
470135 $C_4H_{10}O_2$ (110-63-4)	1,4-**Butanediol AR** M. W.: 90.12	**1 lit**
	2,3-**Butanedione Oxime** See Diacetyl Monoxime	

Product Code	Product Name	Packing
470235 $C_4H_9NaO_3S$ (2386-54-1)	1-**Butane Sulphonic Acid Sodium Salt** Anhydrous **AR** M. W.: 160.17 Assay (dried subs., alkalimetric) 99.0%	**5 gm** **25 gm** **100 gm**
709600 $C_4H_9NaO_3S$ (2386-54-1)	1-**Butane Sulphonic Acid Sodium Salt** Anhydrous for HPLC M. W.: 160.17	**5 gm** **25 gm**
027500 $(CH_3).(CH_2)_3OH$ (71-36-3)	n-**Butanol** for Synthesis (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay(G.C) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470410 $(CH_3)(CH_2)_3OH$ (71-36-3)	n-**Butanol AR** (n-Butyl Alcohol, 1-Butanol) M. W.:74.12 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
709700 $(CH_3)(CH_2)_3OH$ (71-36-3)	**1-Butanol** for HPLC & Spectroscopy M. W.: 74.12 Assay (GC) 99.7%	**1 lit** **2.5 lit**
027507 $CH_3.CH_2.CHOH.CH_3$ (78-92-2)	2-**Butanol** for Synthesis (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470445 $CH_3.CH_2.CHOH.CH_3$ (78-92-2)	2-**Butanol AR** (Sec-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	iso-**Butanol** See Iso Butanol	
027508 $(CH_3)_3.COH$ (75-65-0)	tert-**Butanol** (tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470535 $(CH_3)_3COH$ (75-65-0)	tert-**Butanol AR** (Tert-Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
710000 $(CH_3)_3C.OH$ (75-65-0)	tert-**Butanol for** HPLC & Spectroscopy M. W.: 74.12	**1 lit** **2.5 lit**
032525 C_4H_8O (78-93-3)	**Butanone** for Synthesis M.W.: 72.11	**500 ml** **2.5 lit** **25 lit** **200 lit**
470575 C_4H_8O (78-93-3)	**Butanone AR/ACS** M.W.: 72.11	**500 ml** **2.5 lit** **25 lit** **200 l it**
711100 C_4H_8O (78-93-3)	**Butanone** for HPLC & Spectroscopy M.W.: 72.11	**1 lit**
	2-**Butoxy Ethanol** See Ethylene Glycol Mono Butyl Ether	

Product Code	Product Name	Packing
027502 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** for Synthesis M. W.: 116.16 Assay(GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
470975 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate AR** M. W.: 116.16 Assay 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
712100 $CH_3.COO(CH_2)_3.CH_3$ (123-86-4)	n-**Butyl Acetate** M. W.: 116.16 for Pesticide residue Analysis	**250 ml** **1 lit**
032605 $C_6H_{12}O_2$ (540-88-5)	tert-**Butyl Acetate** for Synthesis M. W.: 116.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
025890 $C_7H_{12}O_2$ (141-32-2)	n-**Butyl Acrylate** Monomer M. W.: 128.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	n-**Butyl Alcohol** See n-Butanol	
	sec-**Butyl Alcohol** See 2-Butanol	
	tert-**Butyl Alcohol** See tert-Butanol	
032705 $C_6H_5C(CH_3)_3$ (98-06-6)	tert-**Butyl Benzene** for Synthesis M. W.: 134.22 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
032805 $C_{11}H_{14}O_2$ (98-73-7)	p-tert-**Butyl Benzoic Acid** M. W.: 178.23 Assay 98.0%	**500 gm**
	Butyl Carbitol See Diethylene Glycol Mono Butyl Ether	
027510 $C_4H_{11}N$ (109-73-9)	n-**Butylamine** M. W.: 73.14 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
471185 $C_4H_{11}N$ (109-73-9)	n-**Butylamine AR** M. W.: 73.14 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
025893 $C_4H_{11}N$ (75-64-9)	tert-**Butylamine** for Synthesis M. W.: 73.14 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
027515 $C_{11}H_{16}O_2$ (25013-16-5)	**Butylated Hydroxy Anisole** (B.H.A.) M. W.: 180.25	**100 gm** **500 gm** **10 kg** **25 kg** **50 kg**
028067 $[(CH_3)_3C]_2C_6H_2(CH_3)OH$ (128-37-0)	**Butylated Hydroxy Toluene** (B.H.T) Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 220.35 Assay(GC) 99.00%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
027442 $CH_3.CH_2.CH_2.CH_2.Br$ (109-65-9)	n-**Butyl Bromide** for Synthesis M. W.: 137.02 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
033005 $C_{10}H_{16}O_2$ (109-21-7)	**Butyl Butyrate** M. W.: 144.22 Assay 98.0%	**250 ml**
033105 $C_5H_{12}O_2N_2$ (870-46-2)	tert-**Butyl Carbazate** for Synthesis M. W.: 132.16 Assay 98.0%	**25 gm** **100 gm**
027520 $C_{10}H_{14}O_2$ (98-29-3)	p-**tert-Butyl Catechol** (p-tert Butyl Pyrocatechol) M. W.: 166.22 Assay (GC) 97.0%	**500 gm**
	Butyl Cellosolve See Ethylene Glycol Mono Butyl ether	
033155 C_4H_9Cl (109-69-3)	N-**Butyl Chloride** for Synthesis (1-Chloro Butane) M. W.: 92.57	**500 ml** **2.5 lit** **25 lit** **200 lit**
033175 $(CH_3)_3CCl$ (507-20-0)	tert-**Butyl Chloride** for Synthesis M. W.: 92.57 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
033325 $C_8H_{19}NO_2$ (102-79-4)	N-**Butyl Diethanolamine** for Synthesis M. W.: 161.24 Assay 98.5%	**500 ml** **2.5 lit**
	Butyl Digol See Diethylene Glycol Mono Butyl Ether	
471745 $C_6H_{15}ClSi$ (18162-48-6)	tert-**Butyl Dimethylsilyl Chloride AR** (tert-Butyl (Chloro) Dimethyl silane, TBDMCL) (tert-Butyl dimethyl Chlorosilane) M. W.: 150.72	**100 gm** **500 gm**
	N-**Butyl Ether** See Dibutyl Ether	
033425 $(CH_3)_3COOH$ (75-91-2)	tert-**Butyl Hydroperoxide** 70% in Water M. W.: 90.12	**100 gm** **500 gm**
025892 $C_{11}H_{14}O_3$ (94-26-8)	**Butyl-p-Hydroxy Benzoate** M. W.: 194.23 Assay (GC) 99.0%	**500 gm**
025867 $C_{10}H_{14}O_2$ (1948-33-0)	tert-**Butyl Hydroquinone** (TBHQ) M. W.:166.22 Assay (By GC) 97.0%	**250 gm** **2.5 kg** **10 kg**
033625 H_4H_9I (542-69-8)	N-**Butyl Iodide** (1-iodobutane) M. W.: 184.02	**100 ml** **500 ml**
033825 $C_7H_{14}O_3$ (138-22-7)	N-**Butyl Lactate** for Synthesis M. W.: 146.18 Assay 98.0%	**250 ml** **500 ml**

Product Code	Product Name	Packing
034009 C_4H_9Li (109-72-8)	N-**Butyl Lithium** 1.6M in Hexane M. W.: 64.06	**100 ml**
034205 $C_8H_{12}O_2$ (97-88-1)	N-**Butyl Methacrylate** (Stabilised) M. W.: 142.20	**500 ml** **2.5 lit**
029848 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for Synthsis M. W.: 88.15 Assay (By GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
472355 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether AR** M. W.: 88.15	**500 ml** **2.5 lit** **25 lit**
712900 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** for HPLC M. W.: 88.15 Assay (By GC) 99.8%	**1 lit** **2.5 lit**
712950 $C_5H_{12}O$ (1634-04-4)	tert-**Butyl Methyl Ether** For Pesticide Residue Trace M. W.: 88.15	**1 lit** **2.5 lit**
034405 $C_8H_{15}ClN_2$ (79917-90-1)	1-**Butyl**-3-**Methyl Imidazolium Chloride** M. W.: 174.67 Assay 98.0%	**5 gm** **25 gm** **250 gm**
	iso-**Butyl Methyl Ketone** See Iso Butyl Methyl Ketone	
034455 $C_8H_{15}F_6N_2P$ (174501-64-5)	1-**Butyl**-3-**Methylimidazolium Hexafluorophosphate** ($BMIM.PF_6$) extrapure for catalysis and nanotechnology M.W. 284.18 Assay 98.0%	**5 gm** **25 gm** **100 gm**
034505 $C_8H_{15}AlCl_4N_2$ (80432-09-3)	1-**Butyl**-3-**Methylimidazolium Tetrachloroaluminate** ($BMIM.AlCl_4$) extrapure for catalysis and nanotechnology M.W. 308.01 Assay 95%	**10 gm** **25 gm** **50 gm**
034525 $C_8H_{15}BF_4N_2$ (174501-65-6)	1-**Butyl**-3-**Methylimidazolium Tetrafluoroborate (BMIM.BF4) extrapure** for catalysis and nanotechnology M.W. 226.02 Assay 98%	**5 gm** **25 gm**
034625 $C_9H_{15}F_3N_2O_3S$ (174899-66-2)	1-**Butyl**-3-**Methylimidazolium Trifluoromethanesulfonate** (1-Butyl-3-Methylimidazoli**um** Triflate, BMIM.Otf) extrapure for catalysis ,proteomics and nanotechnology M.W. 288.29 Assay 95%	**1 gm** **5 gm** **25 gm**
034645 $C_{11}H_{20}F_6N_2O_4S_2$ (223437-11-4)	1-**Butyl**-1-**Methylpyrrolidinium Bis(trifluoromethyl-Sulfonyl)imide** (BMP.TFSI) Extra Pure for catalysis ,electrochemistry and nanotechnology M.W. 422.41 Assay 98%	**5 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
034665 $C_9H_{20}ClN$ (479500-35-1)	1-**Butyl**-1-**Methylpyrrolidinium Chloride** Extrapure for catalysis and nanotechnology M.W. 177.71 Assay 98%	**5 gm** **25 gm** **100 gm**
034715 $C_9H_{20}F_6NP$ (330671-29-9)	1-**Butyl**-1-**Methylpyrrolidinium Hexafluorophosphate (BMP.FP6)** Extrapure for catalysis and nanotechnology M.W. 287.23 Assay 97 5%	**5 gm** **25 gm** **100 gm**
034745 $C_9H_{20}BF_4N$ (345984-11-4)	1-**Butyl**-1-**Methylpyrrolidinium Tetrafluoroborate (BMP.BF4)** Extrapure for catalysis and nanotechnology M.W. 229.07 Assay 97%	**1 gm** **5 gm** **25 gm**
034845 $C_{22}H_{42}O_2$ (142-77-8)	**Butyl Oleate** for Synthesis M. W.: 338.57 Assay Abt. 75.0%	**500 ml**
	Butyl-PBD See 2-(4-tert-Butylphenyl)-5-(4-biphenylyl)-1,3,4-oxadiazole	
035045 $C_{11}H_{14}O_3$ (614-45-9)	tert-**Butyl Perbenzoate** M.W.: 194.23	**500 ml**
035145 $C_{10}H_{14}O$ (98-54-4)	4-tert-**Butyl Phenol** for Synthesis (p-tert-Butylphenol) M. W.: 150.22	**500 gm**
473265 $C_{10}H_{14}O$ (98-54-4	4- tert-**Butyl Phenol AR** M. W.: 150.22	**1 kg**
035200 $C_{24}H_{22}N_2O$ (15082-28-7)	2-(4-**tert-Butyl phenyl**)-5-(4-**Biphenyl**) -1,3,4-**Oxadiazole** (Butyl-PBD) M. W.: 354.44	**5 gm** **100 gm**
	n-**Butyl Phthalate** See Di-n-Butyl Phthalate	
	n-**Butyl Phosphate** See Tri-n-Butyl Phosphate	
025847 $C_{22}H_{44}O_2$ (123-95-5)	n-**Butyl Stearate** for Synthesis M. W.: 340.59 Assay (GC) 50.0%	**500 ml** **2.5 lit**
	Tetra-**Butyl Titanate** See Titanium (IV) Dioxide	
035500 C_4H_8O (123-72-8)	n-**Butyraldehyde** M. W.: 72.11	**500 ml** **25 lit** **200 lit**
027535 $CH_3CH_2CH_2COOH$ (107-92-6)	n-**Butyric Acid** M. W.: 88.11 Assay (GC) 99.0%	**500 ml** **2.5 lit**
473455 $CH_3CH_2CH_2COOH$ (107-92-6)	n-**Butyric Acid AR** M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
035605 $C_8H_{14}O_3$ (106-31-0)	N-**Butyric Anhydride** for Synthesis M. W.: 158.19 Assay (GC) 98.0%	**500 ml** **1 lit**
027946 $C_4H_6O_2$ (96-48-0)	gamma- **Butyrolactone** M. W.: 86.09 Assay (GC) 99.0%	**500 ml** **2.5 lit**
473595 $C_{10}H_{12}O$ (495-40-9)	**Butyrophenone AR** M. W.: 148.20 Assay 99.0%	**100 gm**

Product Code	Product Name	Packing
035705 C_4H_7ClO (141-75-3)	**Butyryl Chloride** for Synthesis M. W.: 106.55 Assay 99.0%	**100 ml** **500 ml**
035735 $C_9H_{20}NO_2Cl$ (2963-78-2)	**Butyrylcholine Chloride** for biochemistry M.W. 209.70 Assay 98.0%	**1 gm**

BUFFERS

812500	**Buffer** kit pH 4.0-7.0-9.0-10.0 +/-0.02 at (25°C)
812300	**Buffer** Powder pH Approx. 4.0
812320	**Buffer** Powder pH Approx. 6.4
812340	**Buffer** Powder pH Approx. 6.8
812360	**Buffer** Powder pH Approx. 7.0
812380	**Buffer** Powder pH Approx. 7.2
812400	**Buffer** Powder pH Approx. 9.0
812420	**Buffer** Powder pH Approx. 9.2
812440	**Buffer** Powder pH Approx. 10.0
812600	**Buffer** Solution pH 2.0 (Citrate) on receipt store at 2-8 °C
812610	**Buffer** Solution pH 3.0 (Citrate) on receipt store at 2-8 °C
812620	**Buffer** Solution pH 4.0 (Phthalate) on receipt store at 2-8 °C
812630	**Buffer** Solution pH 4.0 Citrisol Concentrated on receipt store at 2-8 °C
812640	**Buffer** Solution pH 5.0 (Citrate) on receipt store at 2-8 °C
812650	**Buffer** Solution pH 6.0 (Acetate) on receipt store at 2-8 °C
812660	**Buffer** Solution pH 6.0 (Citrate) on receipt store at 2-8 °C
812670	**Buffer** Solution pH 6.4 (Saline Phosphate) on receipt store at 2-8 °C
812680	**Buffer** Solution pH 6.8 (Phosphate) on receipt store at 2-8 °C
812690	**Buffer** Solution pH 7.0 (Phosphate) on receipt store at 2-8 °C
812700	**Buffer** Solution pH 7.0 Citrisol Concentrated on receipt store at 2-8 °C
812710	**Buffer** Solution pH 7.2 (Albumine Phosphate) on receipt store at 2-8 °C
812720	**Buffer** Solution pH 7.6 (CitroPhosphate) on receipt store at 2-8 °C
812760	**Buffer** Solution pH 10.0 on receipt store at 2-8 °C
812770	**Buffer** Solution pH 12.0 on receipt store at 2-8 °C

Product Code	Product Name	Packing
041005 $C_7H_7AsO_2$ (75-60-5)	**Cacodylic Acid** (dimethylarsonic acid,dimethylarsinic acid) M. W.: 138.00 Assay 98.0%	**25 gm** **100 gm** **250 gm**
	Cacodylic Acid Sodium Salt See Sodium Cacodylate	
478455 $C_{21}H_{21}N_3O_7$ (561-20-6)	**Cacotheline AR** (Redox Indicator) M. W.: 427.42 Assay (Non-aqueous) 95.0%	**5 gm** **25 gm**
478635 $C_{18}H_{14}N_6O_2$ (5392-67-6)	**Cadion AR** M. W.: 346.34 Assay 98.0%	**1 gm** **5 gm**
813350	**Cadmium** Atomic Absorption STD. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
813400	**Cadmium** (Cd)1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
813420	**Cadmium** (Cd) 10,000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
478685 Cd (7440-43-9)	**Cadmium** Metal **Powder AR** A. W.: 112.41	**100 gm** **500 gm**
025797 Cd (7440-43-9)	**Cadmium** metal Lumps M. W.: 112.41 Assay 99.0%	**100 gm**
478730 Cd (7440-43-9)	**Cadmium** (Metal) Granular **AR** At.W : 112.41 Assay (ex; cd; Complexometric) 99.0%	**100 gm** **500 gm**
041205 Cd (7440-43-9)	**Cadmium** (Shots) M. W.: 112.41 Assay (trace metals basis) 99.999%	**10 gm** **50 gm**
027545 $(CH_3COO)_2Cd.2H_2O$ (5743-04-4)	**Cadmium Acetate** Dihydrate M. W.: 266.53 Assay (complexometric) 98.0%	**100 gm** **250 gm** **500 gm**
478775 $(CH_3COO)_2Cd.2H_2O$ (5743-04-4)	**Cadmium Acetate** Dihydrate **AR** M. W.: 266.53 Assay (complexometric) 99.0%	**250 gm** **500 gm**
025698 CdB_4O_7	**Cadmium Borate** M. W.: 267.60 Assay 98.0%	**500 gm**
027546 $CdBr_2$ (7789-42-6)	**Cadmium Bromide** M. W.: 272.22 Assay (EDTA Titration) 99%	**500 gm**
027547 $CdCO_3$ (513-78-0)	**Cadmium Carbonate** M. W.: 172.42 Assay (cd) 62-66%	**100 gm** **500 gm**
025796 $CdCl_2$ (10108-64-2)	**Cadmium Chloride** Anhydrous Dried M. W.: 183.32 Assay (Argentometric) 95.0%	**100 gm** **500 gm**
027548 $CdCl_2H_2O$ (35658-65-2)	**Cadmium Chloride** Monohydrate M. W.: 201.32 Assay (Argentometric) 98.0%	**100 gm** **500 gm**
478820 $CdCl_2H_2O$ (35658-65-2)	**Cadmium Chloride** Monohydrate **AR** M. W.: 201.32 Assay (argentometric) 99.0%	**100 gm** **500 gm**
041395 CdF_2 (7790-79-6)	**Cadmium Fluoride** M. W.: 150.41 Assay 98.0%	**500 gm**
027553 CdI_2 (7790-80-9)	**Cadmium Iodide** M. W.: 366.21 Assay (complexometric) 99.0%	**100 gm** **500 gm**
027554 $Cd(NO_3)_2.4H_2O$ (10022-68-1)	**Cadmium Nitrate** tetrahydrate Purified M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	**100 gm** **250 gm** **500 gm** **25 kg**
478865 $Cd(NO_3)_24H_2O$ (10022-68-1)	**Cadmium Nitrate** Tetrahydrate **AR** M. W.: 308.48 Assay (ex Cd) (Complexometric) 99.0%	**500 gm**
025697 $Cd(COO)_2.3H_2O$	**Cadmium Oxalate** Trihydrate M. W.: 254.00 Assay 99.0%	**500 gm**
027556 CdO (1306-19-0)	**Cadmium Oxide** M. W.: 128.41 Assay (ex Cd) (Complexometric) 99.5%	**100 gm** **500 gm**
478910 CdO (1306-19-0)	**Cadmium Oxide AR** M. W.: 128.41 Assay (Complexometric) 99.7%	**250 gm**
041460 $Cd_3(PO_4)_2$	**Cadmium Phosphate** M.W:.527.18 Assay (ex Cd) 98.0%	**100 gm** **500 gm**
041505 CdSe (1306-24-7)	**Cadmium Selenide** M. W.: 191.37 Assay (trace metals basis) 99.99%	**5 gm** **10 gm**
025696 $C_4H_4CdO_4$ (141-00-4)	**Cadmium Succinate** M. W.: 228.48 Assay 98.0%	**100 gm** **500 gm**
027557 $3CdSO_4.8H_2O$ (7790-84-3)	**Cadmium Sulphate** M. W.: 769.52 Assay (Complexometric) 98.0-103.0%	**100 gm** **500 gm**
479000 $3CdSO_4.8H_2O$ (7790-84-3)	**Cadmium Sulphate AR** M. W.: 769.52 Assay (Complexometric) 98-102%	**500 gm**
041655 Cds (1306-23-6)	**Cadmium Sulphide** Powder M. W.: 144.48 Assay (trace metals basis) 99.995%	**25 gm**
027558 CdS (1306-23-6)	**Cadmium Sulphide** Orange M. W.: 144.48 Assay (Complexometric) 99.0%	**500 gm**
041765 CdTe (1306-25-8)	**Cadmium Telluride** M. W.: 240.01 Assay (trace metals basis) 99.9%	**5 gm** **25 gm**
041865 $C_9H_8O_4$ (331-39-5)	**Caffeic Acid** for Synthesis M. W.: 180.16 Assay 95.0%	**10 gm**

Product Code	Product Name	Packing
025745 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous Pure M. W.: 194.19 Assay (non-aqueous) 98.5 - 101%	**100 gm** **250 gm** **500 gm** **25 kg**
479235 $C_8H_{10}N_4O_2$ (58-08-2)	**Caffeine** Anhydrous **AR** Suitable for Determination of Serum Bilirubin M. W.: 194.19	**100 gm** **250 gm**
025763 (8011-96-9)	**Calamine** (Residue on ignition) 68-74%	**500 gm** **1 kg** **25 kg**
	Calcein See Fluorescein Complexone Indicator	
814010	**Calcium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
814030	**Calcium** (Ca)1000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
814050	**Calcium** (Ca) 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
814070	**Calcium** (Ca)10,000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
814090	**Calcium** (Ca) 10,000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
046060 Ca (7440-70-2)	**Calcium** metal At. W. 40.08 Assay (complexometric) 98.5%	**100 gm** **500 gm**
027576 $(CH_3.COO)_2Ca\ XH_2O$ (114460-21-8)	**Calcium Acetate** for Soil Test M. W.: 158.17 (Anhy.) Assay (Complexometric; Calc. on dried subs. As $(CH_3COO)_2.Ca$) 99.0-100.5%	**500 gm** **25 kg** **50 kg**
479415 $(CH_3COO)_2Ca.XH_2O$ (114460-21-8)	**Calcium Acetate AR** for Soil Test M. W.: 158.17 (Anhydrous) Assay (on dried material) 99.0%	**500 gm**
025769 $Ca(BO_2)_2.2H_2O$ (13701-64-9)	**Calcium Borate** M.W. : 161.73 Assay (EDTA Tritration) 99.0%	**250 gm**
025744 $CaBr_2XH_2O$ (71626-99-8)	**Calcium Bromide** Hydrate M.W. : 199.89 (Anhydrous basis) Assay (Complexometric as $CaBr_2$) 84.70%	**500 gm**
026034 CaC_2 (75-20-7)	**Calcium Carbide** M. W.: 64.1 Assay (Gas Volumetric) 60.0%	**100 gm** **250 gm**
027580 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Precipitated Meets Analytical Specification of FCC. M. W.: 100.09 Assay (Complexometric; after drying) 98.5-100.5%	**500 gm** **5 kg** **25 kg**
479595 $CaCO_3$ (471-34-1)	**Calcium Carbonate** Precipitated **AR** M. W.: 100.09 Assay 99.5%	**500 gm**

Product Code	Product Name	Packing
025767	**Calcium Caseinate**	**100 gm** **500 gm**
026035 $CaCl_2$ (10043-52-4)	**Calcium Chloride** Fused for elementary analysis M. W.: 110.99 Assay (ex Cl on dried substance) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
027584 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate Pure M. W.: 147.02 Assay ($CaCl_2.2H_2O$, Argentometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
479775 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride** Dihydrate **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 147.02 Assay (Complexometric) 99.0-103.0%	**500 gm** **25 kg**
920900 $CaCl_2.2H_2O$ (10035-04-8)	**Calcium Chloride Dihydrate** for Molecular Biology M. W.: 147.02 Assay 99.0%	**100 gm** **500 gm**
814240	**Calcium Chloride** 0.005M (0.01N) Volumetric Solution Nist Traceable	**1 lit**
814245	**Calcium Chloride** 0.01M (0.02N) Volumetric Solution Nist Traceable	**1 lit**
814250	**Calcium Chloride** 0.02M (0.04N) Volumetric Solution Nist Traceable	**1 lit**
814270	**Calcium Chloride** 0.05M (1N) Volumetric Solution Nist Traceable	**1 lit**
814290	**Calcium Chloride** 0.1M Volumetric Solution Nist Traceable	**1 lit**
814310	**Calcium Chloride** 1.0 M Volumetric Solution Nist Traceable	**250 ml** **500 ml**
027590 $(C_6H_5O_7)_2Ca_3.4H_2O$ (5785-44-4)	**Calcium Citrate** Tetrahydrate Pure M. W.: 570.49 Assay (ex Ca on dried subs.) 97.5-100.5%	**500 gm**
027594 CaF_2 (7789-75-5)	**Calcium Fluoride** Purified M. W.: 78.08 Assay (after ignition at 500^{0}C; Complexo metric) 97.0%	**500 gm** **2.5 kg** **25 kg**
027595 $C_2H_2CaO_4$ (544-17-2)	**Calcium Formate** M. W.: 130.11 Assay (Complexometric) 98.5%	**500 gm**
027596 $C_{12}H_{22}CaO_{14}H_2O$ (18016-24-5)	**Calcium Gluconate** Monohydrate M. W.: 448.39 Assay (ex Ca Complexometric) 99.0-104.0%	**500 gm** **5 kg** **25 kg** **50 kg**
025773	**Calcium** Hardness Powder	**25 gm**
027597 CaH_2 (7789-78-8)	**Calcium Hydride** M. W.: 42.10 Assay (Complexometric) 95.0%	**100 gm** **1 kg**

Product Code	Product Name	Packing
	Calcium Hydrogen Phosphate See di-Calcium Phosphate	
027599 $Ca(OH)_2$ (1305-62-0)	**Calcium Hydroxide** M. W.: 74.09 Assay (acidimetric) 90.0%	**500 gm** **50 kg**
479955 $Ca(OH)_2$ (1305-62-0)	**Calcium Hydroxide AR** M. W.: 74.09 Assay (acidimetric) 96.0%	**500 gm**
042365 $Ca(H_2PO_2)_2$ (7789-79-9)	**Calcium Hypophosphite** M. W.: 170.05	**500 gm**
027602 $Ca(IO_3)_2$ (7789-80-2)	**Calcium Iodate** M. W.: 389.88	**250 gm**
042465 $CaI_2.4H_2O$ (13640-62-5)	**Calcium Iodide** Extra Pure M. W.: 365.95 Assay 99.0%	**100 gm** **500 gm**
027604 $C_6H_{10}CaO_65H_2O$ (5743-47-5)	**Calcium Lactate** for Soil Test Meets Analytical Specification of IP, BP, USP, Ph. Eur. M.W.:308.30 Assay (Complexometric; on dried material) 98.0-102.0%	**250 gm** **1 kg**
027606 $Ca(NO_3)_2\ 4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate Purified M. W.: 236.15 Assay (ex Ca) 98.0%	**500 gm** **50 kg**
480135 $Ca(NO_3)_2.4H_2O$ (13477-34-4)	**Calcium Nitrate** Tetrahydrate **AR/ACS** M. W.: 236.15 Assay (Complexometric) 99.0%	**500 gm** **50 kg**
027609 $(COO)_2Ca.H_2O$ (5794-28-5)	**Calcium Oxalate** M. W.: 146.12 Assay (ex oxalate) 98.0%	**250 gm** **500 gm**
042510 CaO (1305-78-8)	**Calcium Oxide** (Selected Lump) for chromatographic analysis M. W.: 56.08 Assay (Complexometric) 95.0%	**500 gm** **50 kg**
480315 CaO (1305-78-8)	**Calcium Oxide** Lump **AR** M. W.: 56.08 Assay (Complexometric) 97.5%	**500 gm**
027614 CaO (1305-78-8)	**Calcium Oxide** Anhydrous Powder M. W.: 56.08 Assay (After ignition); (Complexometric) 96.0%	**500 gm** **5 kg** **50 kg**
044074 $C_{18}H_{32}CaN_2O_{10}$ (137-08-6)	**Calcium-D-Pantothenate** for Biochemistry M. W.: 476.54 Assay (ex Ca dried) 98.0%	**10 gm** **25 gm** **500 gm**
	Calcium Phosphate Dibasic See di-Calcium Phosphate	
027598 $CaHPO_4$ (7757-93-9)	di-**Calcium Phosphate** Anhydrous M. W.: 136.06 Assay (Complexometric) 98-100.5%	**500 gm** **50 kg**
042555 $CaHPO_4.2H_2O$ (7789-77-7)	di-**Calcium Phosphate** Dihydrate M. W.: 172.10 Assay (Complexometric) 98.0-102.5%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
025694 $Ca_3(PO_4)_2$ (7758-87-4)	tri-**Calcium Phosphate** (Calcium Phosphate Tri-basic) M. W.: 310.18 Assay (Complexometric) 90.0%	**500 gm** **5 kg** **25 kg** **50 kg**
025720 $H_4CaO_4P_2$ (7789-79-9)	**Calcium Phosphinate** Pure M. W.: 170.06 Assay (iodometric) 98-101%	**500 gm**
025798 $(C_6H_{10}CaO_4)$ (4075-81-4)	**Calcium Propionate** Monohydrate Pure M. W.: 186.22 Assay (dried substances acidimetric) 98.0%	**500 gm** **1 kg** **25 kg**
489205 $(C_6H_{10}CaO_4)$ (4075-81-4)	**Calcium Propionate AR** M. W.: 186.22	**500 gm**
042765 (52009-14-0)	**Calcium Pyruvate** (Pyruvic Acid Calcium Salt)	**25 gm** **100 gm**
025768 $C_6H_8CaO_8.4H_2O$ (5793-89-5)	**Calcium-D-Saccharate** Tetrahydrate M. W.: 320.27 Assay (Complexometric) 98.5-102.0%	**500 gm**
042865 $CaSiO_3$ (1344-95-2)	**Calcium Silicate** Pure M. W.: 172.24	**500 gm**
042965 $CaSi_2$ (12013-56-8)	**Calcium Silicide** for Synthesis M. W.: 96.25	**500 gm** **25 kg**
026041 $C_{36}H_{70}CaO_4$ (1592-23-0)	**Calcium Stearate** M. W.: 607.04 Assay (as CaO; complexometric) 9.0-10.5%	**500 gm** **5 kg** **25 kg** **50 kg**
027624 $CaSO_4$ (7778-18-9)	**Calcium Sulphate** Anhydrous M. W.: 136.14 Assay (Complexometric) 97.0%	**500 gm** **5 kg** **25 kg**
027622 $CaSO_4.2H_2O$ (10101-41-4)	**Calcium Sulphate** Dihydrate M. W.: 172.17 Assay (Complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
489505 $CaSO_4.2H_2O$ (10101-41-4)	**Calcium Sulphate** Dihydrate **AR/ACS** M. W.: 172.17 Assay (Complexometric) 99.0%	**500 gm**
043165 CaS (20548-54-3)	**Calcium Sulphide** Pure M. W.: 72.14	**500 gm**
043275 (3164-34-9)	**Calcium-L-Tartrate** Hydrate	**500 gm**
025792 CaO_4W (7790-75-2)	**Calcium Tungstate** M. W.: 287.93	**100 gm** **500 gm**
	Calcon See Solochrome Dark Blue	
489595 $C_{21}H_{14}N_2O_7S$ (3737-95-9)	**Calcon Carboxylic Acid AR** M. W.: 438.41 Dye content (titanometry on dried substance) abt. 60.0 %	**5 gm** **25 gm**
489685 $C_{17}H_{14}N_2O_5S$ (3147-14-6)	**Calmagite** Indicator **AR** M. W.: 358.37 Dye content (spectrophotometric) ~60.0%	**1 gm** **5 gm** **250 gm**

Product Code	Product Name	Packing
814520	**Calmagite** 0.1% (w/v) Aqueous Indicator Solution for Water Hardness, APHA	**100 ml**
043405 $C_{10}H_{14}O_2$ (10373-78-1)	DL-**Camphorquinone** for Synthesis (2,3-born anedione) M. W.: 166.22	**5 gm** **25 gm** **100 gm**
027632 $C_{10}H_{16}O$ (76-22-2)	**Camphor** MAR (DL-Camphor) Micro Analytical Reagent M. W.: 152.24	**100 gm** **500 gm**
043565 $C_{10}H_{16}O_4S$ (35963-20-3)	L-(-)**Camphor-10- Sulphonic Acid** M. W.: 232.30 Assay 98.0%	**100 gm**
043575 $C_{10}H_{16}O_4S$ (3144-16-9)	(1S)-(+)-10-**Camphor Sulphonic Acid** for Synthesis M. W.: 232.30	**100 gm** **500 gm**
	Canada Balsam See Balsam Canada	
025718 $CH_3(CH_2)_8COOH$ (334-48-5)	n-**Capric Acid** M.W.:172.27 Assay (acidimetric) 98.50%	**500 ml** **2.5 lit**
043675 $CH_3(CH_2)_4COOH$ (142-62-1)	**Caproic Acid** for Synthesis M. W.: 116.16	**500 ml** **2.5 lit**
043715 $C_6H_{11}NO$ (105-60-2)	**Caprolactam** for Synthesis M. W.: 113.16	**500 gm**
	Capryl Alcohol See 1-Octanol	
029413 $CH_3(CH_2)_6COOH$ (124-07-2)	N-**Caprylic Acid** (N-Octanoic Acid) M. W.: 144.21 Assay (acidimetric) 97.5%	**250 ml** **500 ml** **2.5 lit** **25 lit**
489535 $CH_3(CH_2)_6COOH$ (124-07-2)	n-**Caprylic Acid AR** M. W.: 144.21	**1 lit**
025717 $C_8H_{15}NaO_2$ (1984-06-1)	N-**Caprylic Acid Sodium Salt** (Octanoic Acid Sodium Salt, Sodium Caprylate) M. W.: 166.20 Assay (on dried material; non-aqueous) 99.0%	**250 gm** **1 kg**
	Carbitol See Diethylene Glycol mono Ethylether	
044517 $C_9H_{19}NO_3S$ (1135-40-6)	**CAPS** Buffer M.W.: 221.32 Assay (T) (Alkalimetric) 99.0%	**25 gm** **100 gm**
043825 (404-86-4)	**Capsaicin** Pract	**1 gm**
044108 $C_9H_{19}NO_4S$ (73463-39-5)	**CAPSO** Buffer M. W.: 237.32 Assay (T) (Acidimetric) 97.0%	**100 gm**
814810	**Capsule stain kit**	**KIT**

Product Code	Product Name	Packing
027640 $C_{12}H_9N$ (86-74-8)	**Carbazole** M.W. : 167.21 Assay (GC) 95.0%	**500 gm**
043915 CH_6N_4O (497-18-7)	**Carbohydrazide** for Synthesis M. W.: 90.08 Assay 98.0%	**25 gm**
034016 $C_{26}H_{26}ClN_3O$ (4197-24-4)	**Carbol Fuchsin** Powder for Microscopy M. W.: 431.96	**25 gm** **100 gm** **1 kg**
814900	**Carbol Fuchsin** Staining Solution Strong (Ziehl Neelsen Staining Soln.)	**125 ml** **500 ml**
814920	**Carbol Fuchsin** (Dilute) Solution (Ziehl Neelsen Staining Soln.)	**125 ml** **500 ml**
	Carbolic Acid See Phenol	
025690	**Carbol Xylene** For Microscopy (Content 25% Phenol)	**500 ml**
025688 CS_2 (75-15-0)	**Carbon Disulphide** for Synthesis M. W.: 76.14 Assay (GC) 99.0%	**500 ml**
489965 CS_2 (75-15-0)	**Carbon Disulphide AR** M. W.: 76.14 Assay (By GC) 99.5%	**500 ml**
044015 CBr_4 (558-13-4)	**Carbon Tetrabromide** for Synthesis (Tetrabromethane) M. W.: 331.63	**100 gm** **500 gm**
027645 CCl_4 (56-23-5)	**Carbon Tetra Chloride** for Synthesis M.W.: 153.82 Assay (By GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
490010 CCl_4 (56-23-5)	**Carbon Tetra Chloride AR** M. W.: 153.82 Assay (GC) 99.5%	**500 ml** **2.5 lit**
713910 Ccl_4 (56-23-5)	**Carbon Tetra Chloride** for HPLC & Spectroscopy M. W.: 153.82	**1 lit**
044165 $C_7H_6N_4O$ (530-62-1)	N,N'-**Carbonyldiimidazole** for Synthesis (CDI, 1,1-Carbonyldiimidazole M. W.: 162.15	**100 gm** **500 gm**
025739 (9003-01-4)	**Carbopol** 934	**500 gm** **1 kg** **5 kg**
044275 (9003-01-4)	**Carbopol** 940® (Carboxypoly methylene-940; CarboxyvinylPolymer-940)	**500 gm** **1 kg**
	Carbowax See Polyethylene Glycol	
027929 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** High Viscosity	**500 gm** **25 kg**
027649 (9004-32-4)	**Carboxy Methyl Cellulose Sodium Salt** Low Viscosity	**500 gm** **25 kg**

Product Code	Product Name	Packing
034017 (1390-65-4)	**Carmine** Stains for Microscopy C.I. No. 75470	5 gm 25 gm
815110	**Carmine Aceto** for Microscopical Staining	100 ml 250 ml
490115 $C_{22}H_{20}O_{13}$ (1260-17-9)	**Carminic Acid AR** (M.S.) (Natural Red 4) (C.I. 75470) M. W.: 492.4 Assay 95.0%	1 gm 5 gm
044665 $C_{20}H_{12}N_2Na_2O_7S_2$ (3567-69-9)	**Carmoisine A** (Chromotrope FB) (C.I. 14720) M. W.: 502.44 Dye Content 85.0%	25 gm 1 kg
037001 $C_7H_{15}NO_3$ (541-15-1)	·**L-Carnitine** for Biochemistry M. W.: 161.20	5 gm 25 gm
044745 $C_{40}H_{56}$ (7235-40-7)	B-**Carotene** M. W.: 536.87	1 gm 5 gm
044855 (9000-07-1)	**Carrageenan** (Gelling or Non-Gelling Type Gelatin, Vegetable, Irish Moss) (Irish Moss)	100 gm 500 gm
	Casamino Acid See Casein Acid Hydrolysate	
044020 (9000-71-9)	**Casein** According to Hammarsten for Biochemistry Assay (ex N) 95% Protein	100 gm 500 gm
044017 (9000-71-9)	**Casein** Fat free Purified	500 gm 25 kg
044016 (9000-71-9)	**Casein** Protein Rich Purified For feed experiment	500 gm 1 kg
025783 (9000-71-9)	**Casein** Soluble in Alkali	500 gm 25 kg
025776 (65072-00-6)	**Casein Acid Hydrolysate** For Bacteriology	500 gm
044018 (9000-71-9)	**Casein** Vitamin Free	500 gm 25 kg
033220 (8001-79-4)	**Castor Oil** Saponification value :- 176-187	500 ml 2.5 lit 25 lit
044995 (9001-05-2)	**Catalase** for Biochemistry	1 gm
045045 $C_{15}H_{14}O_6.xH_2O$ (225937-10-0)	**Catechin Hydrate** for Biochemistry M. W.: 290.27 (anhydrous basis)	1 gm 5 gm
	Catechol See Pyrocatechol	
	CDTA See trans-1, 2-Diaminocylohexane-N,N,N',N'-tetra Acetic Acid	

Product Code	Product Name	Packing
025719 (8000-27-9)	**Cedar Wood Oil** For Microscopy	25 ml 100 ml
056011	**Cedepol™** also known as Teepol	500 ml 5 lit
045155 $C_{17}H_{18}ClN_3O_4$ (1562-90-9)	**Celestine Blue** B for Microscopy (C.I. 51050) M. W.: 363.80	5 gm 25 gm
033134 (61790-53-2)	**Celite** 545 Filter Aid	1 kg 5 kg 25 kg
490205 (61790-53-2)	**Celite** 545 Filter Aid **AR**	500 gm
025751 $C_{12}H_{22}O_{11}$ (528-50-7)	D-**Cellobiose** extra Pure for Biochemistry M. W.: 342.30	5 gm 25 gm
045275 (9004-36-8)	**Cellulose Acetate Butyrate** Extra Pure	1 kg
028664 $CH_3.COO.CH_2.CH_2.OC_2H_5$ (111-15-9)	**Cellosolve Acetate** (2-Ethoxy ethyl acetate) M. W.:132.12 Assay (GC) 99.0%	500 ml 2.5 lit
045365 (9012-54-8)	**Cellulase** from Aspergilus Niger For Biochemistry	1 gm 5 gm
025781 (9004-34-6)	**Cellulose** Microcrystalline for TLC	500 gm
045370 (9004-34-6)	**Cellulose** Powder for Column Chromatography	500 gm 25 kg
025791 (9004-34-6)	**Cellulose** Powder Pract.	500 gm
027654 (9004-35-7)	**Cellulose Acetate**	500 gm
066071 (9004-38-0)	**Cellulose Acetate Phthalate**	100 gm 500 gm
	Cellulose Nitrate See Nitro Cellulose	
025789 $C_{16}H_{17}N_3O_5S.H_2O$ (66592-87-8)	**Cephadroxil** Monohydrate for Lab Use M.W. : 381.40 Assay (HPLC) 95.0%	1 gm
025790 $C_{16}H_{17}N_3O_4S.xH_2O$ (15686-71-2)	**Cephalexin** Hydrate for Lab use (Anhydrous basis) M. W.: 347.39 Assay 95-103%	1 gm
098011 $C_{19}H_{17}N_3O_4S_2$ (50-59-9)	·**Cephaloridine** for Lab use M. W.: 415.49	1 gm
055009	**Ceralite IR 120** Standard grade Particle size 20-50 mesh Na^+Form (Strongly Cationic Resin)	500 gm
055011	**Ceralite IRA 400** Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	500 gm

Product Code	Product Name	Packing
055014	**Ceralite IRA 410** Standard grade Particle size 20-50 mesh Cl Form (Strongly Basic Anion Exchangers)	**500 gm**
055128	**Ceralite IRC 50** Standard grade Particle size 20-50 mesh (Weakly cationic resin)	**500 gm**
033028 (8001-75-0)	**Ceresin Wax** White	**500 gm**
	Ceric Ammonium Nitrate / Sulphate See Ammonium Ceric Nitrate / Sulphate	
RE0150 $Ce(OH)_4$ (12014-56-1)	**Ceric Hydroxide AR** M. W.: 208.15 Assay (trace Metals Basis) 99.9%	**100 gm**
RE0165 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.9%	**100 gm** **500 gm**
RE0170 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.99%	**100 gm** **500 gm**
RE0175 CeO_2 (1306-38-3)	**Ceric Oxide AR** (Cerium IV Oxide) M. W.: 172.12 Assay (trace metals basis) 99.999%	**10 gm** **50 gm**
RE0190 $Ce(SO_4)_2.4H_2O$ (10294-42-5)	**Ceric Sulphate** Tetrahydrate **AR** M. W.: 404.30 Assay (ex Ce) 99.0%	**100 gm** **1 kg**
815300	**Ceric Sulphate** N/10 Solution (0.1N) Volumetric Solution	**500 ml**
815350	**Cerium** Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3	**250 ml**
815400	**Cerium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
815420	**Cerium** 10000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
RE0205 Ce (7440-45-1)	**Cerium** Metal Ingot M. W.: 140.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0210 Ce (7440-45-1)	**Cerium** Metal Lump (1cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0215 Ce (7440-45-1)	**Cerium** Metal Powder 325 mesh At. W. 140.12 Assay (Trace metals basis) 99.9%	**5 gm**
RE0220 Ce (7440-45-1)	**Cerium** Metal Wire (0.1 mm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0225 Ce (7440-45-1)	**Cerium** Metal Rod (5mm x 30cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**1 PCS**
RE0230 Ce (7440-45-1)	**Cerium** Metal Foil (0.25 mm x40 cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**1 PCS**

Product Code	Product Name	Packing
RE0235 Ce (7440-45-1)	**Cerium** Metal Foil (0.50 mm x40 cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**1 PCS**
RE0240 Ce (7440-45-1)	**Cerium** Metal SLAB (1cm x 40 cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**1 PCS**
RE0245 Ce (7440-45-1)	**Cerium** Metal Disc (0.1 mm X Dia 35 cm) M. W.: 140.12 Assay (Trace metal basis) 99.99%	**1 PCS**
RE0260 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE0265 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.99%	**50 gm** **250 gm**
RE0270 $Ce(CH_3CO_2)_3.xH_2O$ (206996-60-3)	**Cerium (III) Acetate** M. W.: 317.25 (Anhy.) Assay (Trace metal basis) 99.999%	**10 gm** **50 gm**
RE0280 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99%	**100 gm**
RE0285 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE0295 $Ce_2(CO_3)_3.xH_2O$ (54451-25-1)	**Cerium (III) Carbonate** M. W.: 460.27 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0310 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **500 gm**
RE0315 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE0320 $CeCl_3$ (7790-86-5)	**Cerium (III) Chloride** M. W.: 246.48 Assay (Trace metal basis) 99.999%	**10 gm** **100 gm**
RE0325 $CeCl_3.7H_2O$ (18618-55-8)	**Cerium**(III)**Chloride** Heptahydrate **AR** M. W.: 372.58 Assay (Trace metal basis) 98.5%	**100 gm** **1 kg**
RE0340 CeF_3 (7758-88-5)	**Cerium (III) Fluoride** M. W.: 197.12 Assay (trace metals basis) 99.9%	**50 gm**
RE0345 CeF_3 (7758-88-5)	**Cerium (III) Fluoride** M. W.: 197.12 Assay (trace metals basis) 99.99%	**10 gm** **50 gm**
RE0355 CeI_3 (7790-87-6)	**Cerium (III) Iodide** M. W.: 520.83 Assay (Trace metal basis) 99.95%	**5 gm** **25 gm**
RE0370 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.9%	**100 gm** **1 kg**
RE0375 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.99%	**50 gm** **500 gm**

Product Code	Product Name	Packing
RE0380 $Ce(NO_3)_3.6H_2O$ (10294-41-4)	**Cerium (III) Nitrate** M. W.: 434.23 Assay (trace metals basis) 99.999%	**25 gm** **100 gm**
RE0395 $Ce_2(C_2O_4)_3.xH_2O$ (15750-47-7)	**Cerium (III) Oxalate** M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.9%	**250 gm**
RE0405 $Ce_2(C_2O_4)_3.xH_2O$ (15750-47-7)	**Cerium (III) Oxalate** M. W.: 544.29 (Anhy.) Assay (trace metals basis) 99.999%	**50 gm**
	Cerium (IV) oxide see Ceric oxide	
RE0415 $Ce(SO_4)_3.xH_2O$ (13550-47-5)	**Cerium** (III) **Sulphate** M. W.: 568.42 Assay (ex Ce)(trace metals basis) 99.0%	**50 gm**
RE0425 $Ce(SO_4)_3.xH_2O$ (13550-47-5)	**Cerium (III) Sulphate** M. W.: 568.42 Assay (trace metals basis) 99.99%	**25 gm** **100 gm**
815520	**Cerium** (IV) **Sulphate** 0.05M (0.05N) Volumetric Solution Nist Traceable	**1 lit**
815540	**Cerium** (IV) **Sulphate** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
815545	**Cerium** (IV) **Sulphate** 0.25M (0.25N) Volumetric Solution Nist Traceable	**1 lit**
	Cerous See Cerium (III)	
815590	**Cesium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
815610	**Cesium** (Cs) 1000 ppm Single Element Standard Solution ICP in HNO_3	**100 ml** **500 ml**
815650	**Cesium** (Cs) 10,000 ppm Single Element Standard Solution ICP in HNO_3	**100 ml** **500 ml**
491085 CsBr (7787-69-1)	**Cesium Bromide AR** M. W.: 212.81	**10 gm** **50 gm**
045635 CS_2CO_3 (534-17-8)	**Cesium Carbonate** Extra Pure M. W.: 325.82	**25 gm** **100 gm**
491095 CsCl (7647-17-8)	**Cesium Chloride AR** M. W.: 168.36 Assay(ex Cl) 99.5%	**25 gm** **100 gm**
491100 CsCl (7647-17-8)	**Cesium Chloride Optical** & Scintillation Grade M. W.: 168.36	**5 gm** **25 gm**
921000 CsCl (7647-17-8)	**Cesium Chloride** for Molecular Biology M. W.: 168.36 Assay (Argentometric) 99.9-100.0%	**25 gm** **100 gm**
491105 CsF (13400-13-0)	**Cesium Fluoride AR** M. W.: 151.90	**25 gm**

Product Code	Product Name	Packing
491125 CsI (7789-17-5)	**Cesium Iodide** Ultra Pure For Scintillation Counting M. W.: 259.81	**10 gm** **50 gm**
491135 $CsNO_3$ (7789-18-6)	**Cesium Nitrate AR** M. W.: 194.91 Assay (Acid-base titrimetry) 99.0%	**10 gm** **50 gm**
491145 Cs_2SO_4 (10294-54-9)	**Cesium Sulphate AR** M. W.: 361.87 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
025787 $C_{17}H_{38}BrN$ (1119-97-7)	**Cetrimide** M.W.: 336.41 Assay (Iodometric; on anhy. basis) 96.0-101.0%	**100 gm** **500 gm** **25 kg**
045750 $C_{18}H_{38}OC_{16}H_{34}O$ (8005-44-5)	**Cetostearyl Alcohol** Meets Analytical Specification of IP, BP, USP, MF, Ph. Eur. M. W.: 512.95 Assay (as stearyl alcohol) (GC) 40.0%	**500 gm** **25 kg**
026048 $CH_3(CH_2)_{14}.CH_2OH$ (36653-82-4)	**Cetyl Alcohol** Pure M. W.: 242.45 Assay (GC) 95.0%	**500 gm** **5 kg** **25 kg**
022775 $C_{25}H_{46}NCl$ (122-18-9)	**Cetyl Dimethyl Benzyl Ammonium Chloride** for Synthesis M.W. : 396.09	**100 gm** **500 gm**
815870	**Cetyl Dimethyl Benzyl Ammonium Chloride** 25% Solution for Synthesis	**500 ml**
027664 $C_{21}H_{37}N.HBr.H_2O$ (140-72-7)	**Cetyl Pyridinium Bromide** Monohydrate M. W.: 402.46 Assay (ex br) (Argentometric) 95.0%	**250 gm**
027921 $C_{21}H_{38}NCl.H_2O$ (6004-24-6)	**Cetyl Pyridinium Chloride** Monohydrate M. W.: 358.00 Assay (Redox titration; Calc. with refference to the anhy. sub.) 99.0-102.0%	**100 gm** **500 gm**
027665 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N, N, N-**Trimethyl Ammonium Bromide** M. W.: 364.45 Assay (by iodometric on dried substance) 98.0%	**100 gm** **500 gm** **25 kg**
491325 $C_{19}H_{42}BrN$ (57-09-0)	N-**Cetyl**-N, N, N-**Trimethyl Ammonium Bromide AR** M. W.: 364.45 Assay (iodometric, on dried substance) 99.0%	**100 gm** **500 gm**
815880	N-**Cetyl**-N,N,N-**Trimethyl Ammo. Chloride** 30% w/v	**100 ml** **500 ml**
015025 MgO_3Si (1343-88-0)	**Cflorisil™** 60-100 mesh CHR analysis M.W. : 100.39	**100 gm** **500 gm** **1 kg**
044493 $C_{32}H_{58}N_2O_7S$ (75621-03-3)	**CHAPS** Buffer M.W.: 614.90 Assay (ex N) 99.0%	**1 gm** **5 gm**

Product Code	Product Name	Packing
044494 $C_{32}H_{58}N_2O_8S$ (82473-24-3)	**CHAPSO** Buffer M.W.: 630.88 Assay (By HPLC) 99.0%	**1 gm** **5 gm**
033032 C (7440-44-0)	**Charcoal Activated** Decolorizing Powder Acid Wash At.W.: 12.01	**500 gm** **5 kg** **25 kg**
033034 C (7440-44-0)	**Charcoal Activated** E.P. Granular about 2.0-5.0mm At.W.: 12.01	**500 gm** **5 kg** **25 kg**
491505 C (7440-44-0)	**Charcoal Activated AR** Certified grade (Acid Washed) At.W.: 12.01	**100 gm** **500 gm** **1 kg**
491515 C (7440-44-0)	**Charcoal Activated AR** Phosphorous Free for soil test At .W. : 12.01	**100 gm** **250 gm** **500 gm** **5 kg**
046385 $C_8H_{17}NO_3SNa$ (103-47-9)	**CHES** 2-(Cyclo hexylamino) Ethanesulfonic Acid M. W.: 207.29	**25 gm** **100 gm**
046395 (3076-05-9)	**CHES Sodium** 2-(Cyclohexylamino) Ethanesulfonic Acid Sodium Salt	**25 gm** **100 gm**
046505 $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin Purified Flakes**	**100 gm** **500 gm**
046515 $(C_8H_{13}NO_5)n$ (1398-61-4)	**Chitin Purified** Powder	**25 gm** **100 gm**
046555 (9012-76-4)	**Chitosan**	**10 gm** **50 gm**
046665 $C_8H_{11}Cl_3O_6$ (15879-93-3)	**α-Chloralose** [(2,2,2-Trichloroethylidene) **α-D-Glucofuranose]** M. W.: 309.53	**25 gm** **100 gm**
027670 $C_7H_7ClNNaO_2S.3H_2O$ (7080-50-4)	**Chloramine T** M. W.: 281.69 Assay (by iodometric) 95%	**500 gm** **1 kg** **25 kg**
491825 $C_7H_7ClNNaO_2S.3H_2O$ (7080-50-4)	**Chloramine T AR/ACS** M. W.: 281.69	**250 gm** **1 kg**
044204 $C_{11}H_{12}Cl_2N_2O_5$ (56-75-7)	**Chloramphenicol** for Lab use M. W.: 323.13 Assay 98.0%	**5 gm** **25 gm** **100 gm** **500 gm**
027671 $C_6Cl_4O_2$ (118-75-2)	**Chloranil** for Synthesis M. W.: 245.88 Assay (Argentometric) 95.0%	**250 gm**
492005 $C_6Cl_4O_2$ (118-75-2)	p-**Chloranil AR** M. W.: 245.88 Assay 99.0%	**25 gm**
492035 $C_6H_2Cl_2O_4$ (87-88-7)	**Chloranillic Acid AR** M. W.: 208.99 Assay (acidimetric) 99.0%	**25 gm**
	Chloranillic Acid Barium Salt See Barium Chloranilate	
PA0167	**Chlorine test Papers** (Estimates free Chlorine 5 to 100 ppm)	**10 BKS**
816010	**Chlorine** Test Reagent	**100 ml**
046865 C_2H_4ClNO (79-07-2)	2-**Chloro Acetamide for Synthesis** (α-Chloro acetamide) M. W.: 93.51 Assay 97.0%	**500 gm**
492155 C_8H_8ClNO (539-03-7)	p-**Chloro Acetanilide AR** M. W.: 169.61 Assay 99.0%	**25 gm** **100 gm**
027677 $CH_2Cl.COOH$ (79-11-8)	**Chloro Acetic Acid** Mono Pure M. W.: 94.50 Assay (acidimetric) 99.0%	**500 gm**
492335 $CH_2Cl.COOH$ (79-11-8)	**Chloro Acetic Acid** Mono **AR** M. W.: 94.50 Assay 99.5%	**500 gm**
046965 $ClCH_2COCH_3$ (78-95-5)	**Chloro Acetone** for Synthesis M. W.: 92.52 Assay 95.0%	**250 ml**
047015 $ClCH_2CN$ (107-14-2)	**Chloro Acetonitrile** for Synthesis M. W.: 75.50 Assay 99.0%	**100 gm**
047115 C_8H_7ClO (99-91-2)	p-**Chloro Acetophenone** for Synthesis (4-chloroacetophenone) M. W.: 154.6 Assay 98.0%	**100 ml** **500 ml**
047105 $C_6H_5COCH_2Cl$ (532-27-4)	2-**Chloro Acetophenone** for Synthesis M. W.: 154.59 Assay 98.0%	**100 gm**
025735 $C_2H_2Cl_2O$ (79-04-9)	**Chloro Acetyl Chloride** for Synthesis M. W.: 112.94 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027682 $Cl.C_6H_4.NH_2$ (108-42-9)	m-**Chloro Aniline** M. W.: 127.57 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027681 $Cl.C_6H_4NH_2$ (95-51-2)	o-**Chloro Aniline** M. W.: 127.57 Assay (GC) 98.0%	**500 ml** **2.5 lit**
027683 $Cl.C_6H_4.NH_2$ (106-47-8)	p-**Chloro Aniline** M. W.: 127.57 Assay (GC) 99.0%	**500 gm**
047305 $ClC_6H_4OCH_3$ (623-12-1)	4-**Chloro Anisole** M. W.: 142.58 Assay 99.0%	**25 gm** **100 gm**
047395 $C_{14}H_7ClO_2$ (82-44-0)	1-**Chloro Anthraquinone** M. W.: 242.66 Assay 98.0%	**100 gm**

Product Code	Product Name	Packing
027686 $HAuCl_4.3H_2O$ (16961-25-4)	**Chloroauric Acid** M. W.: 393.83 Assay (Au) 49%	**1 gm**
816150	tetra-**Chloro Auric Acid** Solution 2% w/v $HAuCl_4$ $3H_2O$	**25 ml**
047495 C_7H_5ClO (89-98-5)	2-**Chloro Benzaldehyde** (o-Chloro benzaldehyde) M. W.: 140.58 Assay 98.0%	**100 ml** **500 ml**
047505 C_7H_5ClO (587-04-2)	3-**Chloro Benzaldehyde** for Synthesis (m-Chlorobenzaldehyde) M. W.: 140.57 Assay 97.0%	**100 ml** **500 ml**
025785 C_7H_5ClO (104-88-1)	4-**Chloro Benzaldehyde** (p-Chloro Benzaldehyde) M. W.: 140.57 Assay (GC) 98.0%	**100 gm** **500 gm**
027690 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono for Synthesis M. W.: 112.56 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
492645 C_6H_5Cl (108-90-7)	**Chloro Benzene** Mono **AR** M. W.: 112.56 Assay 99.5%	**500 ml** **2.5 lit** **25 lit**
D28827 C_6ClD_5 (3114 55 4)	**Chlorobenzene** d_5 M.W.: 117 60 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	**5 ml**
047595 $C_6H_5ClSO_3$ (98-66-8)	4-**Chloro Benzene- Sulphonic Acid** (4-Chlorobenzene Sulphonic Acid) M. W.: 192.62 Assay 90.0%	**25 gm** **500 gm**
047705 $C_6H_4Cl_2O_2S$ (98-60-2)	4-**Chloro Benzene-Sulphonyl Chloride** For Synthesis M. W.: 211.07 Assay 97.0%	**100 gm** **500 gm**
047795 $ClC_6H_4CO_2H$ (535-80-8)	m-**Chloro Benzoic Acid** M. W.: 156.57 Assay 99.0%	**100 gm** **500 gm**
027693 $Cl.C_6H_4.CO_2H$ (118-91-2)	o-**Chloro Benzoic Acid** M. W.: 156.57 Assay (Acidimetric) 98.0%	**500 gm**
027695 $C_7H_5.ClO_2$ (74-11-3)	p-**Chloro Benzoic Acid** M. W.: 156.57 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
047945 C_7H_4ClN (873-32-5)	2-**Chloro Benzonitrile** for Synthesis (o-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	**100 gm** **500 gm**
047955 C_7H_4ClN (766-84-7)	3-**Chloro Benzonitrile** (m-Chlorobenzo nitrile) for Synthesis M. W.: 137.57 Assay 98.0%	**25 gm** **100 gm**
047965 C_7H_4ClN (623-03-0)	4-**Chloro Benzonitrile** for Synthesis (p-Chloro benzonitrile) M. W.: 137.57 Assay 98.0%	**25 gm** **100 gm** **500 gm**
048055 $C_{13}H_9ClO$ (134-85-0)	p-**Chloro Benzophenone** for Synthesis M. W.: 216.67 Assay 99.0%	**100 gm** **500 gm**
048215 $C_7H_4Cl_2O$ (609-65-4)	2-**Chloro Benzoyl Chloride** for Synthesis M. W.: 175.02 Assay 98.0%	**500 ml**
048225 $C_7H_4Cl_2O$ (122-01-0)	4-**Chloro Benzoyl Chloride** for Synthesis M. W.: 175.02 Assay 98.0%	**500 ml**
048275 C_7H_7ClO (17849-38-6)	2-**Chloro Benzyl Alcohol** M. W.: 142.58	**25 gm** **100 gm**
048285 C_7H_7ClO (873-63-2)	3-**Chloro Benzyl Alcohol** M. W.: 142.58	**5 gm** **25 gm**
048295 C_7H_7ClO (873-76-7)	4-**Chloro Benzyl Alcohol** M. W.: 142.58	**25 gm** **100 gm**
048375 $C_7H_6Cl_2$ (611-19-8)	2-**Chloro Benzyl Chloride** for Synthesis (o-Chloro benzyl Chloride) M. W.: 161.03	**250 ml**
048385 $C_7H_6Cl_2$ (620-20-2)	3-**Chloro Benzyl Chloride** (m-Chlorobenzyl Chloride) M. W.: 161.03	**100 ml**
048395 $C_7H_6Cl_2$ (104-83-6)	4-**Chloro Benzyl Chloride** (p-Chlorobenzyl Chloride) M. W.: 161.03	**100 ml** **500 ml**
048485 $ClC_6H_4CH_2CN$ (2856-63-5)	2-**Chloro Benzyl Cyanide** (o-Chlorobenzyl Cyanide) M. W.: 151.59	**100 ml** **500 ml**
048495 $ClC_6H_4CH_2CN$ (1529-41-5)	3-**Chloro Benzyl Cyanide** for Synthesis (m-Chloro benzyl Cyanide) M. W.: 151.59	**100 ml**
048505 $ClC_6H_4CH_2CN$ (140-53-4)	4-**Chloro Benzyl Cyanide** for Synthesis (p-Chloro benzyl Cyanide) M. W.: 151.59	**100 ml** **500 ml**
048585 C_7H_8ClN (89-97-4)	2-**Chloro Benzylamine** for Synthesis M. W.: 141.6	**100 gm** **500 gm**
	1-**Chloro Butane** for Synthesis See N-Butyl Chloride	
714900 C_4H_9Cl (109-69-3)	1-**Chloro Butane** for HPLC (n-Butyl Chloride) M. W.: 92.57	**1 lit**
048895 $Cl(CH_2)_2COCl$ (4635-59-0)	4-**Chloro Butyryl Chloride** for Synthesis M. W.: 141.00	**100 ml** **500 ml**

Product Code	Product Name	Packing
817000	**Chloro Choline Chloride** 50% Aqueous Solution	**100 ml** **500 ml**
027702 C_7H_7ClO (59-50-7)	4-**Chloro**-3-**Cresol** M. W.: 142.59 Assay (GC) 98-101%	**500 gm** **5 kg** **25 kg**
049135 $C_6H_{11}Cl$ (542-18-7)	**Chloro Cyclohexane** for Synthesis (Cyclohexyl Chloride) M. W.: 118.06	**250 ml**
	2-**Chloro**-N-**Dimethyl Ethylamine Hydrochloride** See 2-Dimethyl Amino Ethyl Chloride Hydrochloride	
	4-**Chloro**-3,5-**Dimethyl**-**Phenol** (4-Chloro-3,5-Xylenol) See 4-Chloro-m-Xylenol	
049190 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2, 4-**Dinitro Benzene** for Synthesis M. W.: 202.55 Assay(GC) 98.0%	**500 gm** **1 kg**
492735 $C_6H_3ClN_2O_4$ (97-00-7)	1-**Chloro**-2, 4-**Dinitro Benzene AR** for the detection of Nicotinic Acid, Nicotinamide M. W.: 202.55 Assay (GC) 99.0%	**25 gm** **100 gm**
493505 $C_5H_2ClN_3O_4$ (2578-45-2)	2,-**Chloro**-3,5-**Dinitropyridine AR** Terminal N-Blocking Reagent for Proteins Store At 2-8°C M. W.: 203.55	**1 gm**
	1-**Chloro**-2,3-**Epoxy Propane** See Epichlorohydrin	
025733 C_2H_5ClO (107-07-3)	2-**Chloro Ethanol** M. W.: 80.51 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
493685 C_2H_5ClO (107-07-3)	2-**Chloro Ethanol AR** M. W.: 80.51 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
049485 $C_2H_6ClN.HCl$ (870-24-6)	2-**Chloro Ethyl Ammonium Hydro Chloride** for Synthesis M. W.: 115.99	**500 gm**
025793 $C_2H_6ClO_3P$ (16672-87-0)	2-**Chloro Ethyl Phosphonic Acid** (Ethrel) An effective germinating agent M. W.: 144.49 Assay About 39.0%	**100 ml** **250 ml**
049695 $C_6H_{12}ClN.HCl$ (7250-67-1)	1-(2-**Chloro Ethyl**)**Pyrrolidine Hydro Chloride** for Synthesis M. W.: 170.08	**100 gm** **500 gm**
027710 $CHCl_3$ (67-66-3)	**Chloroform** for Synthesis M. W.: 119.38 Assay(GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
493905 $CHCl_3$ (67-66-3)	**Chloroform AR** M. W.: 119.38 Assay (By GC) (excluding stabilizer) 99.0-99.4%	**500 ml** **2.5 lit** **25 lit** **200 lit**
493915 $CHCl_3$ (67-66-3)	**Chloroform** Specially Dried **AR** M. W.: 119.38 Assay (GC) 99.0-99.4%	**500 ml**
715910 $CHCl_3$ (67-66-3)	**Chloroform** for HPLC & Spectroscopy M. W.: 119.38 Assay(GC) 99.0%	**1 lit** **2.5 lit**
921500	**Chloroform : Iso Amyl Alcohol** 24:1 for Molecular Biology	**500 ml**
715940 $CHCl_3$ (67-66-3)	**Chloroform** for Pesticide Residue Trace Analysis (tri-Chloromethane) M. W.: 119.38	**1 lit** **2.5 lit**
D29718 CCl_3D (865 49 6)	**Chloroform** d (for NMR Spectroscopy) M.W.: 120 39 Assay Min. 99 8 atom%D	**10x0.75 ml**
D29727 CCl_3D (865 49 6)	**Chloroform** d (for NMR Spectroscopy) M.W.: 120 39 Assay Min. 99 8 atom%D	**25 ml** **100 ml**
D29754 CCl_3D (865 49 6)	**Chloroform** d ,**Cont** .0 03 v ¥% **TMS** M.W.: 120 39 (for NMR Spectroscopy) Assay Min. 99 8 atom%D	**10x0.75 ml**
D29772 CCl_3D (865 49 6)	**Chloroform** d ,**Cont** .0 03 v ¥% **TMS** M.W.: 120 39 (for NMR Spectroscopy) Assay Min. 99 8 atom%D	**100 ml**
921490 $CHCl_3$ (67-66-3)	**Cholroform** suitable for Nucleic acid Purification M. W.: 119.38	**500 ml**
049885 $ClC_6H_3(F)NH_2$ (367-21-5)	3-**Chloro**-4-**Fluoro Aniline** for Synthesis M. W.: 145.56	**100 gm** **500 gm**
049965 $FC_6H_4COCH_2CH_2Cl$ (347-93-3)	3-**Chloro**-4-**Fluoropropiophenone** for Synthesis M. W.: 186.61	**25 gm** **100 gm**
066082 $C_{16}H_{18}O_9$ (327-97-9)	**Chlorogenic Acid** M. W.: 354.31 Assay (on dry basis) 95.0%	**100 mgm** **1 gm** **5 gm**
050035 $C_7H_{15}Cl$ (629-06-1)	1-**Chloro Heptane** for Synthesis (Heptyl Chloride) M. W.: 134.65	**100 ml** **500 ml**
050055 $CH_3(CH_2)_5Cl$ (544-10-5)	1-**Chloro Hexane** for Synthesis (Hexyl Chloride) M. W.: 120.62	**100 ml** **500 ml**
817200	**Chlorohexidine Gluconate** 20% Solution in water for Lab Use	**500 ml** **5 lit**

Product Code	Product Name	Packing
050165 C_2H_5ClO (107-30-2)	**Chloro Methyl Methyl Ether** M. W.: 80.51	**25 gm** **100 gm** **500 gm**
050365 $C_{10}H_7CH_2Cl$ (86-52-2)	1-**Chloro Methyl Naphthalene** M. W.: 176.64	**500 gm**
	2-**Chloro**-2-**Methylpropane** for Synthesis See Tert-Butyl Chloride, (Trimethyl Chloropropane)	
050555 $C_{10}H_7Cl$ (90-13-1)	1-**Chloro Naphthalene** for Synthesis M. W.: 162.62	**500 ml** **2.5 lit**
050655 $C_6H_5ClN_2O_2$ (121-87-9)	2-**Chloro**-4-**Nitroaniline** for Synthesis M. W.: 172.57	**250 gm**
050665 $C_6H_5ClN_2O_2$ (89-63-4)	4-**Chloro**-2-**Nitroaniline** M. W.: 172.57	**250 gm**
027723 $Cl.C_6H_4.NO_2$ (88-73-3)	1-**Chloro**-2-**Nitro Benzene** M. W.:157.55 Assay (GC) 99.0%	**500 gm**
025686 $C_6H_4ClNO_2$ (121-73-3)	1-**Chloro**-3-**Nitro Benzene** M. W.: 157.55 Assay (GC) 98.0%	**250 gm** **500 gm**
027725 $Cl.C_6H_4.NO_2$ (100-00-5)	1-**Chloro**-4-**Nitro Benzene** M. W.: 157.55 Assay (GC) 99.0%	**500 gm**
050795 $C_7H_4ClNO_4$ (99-60-5)	2-**Chloro**-4-**Nitro Benzoic Acid** for Synthesis M. W.: 201.56	**100 gm**
050805 $C_7H_4ClNO_4$ (2516-96-3)	2-**Chloro**-5-**Nitro Benzoic Acid** for Synthesis M. W.: 201.56	**100 gm** **500 gm**
050895 $C_8H_{17}Cl$ (111-85-3)	1-**Chloro Octane** for Synthesis (Octyl Chloride) M. W.: 148.67	**100 ml** **500 ml**
050995 $C_7H_5ClO_3$ (937-14-4)	m-**Chloro Perbenzoic Acid** for Synthesis M. W.: 172.57	**100 gm** **500 gm**
051125 $C_7H_5ClO_3$ (937-14-4)	3-**Chloro Peroxy Benzoic Acid** for Synthesis (m- Chloroperbenzoic Acid) M. W.: 172.57	**100 gm** **500 gm**
494425 ClC_6H_4OH (108-43-0)	3-**Chloro Phenol AR** M. W.: 128.56 Assay 98.0%	**25 gm** **100 gm** **500 gm**
027728 $Cl.C_6H_4.OH$ (95-57-8)	o-**Chlorophenol** M. W.: 128.56 Asssay (GC) 99.0%	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
027730 $Cl.C_6H_4.OH$ (106-48-9)	p-**Chlorophenol** M. W.: 128.56 Assay (By GC) 99.5%	**500 gm**
494515 $C_{19}H_{12}Cl_2O_5S$ (4430-20-0)	**Chloro Phenol Red** Indicator **AR** M. W.: 423.28	**5 gm** **25 gm**
817340	**Chloro Phenol Red** Indicator Solution	**125 ml**
051275 $C_8H_7ClO_3$ (122-88-3)	p-**Chloro Phenoxy Acetic Acid** for Synthesis M. W.: 186.59	**25 gm** **250 gm**
051375 $C_8H_{17}ClO_2$ (2444-36-2)	2-**Chloro Phenylacetic Acid** for Synthesis (o-chlorophenylacetic acid) M. W.: 170.6	**25 gm** **100 gm**
051385 $C_8H_{17}ClO_2$ (1878-66-6)	4-**Chloro Phenylacetic Acid** for Synthesis (p-chlorophenylacetic acid) M. W.: 170.6	**100 gm** **500 gm**
025795 $C_6H_6BClO_2$ (63503-60-6	3-**Chloro Phenyl Boronic Acid** M.W. : 156.37 Assay 98.0%	**1 gm** **10 gm** **500 gm**
051505 C_8H_9ClO (1875-88-3)	4-**Chloro Phenyl Ethyl Alcohol** (4-Chloro Phenethyl Alcohol) M. W.: 156.61	**10 gm** **50 gm**
051605 $C_8H_{10}ClN$ (13078-79-0)	2-(3-**Chloro Phenyl**) **Ethylamine** M. W.: 155.62 Assay 97.0%	**5 gm** **25 gm**
051675 $C_8H_{10}ClN$ (156-41-2)	2-(4-**Chloro Phenyl**) Ethylamine M. W.: 155.62 Assay 98.0%	**5 gm** **25 gm**
817410	**Chloro Platinic Acid** 5% Soln. w/v **AR**	**25 ml**
024641 $H_2PtCl_6.XH_2O$ (26023-84-7)	**Chloro Platinic Acid** Pt 40% M. W.: 409.81(Anhy.) Assay (Gravimetric) (as Pt) about 40%	**1 gm**
051785 C_3H_5ClO (78-95-5)	1-**Chloro**-2-**Propanone** for Synthesis M. W.: 92.53	**50 ml**
051845 $C_3H_7ClO_2$ (96-24-2)	3-**Chloro**-1,2-**Propanediol** for Synthesis M. W.: 110.54	**250 ml**
025777 $C_3H_5ClO_2$ (598-78-7)	2-**Chloro Propionic Acid** M. W.: 108.52 Assay (GC) 98.0%	**100 ml** **500 ml**
051925 $CH_3CHClCOCl$ (7623-09-8)	2-**Chloro Propionyl Chloride** M. W.: 126.97	**500 ml**
051935 $ClCH_2CH_2COCl$ (625-36-5)	3-**Chloro Propionyl Chloride** M. W.: 126.97	**500 ml**
052035 C_5HClN (109-09-1)	2-**Chloro Pyridine** for Synthesis M. W.: 113.54	**500 gm**

Product Code	Product Name	Packing
052045 C_5HClN (626-60-8)	3-**Chloro Pyridine** for Synthesis M. W.: 113.54	**100 ml**
052125 $C_6H_5ClO_2$ (95-88-5)	4-**Chloro Resorcinol** for Synthesis M. W.: 144.56	**100 gm** **500 gm**
052215 $C_7H_5ClO_2$ (635-93-8)	5-**Chloro Salicylaldehyde** M. W.: 156.57 Assay 98.0%	**5 gm** **25 gm**
025774 $C_4H_4ClNO_2$ (128-09-6)	N-**Chloro Succinimide** M. W.: 133.53 Assay (iodometric) 98.0%	**100 gm** **500 gm**
025732 $ClSO_3H$ (7790-94-5)	**Chloro Sulphonic Acid** Pract M. W.: 116.52 Assay 97.0%	**500 ml**
494825 $ClSO_3H$ (7790-94-5)	**Chloro Sulphonic Acid AR** M. W.: 116.52	**500 ml**
052365 C_7H_7Cl (95-49-8)	o-**Chloro Toluene** for Synthesis (2-Chlorotoluene) M. W.: 126.58	**500 ml** **2.5 lit**
052375 C_7H_7Cl (108-41-8)	m-C**hloro Toluene** for Synthesis (3-chlorotoluene) M. W.: 126.58	**250 ml**
052385 C_7H_7Cl (106-43-4)	p-**Chloro Toluene** for Synthesis (4-chlorotoluene) M. W.: 126.58	**500 ml** **2.5 lit**
052425 C_3H_9ClSi (75-77-4)	**Chloro Trimethylsilane** for Synthesis (Trimethylsilyl Chloride) M. W.: 108.64	**100 ml** **250 ml** **500 ml**
	Chloro Triphenylmethane See Trityl Chloride	
495135 $(CH_3)_2C_6H_3Cl$ (615-60-1)	4-**Chloro** O-**Xylene AR** M. W.: 140.61 Assay 90.0%	**25 gm** **100 gm**
049285 C_8H_9ClO (88-04-0)	4-**Chloro**-m-**Xylenol** (PCMX) M.W. : 156.61 Assay (GC) 98.0%	**100 gm** **500 gm**
043011 $C_{27}H_{46}O$ (57-88-5)	**Cholesterol** M. W.: 386.66 Assay (GC) 95.0%	**25 gm** **100 gm** **500 gm**
495315 $C_{27}H_{46}O$ (57-88-5)	**Cholesterol AR** M. W.: 386.66 Assay (GC) 99.0%	**5 gm** **25 gm** **100 gm**
052515 (9026-00-0)	**Cholesterol Esterase** from pseudomonas spe Lyophilized powder, activity ~ 100-130 U/mg (sterol-ester acylhydrolase)	**1000 units**
052525 (9028-76-6)	**Cholesterol Oxidase** from Micro organism Lyophilized Powder, Activity ~ 17-24 U/mg (Cholestrol: Oxygen Oxidoreductase)	**250 units**
817500	**Cholesterol** Stock Standard solution 0.1% Assay 0.099-0.101%	**125 ml**
052625 $C_{24}H_{40}O_5$ (81-25-4)	**Cholic Acid** for Biochemistry M. W.: 408.57	**25 gm** **100 gm** **500 gm**
042014 $[CH_2.(OH).CH_2.N(CH_3)_3]Cl$ (67-48-1)	**Choline Chloride** Pure M. W.:139.63 Assay (Argentometric on dried basis) 99.0%	**100 gm** **500 gm** **25 kg**
025784	**Choline Chloride** for Feed experiments	**2.5 kg**
052725 $C_{23}H_{16}Cl_2O_9S.3Na$ (1667-99-8)	**Chromazural S** (Chrome azural S, pM Indicator) (C.I. 43825) M. W.: 605.29	**25 gm**
	Chromic Acid See Chromium Trioxide	
817540	**Chromium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
817580	**Chromium** (Cr) 1000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
817600	**Chromium** (Cr) 10,000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
817620	**Chromium** (Cr)1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
817640	**Chromium** (Cr)10,000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
495795 Cr (7440-47-3)	**Chromium** Metal **AR** Gold Label M. W.: 51.10 Assay (Trace metals basis) 99.9%	**10 gm**
495790 Cr (7440-47-3)	**Chromium** (Metal) Powder **AR** At W. 52.00 Assay 99.0%	**100 gm** **500 gm**
025700 $Cr(CH_3COO)_3$ (1066-30-4)	**Chromium** (III) **Acetate** Tech. M. W.: 229.13 Assay 98.0%	**250 gm**
025701 $Cr_2(CO_3)_3$ (51142-19-9)	**Chromium**(III) **Carbonate** Tech. M. W.: 284.01 Assay (Cr content) 50.0-55.0%	**500 gm**
025702 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium**(III) **Chloride** Tech. M. W.: 266.45	**500 gm**
027874 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium** (III) **Chloride** Hexahydrate M. W.: 266.45 Assay (iodometric) 96.0%	**500 gm**

Product Code	Product Name	Packing
495820 $CrCl_3.6H_2O$ (10060-12-5)	**Chromium** (III) **Chloride Hexahydrate AR** (Chromic Chloride) M. W.: 266.45	**500 gm**
052995 CrF_3 (7788-97-8)	**Chromium Fluoride** M. W.: 108.99	**500 gm**
025703 $Cr(OH)_33H_2O$ (41646-40-6)	**Chromium** (III) **Hydroxide** Tech. M. W.: 157.02 Assay 98.0%	**250 gm**
025704 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium** (III) **Nitrate** Tech. M. W.: 400.15	**250 gm**
027755 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium** (III) **Nitrate** Nonahydrate M. W.: 400.15 Assay (exCr) 98.0%	**500 gm**
495845 $Cr(NO_3)_3.9H_2O$ (7789-02-8)	**Chromium Nitrate** Nonahydrate **AR** M. W.: 400.15	**500 gm**
053145 $CrC_2H_2O_4$ (814-90-4)	**Chromium** (II) **Oxalate** M. W.: 140.00	**500 gm**
027757 Cr_2O_3 (1308-38-9)	**Chromium** (III) **Oxide** Green M. W.: 151.99 Assay 99.0%	**500 gm** **5 kg**
027758 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium** (III) **Potassium Sulphate** Dodecahydrate M. W.: 499.39 Minimum assay (iodometric) 98.0-102.0%	**500 gm**
025782 $CrK(SO_4)_2.12H_2O$ (7788-99-0)	**Chromium Potassium Sulphate** Pract M. W.: 499.39	**500 gm**
025705 $Cr_2(SO_4)_3.XH_2O$ (39380-78-4)	**Chromium** (III) **Sulphate** Tech. M.W. : 392.18	**500 gm**
027759 $Cr_4(SO_4)_5.(OH)_2$ (39380-78-4)	**Chromium** (III) **Sulphate** Basic M. W.: 722.30	**500 gm**
027762 CrO_3 (1333-82-0)	**Chromium Trioxide** Purified M. W.: 99.99 Assay (iodometric) 99.0%	**500 gm** **1 kg** **5 kg** **50 kg**
495935 CrO_3 (1333-82-0)	**Chromium Trioxide AR** M. W.: 99.99 Assay 99.0%	**500 gm**
034020 $C_{16}H_{10}N_2Na_2O_8S_2$ (4197-07-3)	**Chromotrope** 2R for Microscopy M. W.: 468.37 Dye content (titanometry, dried) about 75.0%	**10 gm** **25 gm**
496355 $C_{16}H_9N_3Na_2O_{10}S_2$ (548-80-1)	**Chromotrope** 2B **AR** (C.I. 16575) M. W.: 513.37	**25 gm**
010714 $C_{10}H_6Na_2O_8S_2.2H_2O$ (5808-22-0)	**Chromotropic Acid Disodium Salt** Dihydrate M. W.: 400.28	**25 gm**

Product Code	Product Name	Packing
496360 $C_{10}H_6Na_2O_8S_2.2H_2O$ (5808-22-0)	**Chromotropic Acid Disodium Salt Dihydrate AR** M. W.: 400.28 Assay (by acidimetry on anhydrous substances) 98.5%	**10 gm** **25 gm**
034021 $C_{13}H_{15}N_4Cl$ (4438-16-8)	**Chrysoidine R** for Microscopy C.I. No. 11320 M. W.: 262.74 Dye content (titanometry, dried) abt. 65.0%	**25 gm** **100 gm**
034106 $C_{12}H_{12}N_4HCl$ (532-82-1)	**Chrysoidine Y** for Microscopy C.I.No. 11270 M. W.: 248.72 Dye content (titanometry, dired) abt. 90.0%	**25 gm** **100 gm**
053335 (9004-07-3)	**α-Chymotrypsin Crystalline**	**250 mgm** **1 gm** **5 gm**
053435 $C_{19}H_{22}N_2O$ (118-10-5)	**Cinchonine** for Synthesis M. W.: 294.39	**25 gm** **100 gm**
027772 C_9H_8O (104-55-2)	**Cinnamaldehyde** M. W.: 132.16 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
027773 $C_9H_8O_2$ (140-10-3)	**Cinnamic Acid** for Synthesis M. W.: 148.16 Assay (acidimetric) 99.0%	**250 gm** **500 gm**
496370 $C_9H_8O_2$ (140-10-3)	**Cinnamic Acid AR** M. W.: 148.16 Assay (HPLC) 99.0%	**250 gm**
053545 $C_{11}H_{12}O_2$ (103-54-8)	**Cinnamyl Acetate** for Synthesis M. W.: 176.21	**500 gm**
053635 $C_9H_{10}O$ (104-54-1)	**Cinnamyl Alcohol** for Synthesis (3-Phenylallyl Alcohol, 3-Phenyl-2-Propene-1-ol) M. W.: 134.17	**500 ml**
025770 $C_{17}H_{18}FN_3O_3.HCl.H_2O$ (86393-32-0)	**Ciprofloxacin Hydrochloride** for Lab Use M.W. : 385.82 Assay (on anhydrous basis) 98.0%	**1 gm** **5 gm**
025772 $C_{10}H_{16}O$ (5392-40-5	**Citral** (Cis+trans) M. W.: 152.23 Assay (GC) 96.0%	**100 ml**
053725 $C_6H_5NO_4$ (99-11-6)	**Citrazinic Acid** for Synthesis M. W.: 155.11	**25 gm**
027984 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous M. W.: 192.13 Assay(acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
496415 $C_6H_8O_7$ (77-92-9)	**Citric Acid** Anhydrous **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 192.13 Assay (Acidimetric; Cal. on anhy. sub.) 99.5-101.0%	**500 gm** **25 kg** **50 kg**
027780 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate M. W.: 210.14 Assay (acidimetric) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
496420 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur., FCC. M. W.: 210.14 Assay (Acidimetric; Cal. on anhy. sub.) 99.5-100.5%	**500 gm** **25 kg** **50 kg**
716610 $C_6H_8O_7H_2O$ (5949-29-1)	**Citric Acid** Monohydrate for HPLC & Spectroscopy M. W.: 210.14 Assay (Acidimetric) 99.7%	**500 gm**
025771 $C_{10}H_{18}O$ (106-23-0)	**Citronellal** Pract. M. W.: 154.26	**500 ml**
025753 $C_{10}H_{20}O$ (106-22-9)	**Citronellol** Pract. M. W.: 156.27	**500 ml**
053905 $C_{12}H_{22}O_2$ (150-84-5)	**Citronellyl Acetate** for Synthesis (Citronellol Acetate) M. W.: 198.30	**500 gm**
053915 $C_{14}H_{26}O_2$ (141-16-2)	**Citronellyl Butyrate** for Synthesis (Citronellol Butyrate) M. W.: 226.36	**500 gm**
053925 $C_{11}H_{20}O_2$ (105-85-1)	**Citronellyl Formate** for Synthesis (Citronellol Formate) M. W.: 184.28	**500 gm**
025775 $C_6H_{13}N_3O_3$ (372-75-8)	L-**Citrulline** CHR (for Biochemistry) M.W. : 175.19 Assay (Non-aqueous) 98.0%	**10 gm** **25 gm**
025714	**Clentorn™** MA 01 Alkaline For Industrial & Laboratory Cleaning	**500 ml** **5 lit** **25 lit**
025715	**Clentorn™** MA 02 Neutral For Cleaning Laboratory Glassware Instruments	**500 ml** **5 lit** **25 lit**
025716	**Clentorn™** MA 03 Phosphate Free For Specific Cleaning work in Laboratories	**500 ml** **5 lit** **25 lit**
036063 (8000-34-8)	**Clove Oil** for Microscopy Eugenol Content 85.0% v/v	**100 ml** **500 ml**
025766 $C_{19}H_{18}ClN_3NaO_5S.H_2O$ M.W. : 475.90	**Cloxacillin** for Lab Use	**1 gm**
817710	**Cobalt** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
817740	**Cobalt** (Co) 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
817770	**Cobalt** (Co) 10,000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
054035 Co (7440-48-4)	**Cobalt** Metal (Cathode) At.W. 58.93	**250 gm**

Product Code	Product Name	Packing
027786 Co (7440-48-4)	**Cobalt** (Metal) Powder At.W. 58.93 Assay (complexometric) 99.5%	**250 gm**
027787 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Purified (Cobalt II Acetate) M. W.: 249.08 Assay (complexometric) 99.0%	**100 gm** **500 gm** **50 kg**
496445 $C_4H_6CoO_4.4H_2O$ (6147-53-1)	**Cobalt** (Ous) **Acetate** Tetrahydrate **AR/ACS** (Cobalt (II) Acetate) M. W.: 249.08 Assay (ex Co) 99.0%	**100 gm** **500 gm**
025706 $B_4CoO_710H_2O$	**Cobalt** (Ous) **Borate** M. W.: 394.10 Assay (ex Co) 99.0-102.0%	**100 gm** **500 gm**
027789 $CoCO3$ (12602-23-2)	**Cobalt** (Ous) **Carbonate** Purified (Cobalt (II) Carbonate) M. W.: 118.94 Assay cobalt : 45-50%	**100 gm** **500 gm**
027790 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt** (Ous) **Chloride** Hexahydrate Purified (Cobalt (II) Chloride) M. W.: 237.93 Assay (complexometric) (ex Co) 98.0%	**100 gm** **500 gm** **5 kg** **50 kg**
496465 $CoCl_2.6H_2O$ (7791-13-1)	**Cobalt** (Ous) **Chloride** Hexahydrate **AR/ACS** Reagent for zinc M. W.: 237.93 Assay (complexometric) (ex Co) 99.0-102.0%	**100 gm** **500 gm** **5 kg**
PA0190	**Cobalt Chloride Paper**	**200 lvs**
054185 (61789-51-3)	**Cobalt Naphthenate** (6% Co) for Synthesis Assay (CO) 5.8-6.2%	**500 gm** **5 kg**
027795 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt** (Ous) **Nitrate** Hexahydrate Purified (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) (ex Co) 97.0-101.0%	**100 gm** **500 gm** **25 kg**
496475 $Co(NO_3)_2.6H_2O$ (10026-22-9)	**Cobalt** (Ous) **Nitrate** Hexahydrate **AR/ACS** (Cobalt (II) Nitrate) M. W.: 291.03 Assay (complexometric) 99.0%	**100 gm** **250 gm** **500 gm**
025707 $CoC_2O_4.2H_2O$ (5965-38-8)	**Cobalt** (Ous) **Oxalate** Dihydrate M. W.: 182.95 Assay (ex Co) 99.0-101.0%	**100 gm** **500 gm**
054195 Co_3O_4 (1308-06-1)	**Cobalt Oxide** M. W.: 240.80 Assay (Trace metal basis) 99.995%	**10 gm**
025760 Co_3O_4 (1308-06-1)	**Cobalt Oxide** Black (II & III) M. W.: 240.80 Assay (complexometric) 70.0%	**100 gm** **500 gm**
496485 Co_3O_4 (1308-06-1)	**Cobalt Oxide** Black **AR** (II & III) M. W.: 240.80 Assay (by complexometric Co) 71.0-74.0%	**100 gm** **500 gm**
025759 $Co_3(PO_4)_2.8H_2O$ (10294-50-5)	**Cobalt** (Ous) **Phosphate** Octahydrate Purified M. W.: 510.87 Assay (ex Co) 98.0%	**250 gm**

Product Code	Product Name	Packing
027801 $CoSO_4.7H_2O$ (10026-24-1)	**Cobalt** (Ous) **Sulphate** Heptahydrate (Cobalt (II) Sulphate) M. W.: 281.10 Assay (complexometric) 98.0%	**100 gm** **500 gm** **50 kg**
496500 $CoSO_4.7H_2O$ (10026-24-1)	**Cobalt** (Ous) **Sulphate** Heptahydrate **AR** M. W.: 281.10 Assay (complexometric) 99.0%	**100 gm** **500 gm**
	Cocktail's For Scintillation	
054400	**Cocktail 'O'** Scintillation Grade Contents per litre 6gm PPO and 0.2gm POPOP	**1 lit**
054410	**Cocktail 'T'** Scintillation Grade Contents per litre 5gm PPO and 0.15gm POPOP in toluene	**1 lit**
054420	**Cocktail 'W'** Scintillation Grade Contents per litre 10 gm PPO, 0.25gm POPOP and 100 gm Naphthalene in 1,4-dioxan	**1 lit**
025750 (68411-97-2)	**Cocobetaine**	**500 gm**
025749 (68603-42-9)	**Cocodiethanolamide**	**500 gm**
025748 (68140-00-1)	**Cocomonoethanolamide**	**500 gm**
042090 (303-98-0)	·**Coenzyme** Q10	**100 mgm** **1 gm** **5 gm**
027805 $C_{22}H_{25}NO_6$ (64-86-8)	**Colchicine** Used in Research in Plant M. W.: 399.45 Assay (on anhydrous, substance) 98.0%	**1 gm** **10 gm**
343795 $C_8H_{11}N$ (108-75-8)	2,4,6 -**Collidine** for Synthesis (2,4,6-Trimethyl Pyridine) M. W.: 121.18	**100 ml** **500 ml**
818800 (9004-70-0)	**Collodion** 4%	**500 ml**
818810 (9004-70-0)	**Collodion** Flexible	**500 ml**
054525 (8050-09-7)	**Colophony** for Synthesis	**250 gm** **1 kg**
034022 $C_{32}H_{22}N_6Na_2O_6S_2$ (573-58-0)	**Congo Red** Indicator C.I. No. 22120 M. W.: 696.68	**25 gm** **100 gm** **1 kg**
PA0210	**Congo Red** Paper	**200 lvs**
819040	**Congo Red** Solution	**125 ml**

Product Code	Product Name	Packing
044310 $C_{47}H_{48}N_3O_7S_2Na$ (6104-58-1)	**Coomassie Brilliant Blue** G for Electrophoresis (Brilliant Blue G 250) C.I. No. 42655 M W.: 854.04	**5 gm** **25 gm**
044328 $C_{45}H_{44}N_3NaO_7S_2$ (6104-59-2)	**Coomassie Brilliant Blue** R 250 C.I. 42660 For Electrophoresis M. W.: 825.99	**5 gm** **25 gm**
819100	**Copper** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
819150	**Copper** 1000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable	**100 ml** **500 ml**
819180	**Copper** 10000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable	**100 ml** **500 ml**
027810 Cu (7440-50-8)	**Copper** (Metal) Powder 325 mesh Electrolytic At W. 63.55 Assay (iodometric) 99.5%	**500 gm** **25 kg**
496595 Cu (7440-50-8)	**Copper** (Metal) Powder Fine **AR** At. W. 63.55 Assay (iodometric) 99.7%	**500 gm**
027812 Cu (7440-50-8)	**Copper** (Metal) Turning At W. 63.55 Assay (iodometric) 99.5%	**100 gm** **500 gm**
025746 Cu (7440-50-8)	**Copper Foil** tech. M. W.: 63.55 Assay (Iodometric) 99.5%	**100 gm**
027808 Cu (7440-50-8)	**Copper Foil** 0.1 mm Approx. At W. 63.55 Assay (iodometric) 99.7%	**500 gm**
496605 Cu (7440-50-8)	**Copper Foil** Approx. 0.1 mm **AR** At W. 63.55	**500 gm**
027829 $C_4H_6CuO_4.H_2O$ (6046-93-1)	**Copper** (II) **Acetate** Monohydrate M. W.: 199.65 Assay (iodometric) 98.0%	**250 gm** **500 gm** **25 kg**
496630 $C_4H_6CuO_4.H_2O$ (6046-93-1)	**Copper** (II) **Acetate** Monohydrate **AR** M. W.: 199.65 Assay (iodometric) 99.0%	**250 gm**
027830 (39290-85-2)	**Copper** (II) **Borate** Assay 95.0%	**250 gm**
054865 $CuBr_2$ (7789-45-9)	**Copper** (II) **Bromide** for Synthesis M. W.: 223.35	**500 gm**
027833 $CuCO_3.Cu(OH)_2$ (12069-69-1)	**Copper** (II) **Carbonate** Purified M.W.:221.12 Assay (as Copper) (Iodometric) : 54.0-57.0%	**500 gm** **25 kg** **50 kg**
496655 CuCl2 (7447-39-4)	**Copper** (II) **Chloride** Anhydrous **AR** M. W.: 134.45 Assay (iodometric) 98.0%	**500 gm**

Product Code	Product Name	Packing
027834 $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate Cryst. M. W.: 170.48 Assay (iodometric) (ex Cu) 99.0%	**500 gm** **25 kg** **50 kg**
496660 $CuCl_2.2H_2O$ (10125-13-0)	**Copper** (II) **Chloride** Dihydrate **AR** M. W.: 170.48 Assay (Iodometric) (ex Cu) 99.0-100.5%	**500 gm** **25 kg**
054985 $2CuO.Cr_2O_3$ (12053-18-8)	**Copper Chromite** (Catalyst) for Synthesis M. W.: 311.08	**100 gm** **500 gm**
025709 $C_6H_4Cu_2O_7 2½H_2O$ (10402-15-0)	**Copper** (II) **Citrate** Hemipentahydrate M. W.: 360.19 Assay 99.0-101.0%	**500 gm**
055150 (1338-02-9)	**Copper Napthenate**	**500 gm**
027839 $Cu(NO_3)_2.3H_2O$ (10031-43-3)	**Copper** (II) **Nitrate** Trihydrate M. W.: 241.60 Assay (Iodometric) (ex Cu) 99.0%	**250 gm** **500 gm** **50 kg**
496685 $Cu(NO_3)_2.3H_2O$ (10031-43-3)	**Copper** (II) **Nitrate** Trihydrate **AR/ACS** M. W.: 241.60 Assay (by (Iodometry) 99.5%	**500 gm**
027842 CuC_2O_4 (814-91-5)	**Copper** (II) **Oxalate** M. W.: 151.56 Assay 98.0%	**250 gm**
496700 CuO (1317-38-0)	**Copper Oxide** WIRE **AR** for Elementary Analysis M.W.: 79.54	**100 gm**
027843 CuO (1317-38-0)	**Copper** (II) **Oxide** Powder M. W.: 79.55 Assay (Iodometric) 97.0%	**100 gm** **500 gm**
496710 CuO (1317-38-0)	**Copper** (II) **Oxide** Powder **AR/ACS** Suitable for Elementary Analysis M. W.: 79.55 Assay (Iodometric) 99.0%	**100 gm** **500 gm**
496715 Cu_2O (1317-39-1)	**Copper Oxide AR** M. W.: 143.08 Assay (Based on trace metal analysis) 99.99%	**25 gm**
496720 CuO (1317-38-0)	**Copper** (II) **Oxide AR** M. W.: 79.55 Assay (Based on trace metal analysis) 99.99%	**25 gm**
027841 (7798-23-4)	**Copper** (II) **Phosphate**	**250 gm**
819380	**Copper** (II) **Sulphate** 0.1M (0.1N) Standardized Solution Nist Traceable	**1 lit**
027850 $CuSO_4$ (7758-98-7)	**Copper** (II) **Sulphate** Anhydrous M. W.: 159.61 Assay 99.0%	**500 gm**
027849 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydate M. W.: 249.68 Assay (iodometric) 99.0%	**500 gm** **1 kg** **5 kg** **50 kg**
496775 $CuSO_4.5H_2O$ (7758-99-8)	**Copper** (II) **Sulphate** Pentahydrate **AR/ACS** M. W.: 249.68 Assay (Iodometric) 99.5%	**500 gm** **5 kg** **50 kg**

Product Code	Product Name	Packing
055335 CuS (1317-40-4)	**Copper** (II) **Sulphide** **(Cupric Sulphide)** M. W.: 95.61	**500 gm**
	Corn Oil See Oil Corn	
055580 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Cotton Blue** for Microscopy C.I. 42780 M. W.: 799.80	**25 gm** **100 gm**
819480	**Cotton Blue** Solution	**100 ml**
027816 $C_9H_6O_2$ (91-64-5)	**Coumarin** for Synthesis M. W.: 146.15	**250 gm**
	Cream of Tartar See Potassium Hydrogen (+) Tartrate	
037047 $C_4H_9N_3O_2H_2O$ (6020-87-7)	**Creatine** (Monohydrate) M. W.: 149.15 Assay (non-aqueous dried) 98.0%	**25 gm** **100 gm** **1 kg**
498365 $C_4H_8N_3Na_2O_5P.4H_2O$ (922-32-7)	**Creatine Phosphoric Acid Disodium Salt AR** (Creatine Phosphate Disodium Salt, Phosphocreatine) M. W.: 327.15 Assay 98.0%	**250 mgm** **1 gm** **5 gm**
037049 $C_4H_7N_3O$ (60-27-5)	**Creatinine** Pure M. W.: 113.12 Assay (Non aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
498400 $C_4H_7N_3O$ (60-27-5)	**Creatinine AR** for determination of Creatine in Blood M. W.:113.12 Assay (Non-aqueous; dried basis) 99.5%	**25 gm** **100 gm** **1 kg**
025726 $C_4H_7N_3O.HCl$ (19230-81-0)	**Creatinine Hydrochloride** for Biochemistry M. W.:149.58 Assay (argentometric) 99.5%	**25 gm** **100 gm**
037051 (62708-52-5)	**Creatinine Zinc Chloride**	**10 gm**
819600	**Creatinine** Standard Solution Concentration 0.0099-0.011mg/lit	**125 ml**
025712 (8021-39-4)	**Creosote** Beechwood	**500 gm**
025695 C_7H_8O (1319-77-3)	**Cresol** Mixed (Cresylic Acid) M. W.: 108.14	**500 ml** **2.5 lit**
027820 C_7H_8O (108-39-4)	m-**Cresol** M. W.: 108.14 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
498445 C_7H_8O (108-39-4)	m-**Cresol AR** M. W.: 108.14 Assay (GC) 99.0%	**500 ml**
027818 C_7H_8O (95-48-7)	o-**Cresol** M. W.: 108.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
027821 C_7H_8O (106-44-5)	p-**Cresol** M. W.: 108.14 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Packing
020026 $C_{22}H_{18}O_4$ (596-27-0)	o-**Cresolphthaleine** pH Indicator M. W.: 346.39	**5 gm** **25 gm** **500 gm**
020027 $C_{32}H_{32}N_2O_{12}$ (2411-89-4)	o-**Cresolphthaleine Complexone** (Phthalein Purple) M.W.: 636.62	**1 gm** **5 gm**
498470 $C_{21}H_{18}O_5S$ (2303-01-7)	m-**Cresol Purple** pH Indicator **AR** M. W.:382.43	**5 gm**
819700	m-**Cresol Purple** Solution	**125 ml**
498495 $C_{21}H_{18}O_5S$ (1733-12-6)	**Cresol Red** Indicator **AR** M.W.: 382.44	**5 gm** **25 gm**
819740	**Cresol Red** Indicator Solution	**125 ml**
055745 $C_{18}H_{15}N_3O_3$ (10510-54-0)	**Cresyl Violet** (Acetate) for Microscopy M. W.: 321.33	**1 gm** **5 gm**
030632 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton** X100 M. W.: 646.87 Assay (iodometric) 98-102%	**500 ml** **2.5 lit** **25 lit**
923500 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton**X-100 for Molecular Biology M. W.: 646.87	**100 ml** **500 ml**
014630 $C_{34}H_{62}O_{11}$ (9002-93-1)	**Criton** X100 Scintillation Grade M. W.: 646.87 Assay (iodometric) 98-102%	**500 ml** **2.5 lit**
055865 CuH_6O (123-73-9)	**Crotonaldehyde** M. W.: 70.1	**500 ml** **2.5 lit** **25 lit**
025764 $C_4H_6O_2$ (107-93-7)	**Crotonic Acid** M. W.: 86.09 Assay (GC) 98.0%	**100 gm** **500 gm**
055965 $C_{14}H_{20}O_5$ (14098-44-3)	**Crown Ether /Benzo-15-Crown-5** for Synthesis M. W.: 268.31	**5 gm** **25 gm**
055985 $C_{10}H_{20}O_5$ (33100-27-5)	**Crown Ether /15-Crown-5** for Synthesis M. W.: 220.26	**5 gm** **25 gm**
025727 $C_{12}H_{24}O_6$ (17455-13-9)	18-**Crown**-6-**Ether** for Synthesis M. W.:264.32 Assay (GC) 99.0%	**10 gm** **25 gm** **100 gm**
055995 $C_{20}H_{20}O_6$ (14187-32-7)	**Crown Ether / Dibenzo-18-Crown-6** (Dibenzo 18-Crown-6) for Synthesis M. W.: 360.40	**5 gm** **25 gm**
027825 Na_3AlF_6 (15096-52-3)	**Cryolite** Powder (Sodium Hexafluoro Aluminate) M. W.: 209.94 Assay (Gravimetric) (ex F) 97.0%	**500 gm** **2.5 kg** **25 kg**

Product Code	Product Name	Packing
034024 $C_{25}H_{30}ClN_3$ (548-62-9)	**Crystal Violet** for Microscopy C.I. No. 42555 M.W:.407.99 Dye content (Titanometry, on dried subs.) 96.0%	**25 gm** **100 gm** **1 kg**
819900	**Crystal Violet** for Microscopy Staining Solution Oxalated	**125 ml**
499345 (548-62-9)	**Crystal Violet AR/ACS** for Microscopy C.I. No. 42555	**25 gm** **100 gm**
819960	**C.S.F.** Diluting Fluid	**125 ml**
056080 (80-15-9)	**Cumene Hydroperoxide** for Synthesis Assay 70.0%	**100 ml** **500 ml**
499660 $C_6H_9N_3O_2$ (135-20-6)	**Cupferron AR** M.W.: 155.16 Assay (Acidimetric) (NH_4) 97.0%	**25 gm** **100 gm**
	Cupric Bromide See **Copper (II) Bromide**	
	Cupric (I) **Compound** See Cuprous Compound	
	Cupric (II) **Compounds** See Copper Compounds	
	Cupric Sulphide See **Copper (II) Sulphide**	
	Cuprous Thiocynate See **Cupric (I) Thiocyanate**	
	Cupron See a-Benzoin-Oxime	
025725 CuBr (7787-70-4)	**Cuprous Bromide** Anhydrous M. W.: 143.45 Assay (redox titration) 97.0%	**500 gm**
027854 CuCl (7758-89-6)	**Cuprous Chloride** (Copper I Chloride) M. W.: 99.00 Assay (by Iodometric titration of reductive Capacity of cul) 96.0%	**500 gm** **1 kg** **25 kg**
499705 CuCl (7758-89-6)	**Cuprous Chloride AR/ACS** M. W.: 99.00 Assay(by cerimetry) 97.0%	**250 gm**
056185 CuCN (544-92-3)	**Cuprous Cyanide** for Synthesis [Copper (I) Cyanide] M. W.: 89.56	**500 gm**
056195 CuI (7681-65-4)	**Cuprous Iodide** for Synthesis (Copper (I) Iodide) M. W.: 190.45	**100 gm** **500 gm**
027858 Cu_2O (1317-39-1)	**Cuprous Oxide** Red (Copper I Oxide) M. W.: 143.08 Assay (as Cu_2O) 94.0%	**500 gm**
020031 $C_{21}H_{20}O_6$ (458-37-7)	**Curcumin** Crystalline C.I. 75300 M. W.: 368.39 Assay (HPLC mix of curcumin) 95.0%	**5 gm** **10 gm**
056240 (9005-64-5)	**Cween** 20	**500 ml** **25 lit** **200 lit**

Product Code	Product Name	Packing
024295 (9005-67-8)	**Cween** 60	**500 ml**
056023 (9005-65-6)	**Cween** 80 Meets Analytical Specification of IP, BP, USP, Ph. Eur.	**100 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
056345 $NCCH_2CONH_2$ (107-91-5)	**Cyanoacetamide** for Synthesis (2-Cyanoacetamide) M. W.: 84.08	**100 gm** **500 gm**
056445 $NCCH_2COOH$ (372-09-8)	**Cyanoacetic Acid** for Synthesis M. W.: 85.06	**100 gm** **500 gm** **25 kg**
499945 NCC_6H_4CHO (105-07-7)	4-**Cyanobenzaldehyde AR** M. W.: 131.13	**5 gm** **25 gm**
	5-**Cyanoindole** See 5-Indolecarbonitrile	
499965 $C_6H_4N_2$ (100-54-9)	3-**Cyanopyridine AR** (Pyridine-3-Carbonitrile) M. W.: 104.12	**100 gm**
499985 $C_6H_4N_2$ (100-48-1)	4-**Cyanopyridine AR** (Isonicotinic Acid Nitrile) M. W.: 104.12	**100 gm** **500 gm**
044023 $C_{63}H_{88}CoN_{14}O_{14}P$ (68-19-9)	**Cyanocobalamin** for Biochemistry (Vitamin B_{12}) M. W.: 1355.38 Assay(by Spectrophotometry) (on dried material) 96.0%	**250 mgm** **1 gm**
025794 CNBr (506-68-3)	**Cyanogen Bromide** for Synthesis M. W.: 105.93 Assay (Iodometric) 98.0%	**100 gm** **500 gm**
056685 $C_9H_6N_2OS$ (943-03-3)	2-**Cyano**-6-**Methoxy Benzothiazole** M. W.: 190.22 Assay 99.0%	**1 gm** **5 gm**
056765 $C_3Cl_3N_3$ (108-77-0)	**Cyanuric Chloride** (2,4,6,-Trichloro- 1,3,5-Triazine) (for Synthesis) M. W.: 184.41	**500 gm**
500195 $C_{10}H_{24}N_4$ (295-37-4)	**Cyclam AR** M. W.: 200.32	**1 gm** **5 gm**
500335 $C_{36}H_{60}O_{30}$ (10016-20-3)	a-**Cyclodextrin AR** M. W.: 972.84	**1 gm** **5 gm**
056845 $C_{42}H_{70}O_{35}$ (7585-39-9)	β-**Cyclodextrin** M. W.: 1134.98	**25 gm** **100 gm** **500 gm**
027867 C_6H_{12} (110-82-7)	**Cyclohexane** for Synthesis M. W.: 84.16 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
500380 C_6H_{12} (110-82-7)	**Cyclohexane AR** M. W.: 84.16 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500390 C_6H_{12} (110-82-7)	**Cyclohexane** Specially Dried **AR** M. W.: 84.16 Assays (By GC) 99.5%	**500 ml**
717600 C_6H_{12} (110-82-7)	**Cyclohexane** For HPLC & Spectroscopy M. W.: 84.16 Assay (GC) 99.7%	**1 lit** **2.5 lit**
717700 C_6H_{12} (110-82-7)	**Cyclohexane** for Pesticide Residue Trace Analysis M. W.: 84.16	**1 lit** **2.5 lit**
056995 $C_6H_{10}(CO_2H)_2$ (2305-32-0)	trans-1-2-**Cyclohexane Dicarboxylic** **Acid** M. W.: 172.18 Assay 95.0%	**5 gm** **25 gm**
057025 $C_6H_8O_2$ (504-02-9)	1,3-**Cyclohexane Dione** for Synthesis M. W.: 112.13 Assay 97.0%	**25 gm** **100 gm**
027870 $C_6H_{12}O$ (108-93-0)	**Cyclohexanol** for Synthesis M. W.: 100.16 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500845 $C_6H_{12}O$ (108-93-0)	**Cyclohexanol AR** M. W.: 100.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
027871 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for Synthesis M.W.: 98.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
500865 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone AR** M. W.:98.15 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
717800 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for Pesticide Residue Trace Analysis M.W.: 98.15	**1 lit**
717850 $C_6H_{10}O$ (108-94-1)	**Cyclohexanone** for GC-HS M.W.: 98.15	**1 lit** **2.5 lit**
057145 C_6H_{10} (110-83-8)	**Cyclohexene** for Synthesis (1,2,3,4-Tetrahydrobenzene) (Stabilized with 100 ppm of 2,6-di-Tert- Butyl-p-Cresol) M. W.: 82.14	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Cycloheximide See Actidione	
027875 $C_6H_{13}N$ (108-91-8)	**Cyclohexylamine** for Synthesis M. W.: 99.18 Assay (Acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
029925 $C_6H_{11}Br$ (108-85-0)	**Cyclohexylbromide** M. W.: 163.06	500 ml
057365 $C_6H_{11}NCO$ (3173-53-3)	**Cyclohexyliso-Cyanate** for Synthesis M. W.: 125.17 Assay 98.0%	250 ml
057465 $C_{10}H_{20}N_2$ (17766-28-8)	1-**Cyclohexylpiperazin** M. W.: 168.28 Assay 97.0%	5 gm
057525 $C_8H_{14}O$ (502-49-8)	**Cyclooctanone** for Synthesis M. W.: 126.20 Assay 98.0%	50 gm
057615 $C_{10}H_{12}$ (77-73-6)	**Cyclopentadiene**(Dimer) for Synthesis M. W.: 132.20 Assay 95.0%	1 lit
057685 C_5H_{10} (287-92-3)	**Cyclopentane** for Synthesis M. W.: 70.13	250 ml
057745 C_5H_9OH (96-41-3)	**Cyclopentanol** for Synthesis M. W.: 86.13	500 ml
057815 C_5H_8O (120-92-3	**Cyclopentanone** for Synthesis M. W.: 84.12	500 ml 2.5 lit 25 lit 200 lit
501475 $C_6H_{12}O$ (5614-37-9)	**Cyclopentyl Methyl Ether AR** M. W.: 100.16 Assay 99.0%	500 ml 1 lit
057905 C_3H_5CN (5500-21-0)	**Cyclopropanecarbonitrile** M. W.: 67.09 Assay 98.0%	5 gm 10 gm
501535 $C_3H_5CO_2H$ (1759-53-1)	**Cyclopropane Carboxylic Acid AR** M. W.: 86.09 Assay 95.0%	100 gm 500 gm
057995 $C_3H_5CH_2NH_2.HCl$ (7252-53-1)	**Cyclopropanemethylamine Hydro Chloride** M. W.: 107.58 Assay 99.0%	1 gm 10 gm
058115 $C_3H_5NH_5$ (765-30-0)	**Cyclopropylamine** for Synthesis M. W.: 57.09 Assay 98.0%	100 ml 500 ml
058195 $C_{16}H_{16}O$ (5785-66-0)	**Cyclopropyl-Diphenyl Carbinol** M. W.: 224.30	5 gm 25 gm
058285 $C_3H_5COCH_3$ (765-43-5)	**Cyclopropylmethylketone** (Acetylcy clopropane) M. W.: 84.12 Assay 99.0%	100 gm 500 gm
058385 $C_{10}H_{14}$ (99-87-6)	p-**Cymene** for Synthesis M. W.: 134.22 Assay 99.0%	250 ml

Product Code	Product Name	Packing
058485 C_2H_7NS (156-57-0)	**Cysteamine Hydrochloride** for Synthesis (2-Mercapto Ethylamine HCl, 2-Amino Ethanethiol HCl) M. W.: 113.61 Assay 98.0%	100 gm 500 gm
037218 $C_3H_7SNO_2$ (52-90-4)	L-**Cysteine** for Biochemistry M. W.: 121.16 Assay (Iodometric ex SH) 98.0%	25 gm 500 gm
501715 $C_3H_7NO_2S.HCl.H_2O$ (7048-04-6)	L-**Cysteine Hydrochloride AR** (Monohydrate) for Biochemistry M. W.: 175.63 Assay (Iodometric; calc. to the dried sub.) 99.5-101.0%	25 gm 100 gm 500 gm 1 kg
037057 $C_6H_{12}N_2O_4S_2$ (56-89-3)	L-**Cystine** for Biochemistry M. W.: 240.30 Assay (Non-aqueous) 99.0%	25 gm 100 gm 1 kg
025762 $C_6H_{12}N_2O_4S_2.2HCl$ (30925-07-6)	L-**Cystine Dihydrochloride** (Monohydrate) M. W.: 313.22 Assay (Iodometric; calc. to the dried subs.) 98.0%	25 gm
042017 $C_9H_{13}N_3O_5$ (65-46-3)	**Cytidine** for Biochemistry M.W.: 243.22 Assay (Non-aq) 98.0%	1 gm 5 gm 25 gm
042072 $C_9H_{14}N_3O_8P$ (63-37-6)	**Cytidine**-5-**Monophosphate** (5-CMP) M. W.: 323.20	1 gm 5 gm
058585 (9007-43-6)	**Cytochrome**- 'C' for Biochemistry Assay (GE) 90.0%	100 mgm 1 gm
	Cytokinine for Biochemistry See Kinetin	
025713 $C_4H_5N_3O$ (71-30-7)	**Cytosine** for Biochemistry M. W.: 111.10 Assay (HPLC) 98.0%	1 gm 5 gm 25 gm

LABORATORY CLEANING AGENTS

056011	**Cedepol™** also known as Teepol
025714	**Clentorn™** MA 01 Alkaline For Industrial & Laboratory Cleaning
025715	**Clentorn™** MA 02 Neutral For Cleaning Laboratory Glassware Instruments
025716	**Clentorn™** MA 03 Phosphate Free For Specific Cleaning work in Laboratories
033218	**Lysol** (Cresol and Soap Solution) (12772-68-8) Assay (cresol) 47-53.0% v/v

Product Code	Product Name	Packing
025600 H_2O (7732-18-5)	**D.M. Water** M. W.: 18.02	**500 ml** **5 lit**
062605 (8004-86-2)	**Dahlia** for Microscopy	**5 gm** **10 gm**
505225 $C_6H_{12}N_2O_3$ (1596-84-5)	**Daminozide AR** M. W.: 160.18	**1 gm** **5 gm**
033033 (7440-44-0)	**Darco** G 60	**500 gm**
505495 (7440-44-0)	**Darco** G 60 **AR**	**500 gm**
062805 (9013-34-7)	**Deae Cellulose** 11 for Column Chromatography	**10 gm** **25 gm** **100 gm**
505550 (9013-34-7)	**Deae Cellulose** 52 **AR** for Column Chromatography	**10 gm** **25 gm** **100 gm**
062905 $C_{10}H_{22}O$ (112-30-1)	**1-Decanol** for synthesis (Decan-1-OL, n-Decanol) M.W.: 158.28	**500 ml** **2.5 lit** **25 lit** **200 lit**
062955 $C_{10}H_{22}$ (124-18-5)	**n-Decane** for Synthesis M. W.: 142.29 Assay 97.0%	**250 ml** **500 ml** **1 lit** **2.5 lit**
505785 $C_{10}H_{22}$ (124-18-5)	**n-Decane AR** M. W.: 142.29	**100 ml**
063005 $CH_3(CH_2)_8CH_2SO_3Na$ (13419-61-9)	1-**Decanesulphonic Acid Sodium Salt** M. W.: 244.33	**5 gm** **25 gm**
720200 $CH_3(CH_2)_8CH_2SO_3Na$ (13419-61-9)	1-**Decanesulphonic Acid Sodium** **Salt AR** for HPLC M. W.: 244.33	**5 gm** **25 gm**
	n-**Decanoic Acid** See n-**Capric Acid**	
	n-**Decyl Sulphate Sodium Salt** See **Sodium Decyl Sulphate**	
063115 $C_{19}H_{28}O_2$ (53-43-0)	**Dehydroepiandrosterone** for Synthesis (Trans-Dehydroandrosterone) M. W.: 288.42	**5 gm** **25 gm**
026065 $C_{10}H_{18}$ (91-17-8)	**Dekalin** for Synthesis M. W.: 138.25 Assay (GC) 99.0% (Cis+trans isomer)	**500 ml** **2.5 lit** **25 lit** **200 lit**
063205 $C_{10}H_{13}N_5O_3.H_2O$ (16373-93-6)	2-**Deoxy Adenosine Extra** **Pure** for Biochemistry M. W.: 269.26 Assay 99.0%	**1 gm** **5 gm** **10 gm**

Product Code	Product Name	Packing
063285 $C_6H_5COCH_2C_6H_5$ (451-40-1)	**Deoxybenzoin** for Synthesis (α-Phenylacetophenone) M. W.: 196.24	**25 gm** **100 gm**
063315 $C_{24}H_{40}O_4$ (83-44-3)	**Deoxy Cholic Acid** for Biochemistry M. W.: 392.57 Assay (TLC) 99.0%	**10 gm** **25 gm** **100 gm**
063405 **$C_6H_{12}O_5$** (154-17-6)	2-**Deoxy**-D-**Glucose** for Biochemistry **M. W.: 164.16**	**1 gm** **5 gm**
063505 (9003-98-9)	**Deoxyribonuclease** for Biochemistry Activity 2500 K Unit Units/mg	**10000** **unit**
063615 (100403-24-5)	**Deoxy Ribonucleic Acid** for Biochemistry	**10 gm** **25 gm**
063625 (73049-39-5)	**Deoxy Ribonucleic Acid Sodium** **Salt Extra Pure** for Biochemistry (Highly PolymerisedFrom Calf Thymus)	**25 mgm** **100 mgm** **250 mgm** **500 mgm**
063655 (9007-49-2)	**Deoxyribonucleic Acid Sodium** **Salt** from Herring testes (Not Highly Polymerised)	**10 gm** **25 gm**
042029 $C_5H_{10}O_4$ (533-67-5)	2-**Deoxy**-D-**Ribose** for Biochemistry M.W.: 134.13 Assay (HPLC) 97.0%	**1 gm** **5 gm**
034687	**Dermutit**	**500 gm**
506135 $C_{13}H_{13}IO_8$ (87413-09-0)	**Dess Martin Periodinane Puriss AR** (Triacetoxy Periodine, 1,1,1-Tris (Acetyloxy)(1,1-Dihydro-1,2- Benziodoxol-3(1H) M. W.: 424.14	**5 gm** **25 gm**
063765 D_2O (7789-20-0)	**Deuterium Oxide** (heavy water) for NMR Spectroscopy M.W.: 20.03	**25 gm**
020009 (8049-11-4)	**Devardas Alloy** Powder	**100 gm** **500 gm**
506225 (8049-11-4)	**Devardas Alloy** Powder **AR** Reducing Agent	**100 gm** **250 gm**
063815 (9004-53-9)	**Dextrin White** for Bacteriology	**500 gm**
025570 $(C_6H_{10}O_5)n.XH_2O$ (9004-53-9)	**Dextrin** White Pract	**500 gm** **25 kg**
028450 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous Purified M. W.: 180.16	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
506250 $C_6H_{12}O_6$ (50-99-7)	**Dextrose** Anhydrous **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 180.16	**500 gm** **5 kg** **25 kg** **50 kg**
063940 $C_6H_{12}O_6.H_2O$ (14431-43-7)	**Dextrose** Monohydrate M. W.:198.17	**500 gm** **25 kg** **50 kg**
506260 $C_6H_{12}O_6H_2O$ (14431-43-7)	**Dextrose** Monohydrate **AR** for Microbiology M. W.: 198.17	**500 gm** **25 kg** **50 kg**
028010 $C_6H_{12}O_2$ (123-42-2)	**Diacetone Alcohol** Purified M. W.: 116.16 Assay (GC) 99.0%	**500 ml** **2.5 lit**
028011 $C_4H_6O_2$ (431-03-8)	**Diacetyl** for Synthesis M. W.: 86.09 Assay (GC) 97.0%	**100 ml**
025601 $C_4H_7NO_2$ (57-71-6)	**Diacetyl Monoxime** M. W.: 101.11 Assay (N) 98.0%	**25 gm**
506600 $C_4H_7NO_2$ (57-71-6)	**Diacetyl Monoxime AR** M. W.: 101.11 Assay (Gravimetric) 99.0%	**25 gm** **100 gm** **500 gm**
828705	**Diacetyl Monoxine** Solution 2%	**125 ml**
064005 $C_{14}H_{14}O_4$ (131-17-9)	**Diallyl Phthalate** for Synthesis M. W.: 246.26 Assay 97.0%	**500 ml**
064115 $C_{14}H_{10}N_2O_2$ (128-95-0)	1,4-**Diamino Anthraquinone** for Synthesis M. W.: 238.24 Assay 95.0%	**25 gm** **100 gm**
506685 $C_{12}H_{14}N_4$ (91-95-2)	3,3-**Diamino Benzidine Base AR** M. W.: 214.27 Assay (HPLC) 99.0%	**1 gm** **5 gm**
064185 $C_7H_8N_2O_2$ (535-87-5)	3,5-**Diamino Benzoic Acid** for Synthesis M. W.: 152.15 Assay 98.0%	**100 gm**
064225 $C_6H_5COC_6H_3(NH_2)_2$ (39070-63-8)	3,4-**Diamino Benzophenone** M. W.: 212.25 Assay 97.0%	**25 gm** **100 gm**
025642 $C_{12}H_{12}N_2$ (92-87-5)	4,4-**Diamino Biphenyl** M. W.: 184.25	**10 gm**
025597 (531-85-1)	4,4- **Diamino Biphenyl Hydrochloride**	**10 gm**
506905 $C_{14}H_{22}N_2O_8H_2O$ (13291-61-7)	trans-**1,2 Diamino Cyclohexane** N,N,N',N' **Tetra Acetic Acid (**CDTA**) AR/ACS** M. W.: 364.35 Assay (Complexometric) 99%	**25 gm** **100 gm**
064305 $C_{12}H_{12}N_2O$ (101-80-4)	4,4-**Diamino Diphenyl Ether** for Synthesis M. W.: 200.24 Assay 97.0%	**100 gm**
064365 $C_{13}H_{14}N_2$ (101-77-9)	4,4-**Diamino Diphenyl Methane** for Synthesis M. W.: 198.26 Assay (GC) 97.0%	**500 gm**
064415 $C_{12}H_{12}N_2O_2S$ (80-08-0)	4.4-**Diamino Diphenyl Sulphone** for Synthesis M. W.: 248.30 Assay 97.0%	**100 gm**
	1,2-**Diamino Ethane** See **Ethylenediamine**	
064505 $C_8H_{20}N_2$ (373-44-4)	1:8-**Diamino Octane** for Synthesis M. W.: 144.26 Assay 98.0%	**25 gm** **100 gm**
064545 $NH_2(CH_2)_5NH_2$ (462-94-2)	1:5-**Diamino Pentane** for Synthesis M. W.: 102.18 Assay 95.0%	**5 ml**
507175 $NH_2(CH_2)_3NH_2$ (109-76-2)	1,3-**Diamino Propane AR** M. W.: 74.12 Assay 99.0%	**500 ml**
064615 $C_5H_7N_3$ (141-86-6)	2,6-**Diamino Pyridine** for Synthesis M. W.: 109.13	**25 gm** **100 gm** **500 gm**
064685 C (7782-40-3)	**Diamond Powder** 1 Micron At. W.: 12.01	**1 gm** **5 gm**
064695 C (7782-40-3)	**Diamond Powder** 50 Micron At. W.: 12.01	**1 gm** **5 gm**
025648 $C_{14}H_{16}N_2O_2$ (119-90-4)	o-**Dianisidine** M.W.: 244.30 Assay (Non-aq) 96.0%	**25 gm** **100 gm**
039013 (9000-92-4)	**Diastase** Amylase Activity 1300 IU/g	**100 gm** **500 gm**
064755 $C_6H_{12}N_2$ (280-57-9)	1,4-**Diazabicyclo** (2.2.2) Octane (Dabco, Ted,Triethylenediamine) Store At 2-8°C M. W.: 112.17 Assay 99.0%	**100 gm** **500 gm**
064825 $C_9H_{16}N_2$ (6674-22-2)	1:8-**Diaza Bicyclo Undecene** for Synthesis (Dbu) M. W.: 152.24 Assay 98.0%	**25 ml** **100 ml**
	2,6-**Di-Tert-**p-**Methyl Phenol** See **Butylated Hydroxy Toluene**	
824800	**Diazo** Reagent **A**	**125 ml**
824810	**Diazo** Reagent **B**	**125 ml**
064905 $C_4H_2N_4O_2$ (2435-76-9)	**5-Diazo Uracil** for Biochemistry M. W.: 138.1	**1 gm**
507385 $(C_6H_5CO)_2CH_2$ (120-46-7)	**Dibenzoyl Methane AR** M. W.: 224.25 Assay 98.0%	**25 gm**

Product Code	Product Name	Packing
065055 $C_{18}H_{14}O_8$ (2743-38-6)	(-)-2,3-**Dibenzoyl**-L-**Tartaric Acid** Anhy. M. W.: 358.30	**5 gm** **25 gm** **100 gm**
507525 $C_{18}H_{14}O_8.H_2O$ (62708-56-9)	(-)-o,o-**Dibenzoyl** L-**Tartric Acid** Mono Hydrate **AR** M. W.: 376.31	**25 gm** **100 gm**
025606 $C_{18}H_{14}O_8$ (17026-42-5)	**Di-Benzoyl**-D-**Tartaric Acid** Anhy. [(+)-Di-Benzoyl-D-Tartaric Acid, (+)-2,3-Di-Benzoyl-D-Tartaric Acid) M. W.: 358.30 Assay (T) Acidimetric 98.0%	**25 gm** **100 gm**
025605 $C_{18}H_{14}O_8.H_2O$ (80822-15-7)	(+)-**Di-Benzoyl**-D-**Tartaric Acid** Monohydrate M.W. : 358.30 (anhy.)	**25 gm** **100 gm**
065185 $C_{14}H_{15}N$ (103-49-1)	**Dibenzylamine** for Synthesis [N,N-Bis (Methylphenyl) Amine] M. W.: 197.28 Assay 97.0%	**500 ml**
065265 $C_{14}H_{14}S_2$ (150-60-7)	**Dibenzyl Disulphide** for Synthesis M. W.: 246.39 Assay 98.0%	**100 gm** **1 kg**
065335 $C_{14}H_{15}O_4$ (1623-08-1)	**Dibenzyl Phosphate** for Synthesis M. W.: 298.25	**5 gm** **25 gm**
065415 $C_7H_6Br_2O$ (74137-36-3)	3,5-**Dibromo Anisole** M. W.: 265.93 Assay 97.0%	**1 gm**
065615 $C_6H_4Br_2$ (106-37-6)	1,4-**Dibromo Benzene** for Synthesis M. W.: 235.90	**500 gm**
065715 $C_4H_8Br_2$ (110-52-1)	1,4-**Dibromo Butane** for Synthesis (Tetramethylene Dibromide) M. W.: 215.91	**250 ml**
	1,8-**Dibromo Butane** See 1,8-**Dibromo octane**	
065805 $C_5H_6Br_2N_2O_2$ (77-48-5)	1,3-**Dibromo** 5,5-**Dimethyl Hydantion** for Synthesis M. W.: 285.92 Assay 98.0%	**500 gm**
025604 $C_2H_4Br_2$ (106-93-4)	1,2-**Dibromo Ethane** for Synthesis M. W.: 187.89 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
507835 $C_2H_4Br_2$ (106-93-4)	1-2-**Dibromo Ethane AR** M. W.: 187.86 Assay (GC) 98.0%	**500 ml** **2.5 lit**
065905 $C_{20}H_{10}Br_2O_5$ (596-03-2)	4:5-**Dibromo Fluorescein** M. W.: 490.10 Assay Dye Content 95.0%	**5 gm**
508005 $Br(CH_2)_6Br$ (629-03-8)	1,6-**Dibromo Hexane AR** M. W.: 243.97 Assay 96.0%	**100 gm**

Product Code	Product Name	Packing
066005 CH_2Br_2 (74-95-3)	**Dibromo Methane** for Synthesis (Methylene Bromide) M. W.: 173.83 Assay 99.0%	**100 ml**
066065 $Br(CH_2)_8Br$ (4549-32-0)	1,8-**Dibromooctane** (1,8-Dibromo butane) M. W.: 272.02 Assay 98.0%	**100 gm**
066105 $C_5H_{10}Br_2$ (111-24-0)	1,5-**Dibromo Pentane** for Synthesis (Pentamethylenedibromide) M. W.: 229.94 Assay 97.0%	**500 ml**
066215 $Br_2C_6H_3OH$ (608-33-3)	2,6-**Dibromo Phenol** M. W.: 251.90 Assay 99.0%	**1 gm** **10 gm**
066265 $Br(CH_2)_3Br$ (109-64-8)	1,3-**Dibromo Propane** (trimethylene dibromide) M. W. : 201.89	**250 ml** **500 ml**
508140 $C_6H_2Br_2ClNO$ (537-45-1)	2,6-**Dibromo Quinone**-4-**Chlorimide AR** M. W.: 299.35	**5 gm**
028064 $C_8H_{19}N$ (111-92-2)	**Di**-n-**Butylamine** for Synthesis (Dibutylamine) M. W.: 129.25 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
066405 $C_8H_{18}O$ (142-96-1)	**Dibutyl Ether** for Synthesis M. W.: 130.23	**500 ml** **2.5 lit** **25 lit** **200 lit**
508275 $C_8H_{18}O$ (142-96-1)	**Dibutyl Ether AR** (n-Butyl ether) M. W.: 130.23	**500 ml** **2.5 lit** **25 lit** **200 lit**
025626 $C_{12}H_{20}O_4$ (105-76-0)	**Di**-n-**Butyl Maleate** (DBM) M. W.: 228.29 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit**
028073 $C_{16}H_{22}O_4$ (84-74-2)	**Di**-n-**Butyl Phthalate** M. W.: 278.35 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
508365 $C_{16}H_{22}O_4$ (84-74-2)	**Di**-n-**Butyl Phthalate AR** M. W.: 278.35 Assay (GC) 98.5%	**500 ml**
066515 $(CH_3CH_2CH_2CH_2)_2Sn(OCOCH_3)_2$ (1067-33-0)	**Dibutyl Tin Diacetate** M. W.: 351.03	**500 gm**
066555 $(CH_3CH_2CH_2CH_2)_2Sn(OCO(CH_2)10CH_3)_2$ (77-58-7)	**Dibutyl Tin Dilaurate** for Synthesis M. W.: 631.56 Assay 95.0%	**500 ml**
066595 $C_{12}H_{20}O_4Sn$ (78-04-6)	**Dibutyl Tin Dimaleate** for Synthesis M. W.: 346.99 Assay 95.0%	**500 gm**
028641 $C_8H_{18}OSn$ (818-08-6)	**Di-Butyl Tin Oxide** for synthesis M. W.: 248.92 Assay (ex Sn) 98.0%	**250 gm** **1 Kg**

Product Code	Product Name	Packing
	Dicalcium Phosphate See di-**Calcium Phosphate**	
066795 $C_8H_6Cl_2O$ (2234-16-4)	2,4-**Dichloroacetophenone** for Synthesis M. W.: 189.04	**25 gm** **100 gm**
066835 $C_8H_6Cl_2O$ (2642-63-9)	3,4-**Dichloroacetophenone** for Synthesis M. W.: 189.04	**25 gm** **100 gm**
066925 $C_6H_5Cl_2N$ (608-27-5)	2,3-**Dichloroaniline** for Synthesis M. W.: 162.02	**500 ml**
066945 $C_6H_5Cl_2N$ (554-00-7)	2,4-**Dichloroaniline** for Synthesis M. W.: 162.02	**100 gm**
066965 $Cl_2C_6H_3NH_2$ (95-82-9)	2:5-**Dichloroaniline** for Synthesis M. W.: 162.02 Assay 99.0%	**500 gm**
067005 $Cl_2C_6H_3NH_2$ (608-31-1)	2,6-**Dichloroaniline** M. W.: 162.02 Assay 98.0%	**100 gm**
067025 $Cl_2C_6H_3NH_2$ (95-76-1)	3,4-**Dichloroaniline** for Synthesis M. W.: 162.02	**250 gm**
067115 $Cl_2C_6H_3CHO$ (874-42-0)	2:4-**Dichlorobenzaldehyde** for Synthesis M. W.: 175.01 Assay 99.0%	**100 gm** **500 gm**
067145 $Cl_2C_6H_3CHO$ (6287-38-3)	3,4-**Dichlorobenzaldehyde** for Synthesis M. W.: 175.01 Assay 95.0%	**25 gm** **100 gm**
028082 $C_6H_4Cl_2$ (95-50-1)	o-**Dichloro Benzene** for Synthesis (1, 2 - Dichlorobenzene) M. W.: 147.00 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
508585 $C_6H_4Cl_2$ (95-50-1)	o-**Dichlorobenzene AR** (1,2--Dichlorobenzene) M. W.: 147.00	**500 ml** **2.5 lit** **25 lit** **200 lit**
067225 $C_6H_4Cl_2$ (541-73-1)	1,3-**Dichlorobenzene** for Synthesis (m-Dichlorobenzene) M. W.: 147.00	**500 ml** **2.5 lit** **25 lit** **200 lit**
028084 $C_6H_4Cl_2$ (106-46-7)	p-**Dichloro Benzene** for Synthesis (1,4-Dichloro Benzene) M. W.: 147.00 Assay (GC) 97.0%	**500 gm** **25 kg**
025635 $C_7H_4Cl_2O_2$ (50-84-0)	2,4-**Dichloro Benzoic Acid** M. W.: 191.02 Assay (acidimetric) 98.0%	**500 gm**
067405 $C_{13}H_8Cl_2O$ (90-98-2)	4,4'-**Dichlorobenzophenone** for Synthesis M. W.: 251.11 Assay 99.0%	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
067555 $Cl_2C_6H_3CH_2OH$ (1777-82-8)	2,4-**Dichlorobenzyl Alcohol** for Synthesis M. W.: 177.03 Assay 99.0%	**25 gm** **100 gm**
067715 $Cl_2C_6H_3CH_2NH_2$ (102-49-8)	3,4-**Dichlorobenzylamine** M. W.: 176.04 Assay 95.0%	**5 gm** **25 gm**
067855 $C_7H_5Cl_3$ (94-99-5)	2,4-**Dichlorobenzyl Chloride** (α-2,4-Trichlorotoluene) M. W.: 195.47	**100 ml** **500 ml**
068025 $C_8Cl_2N_2O_2$ (84-58-2)	2,3-**Dichloro-5,6-Dicyano-**P **-Benzoquinone** for Synthesis (DDQ) Store At 2-8°C M. W.: 227.00 Assay 98.0%	**25 gm** **100 gm** **500 gm**
068335 $C_2H_6Cl_2Si$ (75-78-5)	**Dichlorodimethyl-Silane** for Synthesis (Repelsilane, Dimethyldichlorosilane) M. W.: 129.06 Assay 98.0%	**250 ml** **500 ml**
068435 $C_{12}H_{10}Cl_2Si$ (80-10-4)	**Dichlorodiphenylsilane** for Synthesis (Diphenyl dichlorosilane) M. W.: 253.21 Assay 98.0%	**100 ml** **500 ml**
028093 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane** M. W.: 98.96 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
508635 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane AR** M. W.: 98.96 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
720750 $C_2H_4Cl_2$ (107-06-2)	1,2-**Dichloroethane** for HPLC & Spectroscopy M. W.: 98.96 Assay (GC) 99.5%	**1 lit**
068545 $Cl_2C_6H_3F$ (1435-48-9)	2:4-**Dichlorofluoro Benzene** M. W.: 164.99 Assay 99.0%	**25 gm** **100 gm**
508665 $C_{20}H_{10}Cl_2O_5$ (76-54-0)	2,7-**Dichloro fluoroscein AR/ACS** Adsorption Indicator M. W.: 401.20 Assay Abt. 90.0%	**10 gm**
068575 $Cl_2C_6H_2(OH)CO_2H$ (3336-41-2)	3,5-**Dichloro**-4-**Hydroxy Benzoic Acid** M. W.: 207.01 Assay 97.0%	**25 gm**
068605 $C_3Cl_2N_3NaO_3.2H_2O$ (51580-86-0)	**Dichloroiso-Cyanuric Acid** **Sodium Salt** for Synthesis M. W.: 255.98 Assay 98.0%	**100 gm** **500 gm**
028096 CH_2Cl_2 (75-09-2)	**Dichloromethane** Pure M. W.: 84.93 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
508705 CH_2Cl_2 (75-09-2)	**Dichloromethane AR** M. W.: 84.93 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
508710 CH_2Cl_2 (75-09-2)	**Dichloromethane** Specially Dried **AR** M. W.: 84.93 Assay (GC) 99.5%	**500 ml** **2.5 lit**
720950 CH_2Cl_2 (75-09-2)	**Dichloromethane** for HPLC & Spectroscopy M. W.: 84.93 Assay (GC) 99.7%	**1 lit** **2.5 lit**
721000 CH_2Cl_2 (75-09-2)	**Dichloromethane** for Spectroscopy M. W.: 84.93 Assay 99.5%	**1 lit**
721050 CH_2Cl_2 (75-09-2)	**Dichloromethane** for Pesticide Residue Trace Analysis (Methylene Chloride) M. W.: 84.93	**1 lit**
D39663 CD_2Cl_2 (1665 00 5)	**Dichloromethane** d_2 M.W.: 86 95 (for NMR Spectroscopy) Assay Min. 99 5 atom%D	**10x0.75 ml**
D39672 CD_2Cl_2 (1665 00 5)	**Dichloromethane** d_2 M.W.: 86 95 (for NMR Spectroscopy) Assay Min. 99 5 atom%D	**10 ml**
068815 $C_3H_6Cl_2Si$ (124-70-9)	**Dichloromethyl Vinyl Silane** for Synthesis M. W.: 141.07 Assay 97.0%	**100 ml**
068935 $Cl_2C_6H_3NO_2$ (99-54-7)	3:4-**Dichloronitro Benzene** for Synthesis M. W.: 192.00 Assay 99.0%	**500 gm**
068925 $Cl_2C_6H_3NO_2$ (611-06-3)	2:4-**Dichloronitro Benzene** for Synthesis M.W. : 192.0 Assay 97.0%	**500 gm**
068845 $C_{10}H_4Cl_2O_2$ (117-80-6)	2,3-**Dichloro**-1,4-**Naphthoquinone** for Synthesis M. W.: 227.04 Assay 98.0%	**25 gm**
069065 $C_{13}H_{10}O_2Cl_2$ (97-23-4)	**Dichlorophene Pract** for Synthesis [5,5-Dichloro-2,2-Dihydroxy Diphenyl Methane, bis (5-Chloro-2-Hydroxyphenyl) Methane] M. W.: 269.14 Assay 95.0%	**500 gm**
069225 $Cl_2C_6H_3OH$ (576-24-9)	2,3-**Dichlorophenol** M. W.: 163.00 Assay 98.0%	**25 gm** **100 gm** **500 gm**
069235 $Cl_2C_6H_3OH$ (120-83-2)	2,4-**Dichlorophenol** for Synthesis M. W.: 163.00	**100 gm** **500 gm**
025638 $C_6H_4OCl_2$ (120-83-2)	2,4-**Dichloro Phenol** Pract M.W.: 163.0 Assay (GC) 98.0%	**250 gm**

Product Code	Product Name	Packing
025636 $C_6H_4Cl_2O$ (87-65-0)	2,6-**Dichloro Phenol** M. W.: 163.0 Assay (GC) 98.0%	**100 gm** **500 gm**
508805 $C_{12}H_6Cl_2NNaO_2.XH_2O$ (620-45-1)	2,6-**Dichloro Phenol Indophenol Sodium Salt AR** for the determination of Ascorbic Acid M. W.: 290.08 (Anhy.) Assay (By Titanometry on anhydrous material) 98.0%	**1 gm** **5 gm** **25 gm**
069315 $C_8H_6Cl_2O_3$ (94-75-7)	2,4-**Dichlorophenoxy Acetic Acid** M. W.: 221.04 Assay 97.0%	**250 gm**
069365 $C_8H_6Cl_2O_2$ (19719-28-9)	2,4-**Dichlorophenyl Acetic Acid** for Synthesis M. W.: 205.04 Assay 99.0%	**25 gm** **100 gm**
069385 $Cl_2C_6H_3CH_2CO_2H$ (5807-30-7)	3,4-**Dichlorophenyl Acetic Acid** M. W.: 205.04 Assay 98.0%	**5 gm** **25 gm**
024836 $Cl_2C_6H_3B(OH)_2$ (67492-50-6)	3,5-**Dichloro Phenyl Boronic Acid** M. W.: 190.82 Assay 98.0%	**5 gm** **25 gm**
069445 $C_{10}H_{12}Cl_2N_2$ (57260-67-0)	1-(3,4-**Dichlorophenyl) Piperazine** M. W.: 231.12 Assay (GC) 98.0%	**5 gm** **25 gm**
069645 $C_8H_2Cl_2O_3$ (942-06-3)	4,5-**Dichlorophthalic Anhydride** M. W.: 217.01 Assay 98.0%	**5 gm** **25 gm**
069725 $C_9H_5Cl_2N$ (86-98-6)	4:7-**Dichloroquinoline** for Synthesis M. W.: 198.05 Assay 99.0%	**100 gm**
069795 $C_6H_2Cl_3NO$ (101-38-2)	2,6-**Dichloroquinone**-4-Chloroimide (N,2,6-Trichloro-p-Benzoquinonemide Gibbs Reagent, Reagent for Vitamin B_6) M.W.: 210.45 Assay 98.0%	**5 gm** **10 gm**
068875 $Cl_2C_6H_2(OH)CHO$ (90-60-8)	3:5-**DiChlorosalicylaldehyde** for Synthesis M.W.: 191.01 Assay 99.0%	**5 gm** **25 gm**
069935 $C_7H_6Cl_2$ (95-73-8)	2,4-**Dichlorotoluene** for Synthesis M. W.: 161.03 Assay 98.0%	**100 ml** **500 ml**
069955 $C_7H_6Cl_2$ (95-75-0)	3,4-**Dichlorotoluene** for Synthesis M. W.: 161.03 Assay 98.0%	**100 ml** **500 ml**
509565 $C_{14}H_{10}Cl_2NNaO_2$ (15307-79-6)	**Diclofenac Sodium AR** for Lab use only M. W.: 318.13	**25 gm** **100 gm**
070155 $C_{18}H_{22}O_2$ (80-43-3)	**Dicumyl Peroxide** M. W.: 270.37 Assay 98.0%	**250 gm**
028108 $C_2H_4N_4$ (461-58-5)	**Dicyandiamide** Pure M. W.: 84.08 Assay (HPLC) 98.0%	**500 gm** **5 kg** **25 kg**

Product Code	Product Name	Packing
028111 $C_{12}H_{23}N$ (101-83-7)	**Dicyclohexylamine** for Synthesis M. W.: 181.32 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
509755 $C_{12}H_{23}N$ (101-83-7)	**Dicyclohexylamine AR** M. W.: 181.32 Assay (GC) 99.0%	**1 lit**
070235 $C_{13}H_{22}N_2$ (538-75-0)	N,N-**Dicyclohexyl Carbodiimide** for Synthesis M. W.: 206.33	**100 gm** **500 gm**
070355 $C_{20}H_{26}O_4$ (84-61-7)	**Dicyclo Hexyl Phthalate** for Synthesis M. W.: 330.42 Assay 99.0%	**100 gm** **500 gm**
070465 $C_{10}H_{12}$ (77-73-6)	**Dicylopentadiene** for Synthesis (Stabilized) M. W.: 132.20	**100 ml** **500 ml**
025622 $Nd_2O_3.Pr_2O_3$ (11141-21-2)	**Didymium Oxide** M. W.: 666.29	**25 gm** **100 gm**
028612 $C_4H_{11}NO_2$ (111-42-2)	**Diethanolamine** for Synthesis M. W.: 105.14 Assay (acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
509965 $C_4H_{11}NO_2$ (111-42-2)	**Diethanolamine AR/ACS** for Biochemistry M. W.: 105.15 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
070655 $C_5H_{12}O_2$ (462-95-3)	**Diethoxymethane** for Synthesis (Formaldehyde Diethyl Acetal, Ethylal) (Stabilized with BHT) M. W.: 104.15 Assay 99.0%	**500 ml** **2.5 lit**
510155 $C_5H_{12}O_2$ (462-95-3)	**Diethoxymethane AR** (Stabilized with BHT) M.W.: 104.15 Assay 99.0%	**500 ml**
028120 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine** for Synthesis M. W.: 73.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
510405 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine AR** M. W.: 73.14 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
721800 $(C_2H_5)_2NH$ (109-89-7)	**Diethylamine** for HPLC & Spectroscopy M. W.: 73.14	**1 lit**
070805 $C_4H_{11}N.HCl$ (660-68-4)	**Diethylamine Hydrochloride** for Synthesis (Diethyl ammonium Chloride) M. W .:109.6 Assay 98.0%	**500 gm**
028122 $C_6H_{15}NO$ (100-37-8)	2-**Diethyl Amino Ethanol** (N,N-Diethyl Amino Ethanolamine) M.W.: 117.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
510455 $C_6H_{15}NO$ (100-37-8)	2-**Diethyl Amino Ethanol AR** M. W.: 117.19	**1 lit**
070865 $(C_2H_5)_2NCH_4Cl.HCl$ (869-24-9)	2-**Diethyl Amino Ethyl Chloride** **Hydrochloride** for Synthesis M. W.: 172.10 Assay 99.0%	**25 gm** **100 gm** **1 kg**
025652 $C_{10}H_{15}N$ (91-66-7)	N,N-**Diethyl Aniline** M. W.: 149.25 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit**
510495 $C_{10}H_{15}N$ (91-66-7)	N,N-**Diethyl Aniline AR** M. W.: 149.25 Assay (GC) 99.0%	**500 ml**
510615 $C_6H_{10}N_2O_4$ (1972-28-7)	**Diethyl Azodicarboxylate AR** (Dad, Daed, **Azocarboxylicacid** Diethylester) M. W.: 174.16	**5 gm** **25 gm** **100 gm**
071005 $C_{25}H_{25}IN_2$ (605-91-4)	1,1-**Diethyl** 2,2'**Carbocyanine Iodide** M. W.: 480.38 Assay 97.0%	**25 mgm** **100 mgm**
071125 $C_5H_{10}O_3$ (105-58-8)	**Diethyl Carbonate** for Synthesis M. W.: 118.13 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
028150 $C_4H_{10}O_3$ (111-46-6)	**Diethylene Glycol** for Synthesis M. W.: 106.12 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
510705 $C_4H_{10}O_3$ (111-46-6)	**Diethylene Glycol AR** M. W.: 106.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
510795 $(C_2H_5OCH_2CH_2)_2O$ (112-36-7)	**Diethylene Glycol Diethylether AR** (Diethyldiglycol) M. W.: 162.23	**500 ml** **2.5 lit**
071365 $C_6H_{14}O_3$ (111-96-6)	**Diethylene Glycol Dimethyl Ether** (Dimethyl Digol, Diglyme) M. W.: 134.18 Assay (GC) min. 99%	**500 ml** **2.5 lit** **25 lit**
027522 $C_8H_{18}O_3$ (112-34-5)	**Diethylene Glycol Mono Butyl Ether** (Butyl Carbitol, Butyl Digol) M. W.: 162.23 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit**
026091 $C_6H_{14}O_3$ (111-90-0)	**Diethylene Glycol Mono Ethyl Ether** for Synthesis (Ethyl Digol) M. W.: 134.18 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
510940 $C_6H_{14}O_3$ (111-90-0)	**Diethylene Glycol Mono Ethyl** **Ether AR** M. W.: 134.18	**1 lit**
025618 $C_5H_{12}O_3$ (111-77-3)	**Diethylene Glycol Mono Methyl Ether** for Synthesis (Methyl Digol) M.W.: 120.15 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Packing
026079 $C_4H_{13}N_3$ (111-40-0)	**Diethylene Triamine** for Synthesis M. W.: 103.17 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit**
025651 $C_{14}H_{23}N_3O_{10}$ (67-43-6)	**Diethylene Triamine Penta Acetic Acid** (D.T.P.A.) M. W.: 393.35 Assay 98.0%	**100 gm** **500 gm** **5 kg** **25 kg**
511545 $C_{14}H_{23}N_3O_{10}$ (67-43-6)	**Diethylene Triamine Penta Acetic Acid** (D.T.P.A.) **AR** M. W.: 393.35 Assay (anhydrous substance) 99.0%	**100 gm** **500 gm** **5 kg**
825800	**Diethylene Triaminepenta Acetic Acid Pentasodium Salt** 40% Aq. Soln. (DTPA Na5)	**500 ml**
028132 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** M. W.: 74.12 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
511080 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether AR** M. W.: 74.12 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
511085 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** Dry **AR** (Solvent Ether, Ethyl Ether) Meets Analytical Specification of ACS M. W.: 74.12 Assay 99.5%	**500 ml**
721900 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** for HPLC (Solvent Ether, Ethyl Ether) M. W.: 74.12	**1 lit**
722000 $(C_2H_5)_2O$ (60-29-7)	**Diethyl Ether** for Pesticide Residue Trace Analysis M. W.: 74.12	**1 lit**
071545 $C_{10}H_{16}O_5$ (87-13-8)	**Diethyl Ethoxy Methylene Malonate** for Synthesis M. W.: 216.23 Assay 98.0%	**100 gm** **500 gm**
511185 $C_{16}H_{35}O_4P$ (298-07-7)	DI-2-**Ethyl Hexyl Phosphate AR** M. W.: 322.43	**250 gm** **1 kg**
071625 $CH_3CH_2COCH_2CH_3$ (96-22-0)	**Diethyl Ketone** for Synthesis (3-Pentanone) M. W.: 86.13	**500 ml**
028138 $C_7H_{12}O_4$ (105-53-3)	**Diethyl Malonate** for Synthesis M. W.: 160.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
511275 $C_7H_{12}O_4$ (105-53-3)	**Diethyl Malonate AR** M. W.: 160.17 Assay 99.0%	**500 ml** **2.5 lit**
511365 $C_8H_{11}O_5Na$ (40876-98-0)	**Diethyl Oxalacetate Sodium Salt AR** M.W.: 210.16 Assay 95.0%	**500 gm**

Product Code	Product Name	Packing
025634 $C_6H_{10}O_4$ (95-92-1)	**Diethyl Oxalate** M.W.: 146.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
511455 $C_6H_{10}O_4$ (95-92-1)	**Diethyl Oxalate AR** M. W.: 146.14	**500 ml**
511480 $(C_2H_5)_2NC_6H_4NH_2.H_2SO_4$ (6283-63-2)	N,N-**Diethyl**-P-**Phenylenediamine Sulphate AR** M.W.: 262.33 Assay 98.0%	**100 gm** **250 gm**
028142 $C_{12}H_{14}O_4$ (84-66-2)	**Diethyl Phthalate** for Synthesis M. W.: 222.24 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
511605 $C_{12}H_{14}O4$ (84-66-2)	**Diethyl Phthalate AR** M.W.: 222.24 Assay 97.0%	**1 lit**
071805 $C_6H_{10}O_5$ (1609-47-8)	**Diethyl Pyrocarbonate** for Synthesis M.W.: 162.1 Assay 97.0%	**5 gm** **25 gm** **100 gm**
071925 $C_8H_{14}O_4$ (123-25-1)	**Diethyl Succinate** for Synthesis M.W.: 174.19 Assay 99.0%	**500 ml**
028144 $C_4H_{10}SO_4$ (64-67-5)	**Diethyl Sulphate** M. W.: 154.19 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
025607 $C_8H_{14}O_6$ (13811-71-7)	**Diethyl**-D-(-)-**Tartarate** M. W.: 206.20	**100 gm** **500 gm**
072015 $C_{11}H_{17}N$ (91-67-8)	N,N-**Diethyl**-M-**Toluidine** for Synthesis M. W.: 163.27	**100 ml** **500 ml**
072165 $F_2C_6H_3NH_2$ (367-25-9)	2:4-**Difluoro Aniline** M. W.: 129.11 Assay 99.0%	**25 gm** **100 gm**
072175 $F_2C_6H_3NH_2$ (372-39-4)	3:5-**Difluoro Aniline** M. W.: 129.11 Assay 98.0%	**5 gm** **25 gm**
072225 $F_2C_6H_3CHO$ (437-81-0)	2,6-**Difluoro Benzaldehyde** M. W.: 142.10 Assay 98.0%	**5 gm** **25 gm**
072305 $F_2C_6H_3C(O)NH_2$ (18063-03-1)	2,6-**Difluoro Benzamide** M. W.: 157.12 Assay 97.0%	**10 gm** **50 gm**
072385 $C_6H_4F_2$ (372-18-9)	1,3-**Difluoro Benzene** (m-Difluorobenzene) M. W.: 114.10 Assay 99.0%	**100 ml** **500 ml**
072425 $(FC_6H_4)_2CO$ (345-92-6)	4,4-**Difluoro Benzophenone** for Synthesis M. W.: 218.20 Assay 99.0%	**10 gm** **50 gm** **250 gm**
072545 (348-61-8)	3,4-**Difluoro Bromo Benzene**	**25 gm** **100 gm**
072575 (461-96-1)	3,5-**Difluoro Bromo Benzene**	**10 gm** **100 gm**

Product Code	Product Name	Packing
072795 $C_6H_3F_2NO_2$ (446-35-5)	2:4-**Difluoro Nitro Benzene** M. W.: 159.09 Assay 99.0%	**25 gm** **100 gm** **500 gm**
072845 $F_2C_6H_3NO_2$ (2265-94-3)	3:5-**Difluoro Nitro Benzene** M. W.: 159.09 Assay 99.0%	**5 gm**
072695 $C_5H_2ClF_2N$ (89402-43-7)	2,3-**Difluoro** 5-**Chloro Pyridine** M. W.: 149.53 Assay 95%	**5 gm** **25 gm**
511785 $C_{56}H_{92}O_{29}$ (11024-24-1)	**Digitonin AR** M. W.: 1229.34 Assay (Gravimetric) 98.0%	**1 gm**
	Digol See Diethylene Glycol	
072945 $(HO)_2C_6H_3COCH_3$ (89-84-1)	2,4-**Dihydroxy Acetophenone** for Synthesis (4-Acetylresorcinol, Resacetophenone) M. W.: 152.15	**100 gm** **500 gm**
072885 $C_6H_{12}O_6$ (26776-70-5)	1,3-**Dihydroxy Acetone** for Synthesis (Dimer) M. W.: 180.16	**25 gm** **100 gm**
025645 $C_8H_8O_3$ (490-78-8)	2,5-**Dihydroxy Acetophenone** (2-Acetyl Hydroquinone, Quinacetophenone) M. W.: 152.15 Assay (GC) 98.0%	**5 gm** **25 gm** **100 gm**
025644 $C_8H_8O_3$ (699-83-2)	2,6-**Dihydroxy Acetophenone** M.W 152.15 Assay (GC) 99.0%	**5 gm** **10 gm** **25 gm**
073025 $C_{14}H_8O_4$ (81-64-1)	1,4-**Dihydroxy Anthraquinone** for Synthesis (Quinizarine) M. W.: 240.21	**100 gm** **500 gm**
512515 $C_7H_6O_3$ (139-85-5)	3,4-**Dihydroxy Benzaldehyde AR** (Protocatechualdehyede) M. W.: 138.12	**25 gm** **100 gm** **500 gm**
	1,4-**Dihydroxy Benzene** See Hydroquinone	
073085 $C_7H_6O_4$ (89-86-1)	2,4-**Dihydroxy Benzoic Acid** for Synthesis (β-resor-cylic acid) M. W.: 154.12 Assay 98.0%	**100 gm** **500 gm**
073105 $C_7H_6O_4$ (99-10-5)	3,5-**Dihydroxy Benzoic Acid** for Synthesis (α-resor-cylic acid) M. W.: 154.12 Assay 98.0%	**100 gm** **500 gm**
073125 $C_{13}H_{10}O_3$ (131-56-6)	2,4-**Dihydroxy Benzophenone** for Synthesis M. W.: 214.22 Assay 99.0%	**100 gm**
073165 $(HOC_6H_4)_2CO$ (611-99-4)	4,4-**Dihydroxy Benzophenone** for Synthesis M. W.: 214.22	**25 gm** **100 gm**

Product Code	Product Name	Packing
073255 $C_{10}H_8O_2$ (83-56-7)	1,5-**Dihydroxynaphthalene** M. W.: 160.17	**100 gm** **500 gm**
	2,2-**Di (4-Hydroxy Phenyl) Propane** See Bisphenol A	
073315 $C_9H_{10}O_3$ (938-46-5)	2,5-**Dihydroxy Propiophenone** M. W.: 166.17 Assay 98.0%	**25 gm**
025615 $C_6H_{15}N$ (108-18-9)	**Di**-ISO-**Propylamine** for Synthesis M. W.: 101.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
073405 $C_8H_{14}N_2O_4$ (2446-83-5)	**DI**-ISO-**Propyl Azo Dicarboxylate** for Synthesis M. W.: 202.21	**100 gm**
028268 $C_6H_{14}O$ (108-20-3)	**Di**-ISO-**Propyl Ether** M. W.: 102.18 Assay (G.C) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
512605 $C_6H_{14}O$ (108-20-3)	**Di**-ISO-**Propyl Ether AR/ACS** M. W.: 102.18 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
073505 $C_8H_{19}N$ (7087-68-5)	N, N-**DI**-ISO-**Propyl Ethylamine** for Synthesis M. W.: 129.25	**250 ml** **500 ml** **25 lit**
073495 (27554-26-3)	**DI**-ISO-**Octyl Phthalate** for Synthesis	**500 ml**
512695 $C_8H_{12}O_2$ (126-81-8)	**Dimedone AR** M. W.: 140.18 Assay (acidimetric) 99.5%	**25 gm** **100 gm**
073665 $C_{10}H_{12}O_3$ (829-20-9)	2,4-**Dimethoxy Acetophenone** for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 98.0%	**25 gm** **100 gm**
073675 $C_{10}H_{12}O_3$ (1201-38-3)	2,5-**Dimethoxy Acetophenone** for Synthesis (Resacetophenonedimethyl Ether) M. W.: 180.21 Assay 99.0%	**100 gm** **500 gm**
073685 $C_{10}H_{12}O_3$ (1131-62-0)	3,4-**Dimethoxy Acetophenone** M. W.: 180.21 Assay 98.0%	**25 gm** **100 gm**
073715 $C_9H_{10}O_3$ (120-14-9)	3,4-**Dimethoxy Benzaldehyde** for Synthesis (veratraldehyde) M. W.: 166.17 Assay ≥ 98.0%	**100 gm** **500 gm**
073745 $(CH_3OC_6H_4)_2CO$ (90-96-0)	4,4'-**Dimethoxy Benzophenone** M. W.: 242.27 Assay 97.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
073805 $C_4H_{10}O_2$ (110-71-4)	1,2-**Dimethoxy Ethane** (Ethylene Glycol Dimethyl Ether, Monoglyme) (Stabilised with BHT ~ 100 ppm) M. W.: 90.12 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
073845 $C_3H_8O_2$ (109-87-5)	**Dimethoxy Methane** (Formaldehyde Dimethyl Acetal, Methylal) M. W.: 76.10 Assay 98.0%	**500 ml** **2.5 lit**
512895 $C_3H_8O_2$ (109-87-5)	**Dimethoxy Methane** Anhydrous **AR** M. W.: 76.10 Assay 99.5%	**500 ml**
073905 $C_5H_{12}O_2$ (77-76-9)	2,2-**Dimethoxy Propane** for Synthesis (Acetone Dimethyl Acetal) M. W.: 104.15 Assay 98.0%	**500 ml** **2.5 lit**
073985 $C_6H_{12}O_3$ (696-59-3)	2:5-**Dimethoxy Tetrahydrofuran** For Synthesis M. W.: 132.16	**250 gm**
513005 $C_9H_{12}O_2$ (38064-90-3)	2:4-**Dimethoxy Toluene AR** M. W.: 152.19	**1 gm**
074115 $C_{21}H_{19}ClO_2$ (40615-36-9)	4,4'-**Dimethoxy Trityl Chloride** for Biochemistry M. W.: 338.83 Assay 95.0%	**5 gm** **25 gm** **100 gm**
027011 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide** M. W.: 87.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
513210 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide AR** M. W.: 87.12 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
513215 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide** "Dry" **AR** M. W.: 87.12 Assay 99.5%	**500 ml** **2.5 lit**
723000 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide** For HPLC & Spectroscopy M. W.: 87.12 Assay (GC) 99.7%	**1 lit**
723100 C_4H_9NO (127-19-5)	N,N-**Dimethyl Acetamide** For GC-HS M. W.: 87.12	**1 lit** **2.5 lit**
074225 $C_5H_8O_2$ (541-47-9)	3,3-**Dimethyl Acrylic Acid** for Synthesis (3-**Methyl**-2-**Butenoic Acid**) M. W.: 100.12 Assay 97.0%	**100 gm** **500 gm**
074335 $C_8H_{14}O_4$ (627-93-0)	**Dimethyl Adipate** M. W.: 174.2 Assay 98.0%	**500 ml**
025614 C_2H_7N (124-40-3)	**Dimethylamine** Solution 40% for Synthesis M. W.: 45.08 Assay $(CH_3)_2NH$ abt. 40% w/w	**500 ml** **2.5 lit** **25 lit**
	Dimethylamine Hydrochloride See Dimethyl Ammonium Chloride	

Product Code	Product Name	Packing
074465 $C_{13}H_{17}N_3O$ (58-15-1)	4-**Dimethyl Amino Antipyrine** (Aminopyrine,4-Dimethylamino-1, 5-Dimethy-2-Phenylpyrazol-3-one) M. W.: 231.30	**25 gm** **100 gm**
028189 $C_9H_{11}NO$ (100-10-7)	p-**Dimethyl Amino Benzaldehyde** for Synthesis (EHRLICH Reagent) M. W.: 149.19 Assay (non aqueous) 98.0%	**100 gm** **1 kg** **25 kg**
513305 $C_9H_{11}NO$ (100-10-7)	p-**Dimethyl Amino Benzaldehyde AR** M. W.: 149.19 Assay (Non-aqueous) 99.0%	**100 gm** **1 kg** **25 kg**
513350 $C_{12}H_{12}N_2OS_2$ (536-17-4)	p-**Dimethylaminobenzylidene Rhodanine AR** M. W.: 264.36	**5 gm** **25 gm**
513375 $C_{11}H_{13}NO$ (6203-18-5)	p-**Dimethyl Amino Cinnamaldehyde AR** M. W.: 175.23 Assay (HPLC) 98.0%	**10 gm** **25 gm**
028190 $C_4H_{11}NO$ (108-01-0)	N,N-**Dimethyl Amino Ethanol** M. W.: 89.14 Assay (GC) 99.0%	**500 ml** **2.5 lit**
025627 $C_4H_{10}ClN.HCl$ (4584-46-7)	2-**Dimethyl Amino Ethyl Chloride Hydrochloride** M. W.: 144.04 Assay (non aqueous) 99.0%	**100 gm** **1 kg**
074675 $C_5H_{14}N_2$ (109-55-7)	3-**Dimethyl Amino**-1-**Propylamine** M. W.: 102.18 Assay 98.0%	**500 ml**
074715 $C_5H_{12}ClN.HCl$ (5407-04-5)	3-**Dimethyl Aminopropyl Chloride Hydrochloride** for Synthesis M. W.: 158.07	**100 gm** **500 gm**
074785 (25952-53-8)	1-(3-**Dimethyl Aminopropyl**)-3-**Ethylcarbodiimide Hydrochloride** Assay 98.0%	**5 gm** **25 gm** **100 gm** **500 gm**
074895 $C_7H_{10}N_2$ (1122-58-3)	p-**Dimethyl Amino Pyridine** for Synthesis (4-Dimethylaminopyridine) M. W.: 122.17	**100 gm** **1 kg**
355001	p-**Dimethyl Amino Styryl**-B-**Naphthiazole Methiodide AR**	**100 mgm**
028194 $C_2H_7N.HCl$ (506-59-2)	**Dimethyl Ammonium Chloride** for Synthesis M. W.: 81.55 Assay (argentometric) 97.0%	**500 gm** **5 kg** **50 kg**
513405 $(CH_3)_2NH.HCl$ (506-59-2)	**Dimethyl Ammonium Chloride AR** (Dimethylamine Hydrochloride) M. W.: 81.54	**250 gm**
028196 $C_8H_{11}N$ (121-69-7)	N,N-**Dimethyl Aniline** M. W.: 121.18 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
513450 $C_8H_{11}N$ (121-69-7)	N,N-**Dimethyl Aniline AR** M. W.: 121.18 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
074995 $C_9H_{11}NO_2$ (85-91-6)	**Dimethyl Anthranilate** M. W.: 165.19	**500 gm**
	Dimethyl Arsenic Acid Sodium Salt See Sodium Cacodylate	
075085 $C_9H_{10}N_2$ (582-60-5)	5,6-**Dimethyl Benzimidazole** M. W.: 146.19 Assay 99.0%	**25 gm** **100 gm**
	N,N-**Dimethyl Benzylamine** See N,N-**Dimethyl Aniline**	
514115 $C_6H_{12}O_2$ (595-37-9)	2,2-**Dimethyl Butyric Acid AR** M. W.: 116.16	**100 ml** **500 ml**
075285 $C_3H_6O_3$ (616-38-6)	**Dimethyl Carbonate** for Synthesis M. W.: 90.08 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
075395 $C_8H_{17}N$ (98-94-2)	N,N-**Dimethyl Cyclohexylamine** for Synthesis M. W.: 127.23 Assay 99.0%	**500 ml**
	Dimethyl Dichlorosilane See Dichloro dimethyl silane	
	2,9-**Dimethyl**-4, 7-**Diphenyl**-1,10 **Phenanthroline** See Bathocuproin	
075505 $C_2H_6S_2$ (624-92-0)	**Dimethyl Disulphide** M. W.: 94.2	**250 ml**
	N,N-**Dimethyl Ethanolamine** See 2-Dimethyl Amino Ethanol	
028425 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** M. W.: 73.09 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
514360 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide AR** M. W.: 73.09 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
514365 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** Specially Dried **AR/ACS** M. W.: 73.09 Assay (GC) 99.5%	**500 ml**
723600 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** for HPLC & Spectroscopy M. W.: 73.09 Assay (GC) 99.5%	**1 lit**
926500 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** Molecular Biology M. W.: 73.09	**500 ml**

Product Code	Product Name	Packing
723700 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** for Pesticide Residue Trace Analysis M. W.: 73.09	**1 lit** **2.5 lit**
727800 C_3H_7NO (68-12-2)	N,N-**Dimethyl Formamide** For GC-HS M. W.: 73.09	**1 lit** **2.5 lit**
D44172 C_3HD_6NO (185990-36-7)	N,N-**Dimethyl** d_6 **Formamide** (DMF-d_6) M.W.: 79.14 (for NMR Spectroscopy) Assay Min. 99 atom%D	**5 ml**
514375 $C_5H_{13}NO_2$ (4637-24-5)	N,N-**Dimethyl Formamide Dimethylacetal AR** M. W.: 119.16	**100 ml** **500 ml**
075765 C_8H_{10} (2175-91-9)	6,6-**Dimethyl Fulvene** M. W.: 106.17	**5 ml**
075855 $C_4H_8N_2O_2$ (95-45-4)	**Dimethyl Glyoxime** for Industrial Use M. W.: 116.12	**5 kg**
013046 $C_4H_8N_2O_2$ (95-45-4)	**Dimethyl Glyoxime** (2,3-Butanedione Dioxime) M. W.: 116.12 Assay (Gravimetric via Nickel complex, on dried subs.) 98.0%	**100 gm** **500 gm**
514465 $C_4H_8N_2O_2$ (95-45-4)	**Dimethyl Glyoxime AR/ACS** reagent for Nickel M. W.: 116.12 Assay Gravimetric via Nickel complex, on dried subs.) 99.0%	**100 gm** **500 gm**
514530 $C_4H_6N_2Na_2O_2.8H_2O$ (75006-64-3)	**Dimethyl Glyoxime Di Sodium Salt Octahydrate AR** M. W.: 304.21 Assay (anhydrous non aqueous) 99.0%	**250 gm**
075965 $C_5H_{10}N_2O$ (80-73-9)	N, N-**Dimethyl Imidazolidinone** for pesticide residue analysis for Residual Solvent Impurity Profile & Headspace Analysis (1,3-Dimethyl-2-Imidazolidinone) M. W.: 114.15	**100 gm** **500 gm**
076005 $C_5H_8O_4$ (108-59-8)	**Dimethyl Malonate** for Synthesis M. W.: 132.11	**500 ml**
076065 $C_8H_{10}N_2O$ (138-89-6)	N,N-**Dimethyl**-4-**Nitrosoaniline** for Synthesis M. W.: 150.18	**25 gm**
728250 $C_{10}H_{23}N$ (7378-99-6)	N,N-**Dimethyl Octylamine** for HPLC M. W.: 157.3	**10 gm** **50 gm**
076155 $C_8H_{10}O$ (526-75-0)	2,3-**Dimethyl Phenol** M. W.: 122.16	**100 gm**

Product Code	Product Name	Packing
076165 $C_8H_{10}O$ (105-67-9)	2:4-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**250 ml** **500 ml** **1 lit**
076175 $C_8H_{10}O$ (95-87-4)	2,5-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**100 gm**
076185 $C_8H_{10}O$ (576-26-1)	2,6-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**500 gm**
076195 $C_8H_{10}O$ (95-65-8)	3,4-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**100 gm**
076205 $C_8H_{10}O$ (108-68-9)	3,5-**Dimethyl Phenol** for Synthesis M. W.: 122.16	**100 gm**
514895 $C_{18}H_{26}N_4O_4$ (62778-12-5)	N,N-**Dimethyl** P-**Phenylene Diamine Oxalate** for Synthesis M. W.: 181.21	**5 gm** **25 gm**
514925 $C_8H_{12}N_2.2HCl$ (536-46-9)	N,N-**Dimethyl** P-**Phenylenediamine Dihydrochloride AR** M. W.: 209.12	**25 gm**
514935 $C_8H_{12}N_2H_2.SO_4$ (536-47-0)	N,N-**Dimethyl** P-**Phenylene Diamine Sulphate Salt AR** M. W.: 234.27	**5 gm** **25 gm**
076405 $C_{10}H_{10}O_4$ (131-11-3)	**Dimethyl Phthalate** M. W.: 194.19 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
515025 $C_{10}H_{10}O_4$ (131-11-3)	**Dimethyl Phthalate AR** M. W.: 194.19	**1 lit**
076465 (9006-65-9)	**Dimethyl Polysiloxane** for Synthesis	**1 lit**
076505 $C_{26}H_{20}N_2O_2$ (3073-87-8)	**Dimethyl Popop** Scintillation Grade [1,4-Bis(4-Methyl-5-Phenyl-2-Oxazolyl)Benzene] M. W.: 392.45	**5 gm** **25 gm**
	2,2-**Dimethyl**-1,3-**Propanediol** See Neopentyl Glycol	
515225 $C_6H_{12}N_2O$ (7226-23-5)	**Dimethyl Propylene Urea AR** (DMPU) M. W.: 128.17	**100 gm** **500 gm**
028214 $C_2H_6O_4S$ (77-78-1)	**Dimethyl Sulphate** for Synthesis M. W.: 126.13 Assay (GC) 99.0%	**500 ml**
515415 C_2H_6S (75-18-3)	**Dimethyl Sulphide AR** M. W.: 62.13	**500 ml** **2.5 lit**
	Dimethyl Sulphone See Methyl sulphonyl methane	

Product Code	Product Name	Packing
028216 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Synthesis M. W.: 78.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
515505 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide AR** M. W.: 78.13 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
515510 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** Specially Dried **AR** M. W.: 78.13 Assay (GC) 99.5%	**500 ml**
728300 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for HPLC & Spectroscopy M. W.: 78.13 Assay (GC) 99.8%	**1 lit**
926590 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Molecular Biology M. W.: 78.13 Assay 99.0%	**100 ml** **500 ml**
728400 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for Pesticide residue analysis M. W.: 78.13	**1 lit**
728700 C_2H_6SO (67-68-5)	**Dimethyl Sulphoxide** for GC-HS M. W.: 78.13 Assay 99.0%	**1 lit** **2.5 lit**
D54072 C_2D_6OS (2206 27 1)	**Dimethyl d_6 Sulphoxide** (DMSO d_6) M.W.: 84 18 (for NMR Spectroscopy) Assay Min. 99 5 atom%D	**10x0.75 ml**
D54126 C_2D_6OS (2206 27 1)	**Dimethyl d_6 Sulphoxide** (DMSO d_6) M.W.: 84 18 (for NMR Spectroscopy) Assay Min. 99 5 atom%D	**10 ml** **25 ml**
028218 $C_9H_{13}N$ (99-97-8)	N,N-**Dimethyl**-p-**Toluidine** M. W.: 135.21 Assay (GC) 98.0%	**500 ml**
076915 $C_3H_8N_2O$ (96-31-1)	N,N'-**Dimethyl Urea** for Synthesis (1,1-Dimethylurea) M. W.: 88.11	**100 gm** **500 gm**
025640 $C_{14}H_{15}N_3$ (60-11-7)	**Dimethyl Yellow** Indicator pH 2.9-4.0 Red to Orange Yellow Carcinogenic M. W.: 225.30	**10 gm** **25 gm** **100 gm**
020127 $C_{20}H_{18}BrN_3$ (518-67-2)	**Dimidium Bromide** M. W.: 380.29 Assay (Spectrophotometric br) about 95.0%	**100 mgm** **1 gm**
028220 $C_6H_5N_3O_4$ (97-02-9)	2,4-**Dinitro Aniline** M. W.: 183.12 Assay (HPLC) 98.0%	**100 gm** **500 gm**
077115 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene** tech M. W.: 168.11 Assay (GC) 97.0%	**500 gm**
028224 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene** for Synthesis M. W.: 168.11 Assay (GC) 98.0%	**250 gm** **500 gm** **25 kg**

Product Code	Product Name	Packing
515605 $C_6H_4(NO_2)_2$ (99-65-0)	m-**Dinitro Benzene AR** for determination of 17 Ketosteroids M. W.: 168.11 Assay (GC) 99.0%	**25 gm** **100 gm** **500 gm**
077125 $C_6H_4N_2O_4$ (528-29-0)	1,2-**Dinitrobenzene** M. W.: 168.11	**5 gm** **25 gm**
077135 $C_6H_4N_2O_4$ (100-25-4)	1-4,**Dinitro Benzene** for Synthesis M. W.: 168.11	**5 gm**
025633 $C_7H_4N_2O_6$ (99-34-3)	3,5-**Dinitro Benzoic Acid** M. W.: 212.12 Assay (acidimetric) 99.0%	**500 gm**
515785 $C_7H_4N_2O_6$ (99-34-3)	3,5-**Dinitro Benzoic Acid AR** M. W.: 212.12 Assay 99.7%	**100 gm** **500 gm**
077245 $C_7H_3Cl_2N_2O_5$ (99-33-2)	3:5-**Dinitro Benzoyl Chloride** for Synthesis M. W.: 230.56 Assay 98.0%	**100 gm**
	2,4 **Dinitro Chloro Benzene** See 1-Chloro-2,4-Dinitro Benzene	
077365 $C_6H_4N_2O_5$ (51-28-5)	2,4-**Dinitro Phenol** (1-Hydroxy-2,4-Dinitrobenzene, α-Dinitrophenol) M. W.: 184.11 Assay 97.0%	**25 gm** **100 gm**
028234 $C_6H_6N_4O_4$ (119-26-6)	2,4-**Dinitro Phenyl Hydrazine** M. W.: 198.14 Assay (HPLC) 98.0%	**25 gm** **100 gm** **500 gm**
515875 $C_6H_6N_4O_4$ (119-26-6)	2,4-**Dinitro Phenyl Hydrazine AR** Reagent for aldehydes and ketones M. W.: 198.14 Assay (HPLC) 99.0%	**25 gm** **100 gm** **500 gm**
028235 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid** for Synthesis M. W.: 228.12 Asssay (HPLC) 98.0%	**25 gm** **100 gm**
515920 $C_7H_4N_2O_7$ (609-99-4)	3,5-**Dinitro Salicylic Acid AR** M. W.: 228.12 Assay (HPLC) 99.0%	**25 gm** **100 gm**
	Diocyl Sebacate See Bis (2-Ethylhexyl) Sebacate	
	Dioctyl Phthalate See Bis (2-ehyle hexyl) phthalate	
056007 $C_{20}H_{37}NaO_7S$ (577-11-7)	**Dioctyl Sodium Sulphosuccinate** M. W.: 444.56 Assay (Redox titration, calculated on anhydrous basis) 99-100.5%	**500 gm** **5 kg** **25 kg**
028238 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Pure W.M : 88.11 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
515965 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane AR** M.W : 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
014623 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Scintillation Grade M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit**
515970 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** Specially Dried **AR** M. W.: 88.11 Assay (GC) 99.5%	**500 ml**
729500 $C_4H_8O_2$ (123-91-1)	1,4-**Dioxane** for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	**1 lit**
729700 $C_4H_8O_2$ (123-91-1)	1,4- **Dioxane** for Pesticide residue analysis M. W.: 88.11	**1 lit**
077675 $C_3H_6O_2$ (646-06-0)	1,3-**Dioxolane** for Synthesis (Ethylene Glycol Methylene Ether) M. W.: 74.08 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
516055 $C_3H_6O_2$ (646-06-0)	1,3-**Dioxolane AR** M. W.: 74.08	**500 ml** **2.5 lit** **25 lit** **200 lit**
077885 $C_{10}H_{16}$ (138-86-3)	**Dipentene** for Synthesis M. W.: 136.23	**500 ml**
025617 $C_{17}H_{21}NO.HCl$ (147-24-0)	**Diphenhydramine Hydrochloride** M. W.: 291.82 Assay 99.0%	**100 gm**
028243 $(C_6H_5)_2NH$ (122-39-4)	**Diphenylamine** for Synthesis Reagent for Nitrate M. W.: 169.23 Assay (GC) 98.0%	**250 gm** **500 gm**
516295 $(C_6H_5)_2NH$ (122-39-4)	**Diphenylamine AR/ACS** M. W.: 169.23 Assay (GC) 99.0%	**100 gm** **500 gm**
	Diphenylamine-4-sulphonic Acid Barium Salt See Barium Diphenylamine Sulphonate	
	Diphenylamine-4-Sulphonic Acid Sodium Salt See Sodium Diphenylamine Sulphonate	
078185 $C_{12}H_{11}NH_2SO_4$ (587-84-8)	**Diphenylamine Sulphate** M. W.: 267.30 Assay 98.0%	**100 gm** **500 gm**
078255 $C_{14}H_{12}O_2$ (117-34-0)	**Diphenyl Acetic Acid** for Synthesis M. W.: 212.25 Assay 98.0%	**100 gm** **500 gm**
516475 $C_{15}H_{14}O$ (102-04-5)	1,3-**Diphenyl Acetone AR** M. W.: 210.27	**100 gm**

Product Code	Product Name	Packing
025594 $C_{14}H_{11}N$ (86-29-3)	**Diphenyl Acetonitrile** M. W.: 193.25 Assay (GC) 99.0%	**100 gm**
516505 $(C_6H_4.NH.C_6H_5)_2$ (531-91-9)	N,N-**Diphenyl Benzidine AR** M. W.: 336.44 Assay (ex-N) 96.5%	**5 gm**
013053 $C_{13}H_{14}N_4O$ (140-22-7)	1,5-**Diphenyl Carbazide** M. W.: 242.28 Assay(HPLC) 97.0%	**25 gm** **100 gm**
516525 $C_{13}H_{14}N_4O$ (140-22-7)	1,5-**Diphenyl Carbazide AR/ACS** M. W.: 242.28 Assay (HPLC) 98.0%	**10 gm** **25 gm**
078400 $C_{13}H_{12}N_4O$ (538-62-5)	1,5-**Diphenyl Carbazone** M. W.: 240.27	**25 gm**
516535 $C_{13}H_{12}N_4O$ (538-62-5)	1,5-**Diphenyl Carbazone AR** M. W.: 240.27	**5 gm** **25 gm**
	Diphenylcarbinol See Benzhydrol	
078445 $(C_6H_5O)_2CO$ (102-09-0)	**Diphenyl Carbonate** for Synthesis M. W.: 214.22	**250 gm** **1 kg**
078505 $C_{12}H_{10}Se_2$ (1666-13-3)	**Diphenyl Diselenide** for Synthesis (Phenyl Diselenide) M. W.: 312.1 Assay 97.0%	**1 gm** **5 gm** **25 gm**
078545 $C_{12}H_{10}O$ (101-84-8)	**Diphenyl Ether** for Synthesis (Diphenyloxide,Phenylether) M. W.: 170.21	**500 ml** **2.5 lit** **25 lit**
516665 $C_{12}H_{10}O$ (101-84-8)	**Diphenyl Ether AR** M. W.: 170.21	**1 lit**
516855 $C_{14}H_{12}N_2O_2$ (23873-81-6)	**Diphenyl Glyoxime AR** (Anti-Diphe -nylglyoxime) (α-Benzyl Dioxime) M. W.: 240.26	**10 gm** **25 gm** **100 gm**
078615 $C_{13}H_{13}N_3$ (102-06-7)	1,3-**Diphenyl Guanidine** for Synthesis M. W.: 211.26	**100 gm** **250 gm**
078695 $C_{15}H_{12}N_2O_2$ (57-41-0)	5,5-**Diphenyl Hydantoin** for Synthesis M. W.: 252.27	**100 gm** **500 gm**
025620 $(C_6H_5)_2CH_2$ (101-81-5)	**Diphenyl Methane** M. W.: 168.24 Assay (GC) 99.0%	**500 ml** **2.5 lit**
	2,5-**Diphenyl Oxazole** See PPO	
	Diphenyl Oxide See Diphenyl Ether	
	4, 7-**Diphenyl**-1, 10-**Phenanthroline** See Bathophenanthroline	
	1,4-**Di**-2 **(5-Phenyl Oxazolyl) Benzene** See Popop	

Product Code	Product Name	Packing
078745 $C_{18}H_{12}N_5O_6$ (1898-66-4)	2,2-**Diphenyl**-1-**Picrylhydrazyl** M. W.: 394.32	**1 gm** **5 gm**
	Diphenyl Thiocarbazone See Dithizone	
078805 $C_{13}H_{12}N_2S$ (102-08-9)	N,N-**Diphenyl Thiourea** for Synthesis M. W.: 228.31 Assay 98.0%	**100 gm**
517045 $C_7H_5NO_4$ (499-83-2)	2,6-**Dipicolinic Acid AR** M. W.: 167.12 Assay 99.0%	**25 gm** **100 gm**
079005 $C_6H_{14}O_3$ (25265-71-8)	**Dipropylene Glycol** M. W.: 134.17 Assay 99.0%	**500 ml**
079100 $C_7H_{16}O_3$ (34590-94-8)	**Dipropylene Glycol Monomethyl Ether** M. W.: 148.20	**500 ml** **2.5 lit**
	2,2-**Dipyridyl** See 2,2-Bipyridyl	
517135 $(C_6H_4SCN)_2S_2$ (120-78-5)	2,2-**Dithio Bisbenzothiazole AR** M. W.: 332.49 Assay 99.0%	**25 gm**
079195 $C_{14}H_8N_2O_8S_2$ (69-78-3)	5,5-**Dithio Bis** Extra Pure (2-Nitro Benzoic Acid) M. W.: 396.35 Assay 98.0%	**1 gm** **5 gm**
079285 $C_4H_6O_4S_2$ (505-73-7)	**Dithiodiglycollic Acid** for Synthesis M. W.: 182.22	**25 gm**
044211 $C_4H_{10}O_2S_2$ (6892-68-8)	**Dithioerythreitol** (D.T.E.) M. W.: 154.24 Assay (Iodometric; ex SH) 97.0%	**1 gm** **5 gm**
928500 $C_4H_{10}O_2S_2$ (6892-68-8)	**Dithioerythreitol** (D.T.E.) For Molecular Biology M. W.: 154.24	**1 gm**
044149 $C_4H_{10}O_2S_2$ (3483-12-3)	DL-**Dithiothreitol** (D.T.T.) (Cleland's regent) M. W.: 154.24 Assay (Iodometric; ex SH) 98.0%	**1 gm** **5 gm** **25 gm**
928550 $C_4H_{10}O_2S_2$ (3483-12-3)	DL-**Dithiothreitol** (D.T.T.) for Molecular Biology M. W.: 154.24	**1 gm**
079395 $C_2H_4N_2S_2$ (79-40-3)	**Dithiooxamide** (Rubeanic Acid) M. W.: 120.20	**10 gm**
013063 $C_{13}H_{12}N_4S$ (60-10-6)	**Dithizone** M. W.: 256.33 Assay (Spectrophotometry) 98.0%	**5 gm** **25 gm**
517225 $C_{13}H_{12}N_4S$ (60-10-6)	**Dithizone AR** Reagent for Lead, Mercury and Zinc M. W.: 256.33 Assay (Spectrophotometry) 85.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
079525 $C_{20}H_{18}O_8$ (32634-66-5)	**(-)-Di**-o,o'-P-**Toluyl**-L-**Tartaric Acid** for Synthesis M. W.: 386.35 Assay (T) 97.0%	**25 gm** **100 gm**
025610 $C_{20}H_{18}O_8$ (32634-68-7)	(±)-**Di**-o,o'-**p-Toluyl**-D-**Tartaric Acid** (Anhydrous) M. W.: 386.35 Assay 98.0%	**5 gm** **25 gm**
517335 $[CH_3C_6H_4CO_2CH(CO_2H\text{-})_2.H_2O$ (71607-31-3)	**Di**-P-**Toluoyl**-D-**Tarataric Acid** Monohydrate **AR** M. W.: 404.37	**5 gm** **25 gm** **100 gm**
079635 $C_{22}H_{46}$ (629-97-0)	n-**Docosane** for Synthesis M. W.: 310.60 Assay 99.0%	**25 gm**
	Dodeca-Molybdo Phosphoric Acid **Ammonium Salt Hydrate** See Phosphomolybdic Acid Ammonium Salt Hydrate	
	Dodeca-Molybdo Phosphoric Acid **Sodium Salt Hydrate** See phosphomolybdic Acid Sodium Salt Hydrate	
079705 $C_{12}H_{26}$ (112-40-3)	n-**Dodecane** for Synthesis M. W.: 170.34	**250 ml** **500 ml**
730300 $CH_3(CH_2)_{11}SO_3Na$ (2386-53-0)	1-**Dodecane Sulphonic Acid Sodium** **Salt AR** for HPLC M. W.: 272.38	**5 gm** **25 gm**
	n-**Dodecanoic Acid** See Lauric Acid	
079815 $C_{16}H_{26}O_3$ (26544-38-7)	**Dodecenyl Succinic Anhydride** for Synthesis M.W. : 266.38	**250 gm**
	Dodecyl Alcohol (1-Dodecanol) See Lauryl Alcohol	
079905 $C_{12}H_{27}N$ (124-22-1)	**Dodecylamine** for Synthesis (Laurylamine) M. W.: 185.35 Assay 99.0%	**100 ml** **500 ml**
	Dodecyl Benzene See 1-**Phenyl dodecane**	
080035 $C_{18}H_{29}NaO_3S$ (25155-30-0)	**Dodecyl Benzene Sulphonic Acid** **Sodium Salt** M. W. : 348.48	**500 gm** **25 kg**
080105 $C_{18}H_{36}O_6$ (59122-55-3)	n-**Dodecyl β-D-GlucoPyranoside** **for Biochemistry** (Dodecyl Glucoside) M. W.: 348.47	**250 mgm** **1 gm**
080195 $C_{12}H_{25}SH$ (25103-58-6)	tert-**Dodecyl Mercaptan** M. W.: 202.40	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
080205 $C_{12}H_{26}S$ (112-55-0)	n-**Dodecyl Mercaptan** (1-Dodecanethiol) M. W.: 204.4	**500 ml** **2.5 lit**
080265 $C_{17}H_{30}ClN.XH_2O$ (207234-02-4)	1-**Dodecyl Pyridinium Chloride** hydrate for Synthesis M. W.: 283.88 (anhy)	**100 gm** **250 gm**
080325 $CH_3(CH_2)_{11}N(CH_3)_3Br$ (1119-94-4)	**Dodecyl Trimethyl Ammonium** **Bromide** for Synthesis (Lauryltrimethyl AmmoniumBromide) M. W.: 308.34 Assay 98.0%	**5 gm** **25 gm** **100 gm**
517615 $CH_3(CH_2)_{11}N(CH_3)_3Br$ (1119-94-4)	**Dodecyl Trimethyl Ammonium** **Bromide AR** M. W.: 308.34	**25 gm** **100 gm**
037079 $C_9H_{11}NO_4$ (59-92-7)	L-**Dopa** For Biochemistry M. W.: 197.19 Assay (non aqueous) 98.5%	**5 gm** **25 gm**
037038 $C_9H_{11}NO_4$ (63-84-3)	DL-**Dopa** M. W.: 197.20 Assay (non aqueous) 97.0%	**1 gm** **5 gm** **25 gm**
	Dowex See Towex	
025631 $C_{22}H_{24}N_2O_8.HCl$ (10592-13-9)	**Doxycycline Hydrochloride** for Lab Use M. W.: 480.90	**1 gm**
036029	**DPX Mountant** for Microscopy & Histology	**250 ml** **500 ml**
827000	**Drabkin's** Solution	**1 lit** **5 lit**
827020	**Dragendorff's** Reagent	**125 ml**
	DTPA Penta Sodium Salt See **Diethylene Triamine Penta** **acetic acid Penta Sodium Salt**	
028281 $C_6H_{14}O_6$ (608-66-2)	**Dulcitol** for Microbiology M. W.: 182.17	**25 gm** **100 gm**
080465	**Duolite**®C467 (Chelating Resin) Sodium Form	**250 gm** **1 kg**
080475	**Duolite**®XAD 761	**250 gm** **1 kg**
RE0435 Dy (7429-91-6)	**Dysprosium** Metal Ingot M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0440 Dy (7429-91-6)	**Dysprosium** Metal Lump (1cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0445 Dy (7429-91-6)	**Dysprosium** Metal Powder 325 mesh M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **10 gm** **25 gm**

Product Code	Product Name	Packing
RE0450 Dy (7429-91-6)	**Dysprosium** Metal Wire (0.1mm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0455 Dy (7429-91-6)	**Dysprosium** Metal Rod (5mmx30cm) M. W.: 162.50 Assay (Trace metals basis) 99.9%	**1 PC**
RE0460 Dy (7429-91-6)	**Dysprosium** Metal Foil (0.25mmx40cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	**1 PC**
RE0465 Dy (7429-91-6)	**Dysprosium** Metal Foil (0.50mmx40cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	**1 PC**
RE0470 Dy (7429-91-6)	**Dysprosium** Metal Slab (1cmx40cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	**1 PC**
RE0475 Dy (7429-91-6)	**Dysprosium** Metal Disc (0.1mmxdia35cm) M. W.: 162.50 Assay (Trace metals basis) 99.99%	**1 PC**
RE0485 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**
RE0490 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.99%	**10 gm** **50 gm**
RE0495 $(CH_3CO_2)_3Dy.XH_2O$ (304675-49-8)	**Dysprosium** (III) **Acetate** M. W.: 339.62 (Anhy.) Assay (Trace metals basis) 99.999%	**1 gm** **10 gm**
RE0505 $DyBr_3$ (14456-48-5)	**Dysprosium** (III) **Bromide** M. W.; 402.21 Assay (Trace metals basis) 99.95%	**10 gm** **50 gm**
RE0515 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99%	**25 gm** **100 gm**
RE0520 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0525 $Dy_2(CO_3)_3.XH_2O$ (38245-35-1)	**Dysprosium** (III) **Carbonate** M. W.: 505.03 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0540 $DyCl_3.6H_2O$ (15059-52-6)	**Dysprosium** (III) **Chloride** M. W.: 376.95 Assay (Trace metals basis) 99.99%	**10 gm** **50 gm**
Re0545 $DyCl_3.6H_2O$ (15059-52-6)	**Dysprosium** (III) **Chloride** M. W.: 376.95 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0565 DyF_3 (13569-80-7)	**Dysprosium** (III)**Fluoride** M. W.: 219.50 Assay (Trace metals basis) 99.99%	**25 gm**
RE0570 DyF_3 (13569-80-7)	**Dysprosium** (III) **Fluoride** M. W.: 219.50 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0580 DyI_3 (15474-63-2)	**Dysprosium** (III) **Iodide** M. W.: 543.21 Assay (Trace metals basis) 99.9%	**1 gm** **5 gm**
RE0585 DyI_3 (15474-63-2)	**Dysprosium** (III) **Iodide** M. W.: 543.21 Assay (Trace metals basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0600 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**
RE0605 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.99%	**25 gm**
RE0610 $Dy(NO_3)_3.XH_2O$ (100641-13-2)	**Dysprosium** (III) **Nitrate** M. W.: 348.52 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0625 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**
RE0630 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**
RE0635 $Dy_2(C_2O_4)_3.10H_2O$ (24670-07-3)	**Dysprosium** (III) **Oxalate** M. W.: 769.21 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0650 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE0655 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.99%	**25 gm**
RE0660 Dy_2O_3 (1308-87-8)	**Dysprosium** (III) **Oxide** M. W.: 373.00 Assay (Trace metals basis) 99.999%	**5 gm** **25 gm**
RE0675 $Dy(SO_4)_3.XH_2O$ (14373-91-2)	**Dysprosium** (III) **Sulphate** M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.9%	**25 gm** **100 gm**
RE0680 $Dy(SO_4)_3.XH_2O$ (14373-91-2)	**Dysprosium** (III) **Sulphate** M. W.: 613.19 (Anhy.) Assay (Trace metals basis) 99.99%	**5 gm** **25 gm**

CLARIFYING/FILTRATION AUXILLARIES

- Charcoal Activated
- Charcoal Activated E.P. Granular
- Charcoal Activated strong
- Aluminium oxide neutral
- Celite 545 Filter aid
- Fullers earth
- Glass wool
- Quartz powder
- Quartz powder > 230 mesh pure
- Quartz powder > 230 mesh AR
- Quartz powder < 230 mesh AR
- Quartz white powder
- Quartz washed & calcined AR
- Quartz sand acid purified
- Sand acid washed and calcined AR
- Sand acid purified 40-200 mesh
- Sand acid washed
- Sand calcined curde pract
- Sand white quartz -50 to +70 mesh
- Sea sand
- Sea sand AR

Product Code	Product Name	Packing
	E.D.T.A Acid and it's Salt See Ethylene Diamine Tetra Acetic Acid and it's Salt	
829100	**E.D.T.A** 5% w/v Solution	**125 ml**
829120	**E.D.T.A** 10% w/v Solution	**125 ml**
829150	**E.D.T.A** N/10 Solution	**500 ml**
829180	**E.D.T.A** N/50 Solution	**500 ml** **2.5 lit**
829210	**E.D.T.A** 0.01 M (0.02N) CITRISOL	**3 Amp** **6 Amp**
829280	**E.D.T.A** 0.01 M (0.02N) CTITRINORM Volumetric Soln. Nist Traceable	**1 lit**
829320	**EDTA** 0.1M (0.2N) Volumetric Solution Nist Traceable	**1 lit**
829360	**EDTA** 0.1M (0.2N) for 500 ml Volumetric Solution Nist Traceable	**3 Amp** **6 Amp**
829400	**EDTA** 0.1M (0.2N) Volumetric Solution Nist Traceable	**500 ml** **1 lit** **2.5 lit**
829420	**EDTA** 0.5M (1N) Volumetric Solution Nist Traceable	**1 lit**
829450	**E.D.T.A** Caustic Soda Powder (for estimatiion of milk fat by electronic milko tester)	**52.6 gm**
	E.G.T.A. See (Ethylene Glycol-O-,O'-bis (2-Amino Ethyl) N,N,N',N'-Tetra Acetic Acid	
025544 (9006-59-1)	**Egg Albumin** Flakes (Protein - 95 %)	**25 gm** **500 gm**
082190 (9006-59-1)	**Egg Albumin** Powder	**500 gm**
829520	**Ehrlich's** Reagent	**125 ml** **500 ml**
082225 $CH_3(CH_2)_{18}CH_3$ (112-95-8)	**n-Eicosane** for Synthesis M. W.: 282.55 Assay 97%	**25 gm**
025528	**Emulsifying Wax**	**500 gm**
015191 $C_{12}H_8Cl_6O$ (72-20-8)	**Endrin** M. W.: 380.91	**100 mgm** **1 gm**
034025 $C_{20}H_6Br_2N_2Na_2O_9$ (548-24-3)	**Eosine Blue** for Microscopy C.I. No. 45400 M. W.: 624.09 Dye content (Gravimetry; on dried substance) >85.0%	**25 gm** **100 gm**
034026 $C_{22}H_{11}Br_4KO_5$ (6359-05-3)	**Eosine** Spirit Soluble C.I. No. 45386 M.W.: 714.07 Dye content (spectro, dried) 90.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
034027 $C_{20}H_6Br_4Na_2O_5$ (17372-87-1)	**Eosine** Yellow Indicator for Microscopy Water Soluble C.I. No. 45380 M. W.: 691.88 Dye content (Gravimetric, dried) 88.0%	**25 gm** **100 gm** **500 gm**
829620	**Eosine** Yellow Stain Solution 2% w/v	**125 ml** **500 ml**
829660	**Eosinophil** Diluting Fluid	**125 ml**
027706 C_3H_5ClO (106-89-8)	**Epichlorohydrin** M. W.: 92.53 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
522265 C_3H_5ClO (106-89-8)	**Epichlorohydrin AR** (1-Chloro-2,3-Epoxypropane) M. W.: 92.53 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
522305 C_3H_5ClO (51594-55-9)	R (-) **Epichlorohydrine AR** M. W.: 92.53 Assay 99.0%	**5 gm** **25 gm**
522325 C_3H_5ClO (67843-74-7)	S(+) **Epichlorohydrine AR** M. W.: 92.53 Assay 98.0%	**5 gm** **25 gm**
829695	**Erbium** Atomic Absorption Sdt. Soln. Contain 1000 mg/lit AAS in HNO_3	**250 ml**
829700	**Erbium** 1000 ppm Single Element Standard for ICP in HNO_3	**1 lit**
RE0700 Er (7440-52-0)	**Erbium** Metal **Ingot** M. W.: 167.26 Assay (Trace metal basis) 99.99%	**10 gm**
RE0705 Er (7440-52-0)	**Erbium** Metal **Lump** (1 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0710 Er (7440-52-0)	**Erbium** Metal **Powder** 325 Mesh M. W.: 167.26 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0715 Er (7440-52-0)	**Erbium** Metal **Wire** (0.1mm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0720 Er (7440-52-0)	**Erbium** Metal **Rod** (5cmx30cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**1 PC**
RE0725 Er (7440-52-0)	**Erbium** Metal **Foil** (0.25mm x 40 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**1 PC**
RE0730 Er (7440-52-0)	**Erbium** Metal **Foil** (0.50mm x 40 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**1 PC**
RE0735 Er (7440-52-0)	**Erbium** Metal **Slab** (1cm x 40 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**1 PC**
RE0740 Er (7440-52-0)	**Erbium** Metal **Disc** (0.1mm x dia35 cm) M. W.: 167.26 Assay (Trace metal basis) 99.99%	**1 PC**

Product Code	Product Name	Packing
RE0755 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.9%	**5 gm** **10 gm** **25 gm** **100 gm**
RE0760 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0765 $C_6H_9ErO_6.XH_2O$ (207234-04-6)	**Erbium** (III) **Acetete** M. W.: 344.39 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE0780 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE0785 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0790 $Er_2(CO_3)_3.XH_2O$ (22992-83-2)	**Erbium** (III) **Carbonate** M. W. : 514.54 (anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE0805 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE0810 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0815 $ErCl_3.6H_2O$ (10025-75-9)	**Erbium** (III) **Chloride** M. W.: 381.71 Assay (Trace metal basis) 99.999%	**20 gm**
RE0825 ErI_3 (13813-42-8)	**Erbium** (III) **Iodide** M. W.: 547.97 Assay (Trace metal basis) 99.95%	**1 gm** **10 gm**
RE0840 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE0845 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.99%	**25 gm**
RE0850 $Er(NO_3)_3.5H_2O$ (10031-51-3)	**Erbium** (III) **Nitrate** M. W.: 443.35 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE0865 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **1 kg**
RE0870 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **100 gm** **500 gm**
RE0875 Er_2O_3 (12061-16-4)	**Erbium** (III) **Oxide** M. W.: 382.56 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm** **100 gm**
RE0890 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.9%	**5 gm** **50 gm** **100 gm**
RE0895 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE0900 $Er_2(SO_4)_3.8H_2O$ (10031-52-4)	**Erbium** (III) **Sulphate** M. W.: 766.82 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
025529 $C_{20}H_{12}N_3NaO_7S$ (1787-61-7)	**Eriochrome Black** T C.I. 14645 M. W.: 461.38	**25 gm** **100 gm** **1 kg**
522415 $C_{20}H_{12}N_3NaO_7S$ (1787-61-7)	**Eriochrome Black** T **AR/ACS** C.I. 14645 Metal (pH) Indicator M. W.: 461.38	**25 gm** **100 gm**
829710	**Eriochrome Black** T Indicator Solution	**125 ml**
	Eriochrome Blue Black B (Eriochrome Black R) See (Solochrome Black R) Solochrome Dark blue	
522505 $C_{23}H_{15}Na_3O_9S$ (3564-18-9)	**Eriochrome Cyanine** R **AR** M. W.: 536.40	**10 gm** **25 gm**
082525 $C_{37}H_{34}N_2Na_2O_9S_3$ (3844-45-9)	**Erioglaucine A** Certified grade (C.I.No. 42090) M.W.: 792.86	**5 gm** **25 gm**
522550 $C_{37}H_{34}N_2Na_2O_9S_3$ (3844-45-9)	**Erioglaucine AR** (C.I. No. : 42090) M. W.: 792.86 Dye content Abt. 70.0%	**10 gm** **25 gm**
082635 $C_4H_{10}O_4$ (149-32-6)	**Erythritol** (Erythrite) for Biochemistry M.W.: 122.12	**5 gm** **25 gm**
082705 $C_{37}H_{67}NO_{13}$ (114-07-8)	**Erythromycin** M.W.: 733.93	**5 gm** **25 gm**
025541 $C_{40}H_{71}NO_{14}.C_{12}H_{26}SO_4$ (3521-62-8)	**Erythromycin Estolate** for Lab Use M.W.: 1056.39	**5 gm**
025540 $C_{37}H_{67}NO_{13}.C_{18}H_{36}O_2$ (643-22-1)	**Erythromycin Stearate** for Lab Use M.W.: 1018.40	**5 gm**
034029 $C_{20}H_6I_4Na_2O_5$ (16423-68-0)	**Erythrosin** B for Microscopy C.I. 45430 M. W.: 879.87 Dye content (Gravimetric; on dried substance) >80.0%	**25 gm** **100 gm**
829820	**Esbach's** Reagent	**125 ml** **500 ml**
522640 (8007-09-8)	**Eschka's** Mixture **AR** For determination of Sulphur in coal Assay (complexometric, Mg) 38-42%	**250 gm** **1 kg**
	Esculin See Asculin	
025542 $C_{18}H_{24}O_2$ (50-28-2)	**-Estradiol** M. W.: 272.38	**1 gm** **5 gm**

Product Code	Product Name	Packing
082815 $C_{18}H_{22}O_2$ (53-16-7)	**Estrone** for Biochemistry M. W.: 270.37	**1 gm** **5 gm**
	Ethanediol See Ethylene glycol	
730850 $NaO_3SCH_2CH_2SO_3Na$ (5325-43-9)	**Ethane**-1,2-**Disulfonic Acid Disodium Salt** (Anhydrous) HPLC for Ion Pair Chromatography M.W.: 234.16	**5 gm** **25 gm**
082985 $CH_3CH_2SO_3H$ (594-45-6)	**Ethane Sulphonic Acid** M. W.: 110.13 Assay 95.0%	**5 gm**
082975 $C_2H_6S_2$ (540-63-6)	**Ethane Dithiol** for Synthesis M. W.: 94.20 Assay (GC) 98.0%	**25 ml**
028306 C_2H_7NO (141-43-5)	**Ethanolamine** Mono for Synthesis M. W.: 61.08 Assay (acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit**
522830 C_2H_7NO (141-43-5)	**Ethanolamine** Mono **AR/ACS** M. W.: 61.08 Assay (Acidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit**
083105 C_2H_8ClNO (2002-24-6)	**Ethanolamine Hydrochloride** (2-Hydroxymethyl Ammonium Chloride) M. W.: 97.55 Assay 98.0%	**500 gm**
	Ether Solvent See Di Ethyl Ether	
	Ethrel See 2-Chloroethyl Phosphonic acid	
044159 $C_{21}H_{20}BrN_3$ (1239-45-8)	**Ethidium Bromide** M. W.: 394.32 Assay (Non-aqueous, on dried Subs.) 98.0%	**1 gm** **5 gm**
829930	**Ethidium Bromide Solution** ~1% in Water for Fluorescence Store at 2-8°C	**50 ml**
083275 $C_{10}H_{12}O_2$ (2142-67-8)	2-**Ethoxy Acetophenone** for Synthesis M. W.: 164.20 Assay 98.0%	**10 gm** **25 gm**
083295 $C_{10}H_{12}O_2$ (1676-63-7)	P-**Ethoxy Acetophenone** for Synthesis M. W.: 164.20 Assay 98.0%	**25 gm** **100 gm**
083355 $C_9H_{10}O_2$ (10031-82-0)	P-**Ethoxy Benzaldehyde** for Synthesis M. W.: 150.17 Assay 99.0%	**100 gm**
083415 $C_9H_{10}O_3$ (619-86-3)	P-**Ethoxy Benzoic Acid** for Synthesis M. W.: 166.17 Assay 99.0%	**100 gm**
	2-**Ethoxy Ethanol** See Ethylene Glycol Monoethyl Ether	
	2-**Ethoxy Ethyl Acetate** See Cellosolve acetate	
025527 (61790-81-6)	**Ethoxylated Lanolin**	**500 gm**

Product Code	Product Name	Packing
028311 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Synthesis M. W.: 88.11 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
522920 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate AR/ACS** M. W.: 88.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
522925 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate "Dry" AR** M. W.: 88.11	**500 ml**
730900 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for HPLC & Spectroscopy M. W.: 88.11 Assay (GC) 99.7%	**1 lit** **2.5 lit**
731000 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Pesticide Residue Trace Analysis M. W.: 88.11	**1 lit** **2.5 lit**
731100 $CH_3.COOC_2H_5$ (141-78-6)	**Ethyl Acetate** for Protein Sequence Analysis for Biochemistry M. W.: 88.11	**500 ml**
028312 $C_6H_{10}O_3$ (141-97-9)	**Ethyl Acetoacetate** for Synthesis M. W.: 130.14 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
523105 $C_6H_{10}O_3$ (141-97-9)	**Ethyl Acetoacetate AR** M. W.: 130.14	**1 lit**
028313 $C_5H_8O_2$ (140-88-5)	**Ethyl Acrylate** for Synthesis M. W.: 100.12 Assay (GC) 99.0%	**500 ml** **2.5 lit**
025532 C_2H_7N (75-04-7)	**Ethylamine** Solution for Synthesis (Mono Ethylamine) M. W.: 45.08 Assay (Acidimetric) 70% w/w	**500 ml** **2.5 lit** **25 lit** **200 lit**
083715 $C_4H_{11}NO$ (110-73-6)	2-(**Ethylamino**) **Ethanol** for Synthesis M.W.: 89.14	**250 ml** **1 lit**
083825 $C_8H_{11}N$ (103-69-5)	n-**Ethyl Aniline** for Synthesis (Monoethyl Aniline) M. W.: 121.18	**500 ml** **2.5 lit** **25 lit** **200 lit**
083855 $C_8H_{11}N$ (587-02-0)	3-**Ethyl Aniline** M. W.: 121.18 Assay 98.0%	**10 ml** **50 ml**
083905 $C_8H_{11}N$ (589-16-2)	4-**Ethyl Aniline** M.W.: 121.18	**100 ml** **500 ml**
083945 $C_9H_{11}NO_2$ (87-25-2)	**Ethyl Anthranilate** for Synthesis M.W.: 165.19 Assay 99.0%	**500 ml**

Product Code	Product Name	Packing
028320 $C_6H_5.C_2H_5$ (100-41-4)	**Ethyl Benzene** M. W.: 106.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
028321 $C_9H_{10}O_2$ (93-89-0)	**Ethyl Benzoate** M. W.: 150.18 Assay(GC) 99.0%	**500 ml** **2.5 lit**
084215 $C_{11}H_{12}O_3$ (94-02-0)`	**Ethyl Benzoyl Acetate** for Synthesis M.W.: 192.21 Assay 97.0%	**100 ml** **500 ml**
	Ethyl Bromide See Bromo Ethane	
025530 $C_4H_7BrO_2$ (105-36-2)	**Ethyl Bromo Acetate** for Synthesis M. W.: 167.01 Assay (GC) 97.0%	**250 ml** **500 ml**
084395 $BrC_9H_9O_2$ (24398-88-7)	**Ethyl-3-Bromo Benzoate** for Synthesis M. W.: 229.07 Assay 98.0%	**25 gm** **100 gm**
084415 $BrC_9H_9O_2$ (5798-75-4)	**Ethyl-4-Bromo Benzoate** for Synthesis M. W.: 229.07 Assay 98.0%	**25 gm** **100 gm**
084475 $BrC_5H_9O_2$ (535-11-5)	**Ethyl-2-Bromo Propionate** for Synthesis M. W.: 181.03 Assay 99.0%	**100 gm**
084495 $BrC_5H_9O_2$ (539-74-2)	**Ethyl-3-Bromo Propionate** for Synthesis M. W.: 181.03 Assay 98.0%	**100 gm**
523235 C_6H_{12} (760-21-4)	2-**Ethyl**-1-**Butene AR** M. W.: 84.16	**10 ml** **50 ml**
025538 $C_6H_{12}O_2$ (105-54-4)	**Ethyl Butyrate** M. W.: 116.16 Assay (GC) 98.0%	**500 ml**
084585 $C_8H_{16}O_2$ (123-66-0)	**Ethyl Caproate** for Synthesis M. W.: 144.21	**500 gm**
084605 $C_{10}H_{20}O_2$ (106-32-1)	**Ethyl Caprylate** for Synthesis M. W.: 172.26	**500 gm**
084625 $C_3H_8N_2O_2$ (4114-31-2)	**Ethyl Carbazate** M. W.: 104.11 Assay 97.0%	**25 gm** **100 gm**
	Ethyl Cellosolve See Etheylene Glycol Monoethyl Ether	
	Ethyl Cellosolve Acetate See Cellosolve Acetate	
028330 (9004-57-3)	**Ethyl Cellulose**	**500 gm**
025522 $C_4H_7ClO_2$ (105-39-5)	**Ethyl Chloro Acetate** for Synthesis M. W.: 122.55 Assay (GC) 98.0%	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
084715 $C_6H_9O_3Cl$ (638-07-3)	**Ethyl-4-Chloro Aceto Acetate** for Synthesis M. W.: 164.59 Assay 95.0%	**100 gm** **500 gm**
084805 $C_3H_5O_2Cl$ (541-41-3)	**Ethyl Chloroformate** (Ethyl Chlorocarbonate) M. W.: 108.52	**500 ml** **2.5 lit** **25 lit**
084915 $C_5H_9O_2Cl$ (535-13-7)	**Ethyl-2-Chloro Propionate** for Synthesis M. W.: 136.58 Assay 97.0%	**100 ml**
025545 $C_{11}H_{12}O_2$ (103-36-6)	**Ethyl Cinnamate** M. W.: 176.22 Assay (GC) 98.0%	**500 ml**
028337 $C_5H_7NO_2$ (105-56-6)	**Ethyl Cyanoacetate** for Synthesis M. W.: 113.12 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
085105 C_8H_{16} (1678-91-7)	**Ethyl Cyclohexane** for Synthesis M. W.: 112.21 Assay 97.0%	**500 ml**
085215 $C_{12}H_{24}O_2$ (110-38-3)	**Ethyl Decanoate** for Synthesis M. W.: 200.32 Assay (GC) 99.0%	**500 ml**
	Ethyl Digol See Diethylene Glycol Monoethyl Ether	
085325 $C_8H_{19}N$ (7087-68-5)	n-**Ethyl Diisopropylamine** (N,N-Diisopropyl Ethylamine) M. W.: 129.24	**250 ml** **1 lit**
	1-**Ethyl**-3-3-**Dimethyl Amino Propylcarbodimide Hydrochloride** See N-(3-Dimethyl amino Propyl)-N'-ethyl Carbo diimide	
028016 $C_2H_8N_2$ (107-15-3)	**Ethylene Diamine** for Synthesis (1,2-Diamino Ethane) M. W.: 60.10 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
523455 $C_2H_8N_2$ (107-15-3)	**Ethylene Diamine AR** M. W.: 60.10	**500 ml**
025521 $C_2H_8N_2.2HCl$ (333-18-6)	**Ethylenediamine Dihydrochloride** M. W.: 133.03 Assay (Argentometric) 99.0%	**100 gm** **500 gm**
085415 $C_2H_8N_2H_2SO_4$ (22029-36-3)	**Ethylene Diamine Sulphate** for Synthesis M. W.: 158.177	**100 gm**
085425 $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Acid** M. W.: 292.25 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg** **50 kg**
523495 $C_{10}H_{16}N_2O_8$ (60-00-4)	**Ethylene Diamine Tetra Acetic Acid AR/ACS** For Complexometry M. W.: 292.25 Assay (Complexometric) 99.0%	**100 gm** **500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
025520	**Ethylene-Diamine Tetra Acetic Acid Calcium Disodium Salt**	**500 gm 25 kg 50 kg**
$C10H12CaN2Na2O8.XH2O$ (304695-78-1)	M. W.: 374.27. XH2O Assay (Complexometric; on anhydrous basis) 97-102%	
028023	**Ethylene-Diamine Tetra Acetic Acid Ferric Mono Sodium Salt**	**100 gm 500 gm 25 kg 50 kg**
$C_{10}H_{12}FeN_2NaO_8.3H_2O$ (18154-32-0)	M. W.: 421.10 Fe content (on anhydrous basis) 12-14%	
028024	**Ethylene Diamine Tetra Acetic Acid Dipotassium Salt**	**100 gm 500 gm 25 kg 50 kg**
$C_{10}H_{14}K_2O_8N_2.2H_2O$ (25102-12-9)	M.W.: 404.46 Assay (Complexometric) 98.0%	
523515	**Ethylene Diamine Tetra Acetic Acid Dipotassium Salt AR**	**100 gm 500 gm 25 kg 50 kg**
$C_{10}H_{14}K_2O_8N_2.2H_2O$ (25102-12-9)	M. W.: 404.46 Assay (complexometric) 99.0%	
016149	**Ethylene Diamine Tetra Acetic Acid Disodium Magnesium Salt**	**500 gm 50 kg**
$C_{10}H_{12}mgN_2O_8.2Na.XH_2O$ (14402-88-1)	M. W.: 358.50 (Anhy.)	
932500	**Ethylene Diamine Tetra Acetic Acid Disodium Salt** for Molecular Biology	**100 gm 500 gm**
$C_{10}H_{14}N_2Na_2O_8.2H_2O$ (6381-92-6)	M. W.: 372.24 Assay (Complexometric) 99.5%	
028021	**Ethylene Diamine Tetra Acetic Acid Disodium Salt**	**100 gm 500 gm 5 kg 25 kg**
$C_{10}H_{14}O_8Na_2N_2.2H_2O$ (6381-92-6)	M. W.: 372.24 Assay (complexometric) 98.0%	
523525	**Ethylene Diamine Tetra Acetic Acid Disodium Salt AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur.	**100 gm 500 gm 5 kg 25 kg**
$C_{10}H_{14}O_8Na_2N_2.2H_2O$ (6381-92-6)	M. W.: 372.24 Assay (Complexometric) 99.5%	
028026	**Ethylene Diamine Tetra Acetic Acid Tetra Sodium Salt**	**500 gm 5 kg 25 kg**
$C_{10}H_{12}N_2Na_4O_8.2H_2O$ (10378-23-1)	M. W.: 416.20 Assay (complexometric) 98.0%	
085515	**Ethylene Diamine Tetra Acetic Acid tripotassium Salt** (Dihydrate) Reagent for Complexometry	**250 gm 1 kg**
$(KOOCCH_2)_2NCH_2CH_2N(CH_2COOK)CH_2COOH \cdot 2H_2O$ (65501-24-8)	M. W.: 442.54 Assay 98.0%	
025526	**Ethylenediamine Tetra Acetic Acid Tri Sodium Salt**	**100 gm 500 gm 50 kg**
$C_{10}H_{13}N_2Na_3O_82H_2O$ (150-38-9)Anhy.	M. W.: 394.22 Assay 98.0%	
	Ethylenedibromide See 1,2-Dibromoethane	
	Ethylenedichloride See 1,2-Dichloroethane	
028296	**Ethylene Glycol** for Synthesis	**500 ml**
$CH_2(OH)CH_2OH$ (107-21-1)	M. W.: 62.07 Assay (GC) 99.0%	**2.5 lit 25 lit**
523575	**Ethylene Glycol AR**	**500 ml**
$CH_2(OH)CH_2OH$ (107-21-1)	M. W.: 62.07	**2.5 lit 25 lit**
027932	**Ethylene Glycol Mono Butyl Ether** (2-Butoxy Ethanol) for Synthesis	**500 ml 2.5 lit**
$C_6H_{14}O_2$ (111-76-2)	M. W.:118.18 Assay (GC) 98.0%	**25 lit 200 lit**
028309	**Ethylene Glycol Mono Ethyl Ether** (2-Ethoxy Ethanol) for Synthesis	**500 ml 2.5 lit**
$C_4H_{10}O_2$ (110-80-5)	M. W.: 90.12 Assay (GC) 98.0%	**25 lit**
029198	**Ethylene Glycol Mono Methyl Ether** (2-Methoxy Ethanol) for Synthesis	**500 ml 2.5 lit**
$C_3H_8O_2$ (109-86-4)	M. W.: 76.10 Assay (GC) 99.0%	**25 lit 200 lit**
025515	**Ethylene Glycol Mono Phenyl Ether** (Phenyl cellosolve)	**500 ml 2.5 lit**
$C_8H_{10}O_2$ (122-99-6)	M. W.: 138.17 Assay 99.0-100.5%	**25 lit 200 lit**
025525	**Ethylene Glycol Mono Stearate**	**500 gm**
$C_{20}H_{40}O_3$ (111-60-4)	M. W.: 328.54	
028672	**Ethylene Glycol**-O,O-bis (2-Amino Ethyl) N,N,N',N'-**Tetra Acetic Acid** (E.G.T.A.)	**10 gm 100 gm**
$C_{14}H_{24}N_2O_{10}$ (67-42-5)	M. W.: 380.35 Assay (complexometric) 98.0%	
085585	**Ethylene Thiourea** for Synthesis	**500 gm**
$C_3H_6N_2S$ (96-45-7)	M. W.: 102.16	
085635	**Ethylene Urea** for Synthesis	**250 gm**
$C_3H_6N_2O$ (120-93-4)	M. W.: 86.09	**500 gm**
085755	**Ethyl Eosin** for Microscopy Certified Grade (C.I.No. 45386)	**5 gm**
$C_{22}H_{11}Br_4KO_5$ (6359-05-3)	M.W. : 714.03	
025535	**Ethyl Formate** for Synthesis (Formic Acid Ethyl Ester)	**500 ml 2.5 lit**
$C_3H_6O_2$ (109-94-4)	M. W.: 74.08 Assay (GC) 98.0%	
085815	**Ethyl Heptanoate** for Synthesis	**500 gm**
$C_9H_{18}O_2$ (106-30-9)	M. W.: 158.24 Assay (GC) 99.0%	
085885	2-**Ethyl Hexanoic Acid** for Synthesis (Ethyl Caproic Acid, Octoic Acid)	**500 ml 2.5 lit**
$C_8H_{16}O_2$ (149-57-5)	M. W.: 144.21	**25 lit**
523775	2-**Ethyl Hexanoic Acid AR**	**1 lit**
$C_8H_{16}O_2$ (149-57-5)	M.W.: 144.21	
028345	2-**Ethyl**-1-**Hexanol** (2-Ethyl Hexane-1-ol)	**500 ml 2.5 lit**
$C_8H_{18}O$ (104-76-7)	M. W.: 130.23 Assay (GC) 99.0%	**25 lit**

Product Code	Product Name	Packing
025533 $C_{11}H_{20}O_2$ (103-11-7)	2-**Ethyl Hexyl Acrylate** M.W.: 184.28 Assay (GC) 99.0%	**500 ml** **2.5 lit**
523965 $C_{11}H_{20}O_2$ (103-11-7)	2-**Ethyl Hexyl Acrylate AR** M.W.: 184.28	**1 lit**
085775 $C_{12}H_{22}O_2$ (688-84-6)	2-**Ethyl Hexyl Methacrylate** for Synthesis (Stabilized) M. W.: 198.30 Assay 98.0%	**250 ml** **1 lit**
025543 $C_9H_{10}O_3$ (120-47-8)	**Ethyl**-p-**Hydroxy Benzoate** (Ethyl Paraben) M.W.: 166.17 Assay (GC) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
028581 C_2H_5I (75-03-6)	**Ethyl Iodide** for Synthesis M. W.: 155.97 Assay (GC) 99.0%	**100 ml** **250 ml**
085955 $C_6H_{12}O_2$ (97-62-1)	**Ethyl-Iso-Butyrate** for Synthesis M. W.: 116.16	**500 gm**
086025 $C_7H_{14}O_2$ (108-64-5)	**Ethyl-Iso-Valerate** for Synthesis M. W.: 130.18	**500 gm**
086075 $C_5H_{10}O_3$ (97-64-3)	**Ethyl Lactate** (Biodegradeble) Solvent Replacement for Optical and Microelectronical Purpose M. W.: 118.13 Assay 98.0%	**250 ml** **1 lit**
044037 $C_6H_7NO_2$ (128-53-0)	N-**Ethyl Maleimide** M. W.: 125.13	**5 gm** **25 gm**
086125 $C_3H_8O_3S$ (62-50-0)	**Ethyl Methane Sulfonate** (Plant Mutagen) M. W.: 124.16	**10 gm** **100 gm**
086275 C_3H_9N (624-78-2)	N-**Ethyl Methylamine** M. W.: 59.11 Assay 97.0%	**5 gm** **25 gm**
087395 $C_{11}H_{13}N$ (40876-94-6)	1-**Ethyl**-2-**Methyl Indole** M. W.: 159.23	**25 gm**
	Ethyl Methyl Ketone See Butanone	
087515 $C_6H_{13}NO$ (100-74-3)	N-**Ethyl Morpholine** for Synthesis (4-Ethylmorpholine) M. W.: 115.17	**250 ml** **1 lit**
028356 $C_{20}H_{38}O_2$ (111-62-6)	**Ethyl Oleate** for Synthesis M. W.: 310.52 Assay (Saponification) 98.0%	**500 ml** **2.5 lit** **25 lit**
087605 $C_{16}H_{18}N_3.Na.SO_3$ (62758-12-7)	**Ethyl Orange Sodium Salt** M. W.: 355.39 Dye content 90.0%	**10 gm**

Product Code	Product Name	Packing
025537 $C_{10}H_{12}O_2$ (101-97-3)	**Ethyl Phenyl Acetate** M. W.: 164.20	**500 ml**
025518 $C_6H_{14}N_2$ (5308-25-8)	N-**Ethyl Piperazine** for Synthesis M. W.: 114.19	**250 ml** **2.5 lit**
087725 $C_7H_{14}N_2O_2$ (120-43-4)	**Ethyl Piperazine-1-Carboxylate** M. W.: 158.20 Assay 99.0%	**25 gm**
025536 $C_5H_{10}O_2$ (105-37-3)	**Ethyl Propionate** M. W.: 102.13 Assay (GC) 99.0%	**500 ml** **2.5 lit**
087805 $C_5H_8O_3$ (617-35-6)	**Ethyl Pyruvate** for Synthesis M. W.: 116.12 Assay 98.0%	**100 gm** **500 gm**
025534 2-(OH)$C_6H_4CO_2C_2H_5$ (118-61-6)	**Ethyl Salicylate** M. W.: 166.17	**500 ml**
087945 $C_4F_3H_5O_2$ (383-63-1)	**Ethyl Trifluoroacetate** for Synthesis M. W.: 142.08 Assay 99.0%	**100 gm** **500 gm**
088185 $C_9H_{10}O_3$ (121-32-4)	**Ethyl Vanilin** for Synthesis M. W.: 166.17	**100 gm** **500 gm**
088215 $C_{31}H_{42}N_3Cl$ (2390-59-2)	**Ethyl Violet** for Microscopy C.I.No.42600 M. W.: 492.14	**25 gm**
025539 (8000-48-4)	**Eucalyptus Oil** Assay (as cineole content) >60.0%	**250 ml**
088995 (25086-15-1)	**Eudragit L-100** for Synthesis	**100 gm** **250 gm**
089015 (3343-24-1)	**Eudragit RL-100** for Synthesis	**100 gm** **250 gm**
089035 (3343-24-1)	**Eudragit RS -100** for Synthesis	**100 gm** **250 gm**
089055 (25086-15-1)	**Eudragit S -100** for Synthesis	**100 gm** **250 gm**
028374 $C_{10}H_{12}O_2$ (97-53-0)	**Eugenol** Pure M. W.: 164.21 Assay (GC) 99.0%	**100 ml** **500 ml**
089150 $C_{12}H_{14}O_3$ (93-28-7)	**Eugenol Acetate** for Synthesis M. W.: 206.24	**500 gm**
089195	**Euparol** for Microscopy	**100 ml**
830070	**Europium** Atomic Absorption Sdt. Soln. Contain 1000 mg/lit AAS in HNO_3	**100 ml**
830080	**Europium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**

Product Code	Product Name	Packing
RE0910 Eu (7440-53-1)	**Europium** Metal **Ingot** M. W.: 151.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0915 Eu (7440-53-1)	**Europium** Metal **Lump** (1cm) M. W.: 151.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0925 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0930 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0935 $Eu(O_2C_2H_3)_3.XH_2O$ (62667-64-5)	**Europium** (III) **Acetate** M. W.: 329.1 (anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **10 gm** **50 gm**
RE0945 $EuBr_3.XH_2O$ (560069-78-5)	**Europium** (III) **Bromide** M. W.: 391.68 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm**
RE0955 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0960 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0965 $Eu_2(CO_3)_3.XH_2O$ (86546-99-8)	**Europium** (III) **Carbonate** M. W.: 483.95 (anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE0975 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE0980 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE0985 $EuCl_3.6H_2O$ (13759-92-7)	**Europium** (III) **Chloride** M. W.: 366.41 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE0995 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.9%	**1 gm** **2 gm** **10 gm** **50 gm**
RE1000 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE1005 $Eu(NO_3)_3.6H_2O$ (10031-53-5)	**Europium** (III) **Nitrate** M. W.: 446.06 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE1015 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.9%	**2 gm** **10 gm** **25 gm**
RE1020 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**

Product Code	Product Name	Packing
RE1025 $Eu_2(C_2O_4)_3.XH_2O$ (304675-55-6)	**Europium** (III) **Oxalate** M. W.: 567.99 (anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE1035 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1040 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.99%	**1 gm** **5 gm** **25 gm** **100 gm**
RE1045 Eu_2O_3 (1308-96-9)	**Europium** (III) **Oxide** M. W.: 351.92 Assay (trace metals basis) 99.999%	**25 gm** **100 gm**
RE1055 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1060 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.99%	**1 gm** **25 gm**
RE1065 $Eu_2(SO_4)_3.XH_2O$ (20814-06-6)	**Europium** (III) **Sulphate** M. W.: 592.10 (anhy.) Assay (trace metals basis) 99.999%	**1 gm** **5 gm** **25 gm**
034115 $C_{34}H_{24}N_6Na_4O_{14}S_4$ (314-13-6)	**Evans Blue** for Microscopy For estimation of blood volume M. W.: 960.82 Dye content (titanometric dried) About 85.0%	**5 gm** **25 gm**
	Extra Special Neutral Detergent For Cleaning Laboratory Glass Wares & Instruments See CEDEPOL	

EL GRADE SOLVENTS

- ACETIC ACID
- ACETONE
- CHLOROFORM
- HYDROFLUORIC ACID 40% W/W
- HYDROFLUORIC ACID 48% W/W
- PROPAN-2-OL (ISO-PROPYL ALCOHOL)
- TRICHLOROETHYLENE
- WATER

ENZYMES

- Diastase (α-amylase)
- Papain
- Pepsin 1:3000
- Pepsin 1:10000
- Trypsin 1:250
- Trypsin 2000 units/g

ENZYME SUBSTRATES/COENZYMES

- Glycylglycine
- Sodium pyruvate
- D-Ribose
- Sodium b-glycerophosphate AR
- Uric acid AR
- Xanthine for biochemistry

Product Code	Product Name	Packing
092265 $C_{14}H_{12}N_4O_2Cl_2.ZNCl_2$ (14263-94-6)	**Fast Blue B Salt** (C.I. 37235) M. W.: 475.47	**25 gm** **100 gm** **1 kg**
092295 $C_{17}H_{18}ClN_3O_3.1/2\ ZnCl_2$ (5486-84-0)	**Fast Blue BB Salt** for Microbiology (C.I. 37175) M. W.: 415.94 Dye content 80.0%	**25 gm**
092325 $C_{15}H_{14}ClN_3O_3.1/2\ ZNCl_2$ (14726-29-5)	**Fast Blue RR Salt** (C.I. 37155) M. W.: 387.89	**5 gm** **25 gm**
092365 $C_{14}H_{14}N_4O_4S$ (101-89-3)	**Fast Garnet GBC Salt** Purified (C. I. No. 37210) M. W.: 334.35	**25 gm**
034045 $C_{52}H_{54}N_4O_{12}$	**Fast Green** for Microscopy C.I. 42000 M.W.: 927.02 Dye content (titanometric on dried substance) Abt. 90.0%	**25 gm** **100 gm**
034030 $C_{37}H_{34}N_2Na_2O_{10}S_3$ (2353-45-9)	**Fast Green FCF** for Microscopy C.I. No. 42053 M.W.: 808.85 Dye content (titanometry, on dried subs.) >85.0%	**5 gm** **25 gm**
092455 $C_{24}H_{21}N_5$ (6368-72-5)	**Fat Red 7B** (C.I.No. 26050) M. W.: 379.46 Dye content 95.0%	**10 gm**
092465 $C_{20}H_{14}N_2O_7S_2.2Na$ (2302-96-2)	**Fast Red E** (C.I. 16045) M. W.: 502.43	**25 gm**
020049 $C_{30}H_{17}N_4Na_3O_{11}S_3$ (3682-47-1)	**Fast Sulphon Black** F C.I. No. 26990 M. W.: 774.6 Dye content (titanometry) Approx 30.0%	**25 gm**
092545 $C_{15}H_{16}N_2O_2$ (14726-28-4)	**Fast Violet** B **Salt** for Microscopy (C.I.No. 37165) M. W.: 256.30 Dye content 85.0%	**5 gm** **25 gm**
834200	**Fehling's** Solution NO. 1 Assay iodometric ($CuSO_4$) 7.0% w/v	**500 ml**
834220	**Fehling's** Solution NO. 2	**500 ml**
092675 $C_4H_7.FeO_5$ (10450-55-2)	**Ferric Acetate** Basic M.W.: 190.93	**500 gm**
092725 $C_{15}H_{21}O_6.Fe$ (14024-18-1)	**Ferric Acetyl Acetonate** for Synthesis (Iron. III Acetyl Acetronate) M. W.: 353.17	**100 gm**
	Ferric Ammonium Citrate See Ammonium Ferric Citrate	

Product Code	Product Name	Packing
092795 $C_6FeO_{12}.3H_4N$ (14221-47-7)	**Ferric Ammonium Oxalate** M. W.: 374.01	**500 gm**
	Ferric Ammonium Sulphate See Ammonium Ferric Sulphate	
092855 $BFeO_3$ (20542-97-6)	**Ferric Borate** M.W.: 114.65	**500 gm**
092900 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous M. W.: 162.21 Assay (iodometric) 97.0%	**500 gm** **1 kg** **50 kg**
528615 $FeCl_3$ (7705-08-0)	**Ferric Chloride** Anhydrous **AR** M. W.: 162.21 Assay (Iodometric) 98.0%	**500 gm**
028691 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate M. W.: 270.30 Assay (Iodometric) 98.0%	**500 gm** **50 kg**
528620 $FeCl_3.6H_2O$ (10025-77-1)	**Ferric Chloride** Hexahydrate **AR/ACS** M. W.: 270.30 Assay (Iodometric) 98.0%	**500 gm**
834320	**Ferric Chloride** Solution 10% (Gerhardt's Reagent) Assay 9.9-10.1%	**125 ml** **1 lit**
028381 $C_6H_5FeO_7.3H_2O$ (2338-05-8)	**Ferric Citrate** M. W.: 298.99 Iron (Fe) Iodometric 18-20%	**500 gm**
028384 $Fe(NO_3)_3.9H_2O$ (7782-61-8)	**Ferric Nitrate** (Iron (III) Nitrate) M. W.: 404.00 Assay (oxidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
528650 $Fe(NO_3)_3.9H_2O$ (7782-61-8)	**Ferric Nitrate** Nonahydrate **AR/ACS** M. W.: 404.00 Assay (Oxidimetric) 99-101%	**500 gm**
093155 Fe_2O_3 (1309-37-1)	**Ferric Oxide Black** M. W.: 159.69	**500 gm**
028386 Fe_2O_3 (1309-37-1)	**Ferric Oxide Red** (Iron Oxide Red) M. W.: 159.69 Assay (Iodometric) 95.0%	**500 gm** **5 kg** **50 kg**
528675 $Fe(ClO_4)_3.XH_2O$ (15201-61-3)	**Ferric Perchlorate AR** M. W.: 354.20 (Anhy.) Assay 97.0%	**100 gm**
028385 $FePO_4.4H_2O$ (31096-47-6)	**Ferric Phosphate** M. W.: 222.88 Assay (by cerimetry, Fe) 24%	**500 gm**
528705 $FePO_4.4H_2O$ (31096-47-6)	**Ferric Phosphate AR** M. W.: 222.88	**500 gm**
093195 $Fe_4(P_2O_7)_3$ (10058-44-3)	**Ferric Pyrophosphate** Pure Iron. III Pyro Phosphate M. W.: 745.21	**500 gm**
026094 $Fe_2(SO_4)_3.XH_2O$ (15244-10-7)	**Ferric Sulphate** M. W.: 399.88 Assay (as Fe) (Iodometric) 20.5%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
528795 $Fe(SO_4)_3.XH_2O$ (15244-10-7)	**Ferric Sulphate Hydrate AR** [Iron (III) Sulphate Hydrate] M. W.: 399.88 (anhydrous)	**500 gm**
093285 $Fe_2(C_4H_4O_6)_3$ (2944-68-5)	**Ferric Tartrate** M. W.: 555.90	**500 gm**
093445 $Fe(C_5H_5)_2$ (102-54-5)	**Ferrocene** for Synthesis (Dicyclopentadienyliron) M.W. : 186.03	**100 gm** **1 kg**
834360	**Ferroin** Indicator Solution 0.1 Wt% in H_2O	**500 ml**
834365	**Ferroin** Solution 0.025M **AR** (Redox Indicator)	**25 ml** **100 ml** **500 ml**
834369	**Ferroin** Indicator Solution in Sulphuric Acid	**100 ml**
529000 $C_9H_6INO_4S$ (547-91-1)	**Ferron AR** M. W.: 351.12	**5 gm**
	Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate	
025450 $FeCO_3$ (563-71-3)	**Ferrous Carbonate** M. W.: 115.86 Assay 97.0%	**500 gm**
028394 $FeCl_2.2H_2O$ (16399-77-2)	**Ferrous Chloride** Dihydrate Tech. M. W.: 162.78 Assay (by manganometry) 99.0%	**500 gm**
529035 $FeCl_2.2H_2O$ (16399-77-2)	**Ferrous Chloride** (Dihydrate) **AR** M. W.: 162.78	**250 gm** **1 kg**
025443 $C_4H_2FeO_4$ (141-01-5)	**Ferrous Fumarate** Pure M. W.: 169.90 Assay (Fe) 31-33%	**500 gm**
093595 $C_{12}H_{22}FeO_{14}.XH_2O$ (699014-53-4)	**Ferrous Gluconate** for Synthesis M. W.: 446.14 (anhy.)	**500 gm**
025449 $C_2FeO_4.2H_2O$ (6047-25-2)	**Ferrous Oxalate** Dihydrate M. W.: 179.89 Assay 98.0%	**100 gm** **500 gm**
025446 $Fe_3(PO_4)_2.8H_2O$ (10028-23-6)	**Ferrous Phosphate** M. W.: 501.66	**500 gm**
025444 $C_4H_4FeO_4.4H_2O$	**Ferrous Succinate** Tetrahydrate M. W.: 243.92 Assay 99.0%	**500 gm**
028400 FeSO4.$7H_2O$ (7782-63-0)	**Ferrous Sulphate** Cryst. Purified Heptahydrate M. W.: 278.01 Assay (Redox titration) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
529075 $FeSO_4.7H_2O$ (7782-63-0)	**Ferrous Sulphate** Heptahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 278.01 Assay (Redox titration) 99.5%	**500 gm**

Product Code	Product Name	Packing
028401 $FeSO_4.XH_2O$ (13463-43-9)	**Ferrous Sulphate** Hydrate M. W.: 151.91(anhy.) Assay ($FeSO_4$) 86-90%	**500 gm**
026096 FeS (1317-37-9)	**Ferrous Sulphide** Fused Sticks for Producing H_2S M. W.: 87.92 Assay (Oxidimetry) 95.0%	**1 kg** **50 kg**
737530 $C_{20}H_{13}N_4NaO_6S_2$ (69898-45-9)	**Ferrozine** for Biochemistry [3-(2-Pyridyl)-5,6-Diphenyl- 1,2,4-Triazine-4, 4"-Disulphonic Acid Sodium Salt, PDT Disulphonate] (for Spectrophotometric det. of Fe) M. W.: 492.46	**1 gm** **5 gm**
093775 $C_{10}H_{10}O_4$ (537-98-4)	trans-**Ferulic Acid** for Synthesis M. W.: 194.2	**10 gm**
034121	**Field's** Stain A	**25 gm** **1 kg**
025432	**Field's** Stain B	**25 gm** **1 kg**
834430	**Field's Stain** Solution A	**125 ml** **500 ml**
834440	**Field's Stain** Solution B	**125 ml** **500 ml**
015025 MgO_3Si (1343-88-0)	**Florisil** 60-100 Mesh for Column-Chromatography M.W. : 100.39	**100 gm** **500 gm** **1 kg**
026099 HBF_4 (16872-11-0)	**Fluo Boric Acid** Abt. 40% M.W:.87.81 Assay 38.5-42.5%	**500 ml** **5 lit**
094025 $C_{13}H_{10}$ (86-73-7)	**Fluorene** for Synthesis M. W.: 166.22	**100 gm** **500 gm**
094105 $C_{14}H_{12}O$ (24324-17-2)	9-**Fluorene Methanol** M. W.: 196.24 Assay 99.0%	**25 gm** **100 gm**
094205 $C_{14}H_8O_3$ (784-50-9)	9-**Fluorenone**-2-**Carboxylic Acid** M. W.: 224.21	**5 gm** **25 gm**
094195 $C_{13}H_8O$ (486-25-9)	9-**Fluorenone** for Synthesis M.W. : 180.20 Assay 98.0%	**100 gm** **500 gm**
028406 $C_{20}H_{12}O_5$ (2321-07-5)	**Fluorescein** C.I. No. 45350 M. W.: 332.31 Dye Content : Abt. 95.0%	**25 gm** **100 gm** **1 kg**
529870 $C_{30}H_{26}N_2O_{13}$ (1461-15-0)	**Fluorescein Complexone AR** (Calcein Indicator) M. W.: 622.55 Abs. Max. (1N NaOH) 499 nm	**1 gm** **5 gm**

Product Code	Product Name	Packing
094385 $C_{21}H_{11}NO_5S$ (3326-32-7)	**Fluorescein**-iso-**Thiocyanate** M.W.: 389.38 Assay (HPLC) 98.0%	**100 mgm** **1 gm**
028409 $C_{20}H_{10}Na_2O_5$ (518-47-8)	**Fluorescein Sodium** C.I. No. 45350 M. W.: 376.3 Assay (by spectro. In buffer pH 8.0 Calc. on dried basis 98.0%	**25 gm** **100 gm** **1 kg**
010910 (68611-47-2)	**Fluorescent** F 254 Indicator for TLC	**50 gm**
834730	**Fluorescent stains kit** for mycobacteria	**KIT**
094495 C_8H_7FO (403-42-9)	4-**Fluoro Acetophenone** for Synthesis M. W.: 138.14 Assay 99.0%	**100 gm** **500 gm**
094675 C_6H_6FN (348-54-9)	2-**Fluoro Aniline** for Synthesis M. W.: 111.12 Assay 99.0%	**100 ml** **500 ml**
094985 C_6H_6FN (372-19-0)	3-**Fluoro Aniline** M. W.: 111.12	**25 gm** **100 gm**
094995 C_6H_6FN (371-40-4)	4-**Fluoro Aniline** for Synthesis (p-fluoroaniline) (1-Amino-4-Fluorobenzene) M. W.: 111.12	**100 ml** **500 ml**
095055 FC_6H_4CHO (459-57-4)	4-**Fluoro Benzaldehyde** M. W.: 124.11 Assay 98.0%	**100 ml** **500 ml**
095085 $C_4H_4FN_3O$ (2022-85-7)	5-**Fluoro Cytosin** for Biochemistry M. W.: 129.09	**250 mgm** **1 gm** **5 gm**
529900 $C_6H_3FN_2O_4$ (70-34-8)	1-**Fluoro**-2, 4-**Dinitro Benzene AR** M. W.: 186.10 Assay (GC) 99.0%	**25 gm** **100 gm**
095195 $FC_6H_3(NO_2)NH_2$ (369-36-8)	2-**Fluoro**-5-**Nitro Aniline** for Synthesis M. W.: 156.11 Assay 98.0%	**25 gm** **100 gm**
095255 $FC_6H_4NO_2$ (350-46-9)	1-**Fluoro**-4-**Nitro Benzene** for Synthesis M. W.: 141.10 Assay 98.0%	**100 ml**
095345 FC_6H_4OH (367-12-4)	2-**Fluoro Phenol** M. W.: 112.10 Assay 97.5%	**25 gm** **100 gm**
529925 FC_6H_4OH (371-41-5)	4-**Fluoro Phenol AR** M. W.: 112.10 Assay 98.5%	**25 gm** **100 gm**
095495 $C_8H_7FO_2$ (405-50-5)	4-**Fluoro Phenyl Acetic Acid** for Synthesis M. W.: 154.14	**25 gm** **100 gm**
095515 $C_{10}H_{13}FN_2$ (2252-63-3)	1-(4-**Fluoro Phenyl)** Piperazine M. W.: 180.22 Assay 98.0%	**10 gm**

Product Code	Product Name	Packing
095625 C_5H_4FN (372-48-5)	2-**Fluoro Pyridine** M. W.: 97.02 Assay 98.0%	**10 gm** **100 gm**
530035 $C_{24}H_{16}O_7$ (596-09-8)	**Fluoro Science Diacetate AR** M. W.: 416.38	**5 gm**
530145 C_7H_7F (352-32-9)	4-**Fluoro Toluene AR** M. W.: 110.13 Assay 97.0%	**100 gm** **500 gm**
025442 $C_4H_3FN_2O_2$ (51-21-8)	5-**Fluoro Uracil** M. W.: 130.08 Assay (Acidimetric, dried basis) 99.0-102.0%%	**1 gm** **5 gm**
095735 H_2SiF_6 (16961-83-4)	**Fluosilicic Acid** for Synthesis M.W. : 144.90	**500 ml**
FM0055 $C_{18}H_{17}NO_4$ (79990-15-1)	●**FMOC**-D-**Alanine** M. W.: 311.33	**1 gm** **5 gm** **25 gm**
FM0065 $C_{18}H_{17}NO_4$ (35661-39-3)	●**FMOC**-L-**Alanine** M. W.: 311.33	**5 gm** **25 gm** **100 gm**
FM0075 $C_{15}H_{13}NO_2$ (84418-43-9)	●**FMOC-Amide** for Biochemistry M. W.: 239.27	**1 gm**
FM0085 $C_{19}H_{19}NO_4$ (135112-27-5)	●**FMOC**-2-**Aminobutric Acid** M. W.: 325.36	**1 gm** **5 gm**
FM0095	●**FMOC**-D-**Arginine**	**1 gm** **25 gm**
FM0105 $C_{21}H_{24}N_4O_4$ (91000-69-0)	●**FMOC**-L-**Arginine** M. W.: 396.44	**1 gm** **5 gm** **25 gm** **100 gm**
FM0115 $C_{19}H_{18}N_2O_5$ (108321-39-7)	●**FMOC**-D-**Asparagine** M. W.: 354.36	**1 gm** **5 gm** **25 gm**
FM0125 $C_{19}H_{18}N_2O_5$ (71989-16-7)	●**FMOC**-L-**Asparagine** M. W.: 354.36	**5 gm** **25 gm** **100 gm**
FM0135 $C_{26}H_{23}NO_6$ (86060-84-6)	●**FMOC-L-Aspartic Acid-4- Benzy Ester** for Biochemistry M. W.: 445.46	**10 gm** **25 gm**
FM0145 (53298-33-2)	●**FMOC-S-Benzyl-L-Cysteine** (FMOC-L-Cys(BZL)-OH)	**10 gm** **25 gm**
FM0155 $C_{25}H_{23}NO_5$ (83792-48-7)	●**FMOC-O-Benzyl-L-Serine** for Biochemistry M. W.: 417.45	**10 gm** **25 gm**
FM0165 $C_{15}H_{11}ClO_2$ (28920-43-6)	●**FMOC-Chloride** for Biochemistry M. W.: 258.70	**25 gm** **100 gm**


Product Code	Product Name	Packing
FM0175 (200344-33-8)	●**FMOC**-D-**Citrulline**	**100 mgm** **500 mgm**
FM0185 $C_{21}H_{23}N_3O_5$ (133174-15-9)	●**FMOC**-L-**Citrulline** M. W.: 397.42	**1 gm** **5 gm**
FM0195 $C_{27}H_{25}NO_6$ (123639-61-2)	●**FMOC-L-Glutamic Acid-Benzyl Ester** for Biochemistry M. W.: 459.49	**10 gm** **25 gm**
FM0205 $C_{20}H_{20}N_2O_5$ (112898-00-7)	●**FMOC**-D-**Glutamine** M. W.: 368.38	**500 mgm** **25 gm**
FM0215 $C_{20}H_{20}N_2O_5$ (71989-20-3)	●**FMOC**-L-**Glutamine** M. W.: 368.38	**5 gm** **25 gm** **100 gm**
FM0225 (29022-11-5)	●**FMOC**-L-**Glycine**	**5 gm** **25 gm** **100 gm**
FM0235 $C_{21}H_{23}NO_4$ (143688-83-9)	●**FMOC**-D-**Isoleucine** M. W.: 353.41	**1 gm**
FM0245 $C_{21}H_{23}NO_4$ (71898-23-6)	●**FMOC**-L-**Isoleucine** M. W.: 353.41	**5 gm** **25 gm** **100 gm**
FM0255 $C_{21}H_{23}NO_4$ (114360-54-2)	●**FMOC**-D-**Leucine** M. W.: 353.41	**1 gm** **5 gm** **25 gm**
FM0265 $C_{21}H_{23}NO_4$ (35661-60-0)	●**FMOC**-L-**Leucine** M. W.: 353.41	**5 gm** **25 gm** **100 gm**
FM0275 $C_{25}H_{28}N_2O_6$ (146982-27-6)	●**FMOC-Lys (Alloc)-OH** for Biochemistry M. W.: 452.50	**1 gm** **5 gm**
FM0285 $C_{29}H_{30}N_2O_6$ (86060-82-4)	●**FMOC-N-e-Z-L-Lysine** for Biochemistry M. W.: 502.56	**10 gm** **25 gm**
FM0295 $C_{20}H_{21}NO_4S$ (112883-40-6)	●**FMOC**-D-**Methionine** M. W.: 371.45	**1 gm** **5 gm** **25 gm**
FM0315 $C_{20}H_{21}NO_4S$ (71989-28-1)	●**FMOC**-L-**Methionine** M. W.: 371.45	**5 gm** **25 gm** **100 gm**
FM0325 $C_{24}H_{20}N_2O_6$ (95753-55-2)	●**FMOC**-4-**Nitro-L-Phenylalanine** for Biochemistry M. W.: 432.43	**10 gm** **25 gm**
FM0335 $C_{21}H_{23}NO_4$ (112883-41-7)	●**FMOC**-D-**Norleucine** M W.: 353.41	**1 gm** **5 gm**
FM0345 $C_{21}H_{23}NO_4$ (77284-32-3)	●**FMOC**-L-**Norleucine** M W.: 353.41	**1 gm** **5 gm**
FM0355 $C_{20}H_{21}NO_4$ (144701-24-6)	●**FMOC**-D-**Norvaline** M. W.: 339.4	**1 gm** **5 gm**
FM0365 $C_{20}H_{21}NO_4$ (135112-28-6)	●**FMOC**-L-**Norvaline** M. W.: 339.4	**1 gm** **5 gm**
Fm0375 $C_{19}H_{15}NO_5$ (82911-69-1)	●**FMOC-Osu** for Biochemistry M. W.: 337.33	**5 gm** **25 gm**
FM0385 $C_{24}H_{21}NO_4$ (86123-10-6)	●**FMOC**-D-**Phenylalanine** M. W.: 387.43	**1 gm** **5 gm** **25 gm** **100 gm**
FM0395 $C_{24}H_{21}NO_4$ (35661-40-6)	●**FMOC**-L-**Phenylalanine** M. W.: 387.43	**5 gm** **25 gm** **100 gm**
FM0405 $C_{23}H_{19}NO_4$ (111524-95-9)	●**FMOC-D-Phenylglycine** for Biochemistry M. W.: 373.40	**10 gm** **25 gm**
FM0415 $C_{23}H_{19}NO_4$ (102410-65-1)	●**FMOC-L-Phenylglycine** for Biochemistry M. W.: 373.40	**10 gm** **25 gm**
FM0425 $C_{20}H_{19}NO_4$ (101555-62-8)	●**FMOC**-D-**Proline** M. W.: 337.37	**1 gm** **5 gm** **25 gm**
FM0435 $C_{20}H_{19}NO_4$ (71989-31-6)	●**FMOC**-L-**Proline** M. W.: 337.37	**5 gm** **25 gm** **100 gm**
FM0445 $C_{18}H_{17}NO_5$ (116861-26-8)	●**FMOC**-D-**Serine** M. W.: 327.33	**500 mgm** **5 gm** **25 gm**
FM0455 $C_{18}H_{17}NO_5$ (73724-45-5)	●**FMOC**-L-**Serine** M. W.: 327.33	**5 gm** **25 gm** **100 gm**
FM0465 $C_{19}H_{19}NO_5.H_2O$ (157355-81-2)	●**FMOC**-D-**Threonine** M. W.: 359.37	**5 gm** **25 gm** **100 gm**
FM0475 $C_{19}H_{19}NO_5.H_2O$ (73731-37-0)	●**FMOC**-L-**Threonine** M. W.: 359.37	**5 gm** **25 gm** **100 gm**
FM0485 $C_{26}H_{22}N_2O_4$ (86123-11-7)	●**FMOC**-D-**Tryptophan** M. W.: 426.46	**1 gm** **5 gm** **25 gm**
FM0495 $C_{26}H_{22}N_2O_4$ (35737-15-6)	●**FMOC**-L-**Tryptophan** M. W.: 426.46	**5 gm** **25 gm** **100 gm**
FM0505 $C_{24}H_{21}NO_5$ (112883-29-1)	●**FMOC**-D-**Tyrosine** M. W.: 403.43	**1 gm** **5 gm** **25 gm**

Product Code	Product Name	Packing
FM0515 $C_{24}H_{21}NO_5$ (92954-90-0)	●**FMOC**-L-**Tyrosine** M. W.: 403.43	**5 gm** **25 gm** **100 gm**
FM0525 $C_{20}H_{21}NO_4$ (84624-17-9)	●**FMOC**-D-**Valine** M. W.: 339.39	**1 gm** **5 gm** **25 gm**
FM0635 C20H21NO4 (68858-20-8)	●**FMOC**-L-**Valine** M. W.: 339.39	**5 gm** **25 gm** **100 gm**
044043 $C_{19}H_{19}N_7O_6$ (59-30-3)	**Folic Acid** for Biochemistry M. W.: 441.40 Assay (ex N on dry material) 94.0-101.0%	**5 gm** **10 gm** **25 gm** **100 gm**
835020	**Folin & Ciocalteu's Phenol** Reagent	**125 ml** **250 ml** **500 ml**
835030	**Folin & Ciocalteu's Phenol** Reagent **AR** Suitable for use in protein determination (2.0 normal)	**125 ml** **500 ml**
835070	**Folin & Wu's Alkaline Copper** Solution	**500 ml**
835100	**Folin & Wu's Phosphate Molybdate** Solution Percentage of H_3PO_4 30-35% w/v	**100 ml** **500 ml**
028421 CH_2O (50-00-0)	**Formaldehyde** Solution 37-41% w/v for Synthesis (Formalin) M. W.: 30.03 Assay (acidimetric after oxidation) 37-41% w/v	**500 ml** **2.5 lit** **5 lit** **30 lit** **100 lit**
531140 CH_2O (50-00-0)	**Formaldehyde** Solution 37-41% w/v **AR/ACS** M. W.: 30.03 Assay (acidimetric after oxidation) 37.0-41.0%v	**500 ml** **2.5 lit** **30 lit** **100 lit**
937500 (50-00-0)	**Formaldehyde** Solution for Molecular Biology Assay 36.5-38.0%	**500 ml**
028422 CH_3NO (75-12-7)	**Formamide** M. W.: 45.04 Assay(GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
531160 CH_3NO (75-12-7)	**Formamide AR/ACS** M. W.: 45.04 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
937530 CH_3NO (75-12-7)	**Formamide** for Molecular Biology M. W.: 45.04 Assay (GC) 99.5%	**500 ml** **1 lit**
737800 CH_3NO (75-12-7)	**Formamide** for UV Spectroscopy M. W.: 45.04	**1 lit**
096005 $NH{=}CHNH_2.CH_3COOH$ (3473-63-0)	**Formamidine Acetate** for Synthesis M. W.: 104.11 Assay 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
028428 H.COOH (64-18-6)	**Formic Acid** about for Synthesis M. W.: 46.03 Assay(acidimetric) about 85.0%	**500 ml** **2.5 lit** **25 lit**
028430 H.COOH (64-18-6)	**Formic Acid** for Synthesis M. W.: 46.03 Assay (acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit**
531190 H.COOH (64-18-6)	**Formic Acid AR** M. W.: 46.03 Assay(acidimetric) 98.0%	**500 ml** **2.5 lit**
737845 $C_7H_5NaO_4S$ (1008-72-6)	2-**Formyl Benzene-Sulphonic Acid** **Sodium Salt** (Benzaldehyde-2- Sulphonic Acid Sodium Salt) M. W.: 208.17 Assay 95.0%	**100 gm** **500 gm**
531235 $HO_2CC_6H_4CHO$ (619-66-9)	4-**Formyl Benzoic Acid AR** M. W.: 150.13 Assay 96.5-103.5%	**100 gm**
531305 $C_6H_{11}NO$ (2591-86-8)	N-**Formyl Piperidine AR** (Piperidine -1-Carboxaldehyde) M. W.: 113.16 Assay 99.0%	**100 gm** **500 gm**
835500	**Fouchet's** Reagent for Bile Pigment	**125 ml**
028433 $C_6H_{12}O_6$ (57-48-7)	D-**Fructose** Pure M. W.: 180.16	**100 gm** **250 gm** **500 gm** **50 kg**
531345 $C_6H_{12}O_6$ (57-48-7)	D-**Fructose AR** M. W.: 180.16	**100 gm** **500 gm**
096325 (81028-91-3)	D-**Fructose**-1,6-**Diphosphate Trisodium Salt** for Biochemistry	**1 gm** **5 gm**
034031 $C_{20}H_{17}N_3O_9S_3Na_2$ (3244-88-0)	**Fuchsin Acid** for Microscopy C.I. No. 42685 M. W.: 585.55 Dye content (titanometry, dried) >60.0%	**25 gm** **100 gm**
034032 $C_{20}H_{20}N_3Cl$ (632-99-5)	**Fuchsin Basic** for Microscopy C.I. No. 42510 M. W.: 337.86 Dye content (titanometry, dried substance) >88.0%	**25 gm** **100 gm** **1 kg**
	Fuchsin (NB) See New Fuchsin	
835600	**Fuchsin Basic** 0.1% Aqueous Solution	**125 ml** **500 ml**
096415 $C_6H_{12}O_5$ (2438-80-4)	L-**Fucose** for Biochemistry M. W.: 164.16	**1 gm** **5 gm**
033053 (8031-18-3)	**Fuller's Earth** for adsorption purpose pH (10% Suspension)-3.0-5.0	**500 gm**
028435 $C_4H_4O_4$ (110-17-8)	**Fumaric Acid** for Synthesis M. W.: 116.07 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **50 kg**
531365 $C_4H_4O_4$ (110-17-8)	**Fumaric Acid AR** M.W.: 116.07 Assay 99.5%	**500 gm**

Product Code	Product Name	Packing
096595 NaOOCCH=CHCOONa (17013-01-3)	**Fumaric Acid Disodium Salt** for Synthesis (Di-SodiumFumarate) M. W.: 160.04	**100 gm** **500 gm**
096725 C_4H_4O (110-00-9)	**Furan** for Synthesis M. W.: 68.07 Assay 99.0%	**500 ml**
025433 $C_4H_5BO_3$ (55552-70-0)	3-**Furanboronic Acid** M. W.: 111.89	**1 gm**
025435 $C_8H_7N_3O$ (67-45-8)	**Furazolidone** for Lab Use M. W.: 225.16	**5 gm**
028438 $C_5H_4O_2$ (98-01-1)	**Furfuraldehyde** (FURFURAL) M. W.: 96.09 assay (ex CHO) 98-101%	**500 ml** **2.5 lit** **25 lit**
531410 $C_5H_4O_2$ (98-01-1)	**Furfuraldehyde AR/ACS** (FURFURAL) M. W.: 96.09 Assay (GC) 99.0%	**500 ml**

Product Code	Product Name	Packing
025437 $C_5H_6O_2$ (98-00-0)	**Furfuryl Alcohol** for Synthesis M. W.: 98.10 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit**
	6-**Furfuryl Amino Purine** See Kinetine	
096915 C_5H_5NO (617-89-0)	**Furfurylamine** for Synthesis M. W.: 97.12	**500 ml** **2.5 lit** **25 lit** **200 lit**
097225 $C_5H_4O_3$ (88-14-2)	2-**Furoic Acid** for Synthesis M. W.: 112.08	**100 gm** **500 gm**
097335 $C_5H_3ClO_2$ (527-69-5)	2-**Furoyl Chloride** for Synthesis (Furan-2-Carbonyl Chloride) M. W.: 130.53	**100 ml**
025445	**Fusion Mixture**	**500 gm**
531455	**Fusion Mixture AR**	**500 gm**



Product Code	Product Name	Packing
	Gaba See 4-Aminobutyric Acid	
839060	**Gadolinium** Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3	**100 ml**
839070	**Gadolinium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
RE1075 Gd (7440-54-2)	**Gadolinium** Metal Ingot M. W.: 157.25 Assay (Trace metal basis) 99.99%	**10 gm**
RE1080 Gd (7440-54-2)	**Gadolinium** Metal Lump (1 cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1085 Gd (7440-54-2)	**Gadolinium** Metal Powder 325 mesh M. W.: 157.25 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **100 gm**
RE1090 Gd (7440-54-2)	**Gadolinium** Metal Rod (5mmx30cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**1 PC**
RE1095 Gd (7440-54-2)	**Gadolinium** Metal Foil (0.25mmx40cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**1 PC**
RE1100 Gd (7440-54-2)	**Gadolinium** Metal Foil (0.50mmx40cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**1 PC**
RE1105 Gd (7440-54-2)	**Gadolinium** Metal SLAB (1cmx40cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**1 PC**
RE1110 Gd (7440-54-2)	**Gadolinium** Metal Disc (0.1mmx35cm) M. W.: 157.25 Assay (Trace metal basis) 99.99%	**1 PC**
RE1125 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm**
RE1130 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1135 $Gd(CH_3CO_2)_3.XH_2O$ (100587-93-7)	**Gadolinium** (III) **Acetate** M. W.: 334.39 Assay (Trace metal basis) 99.999%	**5 gm** **10 gm** **25 gm**
RE1145 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99%	**25 gm** **100 gm** **500 gm**
RE1150 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.9%	**10 gm** **100 gm**
RE1155 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.99%	**25 gm**
RE1160 $Gd_2(CO_3)_3.XH_2O$ (38245-36-2)	**Gadolinium** (III) **Carbonate** M. W.: 494.53 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE1175 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.9%	**10 gm** **25 gm** **100 gm** **1 kg**
RE1180 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1185 $GdCl_3.6H_2O$ (13450-84-5)	**Gadolinium** (III) **Chloride** M. W.: 371.70 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE1195 GdI_3 (13572-98-0)	**Gadolinium** (III) **Iodide** M.W. : 537.96 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1210 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE1215 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1220 $Gd(NO_3)_3.XH_2O(X=6)$ (94219-55-3)	**Gadolinium** (III) **Nitrate** M. W.: 343.26 (anhy.) Assay (Trace metal basis) 99.999%	**10 gm**
RE1230 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99%	**25 gm** **100 gm** **500 gm**
RE1240 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1245 $Gd_2(C_2O_4)_3.10H_2O$ (22992-15-0)	**Gadolinium** (III) **Oxalate** M. W.: 578.55 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE1255 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm** **100 gm** **500 gm**
RE1260 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.99%	**50 gm** **250 gm** **1 kg**
RE1265 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1270 Gd_2O_3 (12064-62-9)	**Gadolinium** (III) **Oxide** M. W.: 362.50 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE1285 $Gd_2(SO_4)_3.8H_2O$ (13450-87-8)	**Gadolinium** (III) **Sulphate** M. W.: 746.81 Assay (Trace metal basis) 99.9%	**10 gm** **25 gm** **100 gm**
RE1295 $Gd_2(SO_4)_3.8H_2O$ (13450-87-8)	**Gadolinium** (III) **Sulphate** M. W.: 746.81 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
025356 $C_6H_{14}ClNO_5$ (1772-03-8)	D-**Galactosamine Hydrochloride** M. W.: 215.63 Assay (Non-aqueous) 98.0%	**100 mgm** **1 gm**
038026 $C_6H_{12}O_6$ (59-23-4)	D-**Galactose** M.W 180.16	**25 gm** **100 gm**

Product Code	Product Name	Packing
030512 $C_7H_6O_5.H_2O$ (5995-86-8)	**Gallic Acid** M. W.: 188.14 Assay (acidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
839100	**Gallium** Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3	**100 ml**
839110	**Gallium** 1000 ppm Single Element Standard for ICP in HNO_3	**50 ml** **100 ml**
103555 Ga (7440-55-3)	**Gallium** (Metal) M. W.: 69.72 Assay (trace metals basis) 99.99%	**10 gm**
103575 GaAs (1303-00-0)	**Gallium Arsenide** M. W.: 144.64 Assay (trace metals basis) 99.999%	**1 gm**
103585 $GaBr_3$ (13450-88-9)	**Gallium** (III) **Bromide** Ultra Dry M. W.: 309.44 Assay (trace metals basis) 99.999%	**2 gm**
103595 $GaCl_3$ (13450-90-3)	**Gallium** (III) **Chloride** Ultra Dry M. W.: 176.08 Assay (trace metals basis) 99.999%	**5 gm**
103605 GaF_3 (7783-51-9)	**Gallium** (III) **Fluoride** M. W.: 126.72 Assay (trace metals basis) 99.99%	**1 gm** **5 gm**
103615 GaI_3 (13450-91-4)	**Gallium** (III) **Iodide** Ultra Dry M. W.: 450.44 Assay (trace metals basis) 99.999%	**1 gm** **5 gm**
103635 $GaN_3O_9.XH_2O$ (69365-72-6)	**Gallium** (III) **Nitrate** Hydrate M. W.: 255.74 (Anhy.) Assay (trace metals basis) 99.9%	**5 gm** **25 gm**
534915 Ga_2O_3 (12024-21-4)	**Gallium Oxide AR** M. W.: 187.44 Assay (trace metals basis) 99.99%	**10 gm**
103655 GaP (12063-98-8)	**Gallium Phosphide** M. W.: 100.70 Assay (trace metals basis) 99.99%	**2 gm**
103665 $Ga_2(SO_4)_3.XH_2O$ (13780-42-2)	**Gallium (III) Sulphate Hydrate** M. W.: 427.63 Assay (trace metals basis) 99.99%	**5 gm**
103675 Ga_2S_3 (12024-22-5)	**Gallium (III) Sulphide** M. W.: 235.64 Assay (trace metals basis) 99.99%	**5 gm**
103805 $C_{15}H_{13}ClN_2O_5$ (1562-85-2)	**Gallocyanine** for Microscopy (C.I.No. 51030) M. W.: 336.73	**10 gm**
044045 (9000-70-8)	**Gelatine** for Bacteriology	**500 gm** **50 kg**
025346 (1405-41-0)	**Gentamicin Sulphate** for Lab Use	**1 gm** **5 gm** **25 gm**
034033 $C_{25}H_{30}ClN_3$ (548-62-9)	**Gentian Violet** M. W.: 407.99 Dye content (spectrophotometry; on dried substance) Abt. 75.0%	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
535205 (548-62-9)	**Gentian Violet AR** (C.I. No. 42555+42535)	**25 gm** **100 gm**
839200	**Gentian Violet** Alcoholic Solution	**125 ml**
839210	**Gentian Violet** Aqueous Solution	**125 ml**
103995 (554-91-6)	b-**Gentiobiose** for Biochemistry Assay (GC) 85.0%	**100 mgm** **1 gm**
104205 $CH_3CO_2CH_2CH=C(CH_3)CH_2CH_2CH=(CH_3)_2$ (105-87-3)	**Geraniol Acetate** for Synthesis M. W.: 196.29 Assay 97.5%	**500 gm**
104195 $(CH_3)_2C=CHCH_2CH_2C(CH_3)=CHCH_2OH$ (106-24-1)	**Geraniol** for Synthesis M. W.: 154.25 Assay 98.0%	**100 gm** **500 gm**
104315 $C_{14}H_{24}O_2$ (106-29-6)	**Geranyl Butyrate** for Synthesis M. W.: 224.34	**500 gm**
104325 $C_{11}H_{18}O_2$ (105-86-2)	**Geranyl Formate** for Synthesis M. W.: 182.26	**500 gm**
104335 $C_{18}H_{24}O_2$ (102-22-7)	**Geranyl Phenyl Acetate** for Synthesis M. W.: 272.38	**500 gm**
104345 $C_{13}H_{22}O_2$ (105-90-8)	**Geranyl Propionate** for Synthesis M. W.: 210.31	**500 gm**
839265	**Germanium** Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3	**250 ml**
839270	**Germanium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
104505 Ge (7440-56-4)	**Germanium** (Metal) Lump M. W.: 72.64 Assay 99.9%	**1 gm** **5 gm**
104515 Ge (7440-56-4)	**Germanium** (Metal) Powder M.W.: 72.64 Assay 99.9%	**1 gm** **5 gm**
028446 GeO_2 (1310-53-8)	**Germanium Dioxide** M. W.: 104.64 Assay (trace metals basis) 99.999%	**1 gm** **10 gm** **25 gm**
044047 $C_{19}H_{22}O_6$ (77-06-5)	**Gibberellic Acid** M.W.: 346.38 Assay - min. 90%	**1 gm** **10 gm** **100 gm** **1 kg**
034034 $C_{14}H_{14}ClN_3S$ (51811-82-6)	**Giemsa's** Stain for Microscopy for staining blood smears and protozoa M. W.: 291.8	**10 gm** **25 gm** **100 gm**
839300	**Giemsa's** stain solution (AZUR-eosin-methylene blue soln.)	**125 ml** **250 ml**

Product Code	Product Name	Packing
535915 (123-46-6)	**Girard's Reagent T AR** (Acethydrazide Trimethyl Ammonium Chloride)	**25 gm** **100 gm** **500 gm**
025353	**Glass Wool**	**250 gm**
025835	**Glass** Beads 3.5 - 4.5 mm	**500 gm**
104725 $C_6H_{12}O_7$ (526-95-4)	D-**Gluconic Acid** (45-50%) M. W.: 196.16	**500 ml** **2.5 lit**
104805 $C_6H_{13}NO_5.HCl$ (66-84-2)	D (+) **Glucosamine Hydrochloride** for Biochemistry (2-Amino-2-Deoxy-D-Glucose) M. W.: 215.63	**25 gm** **100 gm**
	D-**Glucose** Anhydrous/Monohydrate See Dextrose Anhydrous / Monohydrate	
039016 (9001-37-0)	**Glucose Oxidase** (GOD) Aspergillus Niger Lyophilised Powder Containing 75% Protein Activity 100,000 - 150,000 Units/g Protein	**10000 Units** **100000 Units**
104945 (150399-99-8)	D-**Glucose 1-Phosphate Disodium Salt Tetrahydrate** for Biochemistry	**1 gm** **5 gm** **25 gm**
104965 (3671-99-6)	D-**Glucose 6-Phosphate Disodium Salt Dihydrate** for Biochemistry	**1 gm** **5 gm** **25 gm**
536125 (3671-99-6)	**Glucose 6-Phosphate Disodium Salt AR** for Biochemistry	**1 gm**
104995 $C_6H_{11}O_9PK_2.2H_2O$ (5996-14-5)	**Glucose-1-Phosphate Dipotassium Salt** for Biochemistry M. W.: 272.35	**1 gm** **5 gm**
536335 $C_6H_{11}O_9PNa_2.XH_2O$ (56401-20-8)	**Glucose-1-Phosphate Disodium Salt AR** for Biochemistry M. W.: 304.10 (Anhy.)	**1 gm** **5 gm**
105155 (9001-40-5)	**Glucose-6-Phosphate Dehydrogenase** from Microorganism Lyophilized Powder, Activity ~ 400-450U/mg	**3000 units**
839440	**Glucose Stock** Standard solution 1% Assay (Benedice's test) 0.95-1.05% w/v	**125 ml**
105265 (9001-42-7)	α-**Glucosidase** from Microorganism Lyophilized Powder, Acivity ~ 100-150 U/mg (α-D-Glucoside Glucohydrolase)	**100 mgm**
105305 (9029-11-2)	L-**Glutamate Dehydrogenase** from Microorganism Lyophilized Powder, Activity ~ 220-260U/mg (Glutamate Dehydrogenase)	**2000 units**
044515 $C_5H_9NO_4$ (6893-26-1)	D-**Glutamic Acid** for Biochemistry M. W.: 147.13 Assay 99.0%	**1 gm** **5 gm**

Product Code	Product Name	Packing
037102 $C_5H_9NO_4$ (56-86-0)	L-**Glutamic Acid** for Biochemistry M. W.: 147.13 Assay (Non. aq.) 99.0%	**100 gm** **250 gm** **500 gm** **10 kg**
	L-**Glutamic Acid Mono Sodium Salt** See Sodium-L-Glutamate	
025345 $C_5H_{10}N_2O_3$ (56-85-9)	L-**Glutamine** for Biochemistry M. W.: 146.15 Assay (Non-aq. dried) 99.0%	**25 gm** **100 gm** **1 kg**
105415 (7300-59-6)	L-γ-**Glutamyl-p-Nitroanilide** Monohydrate [GPNA, L-Glutamic Acid 1-(4-Nitroanilde)] for Biochemistry	**1 gm** **5 gm** **25 gm**
839600	**Glutaraldehyde** 2% Solution in water	**1 lit** **5 lit**
839610	**Glutaraldehyde** 8% Solution in Water Fixing Agent	**100 ml**
036080 $C_5H_8O_2$ (111-30-8)	**Glutaraldehyde** Soln. 25% M. W.: 100.12 Assay (Glutaraldehyde) 25.0%	**500 ml** **2.5 lit** **25 lit**
105595 (110-94-1)	**Glutaric Acid** for Synthesis M. W.: 132.11	**100 gm** **500 gm**
037109 $C_{10}H_{17}N_3O_6S$ (70-18-8)	**Glutathione** Reduced for Biochemistry M. W.: 307.33 Assay (Iodometric) 98.0%	**1 gm** **5 gm** **25 gm**
028454 $C_3H_8O_3$ (56-81-5)	**Glycerine** Purified (Glycerol) M. W.: 92.09 Assay (GC) 98.0%	**500 ml** **1 lit** **2.5 lit** **5 lit** **25 lit**
537055 $C_3H_8O_3$ (56-81-5)	**Glycerine AR** M. W.: 92.09 Assay (GC) 99.5%	**500 ml** **1 lit** **2.5 lit** **5 lit** **25 lit** **200 lit**
105685 (9030-66-4)	**Glycerokinase** from Cellulomonas sp. Lyophilized Powder, Activity~80-120U/mg (ATP: Glycerol 3-Phosphotransferase, Glycerol Kinase)	**1000 units**
105795 $C_3H_7ClO_2$ (96-24-2)	**Glycerol A-Chloro Hydrin** for Synthesis M. W.: 110.54 Assay 98.0%	**250 ml**
940500 $C_3H_8O_3$ (56-81-5)	**Glycerol** for Molecular Biology M. W.: 92.09 Assay (GC) 99.0%	**500 ml** **1 lit**
105885 $C_4H_8O_3$ (99569-11-6)	**Glycerol Formal** (Mixture of Alpha & Beta Isomers) M. W.: 104.10	**100 ml** **500 ml**
	Glycerol Jelly Kaiser's See Kaiser's glycerol gelatin	

Product Code	Product Name	Packing
026105 $C_{17}H_{35}.COO.CH_2.CHOH.CH_2OH$ M. W.: 358.56 (31566-31-1)	**Glycerol Monosterate** Self Emulsifying	**500 gm** **1 kg**
028456 $C_9H_{14}O_6$ (102-76-1)	**Glycerol Triacetate** for Biochemistry M. W.: 218.21 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
041007 $C_{15}H_{26}O_6$ (60-01-5)	**Glycerol Tributyrate** for Biochemistry M. W.: 302.36	**100 ml** **500 ml** **25 lit**
105995 (9046-28-0)	**L-α-Glycerophosphate Oxidase** From Microorganism Lyophilized Powder, (sn-Glycerol-3-Phosphate:Oxygen 2-Oxidoreductase, L-Glycerol 3-Phosphate Oxidase) Activity~22-28U/mg	**1000 units**
537235 $C_3H_6O_2$ (57044-25-4)	**R (+)Glycidol AR** M. W.: 74.08 Assay (GC) 97.0%	**1 gm** **5 gm**
537255 $C_3H_6O_2$ (60456-23-7)	**S (-)Glycidol AR** M. W.: 74.08 Assay (GC) 97.0%	**1 gm** **5 gm**
028458 $C_2H_5NO_2$ (56-40-6)	**Glycine** Pure M. W.: 75.07 Assay (Non-aq.) 99.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
537345 $C_2H_5NO_2$ (56-40-6)	**Glycine AR** for Biochemistry, Bacteriology Tissue Culture Buffering Substance Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 75.07 Assay (Non-aqueous, on dried subs.) 99.5%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
940600 $C_2H_5NO_2$ (56-40-6)	**Glycine** for Molecular Biology M. W.: 75.07 Assay (Non-aqueous) 99.0%	**100 gm** **500 gm**
106185 $C_4H_6N_2O_2$ (106-57-0)	**Glycine Anhydride** M. W.: 114.10	**25 gm** **100 gm**
106295 $C_9H_{11}NO_2.HCl$ (2462-31-9)	**Glycine Benzyl Ester** HCL for Biochemistry M.W. : 201.65	**25 gm**
106385 $C_9H_{11}NO_2C_7H_8O_3S$ (1738-76-7)	**Glycine Benzyl Ester P-Toluene Sulfonate** for Biochemistry M. W.: 337.39 Assay (T) 99.0%	**25 gm**
106405 $NH_2CH_2COOC_2H_5.HCl$ (623-33-6)	**Glycine Ethyl Ester Hydrochloride** for Synthesis M. W.: 139.58 Assay 99.0%	**100 gm** **500 gm**
025336 $C_2H_5NO_2.HCl$ (6000-43-7)	**Glycine Hydrochloride** M. W.: 111.53	**100 gm**
106525 $NH_2CH_2COOCH_3.HCl$ (5680-79-5)	**Glycine Methyl Ester** HCL for Synthesis M. W.: 125.55 Assay 99.0%	**100 gm** **500 gm**
038042 $(C_6H_{10}O_5)_X$ (9005-79-2)	**Glycogen** for Biochemistry from Oyster Assay 85.0%	**5 gm** **25 gm**
026106 $C_2H_4O_3$ (79-14-1)	**Glycolic Acid** (65 % in water) M. W.: 76.05 Assay (acidimetric) Abt. 65.0%	**500 ml** **2.5 lit** **25 lit**
037113 $C_4H_8N_2O_3$ (556-50-3)	N-**Glycyl Glycine** for Biochemistry M. W.: 132.12 Assay (non-aqueous) 99.0%	**10 gm** **100 gm**
106705 (107-22-2)	**Glyoxal** (Solution 40% In Water) for Synthesis	**500 ml** **2.5 lit**
537625 (107-22-2)	**Glyoxal** (Solution 40% In Water) **AR**	**1 lit**
537695 (1149-16-2)	**Glyoxal Bis-(2-Hydroxyanil) AR** Reagent for Calcium & Uranium	**25 gm**
	Glyoxaline See Imidazole	
839850 (298-12-4)	**Glyoxylic Acid Solution** 50% for Synthesis	**250 ml** **2.5 lit**
839990	**Gold** 1000 ppm Single Element Standard for ICP in HCl	**100 ml** **500 ml**
037115 Au (7440-57-5)	**Gold** Metal Powder M .W.: 196.97	**1 gm**
537865 Au (7440-57-5)	**Gold** Metal **AR** M. W.: 196.97 Assay (trace tetal basis) 99.999%	**1 gm** **5 gm**
839910	**Gold** Atomic Absorption STD. Soln. Contains 1000 mg/litre AAS in HCl	**125 ml**
839960	**Gold (Au) ICP Standard Solution** 1000 Mg/lit in Dilute HCl Nist Traceable	**100 ml** **500 ml**
839980	**Gold (Au) ICP Standard Solution** 10000 Mg/lit in Dilute HCl Nist Traceable	**100 ml** **500 ml**
	Gold Chloride See Chloroauric Acid	
840000	**Gower'S Reagent**	**500 ml**
840050	**Gram's Colour Staining kit**	**Kit**
840090	**Gram's Crystal Violet**	**125 ml**
840120	**Gram's Decolourizer**	**500 ml**
840150	**Gram's Fuchsin Basic** 0.1%	**125 ml**
106955	**Gram's Iodine** for Microscopical Staining	**25 gm** **100 gm**

HPLC SOLVENTS

- Solvents of this Special Quality are carefully analysed to exceed or to meet the limit of UV absorbtion.
- These Solvents of high quality standards are of much greater mechanical strength.
- Solvent particles are much smaller than conventional liquid solvents. Columns are operated at a very high pressure to maintain high quality standards.
- Solvents are filtered through 0.22 m filter.
- All of our HPLC Solvents are packed under Nitrogen for its better Resistance and bottles are sealed with Teflon Liner to prevent contamination.



RANGE OF HPLC SOLVENTS


Product No.	Product Name
709700	1 Butanol
720750	1,2-Dichloroethane
710000	Tert-Butanol
712900	Tert-Butyl Methyl Ether
729500	1,4-dioxane
700100	Acetic Acid
700380	Acetone
700630	Acetonitrile
706950	Benzene
713910	Carbon Tetra Chloride
715910	Chloroform
717600	Cyclohexane
720950	Dichloro Methane
728300	Dimethyl Sulphoxide
721800	Diethylamine
730900	Ethyl Acetate
743560	Hexane
743600	n-Hexane
747500	Iso Octane
752140	Methanol
752650	Methyl Acetate
762700	N-Pentane
765800	1-Propanol
765860	2-Propanol
775500	Toluene
775790	Trichloroethylene
776040	Triethylamine
779600	Water

NMR SOLVENTS

RANGE OF NMR SOLVENTS

Product No.	Product Name
D00990	Acetic d_3 acid d
D01269	Acetone d_6
D01278	Acetone d_6
D01548	Acetonitrile d_3
D01557	Acetonitrile d_3
D06957	Ammonium d_4 Formate d
D08757	Ammonium d_8 Sulphate
D12357	Anthracene d_{10}
D14175	Benzene d_6
D14517	Benzene d_6
D15417	Benzoic d_5 Acid
D16227	Biphenyl d_{10}
D18927	Boric Acid d_3
D28827	Chlorobenzene d_5
D29718	Chloroform d
D29727	Chloroform d
D29754	Chloroform d ,cont 0 03 v v% TMS
D29772	Chloroform d ,cont 0 03 v v% TMS
D39663	Dichloromethane d_2
D39672	Dichloromethane d_2
D44172	N N Dimethyl d_6 Formamide (DMF-d_6)
D54072	Dimethyl d_6 Sulphoxide DMSO d_6)
D54126	Dimethyl d_6 Sulphoxide DMSO d_6)
D63126	Hexane d_{14}
D67626	Malonic d_2 Acid d_2
D73026	Methyl-d_3 Alcohol
D73206	Methyl d_3 Alcohol d Methanol d_4)
D77260	Molecular Sieve 3A ,Deuterated
D77778	Molecular Sieve 4A ,Deuterated
D79578	Naphthalene d_8
D84078	Paraformaldehyde d_2
D87678	Phenol d_6
D89478	2 Propanol d_1
D93078	Pyridine d_5
D93087	Pyridine d_5
D96678	Sodiumacetate d_3
D98568	Terephthalic d_4 acid
D99036	Tetramethylsilane TMS)
D99450	Toluene d_8
D99900	Trifluoroacetic acid d TFA d)

Product Code	Product Name	Packing
840200	**Gram's Iodine** Solution Iodine content 33.0%	**125 ml**
840250	**Gram's Safranine** 0.5% w/v	**125 ml**
025362 C (7782-42-5)	**Graphite** Fine Powder Pract A.W.: 12.01	**500 gm**
107105 $C_7H_8O_2$ (90-05-1)	**Guaiacol** (o-Methoxyphenol) M.W. : 124.14	**500 ml**
107285 (593-85-1)	**Guanidine Carbonate** for Synthesis	**100 gm** **1 kg**
107310 $CH_5N_3.HCl$ (50-01-1)	**Guanidine Hydrochloride** (Guanidinium Chloride) M. W.: 95.53 Assay (Argentometric) 98.0%	**100 gm** **1 kg**
540865 $CH_5N_3.HCl$ (50-01-1)	**Guanidine Hydrochloride AR** for Biochemistry M. W.: 95.53 Assay (Argentometric) 98.0%	**25 gm** **100 gm**
941100 (50-01-1)	**Guanidine Hydrochloride** for Molecular Biology	**100 gm** **500 gm**
025325 $CH_6N_4O_3$ (506-93-4)	**Guanidine Nitrate** M.W.: 122.08 Assay (Non-aqueous) 98.0%	**250 gm**
044324 $C_2H_6N_4S$ (593-84-0)	**Guanidine Thiocyanate** M. W.: 118.16 Assay 99.0%	**100 gm** **500 gm**
042035 $C_5H_5N_5O$ (73-40-5)	**Guanine** for Biochemistry M. W.: 151.13 Assay (dried, Non-aqueous) 97.0%	**5 gm** **25 gm** **100 gm**
042036 $C_5H_5N_5O.HCl$ (635-39-2)	**Guanine Hydrochloride** for Biochemistry M. W.: 187.59 Assay (Acidimetric) 98.0%	**1 gm** **5 gm** **25 gm**
025349 $C_5H_5N_5O½H_2SO_4$ (10333-92-3)	**Guanine Sulphate** for Biochemistry M. W.: 200.20 Assay 99.0%	**1 gm** **5 gm**
107485 (118-00-3)	**Guanosine** (D-Guanosine) for Biochemistry	**10 gm** **25 gm**
042059 $C_{10}H_{12}N_5Na_2O_8P.XH_2O$ (5550-12-9)	**Guanosine-5-Monophosphate Disodium Salt** for Biochemistry M.W. : 407.19 (anhy.) Assay (On drired metrial spectrophotometric 260nm) 96.0%	**1 gm** **5 gm** **25 gm**
025368 (9000-30-0)	**Guar gum** Powder of Endosperm	**500 gm**
541045 (9000-30-0)	**Guar Gum AR** Gold Label	**500 gm**
	Gum Acacia See Acacia	
025347 (9000-28-6)	**Gum Ghatti** Suitable for Urea Nitrogen estimation	**100 gm** **500 gm**
840390	**Gum Ghatti** Solution	**125 ml**
107675 (9000-36-6)	**Gum Karaya** for Synthesis	**500 gm** **25 kg**
054525 (8050-09-7)	**Gum Rosin**	**250 gm** **1 kg**
033215 (9000-65-1)	**Gum Tragacanth** Powder	**500 gm**
	Gum Xanthan See Xanthan Gum	
107705	**Gypsum Powder** Pract (Natural Hydrated Calcium Sulphate)	**500 gm**



Product Code	Product Name	Packing
	HABA See 2-(4-Hydroxy benzeneazo) **Benzoic Acd**	
044184 (9008-02-0)	**Haemoglobin** Powder	**100 gm** **500 gm**
844000	**Hafnium** Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3	**100 ml**
844020	**Hafnium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
540955 HFO_2 (12055-23-1)	**Hafnium Oxide AR** M. W.: 210.49	**1 gm** **5 gm** **25 gm** **100 gm**
025344 C13H14N2O (304-21-2)	**Harmaline** M. W.: 214.26	**1 gm**
025342 $C_{13}H_{12}N_2O$ 442-51-3	**Harmine** M. W.: 212.25 Assay 98.0%	**1 gm**
110135 $C_{10}H_{15}F_6N_6OP$ (148893-10-1)	**HATU** for Peptide Synthesis [O-(7-Azabenzotriazol-1-yl)-N,N,N,N-Tetramethyl-Uronium Hexafluorophosphate] M. W.: 380.23	**1 gm** **5 gm** **25 gm**
110175 $C_{11}H_{16}F_6N_5OP$ (94790-37-1)	**HBTU** Solid Phase PeptideSynthesis Reagent (O-(1H -Benzotriazol -1-Yl) N,N,N,'N'Tetramethyluroniumhexa Fluorophosphate) M. W.: 379.24 Assay (HPLC) 99.0%	**5 gm** **25 gm** **100 gm**
110205 $C_{11}H_{15}ClF_6N_5OP$ (330645-87-9)	**HCTU** for Synthesis (O-(6-Chlorobenzotriazol-1yl)-N,N,N,N-Tetramethyluronium Hexafluorophosphate) M. W.: 413.69 Assay (HPLC) 98.0%	**5 gm** **25 gm**
034037 $C_{16}H_{14}O_6.H_2O$ (517-28-2)	**Haematoxylin** Stain Certified C.I. No. 75290 For Microscopy M.W.: 302.29 Dye content (spectrophotometry) >95.0%	**5 gm** **25 gm**
844050	**Haematoxylin** Delafield Staining Soln.	**125 ml**
844070	**Hematoxylin** (Ehrlich) Staining Soln.	**125 ml**
	Haematoxylin Harri's Staining Solution See Papanicolaous Solution 1a Harris	
844100	**Haematoxylin Solution Modified Acc.** to Gill II for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	**500 ml**
844120	**Haematoxylin Solution Modified Acc.** to Gill III for General Purpose Nuclear Stain Microscopy, co Progressive Type, Used with Hemtoxylin & Eosin Stains	**500 ml**
844140	**Haematoxylin Mayer's Solution** (Hemalum Mayer's)	**100 ml** **500 ml**

Product Code	Product Name	Packing
110385 $C_{16}H_{12}O_6$ (475-25-2)	**Hematin** for Microscopy C.I. 75290 M.W. : 300.26	**5 gm**
541545 (9025-56-3)	**Hemicellulase AR** for Biochemistry	**5 gm** **25 gm**
110565 $C_{34}H_{32}ClFeN_4O_4$ (16009-13-5)	**Hemin** for Biochemistry M.W. : 651.94 Assay (HPLC) 90.0%	**1 gm** **5 gm**
110635	**Heparin Sodium** Pure 20,000 Unit Does not contain 1,00,000 Unit preservative Assay 150 U/mg	**vial** **vial**
044147 $C_8H_{18}N_2O_4S$ (7365-45-9)	**HEPES** (Buffer) Suitable for Tissue Culture Work pKa - 7.5 M. W.: 238.30 Assay (potentiometric) 99.0%	**25 gm** **100 gm** **500 gm**
110675 (629-78-7)	n-**Heptadecane** for Synthesis	**250 ml**
541865 (629-78-7)	n-**Heptadecane AR** Assay (GC) 95.0%	**100 ml**
110755 (111-71-7)	1-**Heptaldehyde** for Synthesis	**500 ml**
028471 (142-82-5)	**Heptane** Fraction from petroleum	**500 ml** **2.5 lit** **25 lit** **200 lit**
028473 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Synthesis M. W.: 100.21 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
542005 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane AR** M. W.: 100.21 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
743100 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for HPLC & Spectroscopy M. W.: 100.21 Assay (GC) 99.0%	**1 lit**
743120 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Spectroscopy M. W.: 100.21	**500 ml**
743140 $CH_3(CH_2)_5CH_3$ (142-82-5)	n-**Heptane** for Pesticide Residue Trace Analysis M. W.: 100.21	**1 lit** **2.5 lit**
743160 (22767-50-6)	1-**Heptanesulphonic Acid Sodium Salt** Anhydrous **AR** for HPLC	**25 gm** **100 gm**
743180 $C_7H_5NaO_3S.H_2O$ (207300-90-1)	1-**Heptane Sulphonic Acid Sodium Salt AR** Monohydrate for HPLC M. W.: 220.27 Assay (Acidimetric) 99.0%	**5 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
110945 $CH_3(CH_2)_5COOH$ (111-14-8)	**Heptanoic Acid** for Synthesis (Ethanthic acid,Oenanthic Acid) M. W.: 130.18 Assay (GC) 98.0%	**500 ml**
111155 $C_7H_{16}O$ (111-70-6)	n-**Heptanol**, for Synthesis (Heptan-1-OL, n-Heptyl Alcohol) M. W.: 116.21	**500 ml** **2.5 lit** **25 lit**
542075 $C_7H_{16}O$ (111-70-6)	n-**Heptanol AR** (Ethanthic acid,Oenanthic Acid) M. W.: 116.21	**500 ml** **2.5 lit** **25 lit**
111305 $C_{28}H_{34}O_{15}$ (520-26-3)	**Hesperidin** M. W.: 610.56 Assay 80.0%	**10 gm** **100 gm** **500 gm**
542115 C_6Cl_6 (118-74-1)	**Hexachloro Benzene AR** M. W.: 284.78	**25 gm**
111495 C_4Cl_6 (87-68-3)	**Hexachloro 1,3-Butadiene** for Synthesis M. W.: 260.76	**250 ml**
025340 C_2Cl_6 (67-72-1)	**Hexachloro Ethane** M. W.: 236.74 Assay (GC) 98.0%	**500 gm**
	Hexachloro Platinic (IV) Acid Hydrate See Chloro Platinic Acid Abt 40% Pt	
	1-**Hexa Decanol** See Cetyl Alcohol	
111615 $C_{16}H_{34}$ (544-76-3)	n-**Hexa Decane** for Synthesis M. W.: 226.45 Assay 95.0%	**250 ml** **500 ml**
542295 $C_{16}H_{34}$ (544-76-3)	n-**Hexa Decane AR** M. W.: 226.45 Assay (GC) 95.0%	**100 ml** **500 ml**
743320 $CH_3(CH_2)_{15}SO_3Na$ (15015-81-3)	1-**Hexa Decane Sulfonic Acid** **Sodium Salt** (Anhydrous) HPLC M. W.: 328.49	**5 gm** **25 gm**
111745 $CH_3(CH_2)_{15}NH_2$ (143-27-1)	**Hexa Decylamine** for Synthesis M. W.: 241.46 Assay 98.0%	**250 gm** **1 kg**
542485 HPF_6 (16940-81-1)	**Hexafluoro phosphoric Acid** 55% **AR** M. W.: 145.97	**500 gm**
111805 $(CF_3)_2CHOH$ (920-66-1)	1,1,1,3,3,3-**Hexafluoro 2-Propanol** for Synthesis M. W.: 168.04 Assay 99.0%	**100 gm**
743405 (920-66-1)	1,1,1,3,3,3-**Hexafluoro 2-Propanol** for Spectroscopy	**100 ml**
112115 $C_6H_{18}Si_2$ (1450-14-2)	**Hexamethyl Disilane** for Synthesis M. W.: 146.38	**100 ml**

Product Code	Product Name	Packing
112195 $C_6H_{19}NSi_2$ (999-97-3)	1,1,1,3,3,3-**Hexamethyl Disilazane** for Synthesis (Hmds,Bis- (Trimethylsilyl) Amine) M. W.: 161.39	**100 ml** **500 ml**
112295 $(CH_3)_3SiOSi(CH_3)_3$ (107-46-0)	**Hexamethyl Disiloxane** for Synthesis M. W.: 162.38	**100 ml** **500 ml**
028483 $(CH_2)_6N_4$ (100-97-0)	**Hexamine** (Hexamethylene Tetramine) M. W.: 140.19 Assay (acidimetric on dried subs.) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
542535 $(CH_2)_6N_4$ (100-97-0)	**Hexamine AR/ACS** W.: 140.19 Assay (acidimetric on dried subs.) 99.5%	**500 gm** **5 kg** **25 kg**
112405 $C_6H_{14}O$ (111-27-3)	**Hexan-1-OL** for Synthesis (n-Hexyl Alcohol, n-Hexanol) M. W.: 102.18 Assay 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
542795 $C_6H_{14}O$ (111-27-3)	**Hexan-1-OL AR** **(**n-Hexyl Alcohol, n-Hexanol) M. W.: 102.18 Assay 98.5%	**500 ml** **2.5 lit** **25 lit**
028485 C_6H_{14} (110-54-3)	**Hexane** Fraction from Petroleum M. W.: 86.18	**500 ml** **2.5 lit** **25 lit** **200 lit**
542810 C_6H_{14} (110-54-3)	**Hexane AR** Fraction from Petroleum M. W.: 86.18	**500 ml** **2.5 lit** **25 lit** **200 lit**
743560 C_6H_{14} (110-54-3)	**Hexane** for HPLC & Spectroscopy M. W.: 86.18	**1 lit** **2.5 lit**
D63126 C_6D_{14} (21666 38 6)	**Hexane** d_{14} (for NMR Spectroscopy) M.W.: 100 29 Assay Min. 99 atom%D	**5 ml**
028488 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for Synthesis M. W.: 86.18 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
542820 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane AR** M. W.: 86.18 Assay (GLC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
743600 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for HPLC & Spectroscopy M. W.: 86.18 Assay (GLC) 99.0%	**1 lit** **2.5 lit**
743650 $CH_3(CH_2)_4CH_3$ (110-54-3)	n-**Hexane** for Pesticide Residue Trace Analysis M. W.: 86.18	**1 lit** **2.5 lit**
112515 $HO(CH_2)_6OH$ (629-11-8)	1,6-**Hexanediol** (Hexamethylene Glycol) for Synthesis M. W.: 118.17	**500 gm**

Product Code	Product Name	Packing
743700 $C_6H_{13}O_3SNa$ (2832-45-3)	1-**Hexane Sulphonic Acid Sodium Salt** Anhydrous For HPLC M. W.: 188.22 Assay 99.0%	**25 gm** **100 gm**
743705 $C_6H_{13}NaO_3S.H_2O$ (207300-91-2)	1-**Hexane Sulphonic Acid Sodium Salt** Monohydrate For HPLC M. W.: 206.24 Assay (cation exchange) 99.0%	**5 gm** **25 gm** **100 gm**
	n-**Hexanoic Acid** See Caproic Acid	
112635 (9001-51-8)	**Hexokinase** from Microorganism Lyophilized Powder, Activity ~ 275-325U/mg (ATP, D-Hexose-6-Phosphotransferase)	**5000 units**
543415 $C_{10}H_{19}ClN_2$ (171058-17-6)	1-**Hexyl**-3-**Methyl Imidazolium Chloride AR** M. W.: 202.72 Assay (HPLC) 98.5%	**5 gm** **25 gm**
112805 $C_{12}H_{18}O_2$ (136-77-6)	4-**Hexyl Resorcinol** for Synthesis M. W.: 194.27 Assay 98.0%	**25 gm**
743840 $CH_3(CH_2)_5NH_2$ (111-26-2)	**Hexylamine** for HPLC M. W.: 101.19	**100 ml**
029243 $C_6H_{14}O_2$ (107-41-5)	**Hexylene Glycol** M. W.: 118.18 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
033135	**High Vacuum Silicon Grease** (Vacuum Grease)	**50 gm** **250 gm** **1 kg**
028497 $C_9H_9NO_3$ (495-69-2)	**Hippuric Acid** Cryst. M. W.: 179.18 Assay (acidimetric) 99.0%	**100 gm** **1 kg**
112955 $C_9H_8NO_3Na.XH_2O$ (532-94-5)	**Hippuric Acid Sodium Salt** M. W.: 201.15 Anhy	**25 gm** **100 gm**
113135 $C_5H_9N_32H_3PO_4.H_2O$ (51-74-1)	**Histamine Acid Phosphate** for Biochemistry (Histamine Biphosphate mono hydrate) M. W.: 325.15	**1 gm** **5 gm**
111195 $C_5H_9N_3.2HCl$ (56-92-8)	**Histamine Dihydro Chloride** for Biochemistry M. W.: 184.07	**5 gm** **25 gm**
037221 $C_6H_9N_3O_2$ (71-00-1)	L-**Histidine** for Biochemistry M. W.: 155.16 Assay (ex Non-aqueous) 98.0%	**25 gm** **500 gm**
037118 $C_6H_9N_3O_2.HCl.H_2O$ (5934-29-2)	L-**Histidine Monohydrochloride** Monohydrate M. W.: 209.63 Assay (Argentometric; ex Cl) 99.0%	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
844267	**Histological Fixative-Formalin Neutral Sodium Sal**t Bufferd pH 7.0 at 25°C	**5 lit**
844395	**Holmium** Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3	**100 ml**
844400	**Holmium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
RE1305 Ho (7440-60-0)	**Holmium** Metal Ingot M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1310 Ho (7440-60-0)	**Holmium** Metal Lump M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm**
RE1315 Ho (7440-60-0)	**Holmium** Metal Powder 325 mesh M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm** **100 gm**
RE1320 Ho (7440-60-0)	**Holmium** Metal Wire (0.1mm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1325 Ho (7440-60-0)	**Holmium** Metal Rod (5mmx30cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE1330 Ho (7440-60-0)	**Holmium** Metal Foil (0.25mmx40 cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE1335 Ho (7440-60-0)	**Holmium** Metal Foil (0.50mmx40 cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE1340 Ho (7440-60-0)	**Holmium** Metal SLAB (1cmx40cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE1345 Ho (7440-60-0)	**Holmium** Metal Disc (0.1mmxdia 35cm) M. W.: 164.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE1360 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.9%	**2 gm** **10 gm** **25 gm**
RE1365 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE1370 $Ho(O_2C_2H_3)_3.XH_2O$ (312619-49-1)	**Holmium** (III) **Acetate** M. W.: 342.07 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1380 $Ho_2(CO_3)_3.XH_2O$ (38245-34-0)	**Holmium** (III) **Carbonate** M. W.: 509.88 Assay (Trace metal basis) 99.90%	**10 gm** **50 gm** **100 gm**
RE1390 $HoCl_3.6H_2O$ (14914-84-2)	**Holmium** (III) **Chloride** M. W.: 379.38 Assay (Trace metal basis) 99.90%	**5 gm** **25 gm** **100 gm**
RE1400 HoI_3 (13813-41-7)	**Holmium** (III) **Iodide** M.W. : 545.64 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE1415 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.9%	**5 gm** **10 gm** **50 gm**

Product Code	Product Name	Packing
RE1420 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.99%	**5 gm** **10 gm** **25 gm**
RE1425 $Ho_2.O_3$ (12055-62-8)	**Holmium** (III) **Oxide** M. W.: 377.86 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm** **25 gm**
RE1440 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE1445 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1450 $Ho_2(SO_4)_3.8H_2O$ (13473-57-9)	**Holmium** (III) **Sulphate** M.W. : 762.17 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
113335 $C_{10}H_{15}NO_2$ (120-20-7)	**Homoveratrylamine** for Synthesis M. W.: 181.23	**250 ml**
113415 (1415-93-6)	**Humic Acid** (PGS 10)	**500 gm** **5 kg**
543965 $C_{27}H_{42}ClNO_2$ (121-54-0)	**Hyamine 1622** for Tensile Test **AR** M. W.: 448.10 Assay (Non-aqueous) (on dried subs.)	**25 gm** **100 gm**
844460	**Hyamine 1622** Soln. 0.004m	**500 ml** **2.5 lit**
028501 $H_4N_2.2HCl$ (5341-61-7)	**Hydrazine Dihydrochloride** (Hydrazine Chloride) M. W.: 104.97 Assay (Oxidimetric) 97.0%	**100 gm** **500 gm**
028500 $H_4N_2.H_2O$ (7803-57-8)	**Hydrazine Hydrate 80%** M. W.: 50.06 Assay (iodometric) 80.0%	**500 ml** **2.5 lit** **25 lit**
543985 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 80% **AR** M.W.:50.06 Assay 80.0%	**500 ml** **2.5 lit** **25 lit**
028502 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 99% for synthesis M. W.: 50.06 Assay (Oxidimetric) 99.0%	**500 ml** **2.5 lit** **25 lit**
543990 $H_4N_2H_2O$ (7803-57-8)	**Hydrazine Hydrate** 99% **AR** M. W.: 50.06 Assay (Oxidimetric) 99.0%	**500 ml** **2.5 lit**
028503 $H_4N_2.H_2SO_4$ (10034-93-2)	**Hydrazine Sulphate** Purified M. W.: 130.12 Assay (By iodometric) 99.0%	**100 gm** **500 gm** **25 kg**
544105 $H_4N_2H_2SO_4$ (10034-93-2)	**Hydrazine Sulphate AR/ACS** M. W.: 130.12 Assay (By iodometric) 99.0%	**100 gm** **500 gm**
	Hydrazinium Chloride See Hydrazine Dihydrochloride	
	Hydrazinium Sulphate See Hydrazine Sulphate	
025334 $C_{12}H_{12}.N_2$ (122-66-7)	**Hydrazobenzene** M. W.: 184.24 Assay (HPLC) 98.0%	**100 gm**

Product Code	Product Name	Packing
544215 $C_{18}H_{14}O_8$ (5950-69-6)	**Hydrindantine Dihydrate AR** M. W.: 358.30	**25 gm**
544305 HI (10034-85-2)	**Hydriodic Acid AR/ACS** M. W.: 127.91 Assay (Acid-base titration) 54-56%	**250 ml**
028516 HBr (10035-10-6)	**Hydrobromic Acid** in Glacial acetic acid M.W. : 80.91 Assay (Argentometric) About 33.0%	**500 ml** **2.5 lit**
028505 Hbr (10035-10-6)	**Hydrobromic Acid** M. W.: 80.91 Assay(acidimetric) 48.0-49.0%	**500 ml** **2.5 lit**
544425 HBr (10035-10-6)	**Hydrobromic Acid AR/ACS** M.W. : 80.91 Assay (acidimetric) 48.0%-49.0%	**500 ml** **2.5 lit**
113460 HCl (7647-01-0)	**Hydrochloric Acid** (1.18) M.W. : 36.46 Assay 35-38%	**500 ml** **2.5 lit** **5 lit**
544475 HCl (7647-01-0)	**Hydrochloric Acid** (1.18) **AR** M.W. : 36.46 Assay 35.4%	**500 ml** **2.5 lit** **5 lit** **25 lit**
744580 HCl (7647-01-0)	**Hydrochloric Acid** Abt. 36% (1.18) EL M.W. : 36.46 Assay 36.0%	**2.5 lit**
844620	**Hydrochloric Acid** N/1	**500 ml**
844640	**Hydrochloric Acid** N/10 (Hydrochloric Acid 0.1 N Solution)	**500 ml** **2.5 lit**
844680	**Hydrochloric Acid** 0.01M (0.01N) Volumetric Solution	**3 Amp** **6 Amp**
844700	**Hydrochloric Acid** 0.02 M (0.02N) Volumetric Solution	**500 ml**
844720	**Hydrochloric Acid** 0.05 M (0.05N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844730	**Hydrochloric Acid** 0.1 M (0.1N) 1.82350g HCl for 500 ml. 0.1N Volumetric Solution	**3 Amp** **6 Amp**
844780	**Hydrochloric Acid** 0.1M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844800	**Hydrochloric Acid** 0.2 M (0.2N) Volumetric Solution	**500 ml**
844840	**Hydrochloric Acid** 0.5 M (0.5N) Volumetric Soln.	**500 ml** **1 lit** **2.5 lit**
844860	**Hydrochloric Acid** 1.0M (1.0N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844870	**Hydrochloric Acid** 2 M (2N) CTITRINORM Volumetric Solution	**500 ml** **1 lit** **2.5 lit**


Product Code	Product Name	Packing
844910	**Hydrochloric Acid** 4 M (4 N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
844990	**Hydrochloric Acid** 5 M (5N) CTITRINORM Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
845000	**Hydrochloric Acid** 6M (6N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
942120 (7647-01-0)	**Hydrochloric Acid** Fuming 37% for Molecular Biology	**500 ml**
113505 $C_{21}H_{30}O_5$ (50-23-7)	**Hydrocortisone** For Lab Use M. W.: 362.46	**1 gm** **5 gm**
113535 $C_{23}H_{32}O_6$ (50-03-3)	**Hydrocortisone Acetate** For Lab Use M. W.: 404.51	**1 gm** **5 gm**
544685 $C_{23}H_{32}O_6$ (50-03-3)	**Hydrocortisone Acetate AR** M. W.: 404.51	**1 gm** **5 gm**
028514 HF (7664-39-3)	**Hydrofluoric Acid** M. W.: 20.01 Assay(acidimetric) 39.0-43.0%	**500 ml** **2.5 lit** **5 lit**
544735 HF (7664-39-3)	**Hydrofluoric Acid AR/ACS** M. W.: 20.01 Assay 40.0-42.0%	**500 ml**
744120 HF (7664-39-3)	**Hydrofluoric Acid** EL grade M. W.: 20.01 Assay 40.0-42.0%	**500 ml**
544738 HF (7664-39-3)	**Hydrofluoric Acid AR/ACS** M. W.: 20.01 Assay 48.0-51.0%	**500 ml** **2.5 lit**
	Hydrogen Hexa Chloro Platinate (IV) See Platinic Chloride	
845150	**Hydrogen Bromide** 2M (2N) Volumetric Solution	**1 lit**
845160	**Hydrogen Chloride** 0.1M (0.1N) in 2-Propanole	**1 lit**
845200 H_2O_2 (7722-84-1)	***Hydrogen Peroxide** Solution about 6% w/v H2O2 20 Volumes M. W.: 34.01 Assay(H_2O_2) 6.0% w/v	**1 lit**
845250 H_2O_2 (7722-84-1)	***Hydrogen Peroxide** Solution about 30% w/v H2O2 100 Volumes M. W.: 34.01 Assay(H2O2) 30.0% w/v	**500 ml** **5 lit**
845300 H_2O_2 (7722-84-1)	***Hydrogen Peroxide** Solution **AR** 30% 100 Volumes M. W.: 34.01 Assay : Contains not less than 30% w/v	**500 ml** **5 lit**

Product Code	Product Name	Packing
030011 $C_6H_4(OH)_2$ (123-31-9)	**Hydroquinone** for Synthesis M. W.: 110.11 Assay (GC) 99.0%	**100 gm** **500 gm** **25 kg**
544875 $C_6H_4(OH)_2$ (123-31-9)	**Hydroquinone AR** M. W.: 110.11 Assay 99.5%	**100 gm** **500 gm**
113835 $C_6H_4(OCH_3)_2$ (150-78-7)	**Hydroquinone Dimethyl Ether** for Synthesis M. W.: 138.16	**250 gm** **1 kg**
025322 $C_7H_8O_2$ (150-76-5)	**Hydroquinone Monomethyl Ether** M. W.: 124.14 Assay (GC) 98.0%	**100 gm** **250 gm**
	p-**Hydroxy Acetanilide** See Paracetamol	
028521 $C_8H_8O_2$ (118-93-4)	o-**Hydroxy Acetophenone** M.W 136.16 Assay (GC) 95.0%	**100 ml** **500 ml**
114015 $HOC_6H_4COCH_3$ (121-71-1)	3-**Hydroxy Acetophenone** for Synthesis (m-Hydroxyacetophenone) M. W.: 136.15	**25 gm** **100 gm**
028522 $CH_3.CO.C_6H_4.OH$ (99-93-4)	p-**Hydroxy Acetophenone** M. W.: 136.15 Assay (GC) 99.0%	**100 gm** **500 gm**
114075 $C_{10}H_{16}O$ (768-95-6)	1-**Hydroxy Adamantane** M. W.: 152.23 Assay 99.0%	**5 gm** **25 gm**
028525 $C_{12}H_{10}N_2O$ (1689-82-3)	p-**Hydroxy Azobenzene** absorption indicator M. W.: 198.23 Assay 98.0%	**25 gm**
545025 $C_5H_4N_4O$ (39968-33-7)	1-**Hydroxy-7-Azabenzo Triazole** (Hoat) **AR** Protecting Reagent M. W.: 136.11	**1 gm** **5 gm** **25 gm**
	2-(h-**Hydroxy Azobenzene Benzoic Acid)** See HABA (2-(4-**Hydroxy benzeneazo**) **Benzoic Acid)**	
	2-**Hydroxy Benzaldehyde** See Salicylaldehyde	
028526 $C_7H_6O_2$ (100-83-4)	m-**Hydroxy Benzaldehyde** M. W.: 122.12 Assay (Acidimetric) 98.0%	**100 gm** **500 gm**
028527 $C_7H_6O_2$ (123-08-0)	p-**Hydroxy Benzaldehyde** M. W.: 122.12 Assay (GC) 98.0%	**100 gm** **500 gm**
114255 $C_7H_7NO_2$ (619-57-8)	4-**Hydroxy Benzamide** M. W.: 137.14 Assay 98.0%	**5 gm** **25 gm**
545045 $C_{13}H_{10}N_2O_3$ (1634-82-8)	2-(4-**Hydroxybenzeneazo**) **Benzoic Acid** for Automatic analysis **AR** M. W.: 242.24 Assay (HPLC) 99.0%	**1 gm** **25 gm**

Product Code	Product Name	Packing
028529 $C_6H_4(OH).COOH$ (99-96-7)	p-**Hydroxy Benzoic Acid** M. W.: 138.12 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
114425 $HOC_6H_4CO_2H$ (99-06-9)	m-**Hydroxy Benzoic Acid** for Synthesis M. W.: 138.12	**500 gm**
545235 $HOC_6H_4CO_2Na$ (114-63-6)	p-**Hydroxy Benzoic Acid Sodium Salt AR** for Biochemistry	**25 gm** **100 gm** **1 kg**
114515 $HOC_6H_4COC_6H_5$ (1137-42-4)	p-**Hydroxy Benzophenone** M. W.: 198.22 Assay 98.0%	**100 gm**
	[(2-**Hydroxy**-1,1-Bis (Hydroxymethyl) Ethyl) Amino]-1-Ethanesulphonic Acid See TAPS Buffer	
114635 $C_8H_6O_3$ (6272-26-0)	6-**Hydroxy-3-Coumaranone** M. W.: 150.13 Assay 97.0%	**1 gm** **5 gm**
066214 $C_{12}H_{10}O$ (90-43-7)	o-**Hydroxy Diphenyl** M. W.: 170.21 Assay 99.0%	**500 gm** **2.5 kg**
066213 $C_{12}H_{10}O$ (92-69-3)	p-**Hydroxy Diphenyl** M. W.: 170.21 Assay (GC) 98.0%	**100 gm** **500 gm**
114805 (9004-62-0)	**Hydroxy Ethyl Cellulose** (Hv 45) mpas	**500 gm**
114815 (9004-62-0)	**Hydroxy Ethyl Cellulose** HV 145 mPas	**500 gm**
114825 (9004-62-0)	**Hydroxy Ethyl Cellulose** HV 270 mPas	**500 gm**
	N-**(2-Hydroxy Ethyl) Ethylene Diamine** See N-(2-Amino Ethyl) Ethane Diamine	
	N,N-BIS-**(2-Hydroxy Ethyl) Glycine** See Bicine Buffer	
115205 $C_6H_{13}NO_2$ (622-40-2)	4-**(2-Hydroxy Ethyl) Morpholine** (2-Morpholinoethanol) M. W.: 131.17	**500 ml**
115315 $C_{10}H_9NO_3$ (3891-07-4)	n-(2-**Hydroxy Ethyl) Phthalimide** (2-Phthalimidoethanol) M. W.: 191.18	**100 gm** **500 gm**
115405 $C_8H_{17}N_2NaO_4S$ (75277-39-3)	n-(2-**Hydroxy Ethyl) Piperazine-N-2-Ethane-Sulphonic Acid Sodium Salt** (Hepes Sodium Salt Buffer) M. W.: 260.29	**25 gm** **100 gm** **500 gm**
	N,2-**Hydroxyethyl Piperazine-N-2-Ethane Sulphonic Acid** See HEPES (Buffer)	

Product Code	Product Name	Packing
115515 $C_7H_{15}NO$ (3040-44-6)	1-(2-**Hydroxy Ethyl) Piperidine** (1-Piperidine Ethanol, 2-Piperidino Ethanol) M. W.: 129.20	**100 ml** **500 ml**
115605 C_8H_7NO (2380-94-1)	4-**Hydroxy Indole** (4-Indolol) for Synthesis M. W.: 135.15	**1 gm** **5 gm**
115635 C_8H_7NO (1953-54-4)	5-**Hydroxy Indole** for Synthesis M. W.: 133.15 Assay 97.0%	**1 gm** **5 gm**
115735 HOC_6H_3-1,3-$(CO_2H)_2$ (618-83-7)	5-**Hydroxy Isophthalic Acid** for Synthesis M. W.: 182.13	**25 gm** **100 gm**
028523 $NH_2OH.HCl$ (5470-11-1)	**Hydroxylamine Hydrochloride** for Synthesis (Hydroxyl Ammonium Chloride) M. W.: 69.49 Assay 98.0%	**100 gm** **500 gm** **50 kg**
545325 $NH_2OH.HCl$ (5470-11-1)	**Hydroxylamine Hydrochloride AR/ACS** M. W.: 69.49 Assay 99.0%	**100 gm** **500 gm**
115845 $(NH_2OH)_3.H_3PO_4$ (20845-01-6)	**Hydroxylamine Phosphate** for Synthesis (Hydroxylammonium Phosphate) M. W.: 65.37	**25 gm** **100 gm**
028524 $(NH_2OH)_2.H_2SO_4$ (10039-54-0)	**Hydroxylamine Sulphate** (Hydroxyl Ammonium Sulphate) M. W.: 164.13 Assay (oxidimetric) 97.0%	**500 gm** **50 kg**
545335 $(NH_2OH)_2.H_2SO_4$ (10039-54-0)	**Hydroxylamine Sulphate AR** M. W.: 164.13 Assay (Oxidimetric) 99.0%	**500 gm**
115995 $HOC_6H_3(OCH_3)CHO$ (621-59-0)	3-**Hydroxy**-4-**Methoxy Benzaldehyde** for Synthesis M. W.: 152.15 Assay 99.0%	**25 gm** **100 gm**
116105 $HOC_6H_3(CH_3)CO_2H$ (499-76-3)	4-**Hydroxy**-3-**Methyl Benzoic Acid** M. W.: 152.15 Assay 97.0%	**1 gm** **10 gm**
116225 $C_{10}H_7O_3Na$ (5980-33-6)	7-**Hydroxy**-4-**Methyl Coumarin Sodium Salt** (β-Methylumbelliferrone Sodium Salt) M. W.: 198.15	**25 gm**
116255 $C_{10}H_8O_3$ (90-33-5)	7-**Hydroxy**-4-**Methyl-Coumarin** (β-Methylumbelliferone) M. W.: 176.17	**100 gm** **500 gm**
545415 $C_{10}H_8O_3$ (90-33-5)	7-**Hydroxy**-4-**Methyl-Coumarin AR** (β-Methylumbelliferone) M. W.: 176.17	**100 gm**

Product Code	Product Name	Packing
116365 $C_6H_6O_3$ (67-47-0)	5-**Hydroxy Methyl Furfural** M. W.: 126.11 Assay (HPLC) 99.0%	**1 gm** **5 gm**
	2-**Hydroxy Methyl**-2-**Methyl** -1,3 **Propanediol** See1,1,1, triss(hydroxy methane ethane)	
	4-**Hydroxy**-4-**Methyl**-2-**Pentanone** See Diacetone Alcohol	
116505 $C_{11}H_8O_2$ (708-06-5)	2-**Hydroxy**-1-**Naphthaldehyde** M. W.: 172.18 Assay (GC) 88.0%	**100 gm**
116615 $HOC_{10}H_6CO_2H$ (92-70-6)	3-**Hydroxy**-2-**Naphthoic Acid** for Synthesis M. W.: 188.18 Assay 98.0%	**250 gm**
116705 $C_{20}H_{12}N_2Na_2O_{11}S_3$ (165660-27-5)	**Hydroxy Naphthol Blue ACS** Certified grade M. W.: 598.50	**5 gm** **25 gm**
545445 $C_{20}H_{12}N_2Na_2O_{11}S_3$ (165660-27-5)	**Hydroxy Naphthol Blue AR** Indicator For Calcium determination M. W.: 598.50	**5 gm** **25 gm**
	DL-α-**Hydroxyphenyl Acetic Acid** See DL-**Mandelic Acid**	
116825 $HOC_6H_4CH_2CO_2H$ (156-38-7)	4-**Hydroxy Phenyl Acetic Acid** for Synthesis M. W.: 152.15	**25 gm** **100 gm**
	L-**Hydroxy Phenylalanine** see L-DOPA	
	2-(4-**Hydroxy Phenylazo) Benzoic Acid** (2-(4-hydroxy benzene azo) benzoic acid) See HABA	
116945 $C_5H_{11}NO$ (5382-16-1)	4-**Hydroxy Piperidine** (4-Piperidinol) M. W.: 101.15	**25 gm** **100 gm**
037120 $C_5H_9NO_3$ (51-35-4)	L-**Hydroxy Proline** for Biochemistry M. W.: 131.13 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm** **100 gm**
117165 $HOC_6H_4COC_2H_5$ (70-70-2)	4-**Hydroxy Propiophenone** (p-Hydroxypropiophenone) M. W.: 150.17	**100 gm** **500 gm**
117275 $C_{42}H_{70}O_{35}.C_2H_5O$ (128446-35-5)	2-**Hydroxy Propyl Beta Cyclodextrine** for Synthesis M. W.: 1180.04	**25 gm** **100 gm**
028683 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 3000 cPs + M. W.: 318.233	**500 gm**
025333 (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 5 cPs	**1 kg**
025332 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 15 cPs M. W.: 318.233	**1 kg**
025329 $C_3H_8O_2.XCH_4$ (9004-65-3)	**Hydroxy Propyl Methyl Cellulose** 50 cPs M. W.: 318.233	**1 kg**
025331 (9004-65-3)	**Hydroxy Propyl Methyl Cellulose**	**500 gm**
117555 C_5H_5NO (142-08-5)	2-**Hydroxy Pyridine** for Synthesis M. W.: 95.10 Assay 98.0%	**100 gm** **500 gm**
117585 C_5H_5NO (109-00-2)	3-**Hydroxy Pyridine** for Synthesis M. W.: 95.10 Assay 98.0%	**25 gm** **100 gm** **500 gm**
025337 C_5H_5NO (626-64-2)	4-**Hydroxy Pyridine** M.W.: 95.10 Assay (By GC) 95.0%	**25 gm** **100 gm**
013079 C_9H_7NO (148-24-3)	8-**Hydroxy Quinoline** (Oxine) M. W.: 145.16 Assay ($HClO_4$ titration) 99.0-101.0%	**100 gm** **500 gm**
545475 C_9H_7NO (148-24-3)	8-**Hydroxy Quinoline AR/ACS** (Oxine) Reagent for Vanadium Magnesium M. W.: 145.16 Assay ($HClO_4$ titration) 99.0%	**100 gm** **500 gm**
117725 $C_4H_5NO_3$ (6066-82-6)	n-**Hydroxy Succinimide** for Synthesis M. W.: 115.09	**100 gm** **500 gm**
117815 $C_{11}H_{12}N_2O_3$ (4350-09-8)	5-**Hydroxy**-L-**Trpytophan** for Biochemistry M. W.: 220.22	**1 gm**
033216 (61790-53-2)	**Hyflosupercel** (Filter AID)	**500 gm** **10 kg**
	Hypo See Sodium Thiosulphate	
025330 H_3PO_2 (6303-21-5)	**Hypophosphorous Acid** M. W.: 66.00 Assay 30-32%	**500 ml**
545505 H_3PO_2 (6303-21-5)	**Hypophosphorous Acid AR** M. W.: 66.00 Assay (acidimetric) 50.0%	**500 ml**
042060 $C_5H_4N_4O$ (68-94-0)	**Hypoxanthine** for Biochemistry M. W.: 136.11 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm** **100 gm**



Product Code	Product Name	Packing
106815 $C_3H_4N_2$ (288-32-4)	**Imidazole** (Glyoxaline) M.W.: 68.08 Assay (GC) 99.0%	**100 gm** **500 gm** **5 kg**
546015 $C_3H_4N_2$ (288-32-4)	**Imidazole AR/ACS** M. W.: 68.08 Assay (By acidimetric) 99.5%	**100 gm** **500 gm**
948100 $C_3H_4N_2$ (288-32-4)	**Imidazole** for Molecular Biology M. W.: 68.08 Assay (GC) 99.5%	**25 gm** **100 gm**
028547 $C_4H_7NO_4$ (142-73-4)	**Imino Diacetic Acid** for Synthesis M. W.: 133.10 Assay (acidimetric) 99.0%	**250 gm**
120875 $C_{19}H_{24}N_2.HCl$ (113-52-0)	**Imipramine Hydrochloride** for Biochemistry M. W.: 316.87	**5 gm** **25 gm** **100 gm**
036061	**Immersion Oil** Natural	**500 ml**
120940	**Immersion Oil** for Microscopy	**25 ml** **100 ml** **500 ml**
	1,2,3-**Indanetrione** See Ninhydrin	
121005 C_9H_9O (83-33-0)	1-**Indanone** for Synthesis (α-Hydrindone) M. W.: 132.16	**10 gm** **25 gm**
121195 C_9H_8 (95-13-6)	**Indene** M. W.: 116.16 Assay 99.0%	**250 ml** **1000 ml**
121205	**Indian Ink Used as Stain** for Proteins on Nitrocellulose Blotting Membranes	**100 ml**
PA0781	**Indicator Paper pH 1-10** Wide Range (10bks)	**200 lvs**
PA0783	**Indicator Paper** Universal **pH 1-10** (Including Colour Scale 100 leaves)	**200 lvs**
PA0785	**Indicator Paper** Universal **pH 1-10** (Without Colour Scale) Accurate to 1pH Unit	**1 refill**
PA0786	**Indicator Paper** Universal **pH 1-10** (Including Colour Scale) Accurate to 1pH Unit	**1 roll**
PA0791	**Indicator Paper pH 1.0-14.0** Full Range (10 bks)	**200 lvs**
PA0801	**Indicator Paper pH 2.0-4.5** Narrow Range (10 bks)	**200 lvs**
PA0811	**Indicator Paper pH 2.0-10.5** Wide Range (10 bks)	**200 lvs**
PA0821	**Indicator Paper pH 3.5-6.0** Narrow Range (10 bks)	**200 lvs**
PA0826	**Indicator Paper pH 3.8-5.4** (10 bks) Plastic Box	**200 lvs**
PA0836	**Indicator Paper pH 5.0-7.5** Narrow Range (10 bks)	**200 lvs**
PA0851	**Indicator Paper pH 5.4-7.0** (10 bks) Plastic Box	**200 lvs**
PA0866	**Indicator Paper pH 6.4-8.0** (10 bks) Plastic Box	**200 lvs**
PA0871	**Indicator Paper pH 6.5-9.0** Narrow Range (10 bks)	**200 lvs**
PA0886	**Indicator Paper pH 8.0-10.5** Narrow Range (10 bks)	**200 lvs**
PA0891	**Indicator Paper pH 8.2-10.0** (10 bks) Plastic Box	**200 lvs**
PA0896	**Indicator Paper Multi Range** (Contains each of the above 6 ranges)	**Box**
849000	**Indigo Carmine** Indicator Solution	**100 ml**
546025 $C_{16}H_8N_2O_8S_2Na_2$ (860-22-0)	**Indigo Carmine AR** for Microscopy C.I. No. 73015 M. W.: 466.36 Dye content (titanometry, on dried subs.) 85.0%	**25 gm** **100 gm** **1 kg**
121415	**Indion® 190 Ion Exchange Resin** Catalyst grade) (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121420	**Indion® 225H Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg** **5 kg**
121425	**Indion® 236 Ion Exchange Resin** (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121430	**Indion® 454 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121435	**Indion® 464 Ion Exchange Resin** (Weekly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121440	**Indion® 730 Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm**
121445	**Indion® 790 Ion Exchange Resin** (Strongly acidic cation exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121450	**Indion® 810 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
124455	**Indion® 820 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121460	**Indion® 830S Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121465	**Indion® 860 Ion Exchange Resin** (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**

Product Code	Product Name	Packing
121470	**Indion® 890 Ion Exchange Resin** (Weekly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121475	**Indion® BSR Ion Exchange Resin** (Chelating resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121480	**Indion® CAM-1 Ion Exchange Resin** (Nuclear grade) (mixed bed resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121485	**Indion® CAM-28 Ion Exchange Resin** (mixed bed resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121490	**Indion® GS-300 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121495	**Indion® GS-400 Ion Exchange Resin** (Strongly basic anion exchange resin) (Product of Ion Exchange India Ltd)	**250 gm** **1 kg**
121500	**Indion® NPA2 Ion Exchange Resin** (Industrial grade) (Product of Ion Exchange India Ltd)	**100 gm** **500 gm**
849300	**Indium** Atomic Absorption STD. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
849350	**Indium ICP Standard Solution** "Certisol" Nist Traceable 1000 Mg/lit In HNO_3	**125 ml**
546065 In (7440-74-6)	**Indium** Metal Ingots **99.9% AR** At W. 114.82 Assay 99.9%	**10 gm** **100 gm** **500 gm**
014028 $In(NO_3)_3.5H_2O$ (13770-61-1)	**Indium Nitrate** M.W. : 390.91 Assay (trace metals basis) 99.9%	**10 gm**
028554 In_2O_3 (1312-43-2)	**Indium Oxide** M. W.: 277.63 Assay (after ignition) 99.5%	**10 gm**
028555 $In_2(SO_4)_3$ (13464-82-9)	**Indium Sulphate** M. W.: 517.82 Assay 99.0%	**10 gm**
028556 $InCl_3.3H_2O$ (10025-82-8)	**Indium Trichloride** Trihydrate M. W.: 275.22 Assay (ex In) 97.0%	**10 gm**
546095 C_8H_7N (120-72-9)	**Indole** Crystalline **AR** For estimation of DNA M. W.: 117.15 Assay (GC) 99.0%	**25 gm** **100 gm** **1 kg**
028558 $C_{10}H_9NO_2$ (87-51-4)	**Indole-3-Acetic Acid** for Biochemistry Plant Growth Hormone M. W.: 175.18 Assay (Potentiometric-acidimetry) 98.0%	**5 gm** **25 gm**
121835 $C_{10}H_8N_2$ (771-51-7)	3-**Indole Acetonitrile** for Biochemistry M. W.: 156.18 Assay (GC) 97.0%	**5 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
028559 $C_{12}H_{13}NO_2$ (133-32-4)	**Indole-3-Butyric Acid** for Biochemistry Plant Growth Hormone M. W.: 203.24 Assay (HPLC) 99.0%	**5 gm** **25 gm** **1 kg**
122005 $C_9H_6N_2$ (15861-24-2)	**Indole-5-Carbonitrile** (5-Cyano Indole) M. W.: 142.16 Assay 98.0%	**5 gm** **10 gm**
122105 C_9H_7NO (487-89-8)	**Indole-3-Carboxaldehyde** for Synthesis M. W.: 145.16	**25 gm** **100 gm**
122155 $C_9H_7NO_2$ (771-50-6)	**Indole-3-Carboxylic Acid** for Biochemistry M. W.: 161.16 Assay 97.5-101.5%	**1 gm** **5 gm**
122165 $C_9H_7NO_2$ (1670-81-1)	**Indole-5-Carboxylic Acid** M. W.: 161.16	**1 gm**
122245 $C_{11}H_{11}NO_2$ (830-96-6)	**Indole-3-Propionic Acid** for Biochemistry M. W.: 189.21	**5 gm** **25 gm**
122315 $C_{14}H_9Cl_2NO$ (15362-40-0)	**Indolinone** for Synthesis [1-(2,6-dichlorophenyl)-2-indolinone] M. W.: 278.13	**25 gm** **100 gm**
028561 $C_{10}H_{12}N_4O_5$ (58-63-9)	**Inosine** for Biochemistry M. W.: 268.23 Assay (Spectrophotometric 249nm at pH 6.0) 98.0-102.0%	**10 gm** **25 gm** **100 gm**
042058 $C_{10}H_{11}N_4Na_2O_8P.8H_2O$ (20813-76-7)	**Inosine-5-Monophosphate Disodium Salt** Dihydrate for Biochemistry M.W.: 536.3 Assay (Spectrophotometry; on dried metrial) 98.0%	**5 gm** **25 gm**
122405 $C_6H_{12}O_6$ (87-89-8)	meso-**Inositol** for Biochemistry M. W.: 180.16	**25 gm** **100 gm** **1 kg**
038046 $(C_6H_{10}O_5)x$ (9005-80-5)	**Inulin** for Biochemistry (162.14)x	**25 gm** **100 gm**
546125 $C_{19}H_{13}ClIN_5O_2$ (146-68-9)	**I.N.T. AR** Reagent for LDH determination M. W.: 505.70 Assay (Argentometric; on dried) 98.0%	**1 gm** **5 gm**
545215 HIO_3 (7782-68-5)	**Iodic Acid AR** M. W.: 175.91 Assay (Iodometric) 99.5%	**100 gm**
028564 I_2 (7553-56-2)	**Iodine** Resublimed Meets Analytical Specification of IP, BP, Ph. Eur. M. W : 253.81 Assay (Oxidimetric) 99.5%	**100 gm** **500 gm** **25 kg**
545255 I_2 (7553-56-2)	**Iodine** Resublimed **AR** M. W : 253.81 Assay (Oxidimetric) 99.8%	**100 gm** **500 gm**

Product Code	Product Name	Packing
849600	**Iodine** Solution 1% w/v	**125 ml**
849650	**Iodine** 10% w/v	**2.5 lit**
849655	**Iodine** 20% w/v	**2.5 lit**
849700	**Iodine** Solution N/10 (0.1 N)	**500 ml**
849730	**Iodine** 0.0241M (0.0482N) Standardized Solution Nist Traceable	**1 lit**
849750	**Iodine** 0.025 M **(**0.05 N) . Volumetric Solution	**1 lit**
849780	**Iodine** 0.005 M **(**0.01 N) . Volumetric Solution	**500 ml** **2.5 lit**
849810	**Iodine** 0.05M (0.1N) Standardized Solution Nist Traceable	**1 lit**
849840	**Iodine** Solution 0.05 M Citrisol 6.3450 g I_2 For 500 ml. 0.1 N solution	**3 Amp**
849850	**Iodine** 0.5M (1N) Standardized Solution Nist Traceable	**1 lit**
122715 BrI (7789-33-5)	**Iodine Mono-Bromide** for Synthesis M. W.: 206.81 Assay 98.0%	**100 gm**
849890	**Iodine Mono Bromide** 1.0 M (in Dichloro methane)	**1 lit**
028566 ICl (7790-99-0)	**Iodine Monochloride** for Synthesis M. W.: 162.36 Assay (iodometric) 98.0%	**5x50 gm**
849900	**Iodine Mono-Chloride** Solution 1.0 M (in Dichloro methane)	**250 ml**
549025 I_2O_5 (12029-98-0)	**Iodine Pentoxide AR** for Flue Gas Analysis M. W.: 333.81 Assay 98.0%	**100 gm**
028569 ICl_3 (865-44-1)	**Iodine Trichloride** M. W.: 233.26 Assay (Iodometric) 97.0%	**25 gm**
122855 ICH_2CONH_2 (144-48-9)	**Iodo Acetamide** for Synthesis M. W.: 184.96	**25 gm**
549165 ICH_2CO_2H (64-69-7)	**Iodo Acetic Acid AR** M. W.: 185.95 Assay 99.5%	**5 gm** **25 gm**
123015 C_6H_5I (591-50-4)	**Iodo Benzene** for Synthesis M. W.: 204.01 Assay 98.0%	**100 gm** **500 gm**
549305 $C_6H_5I(O_2CH_3)_2$ (3240-34-4)	**Iodo Benzene Diacetate AR** (Diacetoxyiodobenzene) M. W.: 322.10 Assay 98.0%	**100 gm**
123225 $IC_6H_4CO_2H$ (88-67-5)	2-**Iodo Benzoic Acid** M. W.: 248.02 Assay 98.0%	**25 gm** **100 gm**
	Iodo Ethane See Ethyl Iodide	

Product Code	Product Name	Packing
028583 CHI_3 (75-47-8)	**Iodoform** Pure M. W.: 393.73 Assay (Iodometric ex I) 98.0%	**25 gm** **250 gm**
123365 C_8H_6IN (16066-91-4)	5- **Iodo Indole** M. W.: 243.04 Assay 98.0%	**5 gm** **25 gm**
	Iodo Methane See Methyl Iodide	
549455 C_6H_5IO (540-38-5)	4- **Iodo Phenol AR** M. W.: 220.01 Asay 99.0%	**25 gm** **100 gm**
	2-**(**4-**Iodo Phenyl)**-3(p-**Nitro Phenyl)** 5-**Phenyl Tetra Zolium Chloride** See I.N.T.	
849990	**Iodophor**	**1 lit** **5 lit**
849995	**Iodophor-FD**	**1 lit** **5 lit** **10x5 lit**
549565 $C_4H_4INO_2$ (516-12-1)	**n-Iodo Succinimide AR** (Nis, 1-Lodo-2,5-Pyrrolidinedione) Ion Exchange Resins M. W.: 224.98 Assay 95.0%	**25 gm** **100 gm**
	Ion Exchange Resins See Ceralite	
123965 $C_{13}H_{20}O$ (127-41-3)	**a-Ionone** for Synthesis M. W.: 192.30 Assay 90.0%	**100 ml** **500 ml**
124005 $C_{13}H_{20}O$ (79-77-6)	b-**Ionone** for Synthesis M. W.: 192.30 Assay 96.0%	**100 ml** **500 ml**
028596 Ir (7439-88-5)	**Iridium Metal** Powder M. W.: 192.22 Assay (Trace metal basis) 99.9%	**1 gm**
124190 $IrCl_3$ (10025-83-9)	**Iridium Trichloride** Iridium Content 46% Approx M.W 298.58 Assay 99.0%	**1 gm**
850040	**Iron** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
850070	**Iron** 1000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
850100	**Iron** 10000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
850130	**Iron** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
850160	**Iron** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
850200	**Iron (II) Sulphate** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**

Product Code	Product Name	Packing
	Iron (III) See Ferric	
028601 Fe (7439-89-6)	**Iron** (Metal) Powder 300 Mesh Electrolytic At. W. 55.85 Assay (Redox titration) 95.0%	**1 kg** **5 kg** **50 kg**
028597 Fe (7439-89-6)	**Iron** Filings about 100 Mesh At.W. : 55.85 Assay (Redox titration) 99.5%	**1 kg** **5 kg**
	Iron Alum See Ammonium Ferric Sulphate	
550065 $C_2FeO_4.2H_2O$ (6047-25-2)	**Iron Oxalate AR** M.W. : 179.90 Assay (trace metal basis) 99.9%	**10 gm**
	Iron Oxide See Ferric Oxide Red	
124215 Fe (7439-89-6)	**Iron Reduced** Extra Pure A. W.: 55.85 Assay 99.0%	**1 kg**
	Iron (II) **Sulphate** See Ferrous Sulphate	
	Iron Sulphide See Ferrous Sulphide	
549975 Fe (7439-89-6)	**Iron Wire 0.57 mm Diameter AR** M. W.: 55.85	**100 gm**
550105 $C_8H_5NO_2$ (91-56-5)	**Isatin AR** for Synthesis (Indole-2,3-dione) (Spectrophotometric det.of Proline and Thiophene) M. W.: 147.13	**25 gm** **100 gm**
124555 $C_8H_5NO_3$ (118-48-9)	**Isatoic Anhydride** for Synthesis (Anthranilic Acid N-Carboxylic Acid Anhydride) M. W.: 163.13	**100 gm** **500 gm**
027211 $C_7H_{14}O_2$ (123-92-2)	**Iso Amyl Acetate** for Synthesis M. W.: 130.19 Assay (GC) 95.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550325 $C_7H_{14}O_2$ (123-92-2)	**Iso Amyl Acetate AR** M. W.: 130.19 Assay (GC) 95.0%	**500 ml** **2.5 lit**
027212 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Synthesis also for Milk testing M. W.: 88.15 Assay Isomer (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550345 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol AR/ACS** M. W.: 88.15 Assay (GC) isomers 99.0%	**500 ml** **1 lit** **2.5 lit** **25 lit** **200 lit**
949000 $C_5H_{11}OH$ (123-51-3)	**Iso Amyl Alcohol** for Molecular Biology M. W.: 88.15 Assay (GC) 99.5%	**100 ml**
025992 $C_5H_{11}I$ (541-28-6)	**Iso Amyl Iodide** M. W.: 198.05 Assay (GC) 97.0%	**100 ml**


Product Code	Product Name	Packing
027505 $C_4H_{10}O$ (78-83-1)	**Iso Butanol** for Synthesis (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550365 $C_4H_{10}O$ (78-83-1)	**Iso Butanol AR/ACS** (Iso Butyl Alcohol) M. W.: 74.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
124765 $CH_3COOCH_2CH(CH_3)_2$ (110-19-0)	**Iso Butyl Acetate** for Synthesis (acetic acid isobutyl ester) M. W.: 116.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
124905 $C_6H_5CH_2CH(CH_3)_2$ (538-93-2)	**Iso Butylbenzene** for Synthesis [(2-methylpropyl) benzene] M. W.: 134.22	**500 ml** **2.5 lit** **25 lit** **200 lit**
550415 $C_6H_5CH_2CH(CH_3)_2$ (538-93-2)	**Iso Butyl Benzene AR** M. W.: 134.22 Assay 99.0%	**500 ml**
125015 $C_6H_5CO_2CH_2CH(CH_3)_2$ (120-50-3)	**Iso Butyl Benzoate** for Synthesis M. W.: 178.23 Assay 98.0%	**500 gm**
025222 C_4H_9Br (78-77-3)	**Iso Butyl Bromide** (1-Bromo-2 Methyl Propane) M. W.: 137.03 Assay (GC) 98.0%	**100 ml** **500 ml**
125205 $CH_3CH_2CH_2CO_2CH_2CH(CH_3)_2$ (539-90-2)	**Iso Butyl Butyrate** for Synthesis M. W.: 144.21 Assay 98.0%	**500 gm**
125225 $C_{13}H_{16}O_2$ (122-67-8)	**Iso Butyl Cinnamate** for Synthesis M. W.: 204.26 Assay 98.0%	**500 gm**
125235 $C_5H_{10}O_2$ (542-55-2)	**Iso Butyl Formate** for Synthesis M. W.: 102.13 Assay 97.0%	**500 gm**
125255 C_4H_9I (513-38-2)	**Iso Butyl Iodide** for Synthesis (1-Iodo-2-Methyl Propane) M. W.: 184.02 Assay 97.0%	**100 ml** **500 ml**
125325 $C_8H_{14}O_2$ (97-86-9)	**Iso Butyl Methacrylate** for Synthesis M. W.: 142.20 Assay 97.0%	**1 lit**
027528 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone** for Synthesis (Methyl Iso Butyl Ketone) M. W.: 100.16 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550385 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone AR/ACS** M. W.: 100.16 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
747000 $(CH_3)_2CH.CH_2.CO.CH_3$ (108-10-1)	**Iso Butyl Methyl Ketone** for HPLC & Spectroscopy M. W.: 100.16 Assay (GC) 99.5%	**1 lit**

Product Code	Product Name	Packing
125535 $C_{12}H_{16}O_2$ (102-13-6)	**Iso Butyl Phenyl Acetate** for Synthesis M. W.: 192.25 Assay 98.0%	**500 gm**
125555 $C_7H_{14}O_2$ (540-42-1)	**Iso Butyl Propionate** for Synthesis M. W.: 130.18 Assay 98.0%	**500 gm**
125575 $C_{11}H_{14}O_3$ (87-19-4)	**Iso Butyl Salicylate** for Synthesis M. W.: 194.23 Assay 98.0%	**500 gm**
125665 $(CH_3)_2CHCHO$ (78-84-2)	**Iso Butyraldehyde** for Synthesis (2-methylpropionaldehyde) M. W.: 72.11	**500 ml** **2.5 lit** **25 lit** **200 lit**
025223 $C_4H_8O_2$ (79-31-2)	**Iso Butyric Acid** M. W.: 88.11 Assay (GC) 98.0%	**500 ml** **2.5 lit**
125785 $C_8H_{14}O_3$ (97-72-3)	**Iso Butyric Anhydride** for Synthesis M. W.: 158.19	**500 ml**
125825 $(CH_3)_2CHCOCl$ (79-30-1)	**Iso Butyryl Chloride** for Synthesis (2-methylpropionyl chloride) M. W.: 106.55	**250 ml** **1 lit**
125915 $C_9H_8O_2$ (4385-35-7)	3-**Iso Chromanone** M. W.: 148.16	**1 gm** **5 gm**
550505 $C_6H_5Na_3O_7.XH_2O$ (1637-73-6)	DL-**Iso Citric Acid Tri-Sodium Salt AR** for Biochemistry M. W.: 258.07 (Anhydrous)	**1 gm**
126055 $CH_3OC_6H_3(CH{=}CHCH_3)OH$ (97-54-1)	**Iso Eugenol** for Synthesis (2-mehoxy-4-propenylphenol) (4-Propenyl-2-methoxyphenol) M. W.: 164.20	**100 ml**
126215 $C_{12}H_{14}O_3$ (93-29-8)	**Iso Eugenyl Acetate** for Synthesis M. W.: 206.24 Assay 98.0%	**500 gm**
037123 $C_6H_{13}NO_2$ (73-32-5)	L-**Iso-Leucine** for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
126325 $C_6H_{13}NO_2$ (443-79-8)	DL-**Iso leucine** for Biochemistry (2-amino-3-methylpentanoic acid) M. W.: 131.17	**25 gm** **100 gm**
029332 $C_6H_5NO_2$ (52-22-1)	**Iso Nicotinic Acid** M. W.: 123.11 Assay(acidimetric) 98.0%	**100 gm**
028606 $C_6H_7N_3O$ (54-85-3)	**Iso Nicotinic Acid Hydrazide** (Iso Niazid) M. W.: 137.14 Assay (Oxidimetric) 99.0%	**100 gm** **500 gm**
126435 $C_6H_{11}NO_2$ (498-94-2)	**Iso Nipecotinic Acid** for Synthesis M. W.: 129.16 Assay 97.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
030518 C_8H_{18} (540-84-1)	**Iso Octane** M. W.: 114.23 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
550555 C_8H_{18} (540-84-1)	**Iso Octane AR/ACS** M. W.: 114.23 Assay (GC) 99.5%	**500 ml** **2.5 lit**
747500 C_8H_{18} (540-84-1)	**Iso Octane** for HPLC & Spectroscopy M. W.: 114.23 Assay (GC) 99.7%	**1 lit** **2.5 lit**
029452 C_5H_{12} (78-78-4)	**Iso Pentane** M. W.: 72.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
550595 C_5H_{12} (78-78-4)	**Iso Pentane AR** M. W.: 72.15 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Iso Pentanoic Acid see isovaleric acid	
029524 $C_9H_{14}O$ (78-59-1)	**Iso-Phorone** for Synthesis M. W.: 138.21 Assay (GC) 95.0%	**500 ml** **2.5 lit**
551375 $C_9H_{14}O$ (78-59-1)	**Iso Phorone AR** M. W.: 138.21	**1 lit**
126745 $C_8H_6O_2$ (626-19-7)	**Iso Phthalaldehyde** M. W.: 134.13 Assay 97.0%	**100 gm**
025234 $C_8H_6O_4$ (121-91-5)	**Iso Phthalic Acid** M. W.: 166.13 Assay (acidimetric) 98.5%	**500 gm**
	Iso Propanol See **2-Propanol**	
029693 $C_5H_{10}O_2$ (108-21-4)	**Iso Propyl Acetate** M. W.: 102.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Iso Propyl Alcohol See 2-Propanol	
029724 C_3H_9N (75-31-0)	**Iso Propylamine** for Synthesis M. W.: 59.11 Assay (GC) 99.0%	**500 ml** **2.5 lit**
551585 C_3H_9N (75-31-0)	**Iso Propylamine AR** M. W.: 59.11	**1 lit**
126945 $(CH_3)_2CHC_6H_4NH_2$ (99-88-7)	4-**Iso Propyl Aniline** for Synthesis M. W.: 135.21	**100 ml**
027485 C_3H_7Br (75-26-3)	**Iso Propyl Bromide** M. W.: 123.00 Assay 98.0%	**500 ml** **2.5 lit**
025233 $ClCH_2CO_2CH(CH_3)_2$ (105-48-6)	**Iso Propyl Chloro Acetate** M. W.: 136.58[Assay 99.0%	**500 ml**
	Iso Propyl Ether See Di-iso-Propyl Ether	

Product Code	Product Name	Packing
127065 C_3H_7I (75-30-9)	**Iso Propyl Iodide** for Synthesis (2-Iodopropane) M. W.: 169.99	**100 ml** **500 ml**
066311 $C_{17}H_{34}O_2$ (110-27-0)	**Iso Propyl Myristate** M. W.: 270.45 Assay 95.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
127205 $C_7H_{16}N_2$ (4318-42-7)	1-**Iso propyl Piperazine** **1-(1-Methyl Ethyl) Piperazine** M. W.: 128.22	**1 gm**
127315 $C_9H_{18}O_5S$ (367-93-1)	**Iso Propyl β-D-1-Thiogalactopyranoside** for Biochemistry (Non-Mammalian) (Dioxane free) (IPTG) (TSE-BSE Certificate not Applicable) M. W.: 238.30	**250 mgm** **1 gm** **5 gm**
127405 $C_{10}H_{18}O$ (89-79-2)	(-) **Iso Pulegol** for Synthesis M. W.: 154.25 Assay 98.0%	**500 gm**
127505 C_9H_7N (119-65-3)	**Iso Quinoline** Tech M. W.: 129.16 Assay 97.0%	**100 ml** **500 ml**
850800	**Isotonic** Sodium Sulphate Copper Sulphate Solution	**500 ml**
127635 $C_5H_{10}O$ (590-86-3)	**Iso Valeraldehyde** for Synthesis M. W.: 86.13	**100 ml** **500 ml** **2.5 lit**
551695 $C_5H_{10}O_2$ (503-74-2)	**Iso Valeric Acid AR** (3-Methyl Butyric Acid) M. W.: 102.13	**100 ml** **500 ml**
127845 $C_8H_8O_3$ (621-59-0)	**Iso Vaniline** Pure M. W.: 152.15 Assay 95.0%	**25 gm** **100 gm**
028608 $C_5H_6O_4$ (97-65-4)	**Itaconic Acid** for Synthesis M. W.: 130.10 Assay (Acidimetric) 99.0%	**500 gm** **5 kg**
025100 (9002-13-5)	**Jack Bean Meal**	**100 gm** **500 gm**
131005 $C_{30}H_{31}ClN_6$ (2869-83-2)	**Janus Green** (B.M.S. & Redox Indicator) (C.I. 11050) M. W.: 511.06	**10 gm** **25 gm**
034041 (62851-42-7)	**Jenner's** Stain for Microscopy	**25 gm** **100 gm**
852050	**JSB** Stain Solution No. 1	**125 ml**
852070	**JSB** Stain Solution No. 2	**125 ml**

Product Code	Product Name	Packing
854100	**Kaiser'S Glycerol Gelatin** Solution	**100 ml**
	Kalignost See Sodium Tetra Phenyl Borate	
559145 $C_{18}H_{36}N_4O_{11}.H_2SO_4$ (25389-94-0)	**Kanamycin Sulphate AR** (Kanamycin Mono Sulphate) M. W.: 582.58 Assay 95-105%	**1 gm** **5 gm**
033059 $H_2Al_2Si_2O_8.H_2O$ (1332-58-7)	**Kaolin** Pure M. W.: 258.20	**500 gm** **25 kg**
019059	**Karl Fischer Reagent** Pyridine Free Single Solution	**2x250 ml**
131215 (8008-20-6)	**Kerosene** (Low Odour)	**500 ml** **2.5 lit**
044073 $C_5H_6O_5$ (328-50-7)	a-**Keto Glutaric Acid** M. W.: 146.10 Assay (acidimetric) 99.0%	**25 gm** **100 gm**
033062 (61790-53-2)	**Kieselguhr** White Purified and Ignited	**500 gm** **10 kg** **25 kg**
559255 $C_{10}H_9N_5O$ (525-79-1)	**Kinetin AR** Plant growth Stimulator, Causes rapid cell division M. W.: 215.21 Assay (Non-aqueous) 99.0%	**100 mgm** **250 mgm** **1 gm** **10 gm**
131405 $C_6H_6O_4$ (501-30-4)	**Kojic Acid** (5-Hydroxy-2-Hydroxymethyl -4-Pyranone) M. W.: 142.11	**1 gm** **25 gm** **100 gm** **1 kg**
854500	**Kovac's** Indole Reagent	**100 ml**



• Store at 0-4°C and Keep dry

Product Code	Product Name	Packing
	Labklin/Labclean Laboratory Detergent See Cedepol	
	Lab Lemco Paste & Powder See Beef extract Paste & Powder	
859100	**Labseal Film 10 cm x 100 m** (Cling Film Scaling Type)	**1 PC**
025070 $C_{18}H_{15}O_8N$ (42249-61-6)	**Lacmoid** pH Indicator M. W.: 373.07	**5 gm** **25 gm**
134005 (9028-36-8)	**D-Lactate Dehydrogenase** from Microorganism Lyophilized Powder Activity ~400-450u/mg (D-LDH, D-Lactic Dehydrogenase)	**5000 units**
029001 $C_3H_6O_3$ (50-21-5)	L-(+)-**Lactic Acid** (DL-Lactic Acid) M. W.: 90.08 Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
560735 $C_3H_6O_3$ (50-21-5)	L-(+)-**Lactic Acid AR** M. W.: 90.08 Assay (Titrimetric after hydrolysis of anhydrides) 88.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
859230	**Lactic Acid** 0.1 N Solution	**500 ml** **2.5 lit**
859260	**Lactophenol** (Cotton Blue) Solution for Microscopy	**500 ml**
859280	**Lactophenol** (Mountant) Special for Fungi	**500 ml**
859300	**Lactophenol** Picric Acid Solution	**100 ml** **500 ml**
029002 $C_{12}H_{22}O_{11}.H_2O$ (10039-26-6)	**Lactose** (a-Lactose Monohydrate) M. W.: 360.31	**500 gm** **25 kg** **50 kg**
560915 $C_{12}H_{22}O_{11}.H_2O$ (10039-26-6)	**Lactose** Monohydrate **AR** M. W.: 360.31	**500 gm** **25 kg**
033069 (8006-54-0)	**Lanolin** Anhydrous Saponification value 90-105°C	**500 gm**
859400	**Lanthanum** Atomic Absorption Std. Solution Contains 1000 mg/Litre AAS in HNO_3	**250 ml**
859430	**Lanthanum** 1000 ppm Single Element Standard for ICP in HNO_3	**125 ml** **500 ml**
RE1460 La (7439-91-0)	**Lanthanum** Metal Ingot M. W.: 138.91 Assay (Trace metal basis) 99.99%	**25 gm**
RE1465 La (7439-91-0)	**Lanthanum** Metal Lump (1cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1470 La (7439-91-0) La	**Lanthanum** Metal Wire (0.1mm) M. W.: 138.91 Assay (Trace metal basis) 99.99% M. W.: 138.91	**5 gm** **25 gm**
RE1475 La (7439-91-0)	**Lanthanum** Metal Rod (5mmx30cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**1 PC**
RE1480 La (7439-91-0)	**Lanthanum** Metal Foil (0.25mmx40 cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**1 PC**
RE1485 La (7439-91-0)	**Lanthanum** Metal Foil (0.50mmx40 cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**1 PC**
RE1490 La (7439-91-0)	**Lanthanum** Metal SLAB (1cmx40cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**1 PC**
RE1495 La (7439-91-0)	**Lanthanum** Metal Disc (0.1mmx35cm) M. W.: 138.91 Assay (Trace metal basis) 99.99%	**1 PC**
RE1510 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1515 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **250 gm**
RE1520 $La(CH_3CO_2)_3.XH_2O$ (100587-90-4)	**Lanthanum Acetate** M. W.: 316.04 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1530 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.5%	**100 gm** **500 gm**
RE1535 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1540 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1545 $La_2(CO_3)_3.XH_2O$ (54451-24-0)	**Lanthanum Carbonate** M. W.: 457.85 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1555 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.0%	**100 gm** **500 gm**
RE1560 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1565 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1570 $LaCl_3.XH_2O$ (20211-76-1)	**Lanthanum Chloride** M. W.: 245.27 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1585 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1590 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1595 LaF_3 (13709-38-1)	**Lanthanum Fluoride** M. W.: 195.91 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**

Product Code	Product Name	Packing
RE1610 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1615 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.99%	**100 gm**
RE1620 $La(OH)_3$ (14507-19-8)	**Lanthanum Hydroxide** M. W.: 189.93 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE1630 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.0%	**100 gm** **500 gm**
RE1635 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1640 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1645 $La(NO_3)_3.XH_2O$ (100587-94-8)	**Lanthanum Nitrate** M. W.: 324.92 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
859500	**Lanthanum Nitrate** 0.1 M	**1 lit**
RE1685 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1690 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.99%	**100 gm** **1 kg**
RE1700 La_2O_3 (1312-81-8)	**Lanthanum Oxide** M. W.: 325.82 Assay (Trace metal basis) 99.999%	**100 gm** **500 gm**
RE1715 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.9%	**100 gm** **500 gm**
RE1720 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.99%	**100 gm** **500 gm**
RE1725 $La_2(SO_4)_3.XH_2O$ (57804-25-8)	**Lanthanum Sulphate** M. W.: 566.00 (anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm** **500 gm**
029011 $C_{12}H_{24}O_2$ (143-07-7)	**Lauric Acid** M. W.: 200.32 Assay (acidimetric) 99.0%	**500 gm**
134315 $C_{15}H_{28}NNaO_3$ (137-16-6)	n-**Lauroylsarcosine Sodium Salt** (Sarkosyl NI, N-Dodecanoyl-N-Methylglycine Sodium Salt, Sodium N-Dodecanoyl-N-Methylglycine) M. W.: 293.38	**25 gm** **100 gm**
028276 $C_{12}H_{26}O$ (112-53-8)	**Lauryl Alcohol** M. W.: 186.34 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
134485 $C_{14}H_{14}O_2P_2S_4$ (19172-47-5)	**Lawesson's Reagent** [2,4-Bis (4-Methoxyphenyl) 2,4-Dithioxo-1,3,2,4-Dithiadiphosphetane] M. W.: 404.47	**25 gm** **100 gm**
859630	**Lead** Atomic Absorption STD. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
859660	**Lead** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
859690	**Lead** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
029018 Pb (7439-92-1)	**Lead** Metal Lumps M. W.: 207.2 Assay 99.0%	**500 gm**
561185 Pb (7439-92-1)	**Lead** (Metal) Powder **AR** 325 Mesh (90%) At.W. 207.20 Assay (Complexometric) 99.5%	**500 gm**
561188 Pb (7439-92-1)	**Lead** (Metal) Granular **AR** At.W. 207.20 Assay (Complexometric) 99.0%	**500 gm**
025043 Pb (7439-92-1)	**Lead** Metal Foil M. W.: 207.20 Assay 97.0%	**500 gm**
561191 Pb (7439-92-1)	**Lead** (Metal) Foil **AR** About 0.2mm thickness At W. 207.20 Assay (Complexometric) 99.0%	**500 gm**
134705 Pb (7439-92-1)	**Lead** Metal Rod M. W.: 207.20	**50 gm**
	Lead Acetate Basic Anhydrous See Lead (II) hydroxide Acetate Anhydrous	
029021 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate (Lead (II) Acetate) M. W.: 379.33 Assay (Complexometric) 99.0-103.0%	**500 gm** **25 kg** **50 kg**
561285 $C_4H_6O_4Pb.3H_2O$ (6080-56-4)	**Lead Acetate** Trihydrate **AR/ACS** (Lead (II) Acetate) M. W.: 379.33 Assay 99.5%	**500 gm** **25 kg** **50 kg**
859830	**Lead Acetate Basic** 18-20% Solution	**1 lit** **5 lit**
PA1125	**Lead Acetate** Paper	**200 lvs**
134825 ASH_3O_4XPb (7645-25-2)	**Lead Arsenate** M. W.: 347.12	**100 gm** **500 gm**
025044 BH_3O_3XPb (35498-15-8)	**Lead Borate** M. W.: 328.85	**250 gm**

Product Code	Product Name	Packing
029023 $PbBr_2$ (10031-22-8)	**Lead** (II) **Bromide** M. W.: 367.01 Assay (Pb) 99.0%	**500 gm**
029024 $(PbCO_3)_2Pb(OH)_2$ (1319-46-6)	**Lead** (II) **Carbonate** Basic M.W.: 775.63 Assay 77.0% (Pb)	**500 gm**
561555 $PbCO_3$ (598-63-0)	**Lead** (II) **Carbonate AR/ACS** M.W.: 267.21 Assay (Complexometric) 99.0%	**250 gm**
029025 $PbCl_2$ (7758-95-4)	**Lead** (II) **Chloride** Anhydrous for Synthesis M. W.: 278.10 Assay (Argentomertric) 98.0%	**500 gm**
134995 $PbCrO_4$ (7758-97-6)	**Lead** (II) **Chromate** M. W.: 323.18	**500 gm**
561615 $PbCrO_4$ (7758-97-6)	**Lead** (II) **Chromate AR** M. W.: 323.18 Assay ($PbCrO_4$) 99.0%	**100 gm** **250 gm**
029029 PbO_2 (1309-60-0)	**Lead Dioxide** M. W.: 239.20 Assay (oxidimetric) 94.0%	**500 gm** **50 kg**
561675 PbO_2 (1309-60-0)	**Lead Dioxide AR** M. W.: 239.20 Assay (Oxidimetric) 97.0%	**250 gm**
135105 PbF_2 (7783-46-2)	**Lead** (II) **Flouride** M. W.: 245.20 Assay 98.0%	**500 gm**
859900 $Pb(BF_4)_2$ (13814-96-5)	**Lead** (II) **Fluoroborate** 50% Solution for Electroplating M. W.: 380.81	**1 kg**
029022 $(CH_3COO)_2Pb.Pb(OH)_2$ (51404-69-4)	**Lead** (II) **Hydroxide Acetate** Anhydrous (Lead Acetate basic Lead Sub Acetate) Assay (Pb) 72.75%, Assay (CH_3COOH) 21.5-24.0%	**1 Kg** **2.5 kg** **5 kg**
135295 PbI_2 (10101-63-0)	**Lead** (II) **Iodide** M. W.: 461.01 Assay 98.0%	**100 gm**
029040 PbO (1317-36-8)	**Lead Monoxide** (Lead II Oxide yellow) M. W.: 223.20 Assay (ex Pb Complexometric) 98.0%	**500 gm** **1 kg** **50 kg**
561725 PbO (1317-36-8)	**Lead Monoxide AR/ACS** (Lead II Oxide) M. W.: 223.20 Assay (by complexometry) 99.0%	**250 gm**
029038 $Pb(NO_3)_2$ (10099-74-8)	**Lead Nitrate** (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
561815 $Pb(NO_3)_2$ (10099-74-8)	**Lead Nitrate AR/ACS** (Lead II Nitrate) M. W.: 331.21 Assay (Complexometric) 99.5%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
860110	**Lead (II) Nitrate 0.01M (0.02N)** Volumetric Solution Nist Traceable	**1 lit**
860140	**Lead (II) Nitrate 0.5M (1N)** Volumetric Solution Nist Traceable	**1 lit**
135475 PbC_2O_4 (814-93-7)	**Lead** (II) **Oxalate** Pure M. W.: 295.22	**500 gm**
029041 Pb_3O_4 (1314-41-6)	**Lead** (II, IV) **Oxide Red** (Lead red) Pb_3O_4 M. W.: 685.60 Assay (Redox titration) 85.0%	**500 gm** **50 kg**
	Lead Oxide Yellow See Lead Monoxide	
	Lead Peroxide See Lead Dioxide	
029039 $Pb_3(PO_4)_2$ (7446-27-7)	**Lead** (II) **Phosphate** M. W.: 811.54	**250 gm**
135645 $Pb(C_{18}H_{35}O_2)_2$ (1072-35-1)	**Lead** (II) **Stearate** Pure M. W.: 774.15	**500 gm**
029046 $PbSO_4$ (7446-14-2)	**Lead** (II) **Sulphate** M. W.: 303.25 Assay (ex Pb) 98.5%	**500 gm**
135715 PbS (1314-87-0)	**Lead** (II) **Sulphide** Pure M. W.: 239.27	**500 gm**
135795 $C_4H_4O_6Pb$ (815-84-9)	**Lead** (II) **Tartrate** M. W.: 355.27	**500 gm**
564665 $Pb(CH_3CO_2)_4$ (546-67-8)	**Lead Tetra Acetate AR** M. W.: 443.38	**100 gm**
135865 $Pb(SCN)_2$ (592-87-0)	**Lead Thiocyanate** Pure M. W.: 323.36 Assay 99.0%	**100 gm** **500 gm**
135935 $H_2O_6Pb.S_4$ (13478-50-7)	**Lead** (II) **Thiosulphate** M. W.: 433.47	**500 gm**
034042 (12627-53-1)	**Leishman's** Stain for Microscopy (Eosine Methylene Blue Compound)	**25 gm** **100 gm** **1 kg**
860370	**Leishman's** Stain Solution Stain and solvent separate	**250 ml**
860400	**Leishman's** Stain Solution with Buffer	**250 ml**
	Lemon Grass Oil See oil of lemon grass	
037121 $C_6H_{13}NO_2$ (61-90-5)	L-**Leucine** for Biochemistry M. W.: 131.17 Assay (Non-aqueous) 99.0%	**25 gm** **100 gm** **1 kg**
136255 $C_7H_{15}NO_2.HCl$ (7517-19-3)	L-**Leucine Methyl Ester HCL** for Biochemistry M. W.: 181.66 Assay 98.0%	**25 gm** **100 gm**
564875 $C_6H_{13}NO_2$ (328-38-1)	D-**Leucine AR** M. W.: 131.17	**1 gm** **5 gm**

Product Code	Product Name	Packing
136405 $(CH_3)_2CHCH_2CH(NH_2)CH_2OH$ (7533-40-6)	L-**Leucinol** for Biochemistry M. W.: 117.19 Assay 96.0%	**1 gm** **5 gm** **25 gm**
136515 $C_5H_8O_3$ (123-76-2)	**Levulinic Acid** for Synthesis M. W.: 116.12 Assay 98.0%	**250 gm** **1 kg**
	Levulose See D-Fructose	
860500	**Light Green** Solution 0.1% for Microscopy Animal Tissue Staining	**250 ml**
860530	**Light Green** Stain Solution (0.5 % w/v)	**125 ml**
025060 $C_{27}H_{34}N_2O_4S$	**Light Green** (C.I. 42040) M. W.: 482.65 Dye content (titanometry, dried subs) Abt. 95.0%	**25 gm** **100 gm**
034043 $C_{37}H_{34}N_2Na_2O_9S_3$ (5141-20-8)	**Light Green** for Microscopy Light Green SF Yellowish C.I. No. 42095 M. W.: 792.86 Dye content (by titanometry) 90.0%	**25 gm** **100 gm**
025055 $C_{14}H_{22}N_2O$ (137-58-6)	**Lignocaine** Base M. W.: 234.34 Assay 99.0%	**100 gm**
025051 $C_{14}H_{22}N_2O.HCl.H_2O$ (6108-05-0)	**Lignocaine Hydrochloride** Monohydrate M. W.: 288.81 Assay (non-aqueous) 99.0%	**100 gm**
	Ligroin' Reagent See Petroleumether	
860640	**Lime** water	**500 ml**
136845 $C_{12}H_{20}O_2$ (115-95-7)	**Linallyl Acetate** for Synthesis M. W.: 196.29	**500 gm**
136855 $C_{17}H_{23}NO_2$ (7149-26-0)	**Linallyl Anthranilate** for Synthesis M. W.: 273.37	**500 gm**
136865 $C_{17}H_{22}O_2$ (126-64-7)	**Linallyl Benzoate** for Synthesis M. W.: 258.36	**500 gm**
136875 $C_{14}H_{24}O_2$ (78-36-4)	**Linallyl Butyrate** for Synthesis M. W.: 224.34	**500 gm**
136885 $C_{19}H_{24}O_2$ (78-37-5)	**Linallyl Cinnamate** for Synthesis M. W.: 284.39	**500 gm**
136895 $C_{11}H_{18}O_2$ (115-99-1)	**Linallyl Formate** for Synthesis M. W.: 182.26	**500 gm**
136905 $C_{13}H_{22}O_2$ (144-39-8)	**Linallyl Propionate** for Synthesis M. W.: 210.31	**500 gm**
136955 $C_{10}H_{18}O$ (78-70-6)	**Linalool** for Synthesis M. W.: 154.25 Assay 97.0%	**500 gm**

Product Code	Product Name	Packing
025049 $C_{18}H_{34}N_2O_6S.HCl.H_2O$ (7179-49-9)	**Lincomycin Hydrochloride** M. W.: 461.01	**1 Mil.Unit**
039095 (9001-62-1)	**Lipase** ex microorganism activity 16 units/mg protein	**25 gm** **100 gm**
137115 (9004-02-8)	**Lipoprotein Lipase** from Pseudomonas SP. Lyophilized powder, Activity~ 20U/mg-solid)	**10 mgm** **50 mgm**
	Liquoid See Sodium Polyanethole Sulphonate	
137255 $C_{27}H_{29}ClN_2O_6S_2$ (62796-29-6)	**Lisamine Rodhamine B** M. W.: 577.11	**25 gm**
137285 $C_{16}H_{10}Cl_2N_4Na_2O_7S_2$ (6359-98-4)	**Lissamine Fast Yellow** (C.I. 18965) M. W.: 551.29	**25 gm**
137315 $C_{27}H_{25}N_2NaO_7S_2$ (3087-16-9)	**Lissamine Green B** (C.I. 44090) M. W.: 576.62	**25 gm**
020058 $C_{27}H_{25}N_2O_6NaS_2$ (3087-16-9)	**Lissamine Green** C.I. 44025 M. W.: 560.62	**25 gm**
137345 $C_{20}H_{18}N_4O_9S_2Na_2$ (4321-69-1)	**Lissamine Red** (C.I. 18055) M. W.: 566.48	**25 gm**
	Litharge See Lead Monoxide	
860920	**Lithium** Atomic Absorption Std. Soln. Contains 1000 mg/liter AAS in HNO_3	**250 ml**
860950	**Lithium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
860980	**Lithium** 10000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
029811 Li [7439-93-2]	**Lithium Metal** A.W. : 6.94 Assay - min. 99.5%	**100 gm**
029060 $C_2H_3LiO_2.2H_2O$ (6108-17-4)	**Lithium Acetate** M. W.: 102.02 Assay (Non-aqueous) 99.0%	**250 gm**
565280 $C_2H_3LiO_2.2H_2O$ (6108-17-4)	**Lithium Acetate AR** M. W.: 102.02	**250 gm**
027078 $LiAlH_4$ (16853-85-3)	**Lithium Aluminium Hydride** for Synthesis M. W.: 37.95 Assay (Iodometric) 97.0%	**100 gm**
029064 LiBr (7550-35-8)	**Lithium Bromide** Anhydrous M. W.: 86.85 Assay (Argentometric; on dried basis) 99.0%	**500 gm**

Product Code	Product Name	Packing
029065 Li_2CO_3 (554-13-2)	**Lithium Carbonate** M. W.: 73.89 Assay 98.5%	**250 gm** **500 gm** **25 kg**
565395 Li_2CO_3 (554-13-2)	**Lithium Carbonate AR/ACS** M. W.: 73.89 Assay (acidimetric) 99.0%	**100 gm** **250 gm**
565398 Li_2CO_3 (554-13-2)	**Lithium Carbonate AR** Gold Label M. W.: 73.89	**250 gm** **1 kg**
029067 LiCl (7447-41-8)	**Lithium Chloride** Anhydrous M. W.: 42.39 Assay (Argentometric; on dried material) 99.0%	**250 gm** **500 gm**
565435 LiCl (7447-41-8)	**Lithium Chloride** Anhydrous **AR** M. W.: 42.39 Assay (argentometric) 99.0%	**100 gm** **500 gm**
565475 $Li_3C_6H_5O_7.4H_2O$ (6080-58-6)	tri-**Lithium Citrate** Tetrahydrate **AR** M. W.: 281.99 Assay (Non-aqueous) (ex citrate) 98.5%	**250 gm**
029069 LiF (7789-24-4)	**Lithium Fluoride** M. W.: 25.94 Assay (acidimetric) 97.0%	**500 gm**
565585 LiF (7789-24-4)	**Lithium Fluoride AR** M. W.: 25.94	**250 gm**
137815 LiH (7580-67-8)	**Lithium Hydride** M. W.: 7.95 Assay 95.0%	**100 gm**
029073 $LiOH.H_2O$ (1310-66-3)	**Lithium Hydroxide** Monohydrate M. W.: 41.96 Assay (acidimetric) 98.0%	**500 gm** **50 kg**
565625 $LiOH.H_2O$ (1310-66-3)	**Lithium Hydroxide** Monohydrate **AR/ACS** M. W.: 41.96 Assay (Acidimetric) 99.0%	**500 gm**
025056 $LiI.3H_2O$ (7790-22-9)	**Lithium Iodide** for Synthesis M. W.: 187.90	**100 gm**
029075 $CH_3.CHOH.COOLi$ (867-55-0)	**Lithium Lactate** for Synthesis M. W.: 96.01 Assay 98.0%	**100 gm** **500 gm**
025040 $LiBO_2$ (13453-69-5)	**Lithium Meta Borate** Anhydrous M. W.: 49.75 Assay 95.0%	**250 gm**
565955 $LiBO_2$ (13453-69-5)	**Lithium Meta Borate** Anhydrous **AR** M. W.: 49.75 Assay (acidimetric) 99.5%	**250 gm**
137965 Li_2MoO_4 (13568-40-6)	**Lithium Molybdate** for Synthesis M.W. : 173.82	**50 gm** **100 gm**
029076 $LiNO_3$ (7790-69-4)	**Lithium Nitrate** Anhydrous M. W.: 68.95 Assay 98.0%	**500 gm**
565995 $LiNO_3$ (7790-69-4)	**Lithium Nitrate AR** Anhydrous M. W.: 68.95	**500 gm**


Product Code	Product Name	Packing
138165 $Li_2C_2O_4$ (553-91-3)	**Lithium Oxalate** Extra Pure M. W.: 101.90	**100 gm**
011612 $ClLiO_4.3H_2O$ (13453-78-6)	**Lithium Perchlorate** Trihydrate M. W.: 160.44 Assay (argentometric) 99.0%	**25 gm** **100 gm**
138215 Li_3PO_4 (10377-52-3)	**Lithium Phosphate** Extra Pure M. W.: 115.79	**100 gm** **500 gm**
029080 $Li_2SO_4.H_2O$ (10102-25-7)	**Lithium Sulphate** Monohydrate M. W.: 127.95 Assay (ion exchange) 98.0%	**250 gm** **500 gm** **25 kg**
566035 $Li_2SO_4.H_2O$ (10102-25-7)	**Lithium Sulphate** Monohydrate **AR/ACS** M. W.: 127.95 Assay (Ion exchange) 99.0%	**250 gm** **500 gm** **25 kg**
566065 $Li_2B_4O_7$ (12007-60-2)	di **- Lithium Tetra Borate AR/ACS** M. W.: 169.12 Assay (Acidimetry) 99.0%	**100 gm** **1 kg**
138365 Li_2WO_4 (13568-45-1)	**Lithium Tungstate** M. W.: 261.72 Assay 98.0%	**25 gm** **100 gm**
020060 (1393-92-6)	**Litmus** Granular (pH Indicator) pH 5.0-8.0 red to blue	**10 gm** **25 gm** **100 gm** **500 gm**
861220	**Litmus Blue** Solution	**125 ml** **500 ml**
PA1154	**Litmus Blue** Indicator Paper 10bks : 200lvs	**100 lvs** **200 lvs**
PA1151	**Litmus Red** Indicator Paper 10bks : 200lvs	**100 lvs** **200 lvs**
861250	**Litmus Red** Solution	**125 ml** **500 ml**
861390	**Lugol's** Solution (Iodine-Potassium Iodide solution) for microscopy	**125 ml** **500 ml**
138485 $C_8H_7N_3O_2$ (521-31-3)	**Luminol** for Chemiluminescene M. W.: 177.16 Assay 97.0%	**5 gm** **25 gm**
861450	**Lutetium** Atomic Absorption Std. Soln. Contain 1000 mg/per lit AAS in HNO_3	**100 ml**
861470	**Lutetium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
RE1735 Lu (7439-94-3)	**Lutetium** Metal Ingot M. W.: 174.96 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1740 Lu (7439-94-3)	**Lutetium** Metal Lump (1cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1745 Lu (7439-94-3)	**Lutetium** Metal Wire (0.1mm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE1750 Lu (7439-94-3)	**Lutetium** Metal Rod (5mmx30cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**1 PC**
RE1755 Lu (7439-94-3)	**Lutetium** Metal Foil (0.25mmx40 cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**1 PC**
RE1760 Lu (7439-94-3)	**Lutetium** Metal Foil (0.50mmx40 cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**1 PC**
RE1765 Lu (7439-94-3)	**Lutetium** Metal SLAB (1cmx40cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**1 PC**
RE1770 Lu (7439-94-3)	**Lutetium** Metal Disc (0.1mmx35cm) M. W.: 174.96 Assay (Trace metal basis) 99.99%	**1 PC**
RE1780 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1785 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1790 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1795 $Lu(O_2C_2H_3)_3.xH_2O$ (207500-05-8)	**Lutetium** (III) **Acetate** M. W.: 352.11 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1805 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1810 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1815 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1820 $Lu_2(CO_3)_3.xH_2O$ (64360-99-2)	**Lutetium** (III) **Carbonate** M. W.: 529.97 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1830 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1835 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1840 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1845 $LuCl_3.6H_2O$ (15230-79-2)	**Lutetium** (III) **Chloride** M. W.: 389.42 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1855 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **25 gm**

Product Code	Product Name	Packing
RE1860 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE1865 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm**
RE1870 $Lu(NO_3)_3.xH_2O$ (100641-16-5)	**Lutetium** (III) **Nitrate** M. W.: 360.98 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1880 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm** **25 gm**
RE1885 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **25 gm**
RE1890 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1895 Lu_2O_3 (12032-20-1)	**Lutetium** (III) **Oxide** M. W.: 397.94 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE1905 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE1910 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE1915 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE1920 $Lu_2(SO_4)_3.8H_2O$ (13473-77-3)	**Lutetium** (III) **Sulphate** M. W.: 782.24 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
138675 C_7H_9N (583-61-9)	2,3-**Lutidine** for Synthesis M. W.: 107.15 Assay 99.0%	**250 ml**
138745 C_7H_9N (108-47-4)	2, 4-**Lutidine** for Synthesis M. W.: 107.15 Assay 99.0%	**5 ml**
138845 C_7H_9N (108-48-5)	2, 6-**Lutidine** for Synthesis M. W.: 107.15 Assay 98.0%	**500 ml**
138805 C_7H_9N (583-58-4)	3, 4-**Lutidine** for Synthesis M. W.: 107.15	**250 ml**
138905 C_7H_9N (591-22-0)	3, 5-**Lutidine** for Synthesis (3,5-Dimethyl Pyridine) M. W.: 107.15 Assay 98.0%	**250 ml**
139105 (8023-70-9)	**Lycopodium** for Synthesis	**500 gm**
139285 $C_6H_{14}N_2O_2.H_2O$ (39665-12-8)	L-**Lysine (Base) Monohydrate** Store at 2 - 8°C M. W.: 164.20	**10 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
037129	L-**Lysine Monohydrochloride** For Biochemistry	**100 gm** **500 gm**
$C_6H_{14}N_2O_2HCl$ (657-27-2)	M. W.: 182.65 Assay (Non-aqueopus) 99.0%	
025053	L-**Lysine Monohydrochloride** For Feed experiments	**2.5 kg**
$C_6H_{14}N_2O_2.HCl$ (657-27-2)	M. W.: 182.65 Assay (NT) 99.0%	

Product Code	Product Name	Packing
033218 (12772-68-8)	**Lysol** (Cresol and Soap Solution) Assay (cresol) 47-53.0% v/v	**500 ml** **5 lit**
139355 (12650-88-3)	**Lysozyme** for Biochemistry	**1 gm** **5 gm** **25 gm**
139415 $C_5H_{10}O_5$ (1114-34-7)	D-**Lyxose** for Biochemistry M. W.: 150.13	**1 gm** **5 gm**



AAS / ICP / ICP-MS STD. SOLUTION

CPECTROSOL

803140	**Aluminium** Atomic Absorption STD. Soln. Contains 1000 mg/lit ASS in HNO_3
807450	**Barium** Atomic Absorption STD. Soln. Contain 1000 mg/lit AAS in HNO_3
809350	**Berrylium** Atomic Absorption Std. Soln. Contains 1000 mg/lit ASS in HNO_3
813350	**Cadmium** Atomic Absorption STD. Soln. Contains 1000 mg/lit AAS in HNO_3
819100	**Copper** Atomic Absorption STD. Soln. Contains 1000 mg/lit AAS in HNO_3
839910	**120Gold** Atomic Absorption STD. SOLN. Contains 1000 mg/litre AAS in HCl

CRISTAR

807050	**Arsenic** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable
807500	**Barium** 1000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable
819150	**Copper** 1000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable
869590	**Nitrite** 200 ppm Single Element Standard for Ion Chromatography
875540	**Phosphate** 200 ppm Single Element Standard for Ion Chromatography
875570	**Phosphate** 1000 ppm Single Element Standard for Ion Chromatography

Product Code	Product Name	Packing
144005	**Macerozyme R-10** for Biochemistry	**1 gm** **5 gm**
	Magenta Basic See Fuchsin Basic	
863100	**Magnesium** Atomic Absorption Std. Soln. Contain 1000 mg/litre AAS in HNO_3	**250 ml**
863030	**Magnesium (Mg)**1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
863060	**Magnesium (Mg)** 10,000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
029085 Mg (7439-95-4)	**Magnesium** (Metal) Powder At. Wt.: 24.31 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **25 kg**
029086 Mg (7439-95-4)	**Magnesium (**Metal) Ribbon At Wt.: 24.31 Assay (Complexometric) 99.5%	**25 gm**
029089 Mg (7439-95-4)	**Magnesium** (Metal) Turning acc. Grignard reaction At. Wt.: 24.31 Assay (Complexometric) 99.5%	**250 gm** **500 gm** **25 kg**
029090 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate M. W.: 214.46 Assay (Complexometric) 98-102%	**500 gm** **5 kg** **25 kg** **50 kg**
568065 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate **AR/ACS** M. W.: 214.46 Assay (Complexometric) 99.5-102.0%	**250 gm**
959200 $(CH_3.COO)_2Mg.4H_2O$ (16674-78-5)	**Magnesium Acetate** Tetrahydrate for Molecular Biology M. W.: 214.46	**100 gm** **500 gm**
024964 $MgAl_2(SiO_4)_2$ (12511-31-8)	**Magnesium Aluminium Silicate** M. W.: 262.43	**500 gm**
024953 B_2MgO_4 (13703-82-7)	**Magnesium Borate** M. W.: 109.92	**250 gm**
144305 $MgBr_2.6H_2O$ (13446-53-2)	**Magnesium Bromide** (Hexahydrate) M. W.: 292.20 Assay 98.0%	**500 gm** **25 kg** **50 kg**
029093 $\sim MgCO_3.Mg(OH)_2.5H_2O$ (39409-82-0)	**Magnesium Carbonate** Basic Light M.W.:485.0 Assay (As Mg; Complexometric) 24.0%	**250 gm** **500 gm** **5 kg** **25 kg**
568105 $\sim MgCO_3.Mg(OH)_2.5H_2O$ (39409-82-0)	**Magnesium Carbonate** Basic Light **AR** M.W.:485.0 Assay (complexometric, as Mg) 24.0%	**500 gm**
863190	**Magnesium Chloride** 0.5M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
863200	**Magnesium Chloride** 1M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**

Product Code	Product Name	Packing
029096 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate Purified Cryst. M. W.: 203.30 Assay (Complexometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
568135 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** Hexahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 203.30 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
959340 $MgCl_2.6H_2O$ (7791-18-6)	**Magnesium Chloride** for Molecular Biology M. W.: 203.30 Assay (Complexometric) 99.0%	**500 gm**
144515 CrH_2O_4Mg (13423-61-5)	**Magnesium Chromate** M. W.: 140.30	**500 gm**
029098 $Mg_3(C_6H_5O_7)_2.9H_2O$ (153531-96-5)	**Magnesium Citrate** Nonahydrate M. W.: 613.25 Assay (Complexometric; on dired subs.) 97.0%	**500 gm** **25 kg** **50 kg**
029100 MgF_2 (7783-40-6)	**Magnesium Fluoride** M. W.: 62.30 Assay (Complexometric, after loss on ignition at 700°C) 97.0%	**500 gm** **2.5 kg**
568175 MgF_2 (7783-40-6)	**Magnesium Fluoride** Special **AR** Gold Label M. W.: 62.30	**500 gm**
144725 $C_{12}H_{22}MgO_{14}.XH_2O$ (3632-91-5)	**Magnesium Gluconate** for Synthesis M. W.: 414.60 (Anhy.) Assay 98.0%	**250 gm**
029102 $Mg(OH)_2$ (1309-42-8)	**Magnesium Hydroxide** M. W.: 58.33 Assay (complexometric) 95.0%	**500 gm**
029106 $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate Purified M. W.: 256.41 Assay (Complexometric) 98.0%	**500 gm** **50 kg**
568215 $Mg(NO_3)_2.6H_2O$ (13446-18-9)	**Magnesium Nitrate** Hexahydrate **AR/ACS** M. W.: 256.41 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **50 kg**
024971 C_2O_4Mg (547-66-0)	**Magnesium Oxalate** M. W.: 112.32	**250 gm**
029108 MgO (1309-48-4)	**Magnesium Oxide** Heavy M. W.: 40.30 Assay (Complexometric; on ignited sub.) 98.0-100.5%	**500 gm** **25 kg** **50 kg**
029109 MgO (1309-48-4)	**Magnesium Oxide** Light Meets BP, Ph, Eur, USP M. W.: 40.30 Assay (Complexometric; on ignited subs.) 98.0-100.5%	**500 gm** **5 kg** **25 kg**
568255 MgO (1309-48-4)	**Magnesium Oxide** Light **AR/ACS** M. W.: 40.30 Assay 98.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
145005 $Mg(ClO_4)_2.XH_2O$ (64010-42-0)	**Magnesium Perchlorate** Hydrate M. W.: 223.21 (Anhy.) Assay (Complexometric) 82.0-83.0%	**100 gm** **500 gm**
568285 $Mg(ClO_4)_2XH_2O$ (64010-42-0)	**Magnesium Perchlorate** Hydrate **AR** M. W.: 223.21 (Anhy.) Assay (complexometric) 83.0%	**100 gm** **500 gm**
029101 $MgHPO_4.3H_2O$ (7782-75-4)	**Magnesium Phosphate** Dibasic Pure M. W.: 174.34 Assay (ex Mg) 98.0%	**500 gm** **25 kg** **50 kg**
024965 $Mg_3(PO_4)_2$ X H_2O (53408-95-0)	**Magnesium Phosphate** Hydrate M. W.: 262.86 Assay (ex Mg) (on dried basis) 98.0%	**50 gm**
024978 $[CH_3(CH_2)_{16}COO]_2Mg$ (557-04-0)	**Magnesium Stearate** Precipitated M. W.: 591.27 Assay (as Mg; on dried substance) 3.8-5.0%	**500 gm** **25 kg** **50 kg**
863240	**Magnesium Sulphate** 0.1M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
863245	**Magnesium Sulphate** 1M Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
029117 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate Pure M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
568325 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** Heptahydrate **AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 246.47 Assay (Complexometric; Cal. on dried substance) 99.5-103.0%	**500 gm** **5 kg** **25 kg** **50 kg**
024963 $MgSO_4.XH_2O$ (22189-08-8)	**Magnesium Sulphate** Dried M. W.: 120.37 (anhydrous) Assay (complexometric) 62-70.0%	**500 gm** **25 kg** **50 kg**
959580 $MgSO_4.7H_2O$ (10034-99-8)	**Magnesium Sulphate** for Molecular Biology M. W.: 246.47 Assay (Complexometric) 99.5%	**500 gm**
145305 MgS (12032-36-9)	**Magnesium Sulphide** M. W.: 56.37	**500 gm**
029122 $2MgO.3SiO_2.XH_2O$ (39365-87-2)	**Magnesium Trisilicate** M. W.: 260.86 (Anhy.) Assay (Acidimetric; MgO) Calc. with ref. to ignited subs. 29.0% Assay (gravimetric; SiO_2) calc. with ref. to ignited subs. 65.0%	**500 gm** **25 kg**
568505 $C_{12}H_9N_3O_4$ (74-39-5)	**Magneson I AR** Sensitivity: detects 1ppm Mg M. W.: 259.22 Dye Content (titanometry; on dried subs.)	**25 gm** **100 gm**
568510 $C_{16}H_{11}N_3O_3$ (5290-62-0)	**Magneson II AR** Reagent for Mg M. W.: 293.28 Dye content (titanometry, dried) 95.0%	**25 gm** **100 gm**
863340	**Magneson** Reagent	**125 ml** **500 ml**

Product Code	Product Name	Packing
145500 $C_{52}H_{54}N_4O_{12}$ (2437-29-8)	**Malachite Green** for Microscopy (Malachite Green Oxalate) C.I. No. 42000 M. W.: 927.02 Dye Content (titanometry, dried subs.) About 90.0%	**25 gm** **100 gm** **1 kg**
863430	**Malachite Green** solution 1% w/v	**100 ml**
863460	**Malarial parasite staining kit**	**KIT**
145545 (9001-64-3)	**Malate Dehydrogenase** from Microorganism Lyophilized powder, activity ~ 80-100U/mg (MDH, Malic Dehydrogenase)	**1000 units**
029124 CH(COOH) : CH.COOH (110-16-7)	**Maleic Acid** for Synthesis M. W.: 116.07 Assay (acidimetric; calculated on anhydrous subs.) 98.0-101.0%	**500 gm** **2.5 kg** **25 kg** **50 kg**
568600 CH(COOH):CH.COOH (110-16-7)	**Maleic Acid AR** M. W.: 116.07 Assay 99.5%	**500 gm**
029125 $C_4H_2O_3$ (108-31-6)	**Maleic Anhydride** for Synthesis M. W.: 98.06 Assay (acidimetric) 97.0%	**500 gm** **25 kg** **50 kg**
029126 $C_4H_4N_2O_2$ (123-33-1)	**Maleic Hydrazide** M.W. : 112.09 Assay (Acidimetric) 97.0%	**100 gm** **1 kg** **10 kg**
029127 $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid** Purified M. W.: 134.09 Assay (Acidimetric) 99.0%	**500 gm** **5 kg** **50 kg**
568635 $C_4H_6O_5$ (617-48-1)	DL-**Malic Acid** for Biochemistry **AR** Gold Label M. W.: 134.08	**250 gm** **1 kg**
146445 $C_3H_6N_2O_2$ (108-13-4)	**Malonamide** for Synthesis M. W.: 102.09 Assay 97.0%	**25 gm** **100 gm** **500 gm**
029129 $CH_2(COOH)_2$ (141-82-2)	**Malonic Acid** M. W.: 104.06 Assay (acidimetric) 98.0%	**500 gm** **25 kg**
568705 $CH_2(COOH)_2$ (141-82-2)	**Malonic Acid AR** M. W.: 104.06 Assay (acidimetric) 99.0%	**100 gm** **250 gm** **1 kg**
D67626 $C_3D_4O_4$	**Malonic** d_2 **Acid** d_2 M.W.: 108 10 (for NMR Spectroscopy) Assay Min. 99 5 atom%D	**10 gm**
021930 $C_3H_2N_2$ (109-77-3)	**Malononitrile** M.W. : 66.06 Assay (By GC) 98.0%	**100 gm** **500 gm**
039013 (9000-92-4)	**Malt Diastase**	**500 gm**
029128	**Malt Extract Powder** Bacteriology	**500 gm**
146635 (9050-36-6)	**Maltodextrine** Powder	**500 gm**

Product Code	Product Name	Packing
029131 $C_{12}H_{22}O_{11}.H_2O$ (6363-53-7)	**Maltose** Cryst. M. W.: 360.32	**100 gm** **250 gm** **500 gm** **25 kg**
	Maltose Extrapure **AR** See in Culture Media Bases	
	Maltose Monohydrate See in Culture Media Bases	
146745 $C_8H_8O_3$ (17199-29-0)	S (+) **Mandelic Acid** M. W.: 152.15 Assay 99.0%	**100 gm**
146755 $C_8H_8O_3$ (611-71-2)	R (-) **Mandelic Acid** M. W.: 152.15 Assay 98.0%	**100 gm**
146765 $C_8H_8O_3$ (90-64-2)	**DL-Mandelic Acid** for Synthesis M. W.: 152.15	**100 gm** **500 gm**
863640	**Manganese** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
863670	**Manganese** (Mn) 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
863690	**Manganese** (Mn)10,000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
863710	**Manganese** (Mn) 1000 ppm Single Element Standard for ICP in HCl	**100 ml** **500 ml**
863730	**Manganese** (Mn) 10,000 ppm Single Element Standard for ICP in HCl	**100 ml** **500 ml**
568895 Mn (7439-96-5)	**Manganese** (Metal) **AR** Powder Electrolytic At. W.:54.94 Assay (Complexometric) 99.0%	**250 gm**
146855 Mn **(**7439-96-5**)**	**Manganese** (Metal) **Flakes** At. W.: 54.94	**500 gm**
029134 $(CH_3COO)_2.Mn.4H_2O$ (6156-78-1)	**Manganese** (II) **Acetate** Cryst. Tetrahydrate M. W.: 245.09 Assay (complexometric) 99.0%	**500 gm** **25 kg** **50 kg**
568940 $(CH_3COO)_2Mn.4H_2O$ (6156-78-1)	**Manganese** (II) **Acetate AR** Tetrahydrate M. W.: 245.09 Assay (Complexometric) 99.50%	**500 gm** **25 kg** **50 kg**
146905 MnB_4O_7 (12228-91-0)	**Manganese Borate** M.W. : 84.77	**500 gm**
146985 $MnBr_2$ (13446-03-2)	**Manganese** (II) **Bromide** M. W.: 214.75 Assay 98.0%	**500 gm**
029136 $MnCO_3.XH_2O$ (34156-69-9)	**Manganese** (II) **Carbonate** M. W.: 114.95 (anhy.) Assay (complexometric Mn) 43-46%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
029137 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
568985 $MnCl_2.4H_2O$ (13446-34-9)	**Manganese** (II) **Chloride** Tetrahydrate **AR** M. W.: 197.90 Assay (Complexometric ex Mn) 99.0%	**500 gm** **25 kg** **50 kg**
024991	**Manganese Citrate**	**500 gm**
029139 MnO_2 (1313-13-9)	**Manganese Dioxide** tech M. W.: 86.94 Assay (Iodometric) 75.0-85.0%	**500 gm** **5 kg** **25 kg** **50 kg**
569015 MnO_2 (1313-13-9)	**Manganese Dioxide AR** M. W.: 86.94 Assay (Iodometric) 92.0-94.0%	**500 gm**
147275 MnF_3 (7783-53-1)	**Manganese Fluoride** M. W.: 111.93 Asay 98.0%	**500 gm**
863830	**Manganese Nitrate** 45-50% Solution in Dilute Nitric Acid	**500 ml**
029145 $C_2MnO_4.2H_2O$ (6556-16-7)	**Manganese Oxalate** M. W.: 178.99 Assay (Oxidimetric) 98.0%	**500 gm**
024988	**Manganese Phosphate** Heptahydrate	**500 gm**
029147 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate M. W.: 169.01 Assay (Complexometric ex Mn) 98.0%	**500 gm** **5 kg** **50 kg**
569075 $MnSO_4.H_2O$ (10034-96-5)	**Manganese** (II) **Sulphate** Monohydrate **AR** (Manganous Sulphate) M. W.: 169.01 Assay (Complexometric) 99.0%	**500 gm** **5 kg** **50 kg**
147495 MnS (18820-29-6)	**Manganese** (II) **Sulphide** M. W.: 87.00 Assay 98.0%	**500 gm**
	Manganous Compounds See Manganese (II) Compounds	
147510 $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol** Pure M. W.: 182.17	**250 gm** **500 gm** **1 kg** **25 kg** **50 kg**
569165 $C_6H_{14}O_6$ (69-65-8)	D-**Mannitol AR** Meets Analytical Specification of IP, BP, USP M. W.: 182.17 Assay 99.0%	**250 gm** **500 gm** **25 kg**
569205 $C_6H_{12}O_6$ (3458-28-4)	D-**Mannose AR** M. W.: 180.16	**25 gm** **100 gm**
	Manoxol OT See Dioctyl Sodium Sulphosuccinate	
029150 $CaCO_3$ (471-34-1)	**Marble Chips** M. W.: 100.09	**500 gm**

Product Code	Product Name	Packing
147525 $(O_2N)_2C_{10}H_5OH$ (605-69-6)	**Martius Yellow** for Microscopy C. I. No. 10315 M. W.: 234.17 Dye content 85.0%	**25 gm**
034046	**May And Grunwald's** Stain for Microscopy	**25 gm**
863970	**May Grunwald's** Eosin-Methylene Blue Solution	**125 ml** **500 ml**
864070	**Mayer's Mucicarmine** Staining Solution	**100 ml** **500 ml**
864100	**Mayer's** Solution (Reagent for Detection of Alkaloids)	**125 ml** **500 ml**
024990	**Meat Extract Paste** for Becteriology	**500 gm**
147655	**Meat Extract Powder** for Bacteriology	**500 gm**
029152 $C_3H_6N_6$ (108-78-1)	**Melamine** Pure M. W.: 126.12 Assay (ex N, Non-aqueous) 97.5%	**500 gm**
147765 $C_{13}H_{16}N_2O_2$ (73-31-4)	**Melatonin** M. W.: 232.28 Assay (TLC) 98.0%	**1 gm** **5 gm**
038051 $C_{12}H_{22}O_{11}$ (585-99-9)	D+**Melibiose** for Biochemistry M. W.: 342.30	**5 gm**
147875 $C_{11}H_8O_2$ (58-27-5)	**Menadione** for Biochemistry M. W.: 172.18	**25 gm**
024979 $C_{11}H_9NaO_5S.3H_2O$ (57414-02-5)	**Menadione** Sodium Bisulphite For Lab use M. W.: 330.28 Assay (Calculated as $C_{11}H_9O_5S$. Na with reference to anhydrous subs. dried) (Oxidimetric) 94.0%	**25 gm**
029153 $C_{10}H_{20}O$ (2216-51-5)	**Menthol** Crystal Natural M. W.: 156.27 Assay (GC) 99.0%	**100 gm**
147965 $C_7H_6N_2S$ (583-39-1)	2-**Mercapto Benzimidazole** M. W.: 150.20	**250 gm** **1 kg**
580105 $C_7H_6O_2S$ **(**147-93-3**)**	2-**Mercapto Benzoic Acid AR** M. W.: 154.19	**100 gm** **500 gm**
148115 $C_7H_5NS_2$ (149-30-4)	2-**Mercapto Benzothiazole** for Synthesis M. W.: 167.25	**500 gm**
580165 $C_7H_5NS_2$ (149-30-4)	2-**Mercapto Benzothiazole AR** (2-Benimidazol Ethiol) M. W.: 167.25 Assay (Acidimetric) 99.0%	**25 gm** **100 gm** **500 gm**
044143 $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol** for Synthesis M. W.: 78.13 Assay (GC) 99.0%	**100 ml** **500 ml**
580225 $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol AR** M. W.: 78.13	**100 ml** **500 ml**
959900 $HS.CH_2CH_2OH$ (60-24-2)	2-**Mercapto Ethanol** for Molecular Biology M. W.: 78.13	**100 ml** **500 ml**
	3-**Mercapto-1,2-Propane Diol** for Preparing Ligands See 1-Thio Glycerol	
148265 $C_3H_6O_2S$ (79-42-5)	2-**Mercapto Propionic Acid** for Synthesis M. W.: 106.14 Assay 95.0%	**100 gm**
148275 $C_3H_6O_2S$ (107-96-0)	3-**Mercapto Propionic Acid** for Synthesis M. W.: 106.14 Assay 99.0%	**100 ml** **500 ml**
148395 $C_5H_4N_4S.H_2O$ (6112-76-1)	6-**Mercapto Purine** for Biochemistry M. W.: 170.19	**1 gm** **5 gm**
029160 $(CH_3.COO)_2Hg$ (1600-27-7)	**Mercuric Acetate** Mercury (II) Acetate M. W.: 318.68 Assay (Precipitation titration) 98.0%	**25 gm** **100 gm** **250 gm**
580535 $(CH_3.COO)_2Hg$ (1600-27-7)	**Mercuric Acetate AR/ACS** M. W.: 318.68 Assay (Precipitation titration) 99.0%	**25 gm** **100 gm** **250 gm**
148505 $(HgNH_2)Cl$ (10124-48-8)	**Mercuric Ammonium Chloride** for Synthesis M. W.: 252.07 Assay 97.0%	**100 gm**
148535	**Mercuric Ammonium Thiocyanate** for Synthesis	**100 gm** **500 gm**
580545 $HgBr_2$ (7789-47-1)	**Mercuric Bromide AR/ACS** (Mercury II Bromide) M. W.: 360.40 Assay (by complexometric) 99.0%	**100 gm**
029163 $HgCl_2$ (7487-94-7)	**Mercuric Chloride** M. W.: 271.50 Assay (Complexometic ex Hg) 99.0%	**100 gm** **250 gm** **500 gm** **1 kg**
580575 $HgCl_2$ (7487-94-7)	**Mercuric Chloride AR/ACS** Reagent for Zinc M. W.: 271.50 Assay (Complexometric ex Hg) 99.5%	**100 gm** **250 gm** **1 kg**
864500	**Mercuric Chloride** Solution 5%	**125 ml**
029165 HgI_2 (7774-29-0)	**Mercuric Iodide** Red M. W.: 454.40 Assay (Oxidimetric) 99.0%	**100 gm** **250 gm**
580635 HgI_2 (7774-29-0)	**Mecuric Iodide Red AR/ACS** M. W.: 454.40 Assay (Oxidimetric) 99.0%	**100 gm** **250 gm**
029166 $Hg(NO_3)_2.H_2O$ (7783-34-8)	**Mercuric Nitrate** Monohydrate (Mercury II Nitrate) M. W.: 342.62 Assay (by precipitation titration of Hg) 98.0%	**100 gm** **250 gm**

Product Code	Product Name	Packing
580815 $Hg(NO_3)_2.H_2O$ (7783-34-8)	**Mercuric Nitrate AR/ACS** M. W.: 342.62	**100 gm** **250 gm**
864640	**Mercuric** (II) **Nitrate** 0.005M (0.01N) Volumetric Solution	**1 lit**
864660	**Mercuric** (II) **Nitrate** 0.01M (0.02N) Volumetric Solution	**1 lit**
864670	**Mercuric** (II) **Nitrate** 0.05M (0.1N) Volumetric Solution	**1 lit**
864675	**Mercuric** (II) **Nitrate** 0.07M (0.14N) Volumetric Solution	**1 lit**
029168 HgO (21908-53-2)	**Mercuric Oxide** Red M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	**100 gm** **500 gm**
580935 HgO (21908-53-2)	**Mercuric Oxide Red AR/ACS** M. W.: 216.59	**100 gm** **500 gm**
029169 HgO (21908-53-2)	**Mercuric Oxide** Yellow M. W.: 216.59 Assay (Argentometric; ex Hg) 99.0%	**100 gm** **500 gm**
581045 HgO (21908-53-2)	**Mercuric Oxide Yellow AR** M. W.: 216.59	**100 gm** **500 gm**
029174 $HgSO_4$ (7783-35-9)	**Mercuric Sulphate** (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	**100 gm** **250 gm** **500 gm**
581085 $HgSO_4$ (7783-35-9)	**Mercuric Sulphate AR/ACS** (Mercury II Sulphate) M. W.: 296.65 Assay (Complexometric; ex Hg) 99.0%	**100 gm** **250 gm**
864700	**Mercuric** (II) **Sulphate** 20gm/lit in Sulphuric Acid	**1 lit**
864705	**Mercuric** (II) **Sulphate** 80gm/lit in Sulphuric Acid	**1 lit**
864710	**Mercuric** (II) **Sulphate** 200gm/lit in Sulphuric Acid	**1 lit**
149855 $Hg(SCN)_2$ (592-85-8)	**Mercuric Thiocyanate** M. W.: 316.75	**100 gm**
581105 $Hg(SCN)_2$ (592-85-8)	**Mercuric Thiocyanate AR** M. W.: 316.75 Assay (complexometric) 98.0%	**100 gm**
029177 $C_{20}H_8Br_2HgNa_2O_6$ (129-16-8)	**Mercuro Chrome** Granular M. W.: 750.67 Assay (Spectrophotometry, dried) 97.0%	**25 gm** **100 gm**
029179 Hg_2Cl_2 (10112-91-1)	**Mercurous Chloride** (Mercury (I) Chloride) M. W.: 472.09 Assay (iodometric) 99.0%	**100 gm** **500 gm**
581315 Hg_2Cl_2 (10112-91-1)	**Mercurous Chloride AR/ACS** M. W.: 472.09 Assay (iodometric) 99.5%	**100 gm** **500 gm**

Product Code	Product Name	Packing
029182 $Hg_2(NO_3)_2.2H_2O$ (14836-60-3)	**Mercurous Nitrate** Dihydrate (Mercury (I) Nitrate) M. W.: 561.22 Assay (Oxidimetric) 95.0%	**100 gm** **250 gm**
581355 $Hg_2(NO_3)_2.2H_2O$ (14836-60-3)	**Mercurous Nitrate AR/ACS** (Mercury (I) Nitrate) M. W.: 561.22	**100 gm** **250 gm**
864860	**Mercury** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
864890	**Mercury (Hg)** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
864910	**Mercury (Hg)** 10,000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
029185 Hg (7439-97-6)	**Mercury** (Metal) Pure M. W.: 200.59 Assay (complexometric) 99.0.0%	**100 gm** **250 gm** **500 gm**
581645 Hg (7439-97-6)	**Mercury** (Metal) **AR/ACS** M. W.: 200.59 Assay (Complexometric) 99.5%	**250 gm** **500 gm**
148505 HgH_2NCl (10124-48-8)	**Mercury Ammoniated** M. W.: 252.07 Assay 97.0%	**100 gm**
	Mercury (II) **Salts** See Mercuric salts	
149205 $C_{25}H_{25}Cl$ (55844-94-5)	**Merrifield Resin** 2% **Crossilinked**, 200-400 Mesh M.W. : 360.90	**25 gm** **100 gm**
044141 $C_6H_{13}NO_4S.H_2O$ (145224-94-8)	**MES** Buffer M.W.: 213.25 Assay (Acidimetric on dry basis) 99.0%	**25 gm** **100 gm**
149385 $C_6H_{10}O$ (141-79-7)	**Mesityl Oxide** for Synthesis (4-Methyl-3-Penten-2-one,I sopropylidene Acetone) M. W.: 98.14	**500 ml**
581875 $C_6H_{10}O$ (141-79-7)	**Mesityl Oxide AR** M. W.: 98.14	**500 ml**
149515 $C_6H_3(CH_3)_3$ (108-67-8)	**Mesitylene** for Synthesis (1,3,5-Trimethylbenzene) M. W.: 120.19	**500 ml** **2.5 lit**
581985 $C_6H_3(CH_3)_3$ (108-67-8)	**Mesitylene AR** M. W.: 120.19	**500 ml**
024998 $H_2N.C_6H_4SO_3H$ (121-47-1)	**Metanilic Acid** M. W.: 173.19 Assay 95.0%	**250 gm**
582025 $C_{18}H_{14}N_3NaO_3S$ (587-98-4)	**Metanil Yellow AR** C.I. No. 13065 M. W.: 375.38	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
	Meta Phosphoric Acid See m-Phosphoric Acid	
149765 C_4H_7NO (79-39-0)	**Methacrylamide** for Synthesis M. W.: 85.10 Assay 98.0%	**250 gm** **500 gm**
024974 CH_2: $C(CH_3)COOH$ (79-41-4)	**Methacrylic Acid** M. W.: 86.09 Assay (Titration by NaOH) 98.5-101.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
024972 CH_4O_3S (75-75-2)	**Methane Sulphonic Acid** for Synthesis M. W.: 96.10 Assay (Alkalimetric) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
582405 CH_3SO_3Na (2386-57-4)	**Methane Sulphonic Acid Sodium Salt AR** M. W.: 118.09	**25 gm** **100 gm**
752040 CH_3SO_3Na (2386-57-4)	**Methane Sulphonic Acid Sodium Salt** for HPLC M. W.: 118.09	**25 gm** **100 gm**
029191 CH_3ClO_2S (124-63-0)	**Methane Sulphonyl Chloride** M. W.: 114.55 Assay (acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit**
029192 CH_4O (67-56-1)	**Methanol** for Synthesis M. W.: 32.04 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
582495 CH_4O (67-56-1)	**Methanol AR/ACS** Meets analytical Specification of BP, Reag. PH. EUR.USP-NF, M. W.: 32.04 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
029193 CH_4O (67-56-1)	**Methanol Dry** Specially dried for Preparing karl fisher Reagent and for non aqueous titrations M. W.: 32.04 Assay (GC) 99.5%	**500 ml** **2.5 lit**
582500 CH_4O (67-56-1)	**Methanol "Dry" AR** M. W.: 32.04 Assay (GC) 99.5%	**500 ml** **2.5 lit**
752135 CH_4O (67-56-1)	**Methanol** EL M. W.: 32.04 Assay (GC) 99.9%	**2.5 lit**
752140 CH_4O (67-56-1)	**Methanol** for HPLC M. W.: 32.04 Assay (GC) 99.8%	**1 lit** **2.5 lit**
752160 CH_4O (67-56-1)	**Methanol** for Spectroscopy M. W.: 32.04 Assay (GC) 99.9%	**500 ml** **2.5 lit**
752200 CH_4O (67-56-1)	**Methanol** for Pesticide Residue Trace Analysis (methyl alcohol) M. W.: 32.04	**1 lit**
752220 CH_4O (67-56-1)	**Methanol** fort LC-MS (Methyl alcohol) M. W.: 32.04	**1 lit** **2.5 lit**
752180 CH_4O (67-56-1)	**Methanol** for HPLC Gradient Grade M. W.: 32.04 Assay 99.8%	**1 lit** **2.5 lit**
752270	**Methanol** With 0.1% Acetic Acid for LCMS	**2.5 lit**
752320	**Methanol** With 0.1% Formic Acid for LCMS	**2.5 lit**
752370	**Methanol** With 0.1% Trifluoro Acetic Acid for LCMS	**2.5 lit**
024982 $C_5H_{11}NO_2S$ (59-51-8)	DL-**Methionine** for Feed experiment M. W.: 149.21	**2.5 kg**
037132 $C_5H_{11}NO_2S$ (59-51-8)	DL-**Methionine** for Biochemistry M. W.: 149.21 Assay (Perchloric acid titration dried subs.) 99.0-101.0%	**100 gm** **500 gm** **1 kg**
037131 $C_5H_{11}NO_2S$ (63-68-3)	L-**Methionine** 99% for Biochemistry M. W.: 149.21 Assay (Non-aqueous; ex S) 99.0%	**25 gm** **100 gm** **1 kg**
582715 $C_9H_{10}O_2$ (586-37-8)	3-**Methoxy Acetophenone AR** M. W.: 150.17 Assay 97.0%	**25 ml**
150005 $C_9H_{10}O_2$ (100-06-1)	4-**Methoxy Acetophenone** for Synthesis M. W.: 150.18 Assay 99.0%	**100 gm** **500 gm**
150095 $C_{13}H_{12}N_2O$ (2396-60-3)	p-**Methoxy Azobenzene** Absorption Indicator M. W.: 212.25	**1 gm**
	P-**Methoxy Benzaldehyde** See Anisaldehyde	
150165 $C_8H_8O_2$ (591-31-1)	3-**Methoxy Benzaldehyde** for Synthesis (m-Anisaldehyde) M. W.: 136.15	**25 ml** **100 ml**
	2-**Methoxy Benzoic Acid** See o-Anisic Acid	
	3-**Methoxy Benzoic Acid** **See** m-Anisic Acid (m-Methoxy Benzoic Acid)	
	4-**Methoxy Benzoic Acid** **See** (p-Methoxy Benzoic acid) p-Anisic Acid	
150485 $C_8H_7ClO_2$ (100-07-2)	4-**Methoxy Benzoyl Chloride** for Synthesis (p-Anisoyl Chloride) M. W.: 170.59	**100 ml** **500 ml**
150555 $C_8H_{10}O_2$ (105-13-5)	4-**Methoxy Benzyl Alcohol** M. W.: 138.16	**100 gm** **500 gm**
150625 $C_8H_{11}NO$ (5071-96-5)	3-**Methoxy Benzylamine** M. W.: 137.18 Assay 98.0%	**1 gm** **5 gm**
150635 $C_8H_{11}NO$ (2393-23-9)	4-**Methoxy Benzylamine** for Synthesis M. W.: 137.18	**100 gm**

RARE EARTH METALS



57 140.12 Ce CERIC

RE0150	Ceric Hydroxide AR
RE0165	Ceric Oxide 99.9% AR (Cerium IV Oxide)
RE0190	Ceric Sulphate Tetrahydrate 99.0% AR
815300	Ceric Sulphate N/10 Solution

58 140.12 Ce CERIUM

RE0215	Cerium Metal Powder 99.9%
RE0260	Cerium (III) Acetate Hydrate 99.9%
RE0280	Cerium (III) Carbonate Hydrate
RE0285	Cerium (III) Carbonate Hydrate 99.9%
RE0310	Cerium(III) Chloride 99.9%
RE0325	Cerium (III)Chloride Heptahydrate AR
RE0340	Cerium (III) Fluoride 99.9%
RE0370	Cerium (III) Nitrate $6H_2O$ 99.9%
RE0395	Cerium (III) Oxalate 99.9%
RE0415	Cerium (III) Sulphate Hydrate 99%

66 162.50 Dy DYSPROSIUM

RE0445	Dysprosium Metal Powder 99.99%
RE0485	Dysprosium Acetate Hydrate 99.9%
RE0515	Dysprosium Carbonate X H_2O 99%
RE0540	Dysprosium Chloride 6 H_2O 99.99%
RE0600	Dysprosium Nitrate X H_2O 99.9%
RE0650	Dysprosium Oxide 99.9%
RE0655	Dysprosium Oxide 99.99%

68 167.26 Er ERBIUM

RE0710	Erbium Metal Powder 99.9%
RE0755	Erbium Acetete Hydrate 99.9%
RE0780	Erbium Carbonate Hydrate 99.9%
RE0805	Erbium Chloride $6H_2O$ 99.9%
RE0840	Erbium Nitrate $5H_2O$ 99.9%
RE0865	Erbium Oxide 99.9%
RE0890	Erbium Sulphate $8H_2O$ 99.9%

67 164.93 Ho HOLMIUM

RE1360	Holmium Acetate XH_2O 99.9%
RE1380	Holmium Carbonate XH_2O 99.90%
RE1390	Holmium Chloride $6H_2O$ 99.90%
RE1415	Holmium Oxide 99.9%
RE1420	Holmium Oxide 99.99%
RE1440	Holmium Sulphate $8H_2O$ 99.9%

68 144.24 Nd NEODYMIUM

RE1940	Neodymium Metal Powder 99.99%
RE1985	Neodymium Acetate XH_2O 99.9%
RE2010	Neodymium Carbonate XH_2O 99.9%
RE2035	Neodymium Chloride XH_2O 99.9%
RE2070	Neodymium Nitrate $6H_2O$ 99.9%
RE2095	Neodymium Oxide 99.9%
RE2120	Neodymium Sulphate $8H_2O$ 99.9%

21 44.956 Sc SCANDIUM

RE2595	Scandium Metal Powder 99.99%
RE2635	Scandium Acetate XH_2O 99.9%
RE2680	Scandium Chloride $6H_2O$ 99.9%
RE2755	Scandium Nitrate XH_2O 99.9%
RE2805	Scandium Oxide 99.9%
RE2830	Scandium Sulphate $8H_2O$ 99.9%

65 158.93 Tb TERBIUM

RE2860	Terbium Metal Powder 99.9%
RE2900	Terbium Acetate XH_2O 99.9%
RE2925	Terbium Carbonate XH_2O 99.9%
RE2950	Terbium Chloride $6H_2O$ 99.9%
RE2975	Terbium Nitrate $5H_2O$ 99.9%
RE3000	Terbium Oxide 99.9%
RE3025	Terbium Sulphate $8H_2O$ 99.9%

39 89.906 Y YTTRIUM

RE3445	Yttrium Metal Powder 99.99%
RE3485	Yttrium Acetate XH_2O 99.9%
RE3510	Yttrium Carbonate XH_2O 99.9%
RE3535	Yttrium Chloride $6H_2O$ 99.9%
RE3615	Yttrium Nitrate XH_2O 99.9%
RE3685	Yttrium Oxide 99.9%
RE3690	Yttrium Oxide 99.99%

..... and many more

Stain & Indicator

Indicator Powders

Alizarine red S
Bromocresol purple AR
Bromophenol blue AR
Congo red
1,5-Diphenylcarbazide AR
1,5-Diphenylcarbazone AR
Erythrosin B
Fluorescein sodium
Methyl red
Neutral red AR
Riboflavin
Rose bengal AR
Rhodamine 6G



Staining Solutions

Aceto Carmine solution
Albert stain 'A' solution
Albert stain 'B' solution
Borax carmine alcoholic
Brilliant cresyl blue
Carbol fuchsin staining soln.
Field stain 'A' solution
Field stain 'B' solution
Giemsa staining soln.
Gentian violet
Leishman's staining soln.
Methylene blue
Nigrosine 10% soln.
Papanicolaous soln. 1a
Papanicolaous soln. 2b
Papanicolaous soln. 3b
Safranine soln.
Shorr staining soln.
Wright staining soln.
Lactophenol picric acid soln.



Fluorescence Indicators

Acriflavine
Auramine
Azur II
Coumarin
Eosin yellow
Fluorescein sodium
a-Phenylenediamine
Rhodamine B AR
Salicylic acid AR
Titan yellow AR

Metal Indicators

Alizarin red S
Arsenazo I AR
Arsenazo III AR
Bathocuproin
Bathophenanthroline AR
Benzoin-a-oxime
2,2-Bipyridyl AR
2,2,'-Biquinoline AR
Bromopyrogallol red AR
Brucine AR
Cacotheline AR
Calconcarboxylic acid AR
Calmagite AR
Cupferron AR
Diacetyl monoxime AR
Dimethyl glyoxime AR
1,5-Diphenylcarbazide AR
Dithioxamide AR
Dithiozone AR
Erichrome Black T
Fast sulphone black F
Ferroin soln AR
Haematoxylin
Mercaptobenzothiazole AR
Naphthol green
1-Nitroso-2-naphthol
2-Nitroso-1-naphthol AR
Nitroso-R-Salt AR
Pyrogallol red AR
Rhodamine B AR
Solochrome dark blue
Thiourea AR
Thorin indicator AR
Titan yellow AR
Xylenol orange AR
Zincon AR
Amido black 10 B
2,2'-Bipyridyl AR
Cacotheline AR
Diphenylamine AR
Indigo carmine
Methylene blue
Neutral red AR
Safranine O
Thionine
Xylene cyanol FF



Product Code	Product Name	Packing
	2-**Methoxy Ethanol** See Ethylene Glycol Mono Methyl Ether	
150705	2-**Methoxy Ethyl Acetate** for Synthesis (Ethyleneglycol Monomethyl Ether Acetate, Methyl Cellosolve Acetate, Methyl Glycol Acetate)	**500 ml**
$C_5H_{10}O_3$ (110-49-6)	M. W.: 118.13	
150765	4-**Methoxy**-2-**Hydroxy Benzophenone**	**5 gm**
$C_{14}H_{12}O_3$ (131-57-7)	M. W.: 228.24 Assay 98.0%	**100 gm**
150835	5-**Methoxy Indole** for Synthesis	**1 gm**
C_9H_9NO (1006-94-6)	M. W.: 147.18	**5 gm**
151075	4-**Methoxy Phenacyl Bromide** for Synthesis (2-Bromo-4-Methoxyacetophenone)	**25 gm** **100 gm**
$C_9H_9O_2Br$ (2632-13-5)	M. W.: 229.1	
	4-**Methoxy Phenol** See Hydraquinone Monomethyl Ether	
151265	a-**Methoxy Phenyl Acetic Acid**	**5 gm**
$C_9H_{10}O_3$ (7021-09-2)	M. W.: 166.17	**10 gm**
151285	2-**Methoxy Phenyl Acetic Acid** for Synthesis	**25 gm**
$C_9H_{10}O_3$ (93-25-4)	M. W.: 166.17	
151295	3-**Methoxy Phenyl Acetic Acid**	**5 gm**
$C_9H_{10}O_3$ (1798-09-0)	M. W.: 166.17	**25 gm**
151305	4-**Methoxy Phenyl Acetic Acid** for Synthesis	**100 gm** **500 gm**
$C_9H_{10}O_3$ (104-01-8)	M. W.: 166.17	
151415	4-**Methoxy Phenyl Acetone**	**50 gm**
$C_{10}H_{12}O_2$ (122-84-9)	M. W.: 162.20 Assay 97.0%	
151705	1-**Methoxy**-2-**Propanol** for Synthesis (Propylene Glycol Monomethyl Ether)	**500 ml** **2.5 lit**
$C_4H_{10}O_2$ (107-98-2)	M. W.: 90.12	**25 lit**
151895	1-**Methoxy**-2-**Propanol Acetate** for Synthesis	**500 ml** **2.5 lit**
$C_6H_{12}O_3$ (108-65-6)	M. W.: 132.16	
151975	2-**Methoxy Propene** (Isopropenyl Methyl Ether)	**250 ml**
C_4H_8O (116-11-0)	M. W.: 72.11	
152275	3-**Methoxy Propylamine** for Synthesis (1-Amino-3-Methoxy Propane)	**500 ml**
$C_4H_{11}NO$ (5332-73-0)	M. W.: 89.14	

Product Code	Product Name	Packing
152355	7-**Methoxy**-1-**Tetralone**	**25 gm**
$C_{11}H_{12}O_2$ (6836-19-7)	M. W.: 176.21 Assay 99.0%	**100 gm**
152495	n-**Methyl Acetamide** for Synthesis	**500 ml**
C_3H_7NO (79-16-3)	M. W.: 73.09 Assay 99.0%	
024957	**Methyl Acetate** Pract	**500 ml**
$C_3H_6O_2$ (79-20-9)	M. W.: 74.08 Assay (GC) 90.0%	**2.5 lit** **25 lit**
029202	**Methyl Acetate** for Synthesis	**500 ml**
$CH_3.COO.CH_3$ (79-20-9)	M. W.: 74.08 Assay (GC) 98.0%	**2.5 lit** **25 lit** **200 lit**
752650	**Methyl Acetate** for HPLC	**500 ml**
$C_3H_6O_2$ (79-20-9)	M. W.: 74.08 Assay (GC) 99.8%	**2.5 lit**
024987	**Methyl Acetoacetate**	**500 ml**
$C_5H_8O_3$ (105-45-3)	M. W.: 116.12 Assay (GC) 98.0%	**2.5 lit** **25 lit** **200 lit**
152785	4-**Methyl Acetophenone** for Synthesis	**250 gm**
$C_9H_{10}O$ (122-00-9)	M. W.: 134.18	
029205	**Methyl Acrylate**	**500 ml**
$C_4H_6O_2$ (96-33-3)	M. W.: 86.09 Assay (GC) 99.0%	**2.5 lit** **25 lit** **200 lit**
D73026	**Methyl-d_3 Alcohol**	**25 ml**
CHD_3O (1849-29-2)	M.W.: 35 07 (for NMR Spectroscopy) Assay Min. 99 5 atom%D	
D73206	**Methyl d_3 Alcohol d (Methanol d_4)**	**10x0.5 ml**
CD_4O (811 98 3)	M.W.: 36 07 (for NMR Spectroscopy) Assay Min. 99 8 atom%D	**10x0.6 ml** **10x0.75 ml** **10 ml**
024970	**Methylamine** Soln. 40% (Monomelhylamine Soln.)	**500 ml** **2.5 lit**
CH_3NH_2 (74-89-5)	M. W.: 31.07 Assay Abt. 40.0% (w/v)	**25 lit** **200 lit**
865350	**Methylamine** (2m) in THF Store At 2 - 8°C	**250 ml**
152925	**Methyl**-2-**Amino**-5-**Bromobenzoate**	**25 gm**
$BrC_8H_8NO_2$ (52727-57-8)	M. W.: 230.06 Assay 96.0%	
153105	2-**(Methyl Amino) Ethanol** for Synthesis [Monomethyl ethanol amine, MMEA, N-Methylethanol amine, (2-Hydroxy Ethyl) Methylamine]	**500 ml** **2.5 lit** **25 lit** **200 lit**
C_3H_9NO (109-83-1)	M. W.: 75.11	
	p-**(Methyl Amino) Phenol Sulphate** See Metol	
029210	**Methyl Ammonium Chloride** (Methylamine Hydrochloride)	**250 gm** **1 kg**
$CH_3.NH_2.HCl$ (593-51-1)	M. W.: 67.52 Assay (Non-aqueous) 99.0%	**50 kg**

Product Code	Product Name	Packing
153225 C_7H_9N (100-61-8)	n-**Methyl Aniline** (Monomethyl Aniline) M. W.: 107.16	**500 ml** **2.5 lit** **25 lit** **200 lit**
583835 C_7H_9N (100-61-8)	n-**Methyl Aniline AR** M. W.: 107.16 Assay 98.0%	**1 lit**
153345 $C_8H_{10}O$ (578-58-5)	2-**Methyl Anisole** M. W.: 122.16 Assay 99.0%	**100 gm**
153355 $C_8H_{10}O$ (100-84-5)	3-**Methyl Anisole** M. W.: 122.16 Assay 99.0%	**100 ml** **500 ml**
153295 $C_8H_{10}O$ (104-93-8)	4-**Methyl Anisole** for Synthesis (p-Cresylmethyl Ether, p-Methoxytoluene, Methyl-p-Cresol) M. W.: 122.16	**500 ml**
153415 $C_8H_9NO_2$ (134-20-3)	**Methyl Anthranilate** for Synthesis M. W.: 151.16	**500 ml** **2.5 lit** **25 lit**
153505 $C_8H_9NO_2$ (119-68-6)	n-**Methyl Anthranilic Acid** for Synthesis M. W.: 151.16	**10 gm** **100 gm**
153625 $CH_3C_6H_4CHO$ (529-20-4)	2-**Methyl Benzaldehyde** (O-Tolualdehyde) M. W.: 120.15 Assay 97.0%	**25 gm** **100 gm**
153645 $CH_3C_6H_4CHO$ (620-23-5)	3-**Methyl Benzaldehyde** (M-Tolualdehyde) M. W.: 120.15 Assay 97.0%	**5 gm** **25 gm**
584045 $CH_3C_6H_4CHO$ (104-87-0)	4-**Methyl Benzaldehyde AR** (P-Tolualdehyde) M. W.: 120.15 Assay 97.0%	**100 gm** **500 gm**
029214 $C_6H_5.COO.CH_3$ (93-58-3)	**Methyl Benzoate** for Synthesis M. W.: 136.15 Assay (GC) 99.0%	**250 ml** **500 ml**
153775 $CH_3C_6H_4CN$ (529-19-1)	2-**Methyl Benzonitrile** for Synthesis (O-Tolunitrile) M. W.: 117.15 Assay (GC) 97.0%	**100 ml**
153795 $CH_3C_6H_4CN$ (620-22-4)	3-**Methyl Benzonitrile** for Synthesis (M-Tolunitrile) M. W.: 117.15 Assay 99.0%	**100 ml**
153815 $CH_3C_6H_4CN$ (104-85-8)	4-**Methyl Benzonitrile** for Synthesis (P-Tolunitrile) M. W.: 117.15 Assay 98.0%	**100 ml**
153905 $C_{14}H_{12}O$ (134-84-9)	4-**Methyl Benzophenone** for Synthesis (Phenyl-p-tolyl) M. W.: 196.24	**100 gm** **500 gm**

Product Code	Product Name	Packing
584315 $C_8H_9N_3S.HCl.H_2O$ (38894-11-0)	3-**Methyl** 2-**Benzothiazolinone Hydrazone Hydrochloride** Monohydrate (M.B.T.H.) **AR** M. W.: 233.72 Assay (Non-aqueous, by autotitrater) 98.0%	**10 gm** **100 gm**
154015 $C_8H_{10}O$ (89-95-2)	2-**Methyl Benzyl Alcohol** M. W.: 122.16 Assay 98.0%	**10 gm**
154025 $C_8H_{10}O$ (587-03-1)	3-**Methyl Benzyl Alcohol** M. W.: 122.16 Assay 98.0%	**25 gm** **100 gm**
154035 $C_8H_{10}O$ (589-18-4)	4-**Methyl Benzyl Alcohol** M. W.: 122.16 Assay 98.0%	**25 gm** **100 gm**
154045 $C_8H_{11}N$ (89-93-0)	2-**Methyl Benzyl Amine** M. W.: 121.18 Assay 96.0%	**1 gm** **5 gm**
154055 $C_8H_{11}N$ (100-81-2)	3-**Methyl Benzyl Amine** M. W.: 121.18 Assay 98.0%	**1 gm** **5 gm**
154065 $C_8H_{11}N$ (104-84-7)	4-**Methyl Benzyl Amine** M. W.: 121.18 Assay 97.0%	**100 ml**
034047 $C_{37}H_{27}N_3O_9S_3Na_2$ (28983-56-4)	**Methyl Blue** for Microscopy C.I. No. 42780 M. W.: 799.80 Dye content (titanometry, on dried substance) >60.0%	**25 gm** **100 gm**
154195 $C_8H_7BrO_2$ (619-42-1)	**Methyl**-4-**Bromobenzoate** M. W.: 215.04 Assay 99.0%	**10 gm**
154235 $C_5H_7BrO_2$ (1117-71-1)	**Methyl**-4-**Bromo-Crotonate** Pract for Synthesis M. W.: 179.01	**100 ml**
154305 $C_5H_8O_2$ (541-47-9)	3-**Methyl**-2-**Butenoic Acid** for Synthesis M. W.: 100.12 Assay 97.0%	**25 gm** **100 gm**
	Methyl-Tert-**Butyl Ether** See tert Butyl Methyl Ether	
	Methyl-iso-**Butyl Ketone** See iso-Butylmethyl Ketone	
	Methyl Carbitol See Diethylene Glycol Mono Methyl Ether	
154415 $C_5H_{10}O_2$ (623-42-7)	**Methyl Butyrate** for Synthesis M. W.: 102.13 Assay 98.0%	**500 gm**
154505 $C_7H_8O_2$ (452-86-8)	4-**Methyl Catechol** (3,4-Dihydroxytoluene) M. W.: 124.14	**100 ml** **500 ml**
	Methyl Cellosolve See Ethylene Glycol Mono Methyl Ether	

Product Code	Product Name	Packing
024986 (9004-67-5)	**Methyl Cellulose** 350-550 cps	**500 gm**
025967 (9004-67-5)	**Methyl Cellulose** 4000 cps	**500 gm**
024977 $C_3H_5ClO_2$ (96-34-4)	**Methyl Chloroacetate** M. W.: 108.52 Assay (GC) 97.5%	**500 ml**
584665 $ClCO_2CH_3$ (79-22-1)	**Methyl Chloro Formate AR** M. W.: 94.50 Assay 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
154755 $C_2H_3O_2Cl$ (79-22-1)	**Methyl Chloroformate** for Synthesis (Chloroformic acid methyl ester) M. W.: 94.50	**500 ml** **2.5 lit** **25 lit** **200 lit**
154805 $C_4H_7ClO_2$ (17639-93-9)	**Methyl-2-Chloropropionate** for Synthesis (2-chloropropionic acid methyl ester) M. W.: 122.55	**500 ml** **2.5 lit**
154895 $C_{10}H_{10}O_2$ (103-26-4)	**Methyl Cinnamate** for Synthesis M. W.: 162.19 Assay (GC) 99.0%	**500 gm**
154975 $C_{63}H_{91}CoN_{13}O_{14}P$ (13422-55-4)	**Methyl Cobalamin** for Biochemistry M. W.: 1344.38	**250 mgm** **1 gm**
	Methyl Cyanide See Acetonitrile	
155085 $C_4H_5NO_2$ (105-34-0)	**Methyl Cyanoacetate** for Synthesis (Cyanoacetic Acid Methyl Ester) M. W.: 99.08	**500 ml** **2.5 lit**
155195 C_7H_{14} (108-87-2)	**Methyl Cyclohexane** for Synthesis M. W.: 98.19	**500 ml** **2.5 lit** **25 lit** **200 lit**
584965 C_7H_{14} (108-87-2)	**Methyl Cyclohexane AR** M. W.: 98.19	**500 ml** **2.5 lit**
155285 $C_6H_{11}NHCH_3$ (100-60-7)	n-**Methyl Cyclohexylamine** for Synthesis M. W.: 113.20 Assay 99.0%	**100 ml** **500 ml**
155375 C_6H_{12} (96-37-7)	**Methyl Cyclopentane** for Synthesis M. W.: 84.16	**250 ml**
585075 C_6H_{12} (96-37-7)	**Methyl Cyclopentane AR** M. W.: 84.16	**250 ml**
155455 $C_3H_4Cl_2O_2$ (116-54-1)	**Methyl Dichloro Acetate** for Synthesis M. W.: 142.97 Assay 99.0%	**500 ml**

Product Code	Product Name	Packing
155555 $C_5H_{13}NO_2$ (105-59-9)	N-**(Methyl Diethanol) Amine** for Synthesis [MDEA 2,2-Methyliminodiethanol, N,N-Bis (2-Hydroxyethyl) Methylamine] M. W.: 119.16	**250 ml** **1 lit**
	Methyl Digol (Methyl Diglycol) See Diethylene Glycol Monomethyl Ether	
	2-**Methyl** 1:3 **Dioxolan** **See** Propylene Carbonate	
585165 $C_7H_{10}N_2O_2$ (110-26-9)	N,N-**Methylene**-Bis-**Acrylamide AR** Specially Purified for Electrophoresis M. W.: 154.17 Assay (acidimetric) 99.0%	**25 gm** **100 gm**
960500 $C_7H_{10}N_2O_2$ (110-26-9)	N'N'-**Methylene**-Bis-**Acrylamide** for Molecular Biology (Bis-acrylamide) M. W.: 154.17	**25 gm** **100 gm** **1 kg**
034048 $C_{16}H_{18}ClN_3S.XH_2O$ [X=2-3] (61-73-4)	**Methylene Blue** for Microscopy C.I. No. 52015 M. W.: 319.86 (+)aq. Dye content (titanometry, on dried substance) >96.0%	**25 gm** **100 gm** **1 kg**
585205 $C_{16}H_{18}ClN_3S.XH_2O$ [X=2-3] (61-73-4)	**Methylene Blue** for Microscopy **AR** M. W.: 319.86aq. Dye content (titanometry, on dried substance) >97.0%	**25 gm** **100 gm** **1 kg**
865630	**Methylene Blue** Alkaline (Loffler's)	**125 ml** **500 ml**
865650	**Methylene Blue** Aqueous Staining Solution	**125 ml** **500 ml**
865670	**Methylene Blue** Gabbots Solution	**500 ml**
155795 (61-73-4)	**Methylene Blue** Polychrome (M.S.)	**25 gm**
865710 (61-73-4)	**Methylene Blue** Tablet for Milk Testing	**50 tab**
155865 $C_7H_7NO_2$ (14268-66-7)	3,4-**Methylene Dioxy Aniline** M. W.: 137.14 Assay 97.0%	**50 gm**
	Methylene Succinic Acid See Itaconic Acid	
024997 $C_{11}H_{14}O_2$ (93-15-2)	**Methyl Eugenol** M. W.: 178.23 Assay (GC) 98.0%	**100 ml** **500 ml**
156075 C_2H_5NO (123-39-7)	**N-Methyl Formamide** for Synthesis (N-Formylmethylamine) M. W.: 59.07	**500 ml** **2.5 lit**
156145 HCO_2CH_3 (107-31-3)	**Methyl Format** for Synthesis M. W.: 60.05 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
156345 $C_7H_{14}O_6$ (97-30-3)	α-**Methyl**-D-(+)-**Glucoside** (Methyl-α-D-Glucopyranoside) M. W.: 194.18	**100 gm** **500 gm**

Product Code	Product Name	Packing
156465 $C_3H_4O_2$ (78-98-8)	**Methyl Glyoxal** for Synthesis M. W.: 72.06 Assay 40% in water	**25 ml**
156555	**Methyl Green** for Microscopical Staining (C.I. 42585)	**5 gm** **10 gm** **25 gm**
156595 $C_{27}H_{35}Cl_2N_3.ZnCl_2$ (7114-03-6)	**Methyl Green Zinc Chloride Salt** (C.I. 42590) M. W.: 608.78	**25 gm**
157515 $C_8H_8O_3$ (19438-10-9)	**Methyl**-m-**Hydroxy-Benzoate** for Synthesis M. W.: 152.15	**25 gm** **100 gm**
029231 $C_6H_4(OH).COO.CH_3$ (99-76-3)	**Methyl**-p-**Hydroxy Benzoate** for Synthesis M. W.: 152.15 Assay (Saponification) 99-101%	**500 gm** **5 kg** **25 kg**
157525 $C_8H_7NaO_3$ (5026-62-0)	**Methyl**-p-**Hydroxy Benzoate** **Sodium Salt** M. W.: 174.13 Assay 99.0%	**500 gm** **5 kg** **25 kg**
156695 $C_6H_6N_2$ (693-98-1)	2-**Methyl Imidazole** for Synthesis M. W.: 82.11	**100 gm** **500 gm**
156785 C_9H_9N (95-20-5)	2-**Methyl Indole** for Synthesis M. W.: 131.18 Assay 98.0%	**100 gm**
156805 C_9H_9N (83-34-1)	3-**Methyl Indole** for Synthesis M. W.: 131.18	**5 gm** **25 gm**
156905 $C_{10}H_9NO_2$ (1011-65-0)	**Methyl Indole**-5-**Carboxylate** M. W.: 175.18 Assay 99.0%	**1 gm** **5 gm**
028585 CH_3I (74-88-4)	**Methyl Iodide** for Synthesis M. W.: 141.94 Assay (GC) 99.0%	**100 ml** **250 ml**
156985 $C_{14}H_{22}O$ (1335-46-2)	**Methyl Ionone** for Synthesis M. W.: 206.33	**500 gm**
	Methyl iso **Butyl Ketone** See Iso-Butyl Methyl Ketone	
157075 $C_6H_{14}O$ (108-11-2)	**Methyl Iso Butyl Carbinol** for Synthesis (4-Methyl-2-Pentanol) M. W.: 102.18 Assay 98.0%	**500 ml**
157135 CH_3NCS (556-61-6)	**Methyl Iso Thiocyanate** M. W.: 73.12 Assay 97.0%	**500 gm**
157195 $C_{11}H_{14}O_2$ (93-16-3)	**Methyl Iso Eugenol** for Synthesis M. W.: 178.23 Assay 98.0%	**500 gm**
585585 $C_6H_{12}O$ (563-80-4)	**Methyl Iso Propyl Ketone AR** (3-Methy-2-Butanone, Mipk) M. W.: 86.13 Assay 98.5%	**250 ml** **1 lit**

Product Code	Product Name	Packing
157425 $C_7H_{14}O_6$ (617-04-9)	**Methyl**- -D-**Mannopyranoside** for Biochemistry M. W.: 194.18	**10 gm** **25 gm**
029234 $CH_2:C(CH_3)COO.CH_3$ (80-62-6)	**Methyl Methacrylate** Monomer M. W.: 100.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
029235 $C_5H_{11}NO$ (109-02-4)	N-**Methyl Morpholine** M. W.: 101.15 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
157655 $C_{10}H_7CH_3$ (91-57-6)	2-**Methyl Naphthalene** for Synthesis M. W.: 142.20 Assay 97.0%	**500 gm**
157715 $C_{10}H_7OCH_3$ (93-04-9)	**Methyl**-2-**Naphthyl Ether** for Synthesis M. W.: 158.20	**250 gm** **1 kg**
157775 $C_7H_7NO_2$ (93-60-7)	**Methyl Nicotinate** for Synthesis (Methyl 3-pyridine carboxylate nicotinic acid methyl ester) meets analytical specification of BP M. W.: 137.14	**100 gm** **500 gm**
157845 $C_6H_5NO_5$ (1874-23-3)	**Methyl**-5-**Nitro**-2-**Furoate** M. W.: 171.11 Assay 98.0%	**1 gm** **5 gm**
157905 $C_4H_5N_3O_2$ (696-23-1)	2-**Methyl**-5-**Nitro Imidazole** for Synthesis M. W.: 127.10	**100 gm** **500 gm**
020065 $C_{14}H_{14}N_3NaO_3S$ (547-58-0)	**Methyl Orange** pH Indicator C.I. No. 13025 M. W.: 327.34 Dye content (titanometry, dried) >85.0%	**25 gm** **100 gm** **1 kg**
865850	**Methyl Orange** Indicator Solution	**125 ml**
865855	**Methyl Orange** Mixed Indicator Solution	**100 ml**
	2-**Methyl**-2, 4-**Pentanediol** See Hexylene Glycol	
	4-**Methyl Pentane**-2-**One** See ISO-Butyl Methyl Ketone	
	n-**Methyl Phenazonium Methosulphate** See Phenazine methosulphate, (PMS)	
158105 $C_9H_{10}O_2$ (101-41-7)	**Methyl Phenyl Acetate** for Synthesis M. W.: 150.17 Assay 98.0%	**500 gm**
158195 $CH_3C_6H_4CH_2CO_2H$ (644-36-0)	2-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay (GC) 97.0%	**100 gm** **500 gm**
158235 $CH_3C_6H_4CH_2CO_2H$ (621-36-3)	3-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay 99.0%	**5 gm** **10 gm**

Product Code	Product Name	Packing
158255 $CH_3C_6H_4CH_2CO_2H$ (622-47-9)	4-**Methyl Phenyl Acetic Acid** M. W.: 150.17 Assay 97.0%	**25 gm** **100 gm**
158345 $C_{11}H_{16}N_2$ (2946-76-1)	1-(2-**Methyl Phenyl Piperazine)** M. W.: 176.26	**5 gm** **25 gm**
158395 $C_{11}H_{16}N_2$ (39593-08-3)	1-(4-**Methyl Phenyl) Piperazine** M. W.: 176.26 Assay 98.0%	**5 gm**
158485 $C_{10}H_{10}N_2O$ (89-25-8)	3-**Methyl-1-Phenyl**-5-**Pyrazolone** for Synthesis M. W.: 174.20 Assay 99.0%	**100 gm** **500 gm**
158565 $CH_3SO_2C_6H_5$ (3112-85-4)	**Methyl Phenyl Sulphone** M. W.: 156.20 Assay (GC) 98.0%	**10 gm**
158655 $CH_3SOC_6H_5$ (1193-82-4)	**Methyl Phenyl Sulphoxide** M. W.: 140.20 Assay 97.0%	**5 gm** **25 gm**
158725 $C_5H_{12}N_2$ (109-01-3)	1-**Methyl Piperazine** for Synthesis M. W.: 100.16	**100 ml** **500 ml**
158805 $C_6H_{11}NO$ (1445-73-4)	1-**Methyl**-4-**Piperidone** M. W.: 113.16	**250 ml**
	2-**Methyl Propan**-1-**ol** See ISO-Butanol	
	2-**Methyl Propan**-2-**ol** See tert-Butanol	
158895 $CH_3CH_2CO_2CH_3$ (554-12-1)	**Methyl Propionate** for Synthesis M. W.: 88.11 Assay 98.0%	**250 ml**
159005 $C_{10}H_{12}O$ (5337-93-9)	4-**Methyl Propiophenone** for Synthesis M. W.: 148.20	**100 ml** **250 ml**
159095 $C_5H_{10}O$ (107-87-9)	**Methyl Propyl Ketone** (2-Pentanone) M. W.: 86.13 Assay 98.0%	**500 ml** **2.5 lit**
865895	**Methyl Purple** (pH Indicator) Solution **AR**	**250 ml**
159205 $C_6H_{12}O_5$ (612-05-5)	**Methyl**-β-D-**Xylo-Pyranoside** M. W.: 164.16	**5 gm** **10 gm**
159315 C_6H_7N (108-99-6)	3-**Methyl Pyridine** for Synthesis (ß- Picoline) M. W.:93.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
159435 C_6H_7N (108-89-4)	4-**Methyl Pyridine** for Synthesis M. W.:93.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
159545 $C_6H_7NO_2$ (6973-60-0)	1-**Methyl**-2-**Pyrrolecarboxylic Acid** M. W.: 125.13 Assay 97.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
029251 C_5H_9NO (872-50-4)	N-**Methyl**-2-**Pyrrolidone** M. W.: 99.13 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
585995 C_5H_9NO (872-50-4)	1-**Methyl**-2-**Pyrrollidone** (Nmp) **AR** M. W.: 99.13 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
753020 C_5H_9NO (872-50-4)	1-**Methyl**-2-**Pyrrolidone** for HPLC & Spectroscopy M.W. : 99.13 Assay (By GC) 99.5%	**1 lit**
753040 C_5H_9NO (872-50-4)	N-**Methyl**-2-**Pyrrolidone** for GC-HS M. W.: 99.13 Assay (GC) 99.0%	**1 lit** **2.5 lit**
159685 $C_{10}H_9N$ (491-35-0)	4-**Methyl Quinoline** for Synthesis M. W.: 143.19	**100 gm**
159745 $C_{15}H_{15}N_3O_2$ (20691-84-3)	m-**Methyl Red** M. W.: 269.30	**5 gm** **25 gm**
586085 $C_{15}H_{15}N_3O_2$ (493-52-7)	**Methyl Red AR/ACS** pH Indicator C.I. No. 13020 M. W.: 269.30	**25 gm** **100 gm** **1 kg**
159765 $C_{15}H_{15}N_3O_2$ (493-52-7)	**Methyl Red** pH Indicator Certified Grade **(**C.I. No. 13020) M. W.: 269.30	**25 gm** **100 gm** **1 kg**
159785 $C_{15}H_{14}N_3NaO_2$ (845-10-3)	**Methyl Red Sodium Salt** (Water Soluble) M. W.: 291.28	**25 gm** **1 kg**
866040	**Methyl Red** Indicator Solution	**125 ml** **500 ml**
159865 $C_7H_8O_2$ (608-25-3)	2-**Methyl Resourcinol** for Synthesis M. W.: 124.14 Assay 98.0%	**100 gm**
029256 $C_6H_4(OH).COO.CH_3$ (119-36-8)	**Methyl Salicylate** Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 152.15 Assay (GC) 99.0-100.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
159955 C_9H_{10} (98-83-9)	a-**Methyl Styrene** for Synthesis M. W.: 118.18 Assay 98.0%	**500 ml**
160015 $C_5H_7NO_2$ (1121-07-9)	N-**Methyl Succinimide** M. W.: 113.11 Assay 98.0%	**5 gm** **25 gm**
160095 $(CH_3)_2SO_2$ (67-71-0)	**Methyl Sulphonyl Methane** (dimethyl sulphone, methyl sulphone) M. W.: 94.13	**100 gm**
160155 $C_{20}H_{30}O_2$ (58-18-4)	**Methyl Testosterone Purum** for Biochemistry For Lab Use M. W.: 302.45 Assay (HPLC) 97.0%	**1 gm** **5 gm**

Product Code	Product Name	Packing
029254 $C_5H_{10}O$ (96-47-9)	**2-Methyl Tetrahydrofuran** for Synthesis M. W.: 86.13 Assay 98.0%	**500 ml** **2.5 lit**
160205 $C_{19}H_{18}BrP$ (1779-49-3)	**Methyl Triphenyl Phosphonium Bromide** for Synthesis M. W.: 357.22	**100 gm** **500 gm**
586125	**Methyl Thymol Blue** (pH Indicator) **AR** (Methyl Red Thymol Blue) pH indicator) (Methyl red thymol blue)	**5 gm** **25 gm**
020071 $C_{37}H_{40}N_2Na_4O_{13}S$ (1945-77-3)	**Methyl Thymol Blue** Complexone Indicator For Complexometric titration M. W.: 844.76	**1 gm** **5 gm**
586215 $CH_3C_6H_4SO_3CH_3$ (80-48-8)	**Methyl-4-Toluene Sulphonate AR** M. W.: 186.23 Assay (GC) 97.0%	**250 gm** **1 kg**
160315 CH_3SiCl_3 (75-79-6)	**Methyl TriChloro Silane** for Synthesis M. W.: 149.48 Assay (GC) 98.0%	**250 ml** **1 lit**
586325 $C_{10}H_8O_3$ (90-33-5)	b-**Methyl Umbelliferon AR** (7-Hydroxy-4-Methyl Coumarin) M. W.: 176.17	**10 gm** **25 gm** **100 gm**
586405 $C_{14}H_{14}O_4$ (17695-46-4)	4-**Methyl Umbelliferyl Butyrate AR** M. W.: 246.26	**1 gm**
020072 $C_{25}H_{30}N_3Cl$ (548-62-9)	**Methyl Violet** for Microscopy M.W. : 407.99 Dye Content (Spectrophotometry on dried substance) 75.0%	**25 gm** **100 gm** **1 kg**
866180	**Methyl Violet** Aqueous Solution	**125 ml**
029266 $C_{14}H_{18}N_2O_2.H_2SO_4$ (55-55-0)	**Metol** for Photographic purpose M. W.: 344.39 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
024992 $C_6H_9N_3O_3$ (443-48-1)	**Metronidazole** for Lab Use M. W.: 171.15	**5 gm**
024960	**Mica** Powder Pract Mesh Size (Passing through 200 Mesh) 95.0%	**500 gm**
866260	**Miller's** Reagent for Fluorine	**100 ml**
866270	**Millon's** Reagent (For Protein)	**125 ml** **500 ml**
024989 $C_8H_{10}N_2O_4$ (500-44-7)	**Mimosine** (Leucenol) for Biochemistry M. W.: 198.18 Assay 98.0%	**100 mgm** **1 gm**
	Mineral Oil Light/Heavy See Paraffine Liquid Light/Heavy	
054001 (308080-99-1)	**Molecular Sieves** Type 3A 1.5mm	**250 gm** **5 kg** **25 kg**
160765 (308080-99-1)	**Molecular Sieves** 3A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	**250 gm** **1 kg**

Product Code	Product Name	Packing
D77260	**Molecular Sieve** 3A, Deuterated Assay Min. 99 5 atom%D	**5 gm**
054004 (70955-01-0)	**Molecular Sieves** Type 4A 1.5mm	**250 gm** **5 kg** **25 kg**
160805 (70955-01-0)	**Molecular Sieves** 4A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	**250 gm** **1 kg**
D77778	**Molecular Sieve** 4A ,Deuterated Assay Min. 99 5 atom%D	**5 gm**
054010 (69912-79-4)	**Molecular Sieves** Type 5A 1.5mm	**250 gm** **5 kg** **25 kg**
160865 (69912-79-4)	**Molecular Sieves** 5A 1/16" Pellets (UOP) (Formerly Union Carbide USA)	**250 gm** **1 kg**
054015 (63231-69-6)	**Molecular Sieves** Type 13x1.5mm	**250 gm** **5 kg** **25 kg**
016905 SiO_2 (63231-69-6)	**Molecular Sieves** 13X 1/16" Pellets (UOP) (formerly Union Carbide USA) M. W.: 60.08	**250 gm** **1 kg**
866320	**Molish's** Reagent	**125 ml**
866370	**Molybdenum** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
866400	**Molybdenum** 1000 ppm Single Element Standard for ICP in HNO_3	**50 ml**
161005 Mo (7439-98-7)	**Molybdenum** Metal Powder M. W.: 95.94	**100 gm** **500 gm**
586935 Mo (7439-98-7)	**Molybdenum** Metal Powder **AR** M. W.: 95.94 Assay (Trace metals basis) 99.9%	**10 gm** **25 gm** **100 gm** **500 gm**
161145 Mo (7439-98-7)	**Molybdenum Sheet** 0.1 mm Thick (150mm X 100 mm) M.W. : 95.94 Assay (Trace metal basis) 99.9%	**1 PC**
161165 Mo (7439-98-7)	**Molybdenum Sheet** 0.1 mm Thick (75mm X 100mm) M.W. : 95.94 Assay (Trace metals basis) 99.9%	**1 PC**
029268 MoS_2 (1317-33-5)	**Molybdenum Disulphide** Powder M. W.: 160.06 Assay (Complexometric) (after ignition at 500-600°C) 98.0%	**100 gm** **500 gm**
024973 MoO_3 (1313-27-5)	**Molybdenum Trioxide** (Molybdic Anhydride) M. W.: 143.95 Assay (Complexometric) 99.0%	**100 gm** **500 gm**
587092 MoO_3 (1313-27-5)	**Molybdenum Trioxide AR** M. W.: 143.95 Assay (Complexometric) 99.5%	**100 gm** **500 gm**

Product Code	Product Name	Packing
587095 MoO_3 (1313-27-5)	**Molybdenum Trioxide** Gold Lable **AR** M. W.: 143.95	**25 gm**
029270 $H_2MoO_4+H_2O$ (7782-91-4)	**Molybdic Acid** M.W. : 161.95 Assay (Complexometric as MoO_3) 85.0%	**100 gm** **500 gm**
587100 $H_2MoO_4+H_2O$ (7782-91-4)	**Molybdic Acid AR/ACS** M.W. : 161.95 Assay (Complexometric as MoO_3) 87.0%	**100 gm** **500 gm**
	Molybdic Anhydride See Molybdenum Trioxide	
	dodeca-**Molybdo Phosphoric Acid** See Phospho Molybdic Acid	
587145 $C_{36}H_{61}NaO_{11}$ (22373-78-0)	**Monensin Sodium AR** M. W.: 692.85 Assay (TLC) 90.0-95.0%	**1 gm** **5 gm** **25 gm**
	Mono-Chloro Acetic Acid See Chloro Acetic Acid-mono	
	Mono-Ethanolamine See Ethanolamine Mono	
	Mono-Sodium-L-Glutamate See Sodium-L-Glutamate	
	Mono Thioglycerol for Synthesis See 1-Thioglycerol	
	Mordant Black II See Eriochrome Black T	
044164 $C_7H_{15}NO_4S$ (1132-61-2)	**MOPS** Buffer M.W.: 209.26 Assay (Alkalimetry) 99.0%	**25 gm** **100 gm** **500 gm**
044505 $C_7H_{15}NO_5S$ (68399-77-9)	**MOPSO** Buffer M.W.: 225.30 Assay 99.0%	**100 gm**
587185 $C_{15}H_{10}O_7.2H_2O$ (6472-38-4)	**Morin AR** Reagent for Al, Be, Sn, Ti, Oz C.I. 75660 M. W.: 338.27 Assay (HPLC) 96.0%	**1 gm** **5 gm**
866490	**Morner's** Reagent	**125 ml**
029272 C_4H_9NO (110-91-8)	**Morpholine** for Synthesis M. W.: 87.12 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
587355 C_4H_9NO (110-91-8)	**Morpholine AR/ACS** M. W.: 87.12 Assay (GC) 99.5%	**500 ml** **2.5 lit**
161495 $C_6H_{13}NO_2$ (622-40-2)	2-**Morpholino Ethanol** for Synthesis M. W.: 131.17	**500 gm**
	Morpholinopropanesulphonic Acid See MOPS	

Product Code	Product Name	Packing
587445 $C_{18}H_{16}N_5SBr$ (298-93-1)	**M.T.T. Tetrazolium AR** M. W.: 414.33 Assay (Argentometric) 98.0%	**100 mgm** **250 mgm** **1 gm**
	Mucicarmine (Mayer) Staining Solution See Mayer muci carmine solution	
866590	**Multielemnt** Rare Earth Standard **Solution Nist Traceable** "Certisol" 10mg/l In Nitric Acid (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb)	**125 ml**
	Murexide See Ammonium Purpurate	
	Mycostatin See Nystatin	
161685 $C_{23}H_{42}NCl$ (139-08-2)	**Myristalkonium Chloride** for Synthesis M. W.: 368.04	**25 gm**
024961 $CH_3.(CH_2)_{12}.COOH$ (544-63-8)	**Myristic Acid** for Biochemistry M. W.: 228.38 Assay (NaOH) 99.0%	**5 gm** **25 gm**
024976 $CH_3(CH_2)_{12}.COOH$ (544-63-8)	**Myristic Acid** M. W.: 228.38 Assay (GC) 98.0%	**500 gm**
161835 $CH_3(CH_2)_{13}OH$ (112-72-1)	**Myristyl Alcohol** for Synthesis (Tetradecanoic Acid) M. W.: 214.39	**500 gm**

MOLECULAR BIOLOGY GRADE

- Ammonium Acetate
- Boric Acid for Molecular Biology
- Cesium Chloride
- di-Sodium Hydrogen ortho Phosphate
- Ethylene Diamine Tetra Acetic Acid
- Formamide for Molecular Biology
- Hydrochloric Acid Fuming 37%
- Imidazole for Molecular Biology
- Magnesium Chloride
- Phenol Chloroform 5:1
- Potassium Acetate
- Sodium Hydrogen Carbonate
- Sucrose For Molecular Biology

Product Code	Product Name	Packing
024889 $C_{12}H_{12}N_2O_3$ (389-08-2)	**Nalidixic Acid** free Acid for Lab Use M. W.: 232.24 Assay (Acidimetric, dried bases) 99.0%	**25 gm** **100 gm**
592285 $C_{14}H_{14}N_2.HCl$ (550-99-2)	**Naphazoline Hydrochloride AR** M. W.: 246.74	**10 gm** **25 gm**
166515 $C_{10}H_7CHO$ (66-77-3)	**1-Naphthaldehyde** for Synthesis (α-Naphthaldehyde) M. W.: 156.18	**100 ml** **500 ml**
029277 $C_{10}H_8$ (91-20-3)	**Naphthalene** for Synthesis M. W.: 128.17 Assay (GC) 99.0%	**500 gm**
592395 $C_{10}H_8$ (91-20-3)	**Naphthalene AR** M. W.: 128.17 Assay (GC) 99.0%	**500 gm**
029764 $C_{10}H_8$ (91-20-3)	**Naphthalene** Scintillation grade M. W.: 128.17 Assay (GC) 99.0%	**500 gm** **5 kg**
D79578 $C_{10}D_8$ (1146 65 2)	**Naphthalene** d_8 M.W.: 136 23 (for NMR Spectroscopy) Assay Min. 98.0 atom%D	**1 gm**
029298 $C_{12}H_{10}O_2$ (86-87-3)	1-**Naphthalene Acetic Acid** M. W.: 186.21 Assay (GC) 95.0%	**25 gm** **100 gm** **500 gm**
	Naphthalene Black 12B See Amido Black 10B	
756140 $C_{10}H_7NaO_3S$ (532-02-5)	**Napthalene**-2-**Sulphonic Acid Sodium Salt AR** for HPLC M. W.: 230.22 Assay (HPLC) 95.0%	**5 gm** **25 gm**
592495 $C_{10}H_6(OH)_2$ (582-17-2)	2, 7-**Naphthalenediol AR** M. W.: 160.17 Assay 97.0%	**10 gm** **25 gm**
756125 $C_{18}H_{10}O_2$ (1090-13-7)	5,12-**Naphthcenequinone** (Electronic Grade) M. W.: 258.27 Assay 97.0%	**1 gm** **5 gm**
592625 $C_{19}H_{12}O_2$ (604-59-1)	a-**Naphthoflavone AR** M. W.: 272.30 Assay (TLC) 98.0%	**1 gm** **5 gm** **25 gm**
029290 $C_{10}H_7.OH$ (90-15-3)	1-**Naphthol** for Synthesis (a-Naphthol) M. W.: 144.17 Assay (GC) 99.0%	**100 gm** **500 gm**
592665 $C_{10}H_7.OH$ (90-15-3)	1-**Naphthol AR** M. W.: 144.17 Assay (GC) 99.0%	**100 gm** **500 gm**
868330	a-**Naphthol** Solution	**125 ml**
029291 $C_{10}H_7.OH$ (135-19-3)	2-**Naphthol** for Synthesis (-Naphthol) M. W.: 144.17 Assay (GC) 98.0%	**250 gm** **500 gm**

Product Code	Product Name	Packing
592675 $C_{10}H_7.OH$ (135-19-3)	2-**Naphthol AR** M. W.: 144.17 Assay (ex Ce) 99.0%	**100 gm** **500 gm**
166865 $C_{19}H_{15}NO_3$ (1163-67-3)	**Naphthol** as-**Acetate** for Microscopy M. W.: 305.33 Assay 99.0%	**100 mgm** **500 mgm**
020075 $C_{27}H_{18}O_2$ (145-50-6)	-**Naphthol Benzein** (pH Indicator) M. W.: 374.44	**5 gm** **25 gm**
	Naphthol Black for Microscopy See Amido Black 10 B	
	Naphthol Blue Black See Amido Black 10B	
034055 $(C_{10}H_5.N.NaO_5S)_3Fe$ (19381-50-1)	**Naphthol Green** B for Microscopy C.I. No. 10020 M. W.: 878.47	**25 gm** **100 gm**
592715 $C_{12}H_7NO_3$ (7797-81-1)	**Naphthol Hydroxamic Acid AR** for Calcium Determination M.W. : 213.19	**5 gm**
167085 $C_{16}H_{11}N_2NaO_4S$ (523-44-4)	**Naphthol Orange** for Microscopy M. W.: 350.32	**10 gm**
020076 $C_{28}H_{18}O_4$ (596-01-0)	-**Naphtholphthalein** pH Indicator M. W.: 418.45	**1 gm** **5 gm**
592735	-**Naphthol Violet AR**	**25 gm**
592805 $C_{10}H_5NaO_5S$ (521-24-4)	1,2-**Naphthoquinone**-4-**Sulphonic Acid Sodium Salt AR** M. W.: 260.20 Assay (iodometric) 99.0%	**5 gm** **25 gm**
167255 $C_{10}H_6O_2$ (130-15-4)	1,4-**Naphthoquinone** for Synthesis M. W.: 158.15 Assay 97.0%	**100 gm** **500 gm**
592855 $C_{10}H_6(OH)_2$ (132-86-5)	**Naphthoresorcinol AR** (1,3-Dihydroxynaphthalene) M. W.: 160.17 Assay (GC) About 98.0%	**1 gm** **5 gm**
167475 $C_{12}H_{10}O_3$ (120-23-0)	2-**Naphthoxyacetic Acid** for Synthesis (β-Naphthoxy Acetic Acid) M. W.: 202.21 Assay 97.0%	**25 gm** **100 gm** **500 gm**
593125 $C_{12}H_{10}O_2$ (830-81-9)	1-**Naphthyl Acetate AR** Naphthol free Substrate for esterase M. W.: 186.21 Assay (GC) 99.5%	**25 gm**
593135 $C_{12}H_{10}O_2$ (1523-11-1)	2-**Naphthyl Acetate AR** (β-Naphthyl Acetate) M. W.: 186.21	**5 gm** **25 gm**
	1-**Naphthyl Acetic Acid** See 1-Naphthalene Acetic Acid	

Product Code	Product Name	Packing
167565 $C_{10}H_7.NH_2$ (134-32-7)	1-**Naphthylamine** Pract M. W.: 143.19 Assay (GC) About 98.0%	**500 gm**
593235 $C_{10}H_7.NH_2$ (134-32-7)	1-**Naphthylamine AR** M. W.: 143.19 Assay 99.0%	**100 gm** **500 gm**
868420	a-**Naphthylamine** Solution	**100 ml**
593335 $C_{10}H_9N$ (91-59-8)	2-**Naphthylamine AR** (Beta-Naphthylamine) M. W.: 143.19 Assay (TLC) 98.0%	**1 gm**
029300 $C_{10}H_7.NH_2.HCl$ (552-46-5)	1-**Naphthylamine Hydrochloride** (1-Naphthyl Ammonium Chloride) M. W.: 179.65 Assay (ex Cl) 98.0%	**100 gm**
593425 $C_{12}H_{14}N_2.2HCl$ (1465-25-4)	n-**1-Naphthylethylene** **Diamine Dihydrochloride AR/ACS** M. W.: 259.18 Assay (argentometric) 98.0%	**5 gm** **10 gm** **25 gm**
868500	**Neisser's Metachromatic stains kit**	**KIT**
868520	**Neisser's Stain** A Soln. (Methylene Blue)	**125 ml**
868530	**Neisser's Stain** B Soln. (Crystal Violet)	**125 ml**
868540	**Neisser's Stain** C Soln. (Chrysodine)	**125 ml**
593515 $C_{14}H_{12}N_2$ (484-11-7)	**Neocuproine AR** M. W.: 208.27 Assay ($HClO_4$, titration dried) 99.0%	**1 gm** **5 gm**
593520 $C_{14}H_{12}N_2.HCl.H_2O$ (303136-82-5)	**Neocuproine Hydrochloride AR** Monohydrate M. W.: 262.74 Assay Non-aqueous) 99.0%	**1 gm** **5 gm**
868650	**Neodymium** Atomic Absorption std. Contain 1000 mg/lit AAS in HNO_3	**250 ml**
868660	**Neodymium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
RE1930 Nd (7440-00-8)	**Neodymium** Metal Ingot M. W.: 144.24 Assay (Trace metal basis) 99.99%	**25 gm**
RE1935 Nd (7440-00-8)	**Neodymium** Metal Lump M. W.: 144.24 Assay (Trace metal basis) 99.99%	**25 gm**
RE1940 Nd (7440-00-8)	**Neodymium** Metal Powder M. W.: 144.24 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1945 Nd (7440-00-8)	**Neodymium** Metal Wire 0.1mm M. W.: 144.24 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE1950 Nd (7440-00-8)	**Neodymium** Metal Rod 5mmx30cm M. W.: 144.24 Assay (Trace metal basis) 99.99%	**1 PC**

Product Code	Product Name	Packing
RE1955 Nd (7440-00-8)	**Neodymium** Metal Foil 0.25 mmx40cm M. W.: 144.24 Assay (Trace metal basis) 99.99%	**1 PC**
RE1960 Nd (7440-00-8)	**Neodymium** Metal Foil 0.50 mmx40cm M. W.: 144.24 Assay (Trace metal basis) 99.99%	**1 PC**
RE1965 Nd (7440-00-8)	**Neodymium** Metal SLAB 1cmx40cm M. W.: 144.24 Assay (Trace metal basis) 99.99%	**1 PC**
RE1970 Nd (7440-00-8)	**Neodymium** Metal Disc 0.1mmxdia 35cm M. W.: 144.24 Assay (Trace metal basis) 99.99%	**1 PC**
RE1985 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.9%	**50 gm** **250 gm**
RE1990 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE1995 $Nd(O_2C_2H_3)_3.xH_2O$ (334869-71-5)	**Neodymium** (III) **Acetate** M. W.: 321.38 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2010 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.9%	**50 gm** **250 gm**
RE2015 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2020 $Nd_2(CO_3)_3.xH_2O$ (38245-38-4)	**Neodymium** (III) **Carbonate** M. W.: 468.51 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2035 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.9%	**50 gm** **250 gm**
RE2040 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2045 $NdCl_3.xH_2O$ (10024-93-8)	**Neodymium** (III) **Chloride** M. W.: 250.60 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2055 NdI_3 (13813-24-6)	**Neodymium** (III) **Iodide** M. W.: 524.95 Assay (Trace metal basis) 99.95%	**5 gm** **25 gm** **100 gm**
RE2070 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.9%	**50 gm** **250 gm**
RE2075 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2080 $Nd(NO_3)_3.6H_2O$ (16454-60-7)	**Neodymium** (III) **Nitrate** M. W.: 438.35 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2090 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99%	**25 gm** **100 gm** **500 gm**

Product Code	Product Name	Packing
RE2095 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.9%	**25 gm** **250 gm** **500 gm**
RE2100 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm** **1 kg**
RE2105 Nd_2O_3 (1313-97-9)	**Neodymium** (III) **Oxide** M. W.: 336.48 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2120 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2125 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2130 $Nd_2(SO_4)_3.8H_2O$ (13477-91-3)	**Neodymium** (III) **Sulphate** M. W.: 720.78 Assay (Trace metal basis) 99.999%	**2 gm** **10 gm**
044205 $C_{23}H_{46}N_6O_{13}.3H_2SO_4.XH_2O$ (1405-10-3)	**Neomycin Sulphate** M.W.: 908.9 (anhydrous)	**5 gm** **25 gm** **500 gm**
024898 $C_5H_{12}O_2$ (126-30-7)	**Neopentyl Glycol** M. W.: 104.15 Assay (GC) 98.0%	**500 gm** **25 kg**
593590 $C_{38}H_{28}N_8Cl_2$ (298-95-3)	**Neotetrazolium Chloride AR** M.W.: 667.60 Assay 75.0%	**1 gm**
868740	**Nessler's** Reagent (For detection of Ammonia and Ammonium salt)	**100 ml**
868760	**Nessler's** Reagent King's (For Serum Urea Nitrogen)	**100 ml**
593630 $C_{15}H_{17}ClN_4$ (553-24-2)	**Neutral Red AR** (pH Indicator) C.I. No. 50040 (Neutral Red Chloride) M. W.: 288.78 Dye content (spectrophotometry, on dried subs.) abt. 60.0%	**10 gm** **25 gm** **100 gm** **1 kg**
868790	**Neutral Red** pH Indicator Solution	**125 ml**
034184 $C_{22}H_{24}ClN_3$ (3248-91-7)	**New Fuchsin** for Microscopy C.I. No. 42520 M. W.: 365.91 Dye content (Titanometry on dried subs.) Abt. 90.0%	**25 gm** **100 gm**
868820	**Newman's Stain** Soln.	**100 ml**
167905 $C_{18}H_{22}ClN_3S$ (1934-16-3)	**New Methylene Blue** M. W.: 347.91 Dye content : About 70.0%	**5 gm** **25 gm**
	Niacin See Nicotinic Acid	
	Niacinamide See Nicotinamide	
868870	**Nickel** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
868900	**Nickel** (Ni) 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
868920	**Nickel** (Ni) 10,000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
029855 Ni (7440-02-0)	**Nickel** (Metal) Powder At. W.: 58.69 Assay (Complexometric) 99.5%	**500 gm**
029310 $(CH_3COO)_2Ni.4H_2O$ (6018-89-9)	**Nickel Acetate** M. W.: 248.84 Assay (Complexometric) 98.0%	**500 gm** **25 kg**
029312 (12635-27-7)	**Nickel Aluminium Alloy** Powder (50% Ni & 50% Al)	**500 gm**
	Nickel Ammonium Sulphate See Ammonium Nickel Sulphate	
029314	**Nickel** (II) **Borate**	**100 gm**
168085 Br_2Ni (13462-88-9)	**Nickel** (II) **Bromide** M. W.: 218.50 Assay 98.0%	**500 gm**
026230 $NiCO_3.2Ni(OH)_2.4H_2O$ (12607-70-4)	**Nickel** (II) **Carbonate** Purified (Nickel Hydroxide Carbonate) M.W.: 376.23 Assay (Ni) : 40.0-45.0%	**250 gm** **500 gm** **5 kg** **25 kg**
029316 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** (Hexahydrate) Purified M. W.: 237.69 Assay (Complexometric) (ex Ni) 97.0%	**250 gm** **500 gm** **5 kg** **25 kg**
593715 $NiCl_2.6H_2O$ (7791-20-0)	**Nickel** (II) **Chloride** (Hexahydrate) **AR** M. W.: 237.69 Assay (Ni) 98.0%	**500 gm**
168235 NiF_2 (10028-18-9)	**Nickel** (II) **Fluoride** M. W.: 96.69	**100 gm** **500 gm**
029322 $Ni(NO_3)_2.6H_2O$ (13478-00-7)	**Nickel** (II) **Nitrate** (Hexahydrate) M. W.: 290.79 Assay (Complexometric ex Ni) 98.0%	**250 gm** **500 gm** **50 kg**
593745 $Ni(NO_3)_2.6H_2O$ (13478-00-7)	**Nickel** (II) **Nitrate** (Hexahydrate) **AR** M. W.: 290.79 Assay (Chelatometric) 99.0%	**250 gm** **500 gm** **5 kg**
168325 $NiC_2O_4.2H_2O$ (6018-94-6)	**Nickel** (II) **Oxalate** M. W.: 182.76	**500 gm**
029325 NiO (1313-99-1)	**Nickel** (II) **Oxide** (Black) M. W.: 74.69 Assay (Complexometric as Ni) 78.0-79.0%	**100 gm** **500 gm**
168375 NiO (1313-99-1)	**Nickel** (II) **Oxide** M. W.: 74.69 Assay (Trace metal basis) 99.999%	**10 gm**
168405 NiO (1313-99-1)	**Nickel Oxide** Green M. W.: 74.69	**500 gm**
024893 $Ni_3(PO_4)_2.8H_2O$	**Nickel Phosphate** M. W.: 510.18	**500 gm**

Product Code	Product Name	Packing
024876 $Ni(NH_2.SO_3)_2.4H_2O$ (13770-89-3)	**Nickel Sulphamate** 60% w/w Solution M. W.: 322.9 Assay (Complexometric Nikel Content of Ni) 11.0%	**500 gm** **2.5 kg** **25 kg**
029329 $NiSO_4.6H_2O$ (10101-97-0)	**Nickel Sulphate** Hexahydrate Purified M. W.: 262.85 Assay (Complexometric) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
593765 $NiSO_4.7H_2O$ (10101-98-1)	**Nickel Sulphate** Heptahydrate **AR** M. W.: 280.85 Assay 99.0%	**500 gm**
168535 Ni_3S_2 (12035-72-2)	**Nickel Sulphide** M. W.: 240.21 Assay 99.0%	**500 gm**
044068 $C_6H_6N_2O$ (98-92-0)	**Nicotinamide** for Biochemistry M. W.: 122.13 Assay (Non-aqueous) 98.5%	**100 gm** **1 kg**
168715 $C_{21}H_{27}N_7O_{14}P_2$ (53-84-9)	β-**Nicotinamide Adenine Dinucleotide** Extrapure for biochemistry (Oxidised) (β-NAD, DPN) (NAD Free Acid) M.W. 663.44 Assay (UV) 98%	**100 mgm** **1 gm** **5 gm** **25 gm**
168735 $C_{21}H_{27}N_7O_{14}P_2Na_2$ M.W. 709.46 (606-68-8)	β-**Nicotinamide Adenine Dinucleotide Disodium Salt** Extrapure for Biochemistry (β-NADH, DPNH) Assay(UV) 98%	**100 mgm** **1 gm**
168745 $C_{21}H_{26}N_7O_{14}P_2Li$ (64417-72-7)	β-**Nicotinamide Adenine Dinucleotide Lithium Salt** Extrapure for Biochemistry (Oxidised) (β-NAD-Li) M.W.: 669.36 Assay 95%	**1 gm** **5 gm**
168755 $C_{21}H_{27}N_7O_{17}P_3Na$ (1184-16-3)	β-**Nicotinamide Adenine Dinucleotide Phosphate Monosodium Salt** Extrapure for Biochemistry (β-NADP, TPN) M.W. 765.4 Assay 98%	**25 mgm** **100 mgm** **500 mgm** **1 gm** **5 gm**
168775 $C_{21}H_{26}N_7O_{17}P_3Na_4$ M.W. 833.35 (2646-71-1)	β-**Nicotinamide Adenine Dinucleotide Phosphate Reduced Tetrasodium Salt** Extrapure for Biochemistry (β-NADPH, TPNH) Assay(UV) 95.0%	**25 mgm** **100 mgm** **1 gm**
	iso-**Nicotinic Acid** See Iso-Nicotinic Acid	
	iso-**Nicotinic Acid Hydrazide** See Iso Nicotinic Acid Hydrazide	
044069 $C_6H_5NO_2$ (59-67-6)	**Nicotinic Acid** M. W.: 123.11 Assay (acidimetric,on dried substances) 99.5%	**25 gm** **100 gm** **1 kg**
024897 $C_{38}H_{42}N_3Cl$ (4692-38-0)	**Night Blue** for Microscopy M. W.: 576.23 C.I. 44085	**25 gm**

Product Code	Product Name	Packing
034058 (8005-03-6)	**Nigrosin** for Microscopy (Water Soluble) C.I. No. 50420	**25 gm** **100 gm**
034131 (11099-03-9)	**Nigrosin** (Alcohol soluble) C.I. No. 50415	**25 gm** **100 gm** **1 kg**
869200	**Nigrosine** 10% Solution For Negative Staining	**125 ml**
024875 $C_{20}H_{20}ClN_3O$ (2381-85-3)	**Nile Blue Chloride** C.I. : 51180 M. W.: 353.85 Dye content >90.0%	**25 gm**
034059 $C_{40}H_{38}N_6O_2.H_2SO_4$ (3625-57-8)	**Nile Blue Sulphate** for Microscopy (Nile Blue Hydrogen Sulphate) M. W.: 732.84 Dye content (spectrophotometric) > 90.0%	**10 gm** **25 gm**
594445 $C_{20}H_{18}N_2O_2$ (7385-67-3)	**Nile Red AR** M. W.: 318.37	**1 gm** **5 gm**
594475 $C_9H_4O_3.H_2O$ (485-47-2)	**Ninhydrin AR** M. W.: 178.14 Assay (Non-aqueous) 99.0%	**10 gm** **25 gm** **100 gm** **1 kg**
869280	**Ninhydrin** Solution	**125 ml**
869290	**Niobium** Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3	**100 ml**
869300	**Niobium** 1000 ppm Single Element Standard for ICP in 5%HNO_3 1% in HF Nist Traceable	**50 ml** **100 ml**
168965 Nb (7440-03-1)	**Niobium** Metal M. W.: 92.91 Assay 99.0%	**10 gm**
594500 $NbCl_5$ (10026-12-7)	**Niobium** (V) **Chloride AR** M. W.: 270.17 Assay 99.0%	**100 gm**
594540 Nb_2O_5 (1313-96-8)	**Niobium Pentoxide AR** (Niobium (v) Pentoxide) M. W.: 265.81 Assay (Gravimetric) 99.5%	**10 gm** **50 gm** **500 gm**
024885 $C_6H_8(=NOH)_2$ (492-99-9)	**Nioxime** M. W.: 142.16 Assay 97.0%	**1 gm**
169075 $C_{16}H_8N_4Na_2O_{11}S_2$ (5423-07-4)	**Nitrazine** Yellow Indicator (C. I. No. 14890) M. W.: 542.36	**5 gm** **25 gm**
169215 HNO_3 (7697-37-2)	**Nitric Acid** (1.41-1.42) M. W.: 63.01 Assay 69-72%	**500 ml** **2.5 lit**
594655 HNO_3 (7697-37-2)	**Nitric Acid** (1.42) **AR/ACS** M. W.: 63.01 Assay 69-72%	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
756355 HNO_3 (7697-37-2)	**Nitric Acid** EL M. W.: 63.01 Assay 69-71%	**2.5 lit**
869400	**Nitric Acid** 0.01M (0.01N) Volumetric Solution in H_2O Nist Traceable	**1 lit**
869420	**Nitric Acid** 0.1M (0.1N) Volumetric Solution in H_2O Nist Traceable	**1 lit**
869460	**Nitric Acid** 1M (1N) for Volumetric Solution in H_2O Nist Traceable	**1 lit**
869480	**Nitric Acid** 2M (2N) Volumetric Solution in H_2O Nist Traceable	**1 lit**
869500	**Nitric Acid** 4M (4N) Volumetric Solution in H_2O Nist Traceable	**1 lit**
869520	**Nitric Acid** 8M (8N) Volumetric Solution in H_2O Nist Traceable	**1 lit**
029338 $C_6H_9NO_6$ (139-13-9)	**Nitrilotriacetic Acid** (NTA) Complexometric Indicator and Reagent M. W.: 191.14 Assay (acidimetric) 99.0%	**100 gm** **500 gm**
594725 $N(CH_2COOH)_3$ (139-13-9)	**Nitrilo tri Acetic Acid** (NTA) **AR** M. W.: 191.14	**100 gm** **250 gm** **500 gm**
869590	**Nitrite** 200 ppm Single Element Standard for Ion Chromatography	**100 ml**
869600	**Nitrite** 1000 ppm Single Element Standard for Ion Chromatography	**100 ml**
169335 $C_8H_8N_2O_3$ (104-04-1)	p-**Nitro Acetanilide** for Synthesis M. W.: 180.16	**100 gm** **500 gm**
169445 $C_8H_7NO_3$ (121-89-1)	3-**Nitro Acetophenone** for Synthesis M. W.: 165.15	**100 gm** **500 gm**
169505 $C_8H_7NO_3$ (100-19-6)	p-**Nitro Acetophenone** for Synthesis M. W.: 165.15	**250 gm** **1 kg**
024873 $C_6H_6N_2O_2$ (99-09-2)	m-**Nitro Aniline** (3-Nitro Aniline) Pract M. W.: 138.13 Assay (GC) 96.0%	**250 gm**
029341 $C_6H_6N_2O_2$ (88-74-4)	o-**Nitro Aniline** (2-Nitro Aniline) M. W.: 138.13 Assay (GC) 98.0%	**250 gm**
029343 $C_6H_6N_2O_2$ (100-01-6)	p-**Nitro Aniline** (4-Nitro Aniline) M. W.: 138.12 Assay(GC) 98.0%	**250 gm** **500 gm**

Product Code	Product Name	Packing
594865 $C_6H_6N_2O_2$ (100-01-6)	4-**Nitro Aniline AR** for Determination Of Phenol M. W.: 138.12	**25 gm** **100 gm** **500 gm**
169615 $C_7H_7NO_3$ (91-23-6-)	2-**Nitro Anisole** for Synthesis (o-Nitroanisole) M. W.: 153.14	**500 ml** **2.5 lit** **25 lit** **200 lit**
594955 $C_{40}H_{30}N_{10}O_6Cl_2$ (298-83-9)	●**Nitro B.T. AR** Used for estimating dehydrogenase enzymes Totally soluble formazan free M. W.: 817.65 Assay (ex Cl, anhydrous) 95.0%	**100 mgm** **250 mgm** **1 gm**
970100 $C_{40}H_{30}Cl_2N_{10}O_6$ (298-83-9)	●**Nitro B.T.** for Microscopy and for Molecular Biology M. W.: 817.67 Assay (Argentometric, ex Cl), anhydrous) 95.0%	**1 gm**
024886 $NO_2C_6H_4CHO$ (552-89-6)	o-**Nitro Benzaldehyde** M. W.: 151.12 Assay (GC) 99.0%	**1 kg**
595065 $NO_2C_6H_4CHO$ (552-89-6)	●o-**Nitro Benzaldehyde AR** M. W.: 151.12 Assay (GC) 99.0%	**10 gm** **25 gm** **1 kg**
169735 $O_2NC_6H_4CHO$ (99-61-6)	3-**Nitro Benzaldehyde** for Synthesis (m-Nitrobenzaldehyde) M. W.: 151.12	**100 gm** **500 gm**
169795 $O_2NC_6H_4CHO$ (555-16-8)	4-**Nitro Benzaldehyde** (p-Nitro Benzaldehyde) M. W.: 151.12	**25 gm** **100 gm**
595075 $O_2NC_6H_4CHO$ (555-16-8)	4-**Nitro Benzaldehyde AR** M. W.: 151.12	**25 gm** **100 gm**
169885 $C_7H_6N_2O_3$ (619-80-7)	4-**Nitro Benzamide** for Synthesis M. W.: 166.13	**5 gm** **25 gm** **100 gm**
029353 $C_6H_5.NO_2$ (98-95-3)	**Nitro Benzene** M. W.: 123.11 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
595135 $C_6H_5.NO_2$ (98-95-3)	**Nitro Benzene AR/ACS** M. W.: 123.11 Assay (By GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
595485 $C_6H_4N_3O_2.BF_4$ (456-27-9)	4-**Nitro Benzene Diazonium Tetrafluoroborate AR** M. W.: 236.92 Assay 97.0%	**5 gm** **25 gm**
170025 $C_6H_4ClNO_4S$ (98-74-8)	4-**Nitro Benzene Sulfonyl Chloride** for Synthesis M. W.: 221.62 Assay 97.0%	**25 gm**

Product Code	Product Name	Packing
029355 $C_6H_4NNaO_5S$ (127-68-4)	m-**Nitro Benzene Sulphonic Acid Sodium Salt** M. W.: 225.16 Assay(dried) 98.0%	**250 gm** **1 kg**
024896 $C_7H_5N_3O_2.HNO_3$ (27896-84-0)	5-**Nitro Benzimidazole Nitrate** 5, 6 Photo pure M. W.: 226.15 Assay (acidimetric) 98.0%	**25 gm** **100 gm**
595695 $C_7H_5N_3O_2$ (94-52-0)	5-**Nitro Benzimidazole AR** M. W.: 163.13	**50 gm** **250 gm**
024887 $C_7H_5NO_4$ (121-92-6)	m-**Nitro Benzoic Acid** M.W.: 167.12 Assay (HPLC) 98.0%	**100 gm** **500 gm**
170145 $C_7H_5NO_4$ (552-16-9)	o-**Nitro Benzoic Acid** M. W.: 167.12 Assay 95.0%	**100 gm** **500 gm**
029361 $NO_2.C_6H_4COOH$ (62-23-7)	p-**Nitro Benzoic Acid** for Synthesis M. W.: 167.12 Assay (HPLC) 99.0%	**500 gm** **25 kg**
170225 $C_7H_4N_2O_2S$ (2942-06-5)	6-**Nitro Benzothiazole** M. W.: 180.18 Assay 99.0%	**5 gm**
170295 $C_7H_4ClNO_3$ (122-04-3)	4-**Nitro Benzoyl Chloride** for Synthesis M. W.: 185.56 Assay 98.0%	**250 gm**
170375 $C_7H_7NO_3$ (619-73-8)	4-**Nitro Benzyl Alcohol** for Synthesis (p-Nitrobenzyl Alcohol) M. W.: 153.14	**25 gm** **100 gm**
170485 $BrC_7H_6NO_2$ (100-11-8)	4-**Nitro Benzyl Bromide** for Synthesis M. W.: 216.03 Assay 99.0%	**25 gm** **100 gm** **500 gm**
595745 $NO_2.C_6H_4.CH_2.C_5H_4N$ (1083-48-3)	4-**(4-Nitro Benzyl) Pyridine** extra Pure **AR** M. W.: 214.23 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm**
	Nitro Blue Tetrazolium Chloride See Nitro B.T.	
595905 $C_6H_5NO_4$ (3316-09-4)	4-**Nitro Catechol AR** M. W.: 155.11 Assay 97.0%	**5 gm**
027925 (9004-70-0)	**Nitro Cellulose**	**500 gm**
	O-**Nitro Chlorobenzene (ONCB)** See 1-Chloro-2-Nitrobenzene	
	M-**Nitro Chlorobenzene (MNCB)** See 1-Chloro-3-Nitrobenzene	
	P-**Nitro Chlorobenzene (PNCB)** See 1-Chloro-4-Nitrobenzene	
596225 $C_2H_5NO_2$ (79-24-3)	**Nitro Ethane AR** M. W.: 75.07 Assay 99.0%	**250 ml** **500 ml**

Product Code	Product Name	Packing
170665 $C_8H_6N_2O_2$ (6146-52-7)	5-**Nitro Indole** for Synthesis M. W.: 162.15	**5 gm** **25 gm**
170775 $C_8H_5NO_6$ (618-88-2)	5-**Nitro Isophthalic Acid** for Synthesis M. W.: 211.13	**500 gm**
029371 CH_3NO_2 (75-52-5)	**Nitro Methane** M. W.: 61.04 Assay (GC) 98.0%	**500 ml** **2.5 lit**
596335 CH_3NO_2 (75-52-5)	**Nitro Methane AR** M. W.: 61.04	**500 ml** **2.5 lit**
170885 $C_8H_7NO_5$ (5081-36-7)	4-**Nitro-3-Methoxybenzoic Acid** M. W.: 197.14 Assay 98.0%	**5 gm**
596400 $C_{20}H_{16}N_4$ (2218-94-2)	**Nitron AR** M. W.: 312.38 Assay 97.0%	**5 gm**
170995 $C_{10}H_7NO_2$ (86-57-7)	1-**Nitro Naphthalene** for Synthesis (A-Nitro Naphthalene) M. W.: 173.17 Assay 99.0%	**100 gm** **500 gm**
029377 $NO_2.C_6H_4.OH$ (88-75-5)	o-**Nitro Phenol** (2-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	**500 gm**
596545 $O_2NC_6H_4OH$ (88-75-5)	o-**Nitro Phenol Indicator AR** M. W.: 139.11	**25 gm** **100 gm**
029379 $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** (4-Nitro Phenol) M. W.: 139.11 Assay (GC) 99.0%	**500 gm**
596575 $O_2NC_6H_4OH$ (554-84-7)	3-**Nitro Phenol Indicator AR** (m-Nitrophenol) M. W.: 139.11	**5 gm** **25 gm** **100 gm**
596585 $C_6H_5NO_3$ (100-02-7)	p-**Nitro Phenol** Indicator **AR** M. W.: 139.11 Assay (GC) 99.0%	**100 gm** **500 gm**
	4-**(4-Nitro Phenyl Azo)**-1-**Naphthol** See Magneson II	
	4-(4-**Nitro Phenyl Azo)-Resorcinol** See Magneson I	
171185 $CH_3CO_2C_6H_4NO_2$ (830-03-5)	p-**Nitro Phenyl Acetate** (4-Nitrophenyl Acetate) M. W.: 181.15	**5 gm** **25 gm** **100 gm**
171225 $C_8H_7NO_4$ (104-03-0)	p-**Nitro Phenyl Acetic Acid** M. W.: 181.15 Assay 98.0%	**5 gm** **25 gm** **100 gm**

Product Code	Product Name	Packing
171285 $C_8H_6N_2O_2$ (555-21-5)	p-**Nitro Phenyl Acetonitrile** for Synthesis M. W.: 162.15 Assay 98.0%	**10 gm** **50 gm**
171355 $C_{10}H_{12}N_2O_4.HCl$ (17193-40-7)	L-4-**Nitro Phenyl Alanine Methyl Ester HCl** for Biochemistry M. W.: 260.67 Assay 97.0%	**1 gm** **5 gm**
171415 $C_9H_{10}N_2O_4.H_2O$ (207591-86-4)	4-**Nitro**-L-**Phenylalanine** Monohydrate for Biochemistry M. W.: 228.20 Assay 98.0%	**25 gm**
171525 $C_{12}H_{15}NO_8$ (369-07-3)	o-**Nitro Phenyl** B-D-**Galactopyranoside** Extra Pure for Biochemistry M. W.: 301.25 Assay 98.0%	**500 mgm** **5 gm** **10 gm**
596785 $C_6H_7N_3O_2$ (100-16-3)	4-**Nitro Phenyl Hydrazine AR** (p-Nitrophenylhydrazine) M. W.: 153.14	**10 gm** **25 gm**
596805 $C_6H_4NNa_2O_6P.6H_2O$ (4264-83-9)	4-**Nitro Phenyl Phosphate Disodium Salt** Hexahydrate **AR** M. W.: 371.15 Assay (Absorptiometric) 98.0%	**5 gm** **25 gm**
171615 (68189-42-4)	4-**Nitrophenyl Phosphate Di**(TRIS) **Salt** (pNPP DTRIS SALT) for Biochemistry	**1 gm** **5 gm** **25 gm**
171695 $O_2NC_6H_3$-1,2-$(CO_2H)_2$ (603-11-2)	3-**Nitro Phthalic Acid** for Synthesis (3-Nitrobenzene-1,2-Dicarboxylic Acid) M. W.: 211.13	**100 gm** **500 gm**
171715 $C_8H_5NO_6$ (610-27-5)	4-**Nitro Phthalic Acid** for Synthesis (4-Nitrobenzene-1, 2-Dicarboxylic Acid) M. W.: 211.13	**100 gm** **500 gm**
024877 $C_8H_3N_3O_2$ (31643-49-9)	4-**Nitrophthalonitrile** M. W.: 173.13 Assay 99.0%	**5 gm** **25 gm** **100 gm**
171785 $C_3H_7O_2N$ (79-46-9)	2-**Nitro Propane** for Synthesis M. W.: 89.09 Assay 96.0%	**100 ml**
013090 $C_{10}H_6(OH).NO$ (131-91-9)	1-**Nitroso**-2-**Naphthol** M. W.: 173.16 Assay (Titanometry) 95.0%	**100 gm** **500 gm**
596895 $C_{10}H_6(OH).NO$ (131-91-9)	1-**Nitroso**-2-**Naphthol AR** M. W.: 173.17 Assay(dried) 98.0%	**25 gm** **100 gm**
596905 $C_{10}H_6(OH)NO$ (132-53-6)	2-**Nitroso**-1-**Naphthol AR** Reagent for Cobalt and Zirconium M. W.: 173.17 Assay(Titanometric) 95.0%	**5 gm** **25 gm**
596915 $C_{10}H_5NNa_2S_2O_8$ (525-05-3)	**Nitroso**-R-**Salt AR** Sensitivity to Cobalt 1:1000000 M. W.: 377.26	**25 gm** **100 gm**
	Nitrotetrazolium Blue Chloride See Nitro B.T.	
024894 $NO_2.C_6H_4.CH_3$ (99-08-1)	m-**Nitro Toluene** for Synthesis (3-Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
029393 $NO_2.C_6H_4.CH_3$ (88-72-2)	o-**Nitro Toluene** for Synthesis (2 Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
029395 $NO_2.C_6H_4CH_3$ (99-99-0)	p-**Nitro Toluene** for Synthesis (4-Nitro Toluene) M. W.: 137.14 Assay (GC) 99.0%	**500 gm** **25 Kg**
171995 $C_4H_3N_3O_4$ (611-08-5)	5-**Nitro Uracil** for Biochemistry M. W.: 157.08 Assay 98.0%	**5 gm**
172075 $C_8H_9NO_2$ (99-12-7)	5-**Nitro**-m-**Xylene** M. W.: 151.16 Assay 99.0%	**10 gm**
172265 $C_{19}H_{40}$ (629-92-5)	n-**Nonadecane** for Synthesis M. W.: 268.53 Assay 98.0%	**250 ml**
597095 $C_{19}H_{40}$ (629-92-5)	n-**Nonadecane AR** M. W. : 268.53	**250 ml**
172355 $C_9H_{20}O$ (143-08-8)	n-**Nonanol** for Synthesis (Nonan-1-OL) M. W.: 144.25	**100 ml** **500 ml**
172415 $CH_3(CH_2)_7CH_3$ (111-84-2)	n-**Nonane** for Synthesis M. W.: 128.26	**100 ml** **500 ml**
757180 $CH_3(CH_2)_8SO_3Na$ (35192-74-6)	1-**Nonanesulphonic Acid Sodium Salt AR** For HPLC M. W.: 230.30	**10 gm**
597255 $C_9H_{18}O_2$ (112-05-0)	**Nonanoic Acid AR** M. W.: 158.24 Assay 97.0%	**1 lit**
172505 (9016-45-9)	**Nonidet P** 40 (NP-40, 4-nonylphenyl polyethelene glycol) Non Ionic Surfactant	**100 ml** **500 ml**
	Nonyl Alcohol See N-Nonanol	
172705 $C_{15}H_{24}O$ (104-40-5)	**Nonyl Phenol** M. W.: 220.35	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
	4-**Nonylphenyl-Polyethylene glycol** See nonidet P 40	
597415 $C_8H_{11}NO_3.HCl$ (55-27-6)	DL-**Nor-Adrenaline** HCl **AR** M. W.: 205.64 Assay (TLC) 97.0%	**1 gm** **5 gm**
024883 $C_{16}H_{18}FN_3O_3$ (70458-96-7)	**Norfloxacin** for Lab Use M. W.: 319.33 Assay 98.0%	**1 gm** **5 gm**
024879 C (7440-44-0)	**Norit-A** 100 mesh At. W. 12.01	**500 gm** **25 kg**

Product Code	Product Name	Packing
172925 $C_6H_{13}NO_2$ (616-06-8)	DL-**Norleucine** for Biochemistry (DL-2-Amino-Hexonoic Acid, (DL-α-Amino-n-Caproic Acid) M. W.: 131.2	**10 gm** **25 gm**
173035 $C_{14}H_8NNaO_7S$ (6409-77-4)	**Nuclear Fast Red** for Microscopy M. W.: 357.27	**1 gm** **5 gm**
044207 $C_{47}H_{75}NO_{17}$ (1400-61-9)	●**Nystatin** 4400 USP Unit per mg M. W.: 926.10	**1mil.Unit**



microshell

INSTANT HAND SANITIZER

Kills 99.9% of germs in seconds without water

Packing
50 ml/500ml

COMPOSITION

Each 100 gm Solution Contains: Denatured Alchol 69.4% w/w Other Ingredients: Acrylates C10-30 Alkyl Acrylate crosspolymer, water, PEG/PPG 17/6 copolymer, Tetrahydroxypropyl ethylenediamine, propylene Glycol, Perfume



DIRECTIONS

Pour 3-5 ml on the palm and rub gently with backward and forward rotating movements with fingers interlocked until dry..

Product Code	Product Name	Packing
029404 $CH_3(CH_2)_{17}OH$ (112-92-5)	1-**Octadecanol** (Octadecyl Alcohol) M. W.: 270.50 Assay (GC) 96.0%	**500 gm**
176045 $C_{18}H_{36}$ (112-88-9)	1-**Octadecene** for Synthesis M. W.: 252.48 Assay 95.0%	**100 ml** **500 ml**
176175 $C_{18}H_{38}$ (593-45-3)	n-**Octadecane** for Synthesis M. W.: 254.2	**100 ml** **500 ml**
176295 $C_{18}H_{39}N$ (124-30-1)	**Octadecylamine** for Synthesis M. W.: 269.51 Assay 97.0%	**250 gm** **1 kg**
029409 $CH_3(CH_2)_6CH_3$ (111-65-9)	n-**Octane** for Synthesis M. W.: 114.23	**100 ml** **500 ml**
597455 $CH_3(CH_2)_6CH_3$ (111-65-9)	n-**Octane AR** M.W.: 114.23 Assay (GC) 99.7%	**100 ml** **500 ml**
	iso-**Octane** See ISO-Octane	
759105 $C_8H_{17}O_3SNa$ (5324-84-5)	1-**Octane Sulphonic Acid Sodium Salt** (Anhydrous) HPLC for Ion-Pair Chromatography M. W: 216.28	**25 gm** **100 gm**
759110 $C_8H_{17}NaO_3S.H_2O$ (207596-29-0)	1-**Octane Sulphonic Acid Sodium Salt** Monohydrate M. W.: 234.29 Assay (acidimetric on dried basis) 98.0%	**5 gm** **25 gm** **100 gm**
	n-**Octanoic Acid Sodium Salt** See Caprylic Acid Sodium Salt	
029408 $CH_3.(CH_2)_6.CH_2OH$ (111-87-5)	1-**Octanol** (Octyl Alcohol) for Synthesis (Octan-1-OL, n-Octanol) M. W.: 130.23 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
597485 $C_8H_{18}O$ (111-87-5)	1-**Octanol AR** M. W.: 130.23 Assay (GC) 99.5%	**500 ml** **2.5 lit**
759200 $C_8H_{18}O$ (111-87-5)	1-**Octanol** HPLC & Spectroscopy M. W.: 130.23	**1 lit**
024796 $C_8H_{18}O$ (589-98-0)	3-**Octanol** M. W.: 130.23 Assay (GC) 97.0%	**500 ml** **2.5 lit**
176485 C_8H_{16} (111-66-0)	1-**Octene** M. W.: 112.22 Assay 98.0%	**100 ml** **500 ml**
176655 $C_{10}H_{20}O_2$ (112-14-1)	**Octyl Acetate** for Synthesis M. W.: 172.26 Assay 99.0%	**500 gm**
176745 $C_8H_{19}N$ (111-86-4)	n-**Octylamine** for Synthesis M. W.: 129.24 Assay 99.0%	**250 ml**
	Octyl Sulphate Sodium Salt See Sodium Octyl Sulphate	

Product Code	Product Name	Packing
176835 $C_{14}H_{28}O_6$ (29836-26-8)	n-**Octyl-Beta**-D-**Glucopyranoside** for Biochemistry M. W.: 292.37 Assay (GC) 98.0%	**1 gm** **5 gm**
176915 $C_{14}H_{22}O$ (140-66-9)	4-tert-**Octylphenol** for Synthesis M. W.: 206.33 Assay 97.0%	**500 gm**
196995 $C_{14}H_{28}O_5S$ (85618-21-9)	**Octyl β-D-Thioglucopyranoside** for Biochemistry (Octyl Thioglucoside) M. W.: 308.44	**500 mgm** **1 gm**
024791 $C_{18}H_{20}FN_3O_4$ (82419-36-1)	**Ofloxacin** for Lab Use M.W.: 361.37	**1 gm** **10 gm** **500 gm**
	Oil Aemons See Almond Oil	
	Oil Almond See Almond Oil	
177215 (8007-75-8)	**Oil Bergamot**	**500 gm**
	Oil Citronella See **Citronella**	
177245 (8001-30-7)	**Oil Corn**	**500 ml**
	Oil of Castor See Castor Oil	
	Oil of Cederwood See Cederwood Oil	
	Oil of Clove See Clove oil	
177285 (8000-46-2)	**Oil Geranium**	**500 gm**
	Oil of Immersion See Immersion Oil	
177305 (8007-02-1)	**Oil of Lemon** Grass Oil	**500 ml**
177325 (8008-79-5)	**Oil Mentha**	**500 gm**
	Oil of Olive See Olive Oil	
177395 (8006-90-4)	**Oil of Peppermint** (peppermint oil)	**100 ml** **500 ml**
	Oil Pine See Pine Oil	
177425 (8008-57-9)	**Oil Orange**	**500 ml** **2.5 lit**
034061 $C_{26}H_{24}N_4O$ (14288-70-1)	**Oil Red** O for Electrophoresis C.I. No. 26125 M. W.: 408.51 Dye content (Titanometry on dried Substance) Min 80.0%	**10 gm** **25 gm** **1 kg**
025264 $C_{17}H_{33}.COOH$ (112-80-1)	**Oleic Acid** M. W.: 282.47 Assay(GC) 65.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
177615 H_2O_4S (8014-95-7)	**Oleum** 20% Pract M. W.: 98.08	**500 ml**
177725 $C_{18}H_{36}O$ (143-28-2)	**Oleyl Alcohol** Pract M. W.: 268.49	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
177815 $C_{18}H_{27}N$ (112-90-3)	**Oleylamine** for Synthesis M. W.: 267.50	**250 ml** **1 lit**
024798 (8001-25-0)	**Olive Oil** (Oil of Olive)	**100 ml** **500 ml** **5 lit**
871200	**O'meara** Reagent	**100 ml**
177845 $C_{20}H_{14}N_2O_2$ (4395-65-7)	**Oracet Blue** (2R Indicator for Titration in Non-Aqueous Solvent) (C.I. 61110) M.W. : 314.43	**5 gm**
174900 (12769-16-3)	**Oracet Blue B** Indicator	**5 gm** **25 gm**
034062 $C_{16}H_{10}N_2Na_2O_7S_2$ (1936-15-8)	**Orange G** Indicator for Microscopy C.I. No. 16230 M. W.: 452.37 Dye content (Titanometry, on dried Subs.) About 90.0%	**25 gm** **100 gm** **1 kg** **5 kg**
034063 (1400-62-0)	**Orcein** for Microscopy	**5 gm** **10 gm** **1 kg**
	Orcein Aceto Solution (Lacour) See Aceto Orcein Solution	
029418 $CH_3.C_6H_3(OH)_2.H_2O$ (6153-39-5)	**Orcinol** Monohydrate M. W.: 142.15 Assay(GC) 98.0%	**10 gm** **25 gm** **100 gm**
597525 $C_5H_{12}N_2O_2.HCl$ (3184-13-2)	L-**Ornithine Monohydrochloride** **AR** For Biochemistry M. W.: 168.62 Assay (Non-aqueous) 98.0%	**5 gm** **25 gm** **500 gm**
	Ortho Boric Acid See Boric Acid	
	Ortho Nitro Chlorobenzene See 1-Chloro-2-Nitrobenzene	
	Ortho Phosphoric Acid See ortho-Phosphoric Acid	
597600 OsO_4 (20816-12-0)	**Osmic Acid AR** M. W.: 254.20 Assay 99.9%	**1 gm**
871350	**Osmic Acid** 2% Solution w/v for Microscopy	**5 ml**
029423 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid** Purified (Ethanedioic acid) M. W.: 126.07 Assay (Oxidimetric) 99.5%	**500 gm** **1 kg** **5 kg** **50 kg**
597665 $C_2H_2O_4.2H_2O$ (6153-56-6)	**Oxalic Acid AR/ACS** M. W.: 126.07 Assay (Oxidimetric) 99.8%	**500 gm**
871450	**Oxalic Acid** N/10 (0.1N)	**500 ml** **1 lit** **2.5 lit**

Product Code	Product Name	Packing
871490	**Oxalic Acid** 0.025M (0.05N) Volumetric Solution Nist Traceable	**1 lit**
871520	**Oxalic Acid** Solution 0.05 M Citrisol 3.1515 g $C_2H_2O_4.2H_2O$ for 500 ml Solution 0.1 N solution	**6 Amp**
871550	**Oxalic Acid** 0.5M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
178055 $C_2H_6N_4O_2$ (996-98-5)	**Oxalic Acid Dihydrazide** for Synthesis (Oxalyl Dihydrazide) M. W.: 118.10	**25 gm** **100 gm**
597725 $(CO.NH.NH_2)_2$ (996-98-5)	**Oxalic Acid Dihydrazide AR** (Oxalyl Dihydrazide) M. W.: 118.10 Assay (HPLC) 98.0%	**25 gm**
178135 $C_4H_4O_5$ (328-42-7)	**Oxaloacetic Acid** for Biochemistry M. W.: 132.07	**1 gm** **5 gm** **25 gm**
029426 $C_2Cl_2O_2$ (79-37-8)	**Oxalyl Chloride** for Synthesis M.W.: 126.93 Assay (Acidimetric) 98.0%	**100 ml** **500 ml**
	Ox Bile Dried Certified See in Culture Media Bases	
024797	**Ox Bile** Dried Powder	**100 gm** **500 gm**
	Oxine See 8-Hydroxy Ouinoline	
	2-**Oxoglutaric Acid** See a-Keto Glutaric Acid	
024799 $C_{19}H_{20}N_2O_3$ (129-20-4)	● **Oxyphenbutazone** for Lab Use M. W.: 324.38 Assay 98.0%	**5 gm**
024792 $C_{22}H_{24}N_2O_9.HCl$ (2058-46-0)	**Oxytetracycline Hydrochloride** for Lab Use M. W.: 496.90 Assay 97.0%	**1 gm** **5 gm**



Product Code	Product Name	Packing
874100	**Palladium** Atomic Absorption STD Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
874150	**Palladium** (Pd) 1000 ppm Single Element Standard for ICP in HCl.	**100 ml** **500 ml**
874170	**Palladium** (Pd) 10000 ppm Single Element Standard for ICP in HCl.	**100 ml** **500 ml**
603725 Pd (7440-05-3)	**Palladium** (Metal) **Powder AR** M. W.: 106.42 Assay 99.9%	**1 gm**
029744	**Palladium on Activated Charcoal** (5% Pd) Palladium content Pd 4.9-5.1%	**10 gm**
183095	**Palladium on Activated Charcoal** (10% Pd) Assay Palladium of Pd 9.9-10.1%	**10 gm**
183105	**Palladium** 5% on **Alumina**	**5 gm** **10 gm**
183125	**Palladium** 10% on **Alumina**	**5 gm** **10 gm**
012009	**Palladium on Asbestos (**5% Pd) Assay (On asbestos) (Pd) 4.9-5.1%	**10 gm**
012010	**Palladium on Asbestos** 10.0% Assay (On asbestos) (9.9-10.1% Pd)	**10 gm**
183185	**Palladium on Barium Sulphate** (5% Pd)	**10 gm**
183190	**Palladium on Barium Sulphate** (10% Pd)	**10 gm**
066277	**Palladium on Calcium Carbonate** (5% Pd)	**10 gm**
066278	**Palladium on Calcium Carbonate** (10% Pd)	**10 gm**
183275 $C_4H_6O_4Pd$ (3375-31-3)	**Palladium** (II) **Acetate** for Synthesis M. W.: 244.51	**1 gm**
183315 Br_2Pd (13444-94-5)	**Palladium Bromide** Extra Pure M. W.: 266.23 Assay 99.0%	**1 gm**
029431 $PdCl_2$ (7647-10-1)	**Palladium Chloride** (Pd 59-60%) M. W.: 177.33 Assay 99.0%	**1 gm** **5 gm**
183425 $Pd(NO_3)_2.2H_2O$ (10102-05-3)	**Palladium Nitrate** Dihydrate M. W.: 266.46 Assay (Pd) 40.0%	**1 gm**
066280 PdO (1314-08-5)	**Palladium** (II) **Oxide** M. W.: 122.44 Assay (Pd) ~85.0%	**1 gm**
183505 $PdSO_4$ (13566-03-5)	**Palladium Sulphate** M. W.: 202.48 Assay 98.0%	**1 gm**
029433 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid** for Synthesis M. W.: 256.43 Assay (Acidimetric) 99.0-101.0%	**500 gm**

Product Code	Product Name	Packing
024691 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid** for Biochemistry M. W.: 256.43 Assay (GC) 99.0%	**5 gm** **25 gm**
603835 $CH_3.(CH_2)_{14}.COOH$ (57-10-3)	**Palmitic Acid AR** M. W.: 256.43 Assay (acidimetric) 99.0%	**25 gm** **100 gm**
183685 $CH_3(CH_2)_{14}COCl$ (112-67-4)	**Palmitoyl Chloride** for Synthesis (Hexadecanoy Chloride) M. W.: 274.87	**500 ml**
183795 $C_{23}H_{16}O_6$ (130-85-8)	**Pamoic Acid** for Synthesis M. W.: 388.37 Assay (T) 97.0%	**100 gm** **500 gm**
604495 $N(CH)_4C.N:N.C_{10}H_6.OH$ (85-85-8)	**PAN** Indicator **AR** Reagent for Complexometric Titratlion M. W.: 249.27 Assay (Non-aqueous) 98.0%	**1 gm** **5 gm**
039029 (8049-47-6)	● **Pancreatin** (From Pig Pancreas)	**100 gm** **500 gm**
874370	**Pandy's** Reagent (For determination of Globulin in CSF)	**125 ml**
027673 $C_9H_{19}NO_4$ (81-13-0)	● d-**Pantothenol** (d-Pantothenyl alcohol) M. W.: 205.26 Assay (NT) 99.0%	**100 ml** **1 lit**
	d-**Pantothenic Acid Calcium Salt** See Calcium-D-Pantothenate	
039030 (9001-73-4)	● **Papain** From Papaya Latex	**100 gm** **500 gm**
183840 (9001-73-4)	● **Papain** Type III 2xCrystallized	**25 mgm** **100 mgm**
039031 (9001-73-4)	● **Papain** Type IV 2xCrystallized	**25 mgm** **100 mgm**
874420	**Papanicolaous** Solution 1a Harris Haematoxylin Solution For cytological cancer and cycle diagnosis	**125 ml**
874430	**Papanicolaous** Solution 2b Orange (II) Solution For cytological cancer and cycle diagnosis	**125 ml**
874440	**Papanicolaous** Solution 3b Polychromatic Solution EA 50 For cytological cancer and cycle diagnosis	**125 ml**
	Para Amino Benzoic Acid See P-Amino Benzoic Acid	
	Para Cresol See p-Cresol	
604525 $C_{11}H_8N_3NaO_2H_2O$ (16593-81-0)	**PAR** Indicator **AR** M. W.: 255.21 Assay (Non-aqueous titration on anhydrous substance) 99.0%	**1 gm** **5 gm**

Product Code	Product Name	Packing
183985 $C_8H_9NO_2$ (103-90-2)	**Paracetamol** For Lab Use (4-acetamidophenol, acetaminophen, N-acetyl-4-amino phenol, 4-hydroxyacetanilide) M. W.: 151.16	100 gm 500 gm
184075 $C_9H_{10}O_2$ (140-39-6)	**Para Cresyl Acetate** for Synthesis M. W.: 150.17	500 gm
184085 $C_8H_{10}O$ (104-93-8)	**Para Cresyl Methyl Ether** for Synthesis M. W.: 122.16 Assay 99.0%	500 gm
184095 $C_{15}H_{14}O_2$ (101-94-0)	**Para Cresyl Phenyl Acetate** for Synthesis M. W.: 226.27	500 gm
029436 (8012-95-1)	**Paraffin** Liquid Light	500 ml 2.5 lit 25 lit
029437 (8012-95-1)	**Paraffin** Liquid Heavy (also suitable for Oil Bath)	500 ml 2.5 lit 25 lit 200 lit
762500 (8012-95-1)	**Paraffin Liquid** for IR Spectroscopy	500 ml
	Paraffin Oil See Paraffin Liquid	
024657 (8002-74-2)	**Paraffin Wax with Ceresin Solid** Congealing Point about 60°C (Packed in Stainless Steel Box)	500 gm 2 kg
024687 (8002-74-2)	**Paraffin Wax with Ceresin in Block** Form (Packed in Stainless Steel Box)	500 gm 2 kg
184235 (8002-74-2)	**Paraffin Wax 52-54°C** for Histology	500 gm
184265 (8002-74-2)	**Paraffin Wax 56-58°C** Pellets for Histology	500 gm 1 kg
036108 (8002-74-2)	**Paraffin Wax Non Caking** Congealing Point about 58-60°C (Packed in Plastic Container)	500 gm 1 kg 2 kg
024653 (8002-74-2)	**Paraffin Wax Solid** Congealing Point about 58-60°C (Packed in Stainless Steel Box)	500 gm 1 kg 2 kg
024689 (8002-74-2)	**Paraffin Wax in Block Form 58-60°C** (Packed in Stainless Steel Box)	1 kg
029841 (8002-74-2)	**Paraffin Wax Non Caking** Congealling Point about 60-62°C (Packed in Plastic Container)	500 gm 1 kg 2 kg
024655 (8002-74-2)	**Paraffin Wax Solid** Congealling Point about 60-62°C (Packed in Stainless Steel Box)	500 gm 1 kg 2 kg
024688 (8002-74-2)	**Paraffin Wax in Block Form 60-62°C** (Packed in Stainless Steel Box)	1 kg

Product Code	Product Name	Packing
184335	**Parafilm** M2 2" X 250'	1 RL
184345	**Parafilm** M4 4" X 125'	1 RL
029447 $(HCHO)_n$ (30525-89-4)	**Paraformaldehyde** Powder Assay (as HCHO Acidimetric) 96.0%	500 gm
D84078 CD_2O (32008-59-6)	**Paraformaldehyde-d$_2$** M.W.: 32.04 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	1 gm
184455 $C_6H_{12}O_3$ (123-63-7)	**Paraldehyde** for Synthesis M. W.: 132.16 Assay > 97.0%	500 ml 2.5 lit
	Iso **Pentane** see **Iso Pentane**	
034088 $C_{19}H_{19}N_3O$ (467-62-9)	**Pararosaniline** (Base) for Microscopy C.I.: 42500B M. W.: 305.38 Dye content Abt. 95.0%	25 gm
024682 $C_{19}H_{18}ClN_3$ (569-61-9)	**Pararosaniline Hydrochloride** C.I. 42500 M. W.: 323.83 Dye content (Titanometry, on dried substance) Min 88.0%	25 gm 100 gm
034134 $C_{27}H_{31}N_2NaO_6S_2$ (129-17-9)	**Patent Blue** V F C.I. 42045 M. W.: 566.68 Dye content Abt. 50.0%	10 gm 25 gm
604585 $C_{21}H_{14}N_2O_7S$ (3737-95-9)	**Patton & Reeder's Reagent AR** M. W.: 438.41 Dye content (Titanometry, on dried substance) >60.0%	5 gm 25 gm 250 gm
038052 (9000-69-5)	**Pectin** Pure	100 gm 500 gm 1 kg
184675 (9032-75-1)	**Pectinase** for Biochemistry From Aspergillus Niger	10 gm 25 gm 100 gm 500 gm
024678 $C_{17}H_{20}FN_3O_3$ (70458-92-3)	**Pefloxacin** for Lab Use M.W.: 333.36	1 gm
604675 $C_9H_{18}O_2$ (112-05-0)	**Pelargonic Acid AR** (Nonanoic Acid) M.W.: 158.24 Assay 97.0%	1 lit
184795 $C_{15}H_{32}$ (629-62-9)	n-**Pentadecane** for Synthesis M.W.: 212.41	250 ml
604735 $C_{15}H_{32}$ (629-62-9)	n-**Pentadecane AR** M.W.: 212.41	250 ml
029450 $C_5H_{12}O_4$ (115-77-5)	**Pentaerythritol** for Synthesis M.W.: 136.15 Assay (HPLC) 97.0%	500 gm
029451 C_5H_{12} (109-66-0)	n-**Pentane** M. W.: 72.15 Assay (GC) 99.0%	500 ml 2.5 lit 25 lit 200 lit

Product Code	Product Name	Packing
604975 C_5H_{12} (109-66-0)	n-**Pentane AR** M. W.: 72.15 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
604985 C_5H_{12} (109-66-0)	n-**Pentane "Dry" AR** M.W.: 72.15 Assay 99.0%	**500 ml**
762700 C_5H_{12} (109-66-0)	n-**Pentane** for HPLC & Spectroscopy M. W.: 72.15 Assay (GC) 99.0%	**1 lit**
762720 C_5H_{12} (109-66-0)	**n-Pentane** for Pesticide Residue Trace Analysis M.W.: 72.15	**1 lit** **2.5 lit**
762735 $C_5H_{11}O_3SNa$ (22767-49-3)	1-**Pentane Sulphonic Acid Sodium Salt** Anhydrous For HPLC M.W.: 174.19	**25 gm** **100 gm**
762740 $CH_3(CH_2)_4SO_3NaH_2O$ (207605-40-1)	1-**Pentane Sulphonic Acid Sodium Salt** Monohydrate M. W.: 192.21 Assay (Acidimetric) 99.0%	**5 gm** **25 gm** **100 gm**
	Pentanoic Acid See n-Valeric Acid	
	Peppermint Oil See Oil Peppermint	
039032 (9001-75-6)	**Pepsin** 1:3000 (From porcine stomach)	**100 gm** **500 gm**
185075 (9001-75-6)	**Pepsin** 1:10000	**25 gm** **100 gm** **500 gm**
044075	**Peptone** Powder Bacto	**500 gm** **5 kg** **25 kg**
044516	**Peptone** Granular Bacto	**500 gm** **5 kg** **25 kg**
605075 $HClO_4$ (7601-90-3)	**Perchloric Acid** 60% **AR** M. W.: 100.46 Assay (Acidimetric) 60.0%	**500 ml** **2.5 lit**
605080 $HClO_4$ (7601-90-3)	**Perchloric Acid** 70% **AR** M. W.: 100.46 Assay (By Acidimetric) 70.0%	**500 ml** **2.5 lit**
605085 $HClO_4$ (7601-90-3)	**Perchloric Acid** 70% **AR** for Diamond Industry M. W.: 100.46 Assay (By Acidimetric) 70.0%	**500 ml**
874630	**Perchloric Acid** 0.01N Solution (0.01N)	**500 ml**
874640	**Perchloric Acid** 0.1 N Solution (N/10) (in glacial Acetic Acid for non-aqueous titration)	**500 ml** **1 lit** **2.5 lit**
	Perchloroethylene See Tetrachloroethylene	
029842 H_5IO_6 (10450-60-9)	**Periodic Acid** Cryst. M. W.: 227.94 Assay (Iodometric) 98.0%	**25 gm** **100 gm**
605275 H_5IO_6 (10450-60-9)	**Periodic Acid AR** For Histochemical Polysaccharine analysis M. W.: 227.94 Assay (iodometric) 99.0%	**25 gm** **100 gm**
874700	**Periodic Acid** 1% Solution Forstaining of Cell for Staining of Cell Polysaccharides Schiff's (Pas) Method	**250 ml**
	Permutit See Dermutit	
185195 (9003-99-0)	**Peroxidase From Horse Radish** **~ 290-330 units/mg**	**5000 units** **25000 units**
029825 (8032-32-4)	**Petroleum Ether** for Synthesis Boiling range 40-60°C	**500 ml** **2.5 lit** **25 lit** **200 lit**
605365 (8032-32-4)	**Petroleum Ether AR** Boiling range 40-60°C	**500 ml** **2.5 lit** **25 lit** **200 lit**
762825 (8032-32-4)	**Petroleum Ether** 40-60°C for HPLC & Spectroscopy	**1 lit** **2.5 lit**
874730 (8032-32-4)	**Petroleum Ether** 40-60°C for Pesticide Ether Trace Analysis Petroleum Benzine 40-60°C for Pesticide Residue Trace Analysis	**1 lit** **2.5 lit**
185385 (8032-32-4)	**Petroleum Ether** 50-70°C for Synthesis	**500 ml** **2.5 lit**
029739 (8032-32-4)	**Petroleum Ether** for Synthesis Boiling range 60-80°C	**500 ml** **2.5 lit** **25 lit** **200 lit**
605375 (8032-32-4)	**Petroleum Ether AR** Boiling range 60-80°C	**500 ml** **2.5 lit** **25 lit** **200 lit**
762835 (8032-32-4)	**Petroleum Ether** 60-80°C for HPLC & Spectroscopy	**500 ml** **2.5 lit**
029826 (8032-32-4)	**Petroleum Ether** 80-100°C for Synthesis	**500 ml** **2.5 lit** **25 lit** **200 lit**
029827 (8032-32-4)	**Petroleum Ether** 100-120°C for Synthesis	**500 ml** **2.5 lit** **25 lit** **200 lit**
024648 (8009-03-8)	**Petroleum Jelly** White	**500 gm**
024649 (8009-03-8)	**Petroleum Jelly** Yellow	**500 gm**
185565 $C_6H_5COCH_2Br$ (70-11-1)	**Phenacyl Bromide** M. W.: 199.04 Assay 98.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
185625 $C_6H_5COCH_2Cl$ (532-27-4)	**Phenacyl Chloride** M. W.: 154.59 Assay 98.0%	**25 gm** **100 gm**
185765 $C_{14}H_{10}$ (85-01-8)	**Phenanthrene** Pract M. W.: 178.23 Assay 98.0%	**100 gm** **500 gm**
605995 $C_{14}H_8O_2$ (84-11-7)	9:10-**Phenanthrenequinone AR** M. W.: 208.21 Assay 99.0%	**25 gm** **100 gm**
606025 $C_{12}H_8N_2H_2O$ (5144-89-8)	1,10-**Phenanthroline** (Monohydrate) **AR** Redox Indicator M. W.: 198.23 Assay (Non-aqueous) 99.5%	**5 gm** **25 gm** **100 gm**
606035 $C_{12}H_8N_2.HCl.H_2O$ (18851-33-7)	1,10-**Phenanthroline** **Hydrochloride AR** M. W.: 234.69 Assay (acidimetric, dried) 99.5%	**5 gm** **25 gm**
	1,10-**Phenanthroline Ferrous Sulphate** Complex Solution See Ferroin Solution	
024014 $C_{14}H_{14}N_2O_4S$ (299-11-6)	● **Phenazine Methosulphate** (PMS) for Biochemistry M. W.: 306.34 Assay (Non-aqueous) 96.0%	**1 gm** **5 gm**
606175 $C_{11}H_{12}N_2O$ (60-80-0)	**Phenazone AR** M. W.: 188.23 Assay 99.0%	**100 gm** **500 gm**
185945 $C_8H_{11}NO$ (156-43-4)	p-**Phenetidine f**or Synthesis M. W.: 137.18 Assay 98.0%	**250 ml**
186055 $C_6H_5OC_2H_5$ (103-73-1)	**Phenetole** M. W.: 122.16 Assay 99.0%	**100 ml** **500 ml**
186215 $C_9H_{10}N_2O$ (92-43-3)	**Phenidone** for Photographic Purpose M. W.: 162.19 Assay (N) 98.0%	**100 gm** **500 gm**
875020	**Phenol Liquefied** Solution 80%w/w in Water	**500 ml**
029477 $C_6H_5.OH$ (108-95-2)	**Phenol** Pure (Carbolic Acid) M. W.: 94.11 Assay(GC) 99.0%	**500 gm** **25 kg**
606355 $C_6H_5.OH$ (108-95-2)	**Phenol AR** (Carbolic Acid) M. W.: 94.11 Assay 99.5%	**500 gm** **25 kg**
970698 $C_6H_5.OH$ (108-95-2)	**Phenol** for Molecular Biology M. W.: 94.11 Assay (GC) 99.5%	**100 gm** **500 gm**
970700 $C_6H_5.OH$ (108-95-2)	**Phenol** Saturated for Molecular Biology M. W.: 94.11 Assay (GC) 90.0%	**100 ml** **300 ml** **500 ml**
D87678 C_6D_6O (13127 88 3)	**Phenol** d_6 (for NMR Spectroscopy) M.W.: 100 16 Assay Min. 98.0 atom%D	**1 gm**

Product Code	Product Name	Packing
970750	**Phenol** Solution for Moleculer Biology Equilibrated with 10 M tris HCl, pH 8.0, 1M EDTA. for Molecular Biology	**100 ml**
970770	**Phenol** Solution for Molecular Biology Saturated with 0.1M Citrate Buffer, pH 4.1-4.5 Suitable for RNA Purification	**100 ml** **500 ml**
970800	**Phenol Chloroform 5:1** (Phenol : Chloroform : ISO Amyl Alcohol) 125 : 24 :1 for Molecular Biology	**500 ml**
970820	**Phenol:Chloroform:ISO Amyl Alcohol** 25 : 24 : 1 Saturated with 10 M tris pH 8.0,1m EDTA Suitable for extraction of Protein from Crude Nucleic acid preparation	**100 ml** **500 ml**
019094 $C_6H_6O_7S_2$ (96-77-5)	**Phenol Disulphonic Acid** M. W.: 254.24 Assay 25% w/v	**500 ml**
024684	**Phenolic Auramine**	**125 ml**
020088 $C_{20}H_{14}O_4$ (77-09-8)	**Phenolphthalein** pH Indicator M. W.: 318.33	**50 gm** **100 gm** **500 gm** **25 kg** **50 kg**
024661	**Phenolphthalein** (Indicator Paper)	**200 lvs**
875160	**Phenolphthalein** 0.5% w/v alcoholic for Milk Testing	**100 ml** **2.5 lit**
875180	**Phenolphthalein** (Indicator Solution) 1%w/v	**125 ml** **250 ml** **500 ml**
875185	**Phenolphthalein** 2% Solution in Alcohol	**100 ml**
	Phenol Reagent See Folin & Ciocalteus Phenol Reagent	
606415 $C_{19}H_{14}O_5S$ (143-74-8)	**Phenol Red** Indicator **AR** M. W.: 354.38 Dye content (Iodometric) 98.0%	**5 gm** **25 gm** **100 gm** **1 kg**
606420 $C_{19}H_{13}NaO_5S$ (34487-61-1)	**Phenol Red Sodium Salt AR** Water Soluble M. W.: 376.36	**5 gm** **25 gm** **1 kg**
875200	**Phenol Red** Indicator Solution 0.02%	**125 ml**
	2-**Phenoxy Ethanol** for Synthesis see Ethylene Glycol Mono Phenyl Ether	
186435 $C_{18}H_{15}ClN_4$ (81-93-6)	**Phenosafranine** C.I. No. 50200 M. W.: 322.79 Dye content 80.0%	**1 gm**
186455 $C_{32}H_{22}N_6O_8S_2.2Na$	**Phenol Violet** (pH Indicator) M. W.: 728.67	**5 gm** **25 gm**
186565 $C_{12}H_9NS$ (92-84-2)	**Phenothiazine** Extra Pure M. W.: 199.27 Assay (GC) 98.0%	**250 gm** **1 kg**

Product Code	Product Name	Packing
186665 $C_{12}H_8OS$ (262-20-4)	**Phenoxanthine** M. W.: 200.26 Assay 97.0%	**5 gm** **25 gm**
763015 $C_{12}H_9NO$ (135-67-1)	**Phenoxazine** EL Grade M. W.: 183.21 Assay 99.0%	**1 gm** **5 gm**
186955 $C_8H_8O_3$ (122-59-8)	**Phenoxy Acetic Acid** for Synthesis M. W.: 152.15	**500 gm**
187055 $C_6H_5OC_6H_4CH_2OH$ (13826-35-2)	3-**Phenoxy Benzyl Alcohol** (m-Phenoxybenzyl Alcohol) M. W.: 200.23	**100 ml** **500 ml**
187145 $C_6H_5OCH_2COCH_3$ (621-87-4)	**Phenoxy 2-Propanone** for Synthesis M. W.: 150.17 Assay 97.0%	**5 gm** **25 gm**
187205 $C_6H_5OCH_2CH_2CO_2H$ (7170-38-9)	3-**Phenoxy Propionic Acid** M. W.: 166.17 Assay 99.0%	**5 gm** **25 gm**
187345 $CH_3COOC_6H_5$ (122-79-2)	**Phenyl Acetate** for Synthesis M. W.: 136.15 Assay (GC) 98.0%	**500 ml**
029487 $C_6H_5.CH_2.COOH$ (103-82-2)	**Phenyl Acetic Acid** M. W.: 136.15 Assay (acidimetric) 99.0%	**500 gm**
027362 C_8H_7N (140-29-4)	**Phenyl Acetonitrile** (Benzyl Cyanide) M. W.: 117.15	**500 ml** **2.5 lit**
187605 $C_6H_5CH_2COCl$ (103-80-0)	**Phenyl Acetyl Chloride** for Synthesis (phenylacetic acid chloride) M. W.: 154.59	**100 ml** **500 ml**
607075 $C_6H_7AsO_3$ (98-05-5)	**Phenyl Arsonic Acid AR** M. W.: 202.04	**25 gm**
187705 $C_9H_{11}NO_2$ (673-06-3)	D-**Phenyl Alanine** for Biochemistry M. W.: 165.19 Assay (TLC) 98.0%	**5 gm** **25 gm** **100 gm**
037139 $C_6H_5CH_2CH.(NH_2)COOH$ (150-30-1)	DL-**Phenylalanine** for Biochemistry M. W.: 165.19 Assay (Non-aqueous) 98.5%	**25 gm** **500 gm**
037138 $C_6H_5.CH_2.CH(NH_2).COOH$ (63-91-2)	L-**Phenylalanine** for Biochemistry M. W.: 165.19 Assay (ex N Non-aqueous) 99.0%	**25 gm** **500 gm**
020096 $C_{13}H_{11}NO_2$ (91-40-7)	n-**Phenyl Anthranilic Acid AR** redox indicator colourless to Pinkish Violet M. W.: 213.24 Assay (Acidimetric) 98.0%	**25 gm** **100 gm**
187865 $C_6H_5CO_2C_6H_5$ (93-99-2)	**Phenyl Benzoate** for Synthesis M. W.: 198.22 Assay 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
187955 $C_6H_5CH_2NHC_6H_5$ (103-32-2)	n-**Phenyl Benzylamine** for Synthesis M. W.: 183.25 Assay 99.0%	**250 gm**
024667 $C_6H_5B(OH)_2$ (98-80-6)	**Phenyl Boronic Acid** (Benzeneboronic acid, Phenylboron dihydroxide) M.W. : 121.93 Assay (Acidimetric) 98.0%	**25 gm** **100 gm** **500 gm**
024685 $C_{19}H_{20}N_2O_2$ (50-33-9)	**Phenyl Butazone** M. W.: 308.38 Assay (Acidimetric) 99.0%	**25 gm**
607625 $CH_3CH_2CH(C_6H_5)COOH$ (90-27-7)	2-**Phenyl Butyric Acid AR** M. W.: 164.20 Assay 98.0%	**100 gm** **500 gm**
188095 $C_6H_5(CH_2)_3COOH$ (1821-12-1)	4-**Phenyl Butyric Acid** for Synthesis M. W.: 164.20 Assay 99.0%	**100 gm** **500 gm**
188205 $ClCOOC_6H_5$ (1885-14-9)	**Phenyl Chloroformate** for Synthesis (Chloroformic Acid Phenyl Ester) M. W.: 156.57	**100 ml** **500 ml** **2.5 lit**
188215 $C_{18}H_{30}$ (123-01-3)	1-**Phenyl Dodecan** (Dodecyl Benzene) M.W. : 246.43 Assay 97.0%	**250 ml**
188225 $C_6H_4(CH_2CO_2H)_2$ (7500-53-0)	1,2-**Phenylene Diacetic Acid** M. W.: 194.18 Assay 99.0%	**5 gm**
024666 $C_6H_8N_2$ (108-45-2)	m-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (Non-aqueous) 98.0%	**250 gm**
024665 $C_6H_{10}Cl_2N_2$ (541-69-5)	m-**Phenylenediamine Dihydro Chloride** M. W.: 181.07 Assay 99.0%	**100 gm** **250 gm**
029497 $C_6H_4(NH_2)_2$ (95-54-5)	o-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (GC) 99.0%	**100 gm** **250 gm**
029500 $C_6H_4(NH_2)_2$ (106-50-3)	p-**Phenylene Diamine** for Synthesis M. W.: 108.14 Assay (GC) 98.0%	**250 gm** **25 kg**
024663 $C_6H_{10}Cl_2N_2$ (624-18-0)	P-**Phenylenediamine Dihydrochloride** M. W.: 181.07 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
029505 $C_6H_5.CH_2.CH_2OH$ (60-12-8)	2-**Phenyl Ethanol** (2-Phenyl Ethyl Alcohol) M. W.: 122.17 Assay (GC) 99.0%	**500 ml**
607945 $C_6H_5CH_2CH_2OH$ (60-12-8)	**2-Phenyl Ethanol AR** M. W.: 122.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
024671 $CH_3COOCH_2CH_2C_6H_5$ (103-45-7)	**Phenyl Ethyl Acetate** M. W.: 164.20 Assay 99.0%	**500 gm**

Product Code	Product Name	Packing
188425 $C_6H_5CH_2CH_2NH_2$ (64-04-0)	**2-Phenyl Ethylamine** for Synthesis (β-Phenylethyl amine, 2-Phenethylamine) M. W.: 121.18	500 ml 2.5 lit
608065 $C_8H_{11}N$ (3886-69-9)	R-**Phenyl Ethylamine AR** M. W.: 121.18 Assay 98.0%	25 gm 100 gm 500 gm 1 kg
608085 $C_6H_5CH(CH_3)NH_2$ (2627-86-3)	S-**Phenyl Ethylamine AR** M. W.: 121.18 Assay 98.0%	25 gm 100 gm 500 gm 1 kg
188605 $C_{15}H_{14}O_2$ (94-47-3)	**Phenyl Ethyl Benzoate** for Synthesis M. W.: 226.27 Assay 99.0%	500 gm
188625 $C_{12}H_{16}O_2$ (103-52-6)	**Phenyl Ethyl Butyrate** for Synthesis M. W.: 192.25 Assay 98.0%	500 gm
188645 $C_{17}H_{16}O_2$ (103-53-7)	**Phenyl Ethyl Cinnamate** for Synthesis M. W.: 252.31 Assay 96.0%	500 gm
188665 $HCO_2CH_2CH_2C_6H_5$ (104-62-1)	**Phenyl Ethyl Formate** for Synthesis M. W.: 150.17 Assay 96.0%	500 gm
188685 $C_{12}H_{16}O_2$ (103-48-0)	**Phenyl Ethyl Isobutyrate** for Synthesis M. W.: 192.25 Assay 98.0%	500 gm
188705 $C_9H_{12}O$ (3558-60-9)	**Phenyl Ethyl Methyl Ether** for Synthesis M. W.: 136.19 Assay 98.0%	500 gm
188725 $C_{16}H_{16}O_2$ (102-20-5)	**Phenyl Ethyl Phenyl Acetate** for Synthesis M. W.: 240.30 Assay 98.0%	500 gm
188745 $C_{11}H_{14}O_2$ (122-70-3)	**Phenyl Ethyl Propionate** for Synthesis M. W.: 178.23 Assay 98.0%	500 gm
188765 $C_{15}H_{14}O_3$ (87-22-9)	**Phenyl Ethyl Salicylate** for Synthesis M. W.: 242.27 Assay 97.0%	500 gm
608625 $C_{19}H_{12}O_5$ (975-17-7)	**Phenyl Fluorone AR** (9-Phenyl-2,3,7-Trihydroxy-6-Fluorone) M. W.: 320.29	1 gm 5 gm
188915 $C_{12}H_{16}O_6$ (1464-44-4)	**Phenyl-β-D-Glucopyranoside** (phenyl-β-D-glucoside) M. W.: 256.25	1 gm
608765 $C_6H_5CH(NH_2)COOH$ (2835-06-5)	DL-**Phenyl Glycine AR** M. W.: 151.16 Assay 95.0%	25 gm 100 gm
029508 $C_6H_8N_2$ (100-63-0)	**Phenyl Hydrazine** for Synthesis M. W.: 108.14 Assay (Non-aqueous) 97.5%	250 ml 500 ml 2.5 lit

Product Code	Product Name	Packing
608855 $C_6H_8N_2$ (100-63-0)	**Phenyl Hydrazine AR** M. W.: 108.14 Assay 98.0%	100 ml 500 ml
029509 $C_6H_5NH.NH_2HCl$ (59-88-1)	**Phenylhydrazine Hydrochloride** M. W.: 144.60 Assay 97.0%	100 gm 250 gm
608865 $C_6H_5NH.NH_2.HCl$ (59-88-1)	**Phenylhydrazine Hydrochloride AR** For the detection of Aldehydes and Ketones M. W.: 144.60 Assay 99.0%	100 gm 250 gm
189105 $C_9H_8N_2$ (670-96-2)	2-**Phenyl Imidazole** M. W.: 144.17 Assay 98.0%	25 gm 100 gm
189225 C_6H_5NCS (103-72-0)	**Phenyl Isothiocyanate** for Synthesis M. W.: 135.19 Assay 98.0%	100 ml 500 ml
189325 $C_{10}H_6O_3$ (36122-35-7)	**Phenyl Maleic** Anhydride M. W.: 174.15 Assay 99.0%	1 gm 10 gm
	Phenyl Mercaptan See Thiophenol	
609365 $C_7H_6N_4S$ (86-93-1)	1-**Phenyl-5-Mercapto Tetrazole AR** M. W.: 178.21 Assay (HPLC) 97.0%	25 gm 100 gm 500 gm
029510 $C_8H_8HgO_2$ (62-38-4)	**Phenyl Mercuric Acetate** M. W.: 336.74 Assay(ex Hg argentometric) 98.0%	25 gm 100 gm
189535 $C_6H_7BHgO_3$ (102-98-7)	**Phenyl Mercuric Borate** for Synthesis M. W.: 388.52	5 gm 25 gm
029512 $C_{12}H_{11}Hg_2NO_4$ (8003-05-02)	**Phenyl Mercuric Nitrate** Basic M. W.: 634.40 Assay (Argentometric) 98.0-102.0%	25 gm 100 gm
189595 $C_{24}H_{38}HgO_2$ (104-60-9)	**Phenyl Mercuric Oleate** for Synthesis M. W.: 559.15	5 gm
189775 $C_6H_5CH_2SO_2Cl$ (1939-99-7)	**Phenyl Methanesulphonyl Chloride** (α-Toluenesulphonyl Chloride; Phenylmethylsulphonyl Chloride) M. W.: 190.65	5 gm 25 gm 100 gm
189835 $C_7H_7FO_2S$ (329-98-6)	**Phenyl Methanesulphonyl Fluoride** (PMSF) (α-Toluenesulphonyl Fluoride) Phenylmethylsulphonyl Fluoride) M. W.: 174.19	1 gm 5 gm 25 gm
189975 $C_{10}H_7NHC_6H_5$ (90-30-2)	N-**Phenyl-1-Naphthylamine** for Synthesis (N-1-naphthylaniline, N-phenyl-α-naphthylamine) M. W.: 219.28	100 gm 500 gm
190085 $C_{12}H_{12}N_2$ (534-85-0)	N-**Phenyl**-1,2-**Phenylenediamine** M. W.: 184.24	10 gm

Product Code	Product Name	Packing
190145 $C_{12}H_{12}N_2$ (101-54-2)	**n-Phenyl-P-Phenylene Diamine Crystalline** for Synthesis M. W.: 184.24	**250 gm** **1 kg**
609455 $C_6H_5Na_2O_4P.2H_2O$ (3279-54-7)	**Phenylphosphate Disodium Salt AR** M. W.: 254.09 Assay(Acidimetric) 98.0%	**25 gm** **100 gm**
024670 $C_{10}H_{14}N_2$ (92-54-6)	1-**Phenyl Piperazine** M. W.: 162.24 Assay (acidimetric) 98.0%	**100 gm** **500 gm**
	1-**Phenyl**-1,H-**Tetrazole**-5-**Thiol** See 1-Phenyl-5-Mercapto Tetrazole	
029521 $C_6H_5.NH.CS.NH_2$ (103-85-5)	n-**Phenyl Thiourea** for Synethesis M. W.: 152.22	**10 gm** **25 gm**
190345 $C_9H_{14}N.Cl$ (138-24-9)	**Phenyl Trimethyl Ammonium Chloride** M. W.: 171.67	**100 gm** **500 gm**
	pH Indicator Paper See Indicator Paper pH	
	pH Indicator Solution (pH 4.0-11.0) See Universal Indicator Solution	
	pH Indicator Solution (pH 9.0 -14.0) See Universal Indicator Solution	
609515 $C_6H_6O_3$ (108-73-6)	**Phloroglucinol AR** for Microscopy M. W.: 126.11 Assay (By GC) 99.0%	**25 gm** **100 gm**
034064 $C_{20}H_2Br_4Cl_4Na_2O_5$ (18472-87-2)	**Phloxin** B for Microscopy C.I. No. 45410 M. W.: 829.64 Dye content (gravimetric, on dried substance) 80.0%	**25 gm** **100 gm**
190505 (9001-78-9)	**Phosphatase Alkaline** (Alkaline Phosphatase) (from CALF Intestinal Mucosa) Activity 1.5-2U/mg	**100 mgm**
875500	**Phosphate** Standard Solution 1000mg/l as PO_4	**250 ml**
875540	**Phosphate** 200 ppm Single Element Standard for Ion Chromatography	**100 ml**
875570	**Phosphate** 1000 ppm Single Element Standard for Ion Chromatography	**100 ml**
	Phosphate Molybdate Solution See Folin & WU's Phosphate Molybdate Solution	
609575 $H_3PO_4.12MoO_3.xH_2O$ (51429-74-4)	**Phosphomolybdic Acid AR/ACS** M. W.: 1825.25 (anhy.)	**25 gm** **100 gm** **500 gm**
029190 HPO_3 (37267-86-0)	m-**Phosphoric Acid** (Glacial Stick) Assay (acidimetric) (HPO_3) Min 58-62% M. W.: 79.97	**500 gm**

Product Code	Product Name	Packing
609605 HPO_3 (37267-86-0)	m-**Phosphoric Acid** (Glacial Stick) **AR** M. W.: 79.97 Assay (acidimetric) (HPO_3) 85-88%	**100 gm** **500 gm**
037137 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** (Phosphoric Acid) M. W.: 98.00 Assay (acidimetric) Abt. 85.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
609725 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid AR** Manganese free M. W.: 98.00 Assay abt. 88.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
029420 H_3PO_4 (7664-38-2)	ortho-**Phosphoric Acid** (Also for Steel Industry) M. W.: 98.0 Assay abt. 88.0%	**500 ml** **2.5 lit** **5 lit** **25 lit**
875750	**Phosphorous** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in Water	**250 ml**
875710	**Phosphorous** 1000ppm Single Element Standard for ICP in Water	**100 ml** **500 ml**
875730	**Phosphorous** 1000ppm Single Element Standard for ICP-MS in Water	**100 ml** **500 ml**
024675 $POCl_3$ (10025-87-3)	**Phosphorous Oxychloride** for Synthesis (Min. order should be for 4x500 ml) M. W.: 153.33 Assay (acidimetric) (ex Cl) 98.0-101.0%	**500 ml** **2.5 lit**
024672 PCl_5 (10026-13-8)	**Phosphorous Pentachloride** for Synthesis M. W.: 208.24 Assay (Acidimetric) 98.0%	**250 gm** **500 gm**
024674 P_2S_5 (1314-80-3)	**Phosphorous Pentasulphide** for Synthesis M. W.: 222.25 Assay (ex P) (Acidimetric) 98.0%	**500 gm**
029527 P_2O_5 (1314-56-3)	di-**Phosphorous Pentoxide** M. W.: 141.94 Assay (acidimetric) 95.0%	**250 gm** **500 gm** **1 kg**
609755 P_2O_5 (1314-56-3)	di-**Phosphorous Pentoxide AR/ACS** M. W.: 141.94 Assay (Acidimetric) 98.0%	**500 gm**
029528 P (7723-14-0)	**Phosphorous Red** At. W.: 30.97 Assay(ex P) 98.0%	**100 gm** **500 gm** **1 kg**
024669 PBr_3 (7789-60-8)	**Phosphorous Tribromide** M. W.: 270.70 Assay 98.0%	**100 ml** **500 ml**
029536 PCl_3 (7719-12-2)	**Phosphorous Trichloride** for Synthesis M. W.: 137.33 Assay 99.0%	**500 ml** **2.5 lit** **25 lit**
030544 $H_3PO_4.12WO_3XH_2O$ (12501-23-4)	**Phosphotungstic Acid** M. W.: 2880.05 (Anhy.)	**100 gm** **500 gm**

Product Code	Product Name	Packing
609795 $H_3PO_4.12WO_3.XH_2O$ (12501-23-4)	**Phosphotungstic Acid AR** Reagent for Microscopy M. W.: 2880.05 (Anhy.)	**25 gm** **100 gm**
190825 (51312-42-6)	**Phosphotungstic Acid Disodium Salt** (Dodeca- Tungstophosphoric Acid Disodium Salt)	**25 gm**
609835 $C_6H_4(CHO)_2$ (643-79-8)	o-**Phthalaldehyde AR** for Fluorometry M. W.: 134.13 Assay (GLC) 98.0%	**5 gm** **25 gm**
	Phthalein Purple See O-Cresol Phthalein Complexone	
	Tere Phthalic Acid See Terephthalic Acid	
029538 $C_8H_8N_2O_2$ (88-96-0)	**Phthalamide** M. W.: 164.16 Assay (Acidimetric) 98.0%	**500 gm** **25 kg**
029539 $C_6H_4(COOH)_2$ (88-99-3)	**Phthalic Acid** for Synthesis M. W.: 166.13 Assay(acidimetric) 99.0%	**500 gm**
609865 $C_6H_4(COOH)_2$ (88-99-3)	**Phthalic Acid AR** M. W.: 166.13 Assay (alkalimetric) 99.5%	**500 gm**
029541 $C_6H_4(CO)_2O$ (85-44-9)	**Phthalic Anhydride** for Synthesis M. W.: 148.12 Assay (Acid-base titrymetry useing) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
190965 $C_8H_6O_2$ (87-41-2)	**Phthalide** for Synthesis (1-Isobenzofuranone) M. W.: 134.13	**100 gm** **500 gm**
029543 $CO.C_6H_4.CO.NH$ (85-41-6)	**Phthalimide** for Synthesis M. W.: 147.13 Assay (Acidimetric) 98.0%	**500 gm** **5 kg** **50 kg**
191145 $C_{20}H_{40}O$ (7541-49-3)	**Phytol** M. W.: 296.53 Assay 97.0%	**100 gm**
191305 C_6H_7N (109-06-8)	a-**Picoline** for Synthesis (2-Picoline, 2-Methyl Pyridine) M. W.: 93.13 Assay 98.0%	**500 ml** **2.5 lit**
191325 C_6H_7N (108-99-6)	-**Picoline** for Synthesis (3-Methylpyridine, β-Picoline) M. W.: 93.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
191415 C_6H_7NO (931-19-1)	a-**Picoline Oxide** M. W.: 109.13	**100 gm** **500 gm**
191435 C_6H_7NO (1003-73-2)	b-**Picoline Oxide** M. W.: 109.13 Assay 98.0%	**100 gm** **500 gm**
191455 C_6H_7NO (1003-67-4)	g-**Picoline Oxide** M. W.: 109.13 Assay 98.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
610375 C_6H_7NO (108-89-4)	g-**Picoline AR** (4-Picoline,4-Methyle Pyridine) M. W.: 93.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
191625 $C_6H_5NO_2$ (98-98-6)	**2-Picolinic Acid** for Synthesis (α-Picolinic Acid, Pyridine-2-Carboxylic Acid) Carboxylic Acid) M. W.: 123.11	**100 gm** **500 gm**
029554 $(NO_2)_3C_6H_2.OH$ (88-89-1)	**Picric Acid** (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.0-100.5%	**500 gm**
610435 $(NO_2)_3\ C_6H_2OH$ (88-89-1)	**Picric Acid AR** (Moistened with water) M. W.: 229.11 Assay (acidimetric) 99.5-100.5%	**100 gm** **500 gm**
875900	**Picric Acid** Solution 1.2% **AR** for determination of blood glucose and creatinine	**100 ml** **500 ml**
875920	**Picric Acid** Saturated Aqueous Soln.	**100 ml** **500 ml**
191765 $C_{10}H_8N_4O_5$ (550-74-3)	**Picrolonic Acid** for Synthesis M. W.: 264.19	**1 gm** **5 gm**
191855 (8006-64-2)	**Pine Oil** (Turpentine Oil)	**500 ml** **2.5 lit**
610685 $C_{10}H_{16}$ (80-56-8)	a-**Pinene AR** M. W.: 136.23 Assay 98.0%	**500 ml**
044120 $C_8H_{18}N_2O_6S_2$ (5625-37-6)	**Piperazine**-1,4-**Bis** (2-**Ethane Sulphonic Acid)** (Pipes Buffer) M. W.: 302.37	**10 gm** **25 gm** **100 gm**
191975 $C_8H_{17}N_2O_6S_2Na$ (10010-67-0)	**Piperazine**-1,4-**Bis** (2-**Ethane Sulphonic Acid) Sodium Salt** for Biochemistry (Pipes Sodium Salt) M. W.: 324.35	**25 gm** **100 gm**
191995 $C_8H_{16}N_2Na_2O_6S_2$ (76836-02-7)	**Piperazine**-1,4-**Bis-**(2-**Ethanesulphonic Acid) Disodium Salt** for Biochemistry (Pipes Disodium Salt) M. W.: 346.33	**25 gm** **100 gm**
024650 $C_4H_{10}N_2$ (110-85-0)	**Piperazine** Anhydrous M. W.: 86.14 Assay (Non-aqueous) 98.0%	**250 gm** **1 kg** **5 kg** **50 kg**
029564 $C_4H_{10}N_2.6H_2O$ (142-63-2)	**Piperazine** (Hexahydrate) M. W.: 194.23 Assay ($HClO_4$-titration) 98.0%	**100 gm** **500 gm**
024646	**Piperazine Citrate**	**500 gm**
192095 $C_9H_{13}N_3$ (34803-66-2)	2-(1-**Piperazinyl**) **Pyridine** M. W.: 163.22 Assay 98.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
192185 $C_5H_{11}N$ (110-89-4)	**Piperidine** for Synthesis M. W.: 85.15	**500 ml** **1 lit** **2.5 lit** **25 lit**
611005 $C_5H_{11}N$ (110-89-4)	**Piperidine AR** M. W.: 85.15	**100 ml** **500 ml** **25 lit**
192305 $C_5H_{11}N.HCl$ (6091-44-7)	**Piperidine Hydrochloride** M. W.: 121.61	**100 gm** **500 gm**
115515 $C_7H_{15}NO$ (3040-44-6)	1-**Piperidino Ethanol** for Synthesis M. W.: 129.20 Assay 99.0%	**100 ml** **500 ml**
611185 $C_{19}H_{30}O_5$ (51-03-6)	**Piperonyl Butoxide AR** M. W.: 338.44	**25 gm** **100 gm**
	PIPES Buffer See Piperazine-N,N'Bis-2-Ethane Sulphonic Acid	
192455 $C_5H_{10}O_2$ (75-98-9)	**Pivalic Acid** for Synthesis M. W.: 102.13 Assay 99.0%	**250 gm** **1 kg**
192515 C_5H_9N (630-18-2)	**Pivalonitrile** M. W.: 83.13 Assay 98.0%	**25 gm** **100 gm**
192605 $(CH_3)_3CCOCl$ (3282-30-2)	**Pivaloyl Chloride** for Synthesis (Trimethylacetyl Chloride) M. W.: 120.58	**500 ml**
033081 $CaSO_4.\ ½\ H_2O$ (10034-76-1)	**Plaster of Paris** M. W.: 145.15 Assay (Complexometric) 90.0%	**500 gm**
024645 $CaSO_4.½H_2O$ (10034-76-1)	**Plaster of Paris** Pract M. W.: 145.15 Assay (Complexometric as $CaSO_4.½H_2O$) Abt. 90.0-95.0%	**500 gm**
024641 $H_2PtCl_6.XH_2O$ (26023-84-7)	**Platinic Chloride** Pt 38-40% (Hydrogen Hexachloro Platinate (IV) Hydrate, Chloro Platinic Acid) $H_2PtCl_6xH_2O$ M.W. : 409.81 (anhy.) Assay (as Pt) 38-40%	**1 gm**
876190	**Platinum** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HCl	**125 ml**
876220	**Platinum** 1000 ppm Single Element Standard for ICP in HCl	**125 ml**
029569 Pt (7440-06-4)	**Platinum** Wire 0.3 mm At. W.: 195.09	**1 gm**
192765 Pt (7440-06-4)	**Platinum** (Metal) Powder At. W.: 195.09	**1 gm**
192805 Pt (7440-06-4)	**Platinum** 5% on Charcoal At. W.: 195.09	**1 gm** **10 gm**
192825 Pt (7440-06-4)	**Platinum** 10% on Charcoal At. W.: 195.09	**1 gm** **10 gm**
066298 $PtCl_2$ (10025-65-7)	**Platinous Chloride** (Platinum (II) Chloride) M. W.: 266.08 Assay (ex Pt gravimetric) 98%	**1 gm**
024642 $Pt\ Cl_4$ (13454-96-1)	**Platinum** (IV) **Chloride** M.W.: 336.89 Assay (as Pt) 55.0-60.5%	**1 gm**
029752 PtO_2+H_2O (52785-06-5)	**Platinum Dioxide** Hydrate (about 80% Pt) M. W.: 227.09 (anhydrous) Assay Pt.(Gravimetric) 80.0%	**1 gm**
876300	**Platelets Counting Fluid**	**125 ml**
193015 $(C_3H_5NO)n$ (9003-05-8)	**Polyacrylamide** (Mw App. 5,000,000) M. W.: 71.07	**250 gm** **1 kg**
193095 $(C_3H_4O_2)n$ (9003-01-4)	**Polyacrylic Acid** for Synthesis	**100 ml** **500 ml**
015154	**Polyamide Resin** (Pellets) TM 140°	**500 gm**
015156	**Polyamide Resin** (Pellets) TM 160°	**500 gm**
015158	**Polyamide Resin** (Pellets) TM 200°	**500 gm**
193215 (24936-68-3)	**Polycarbonate Resin** (Pellets) M.W.: 20,000-25000	**100 gm** **500 gm**
024697	**Polyelectrolyte -** 236 Emulsion	**500 ml**
024694	**Polyelectrolyte -** 443	**500 ml**
193295 $(C_2H_4)n$ (9002-88-4)	**Polyethylene** for Synthesis Average M. W.: 1700-4000	**500 gm** **5 kg**
029570 $HO(C_2H_4O)_nH$ (25322-68-3)	**Polyethylene Glycol** 200 for Synthesis Average M. W.: 190-210	**500 ml** **2.5 lit** **25 lit** **200 lit**
066300 $HO(C_2H_4O)_nH$ (25322-68-3)	**Polyethylene Glycol** 300 for Synthesis Average M. W.: 285-315	**500 ml** **2.5 lit** **25 lit** **200 lit**
029571 $HO(C_2H_4O)_nH$ (25322-68-3)	**Polyethylene Glycol** 400 for Synthesis Average M. W.: 380-420	**500 ml** **2.5 lit** **25 lit** **200 lit**
029573 $HO(C_2H_4O)nH$ (25322-68-3)	**Polyethylene Glycol** 600 for Synthesis Average M. W.: 570-630	**500 ml** **2.5 lit** **25 lit** **200 lit**

Product Code	Product Name	Packing
193505 (25322-68-3)	**Polyethylene Glycol** 1500 for Synthesis Average M. W.: 1400-1600	**500 gm**
029576 $HO(C_2H_4O)nH$ (25322-68-3)	**Polyethylene Glycol** 4000 Flakes/Powder Average M. W.: 3500-4500	**500 gm** **5 kg** **25 kg**
029577 $HO(C_2H_4O)nH$ (25322-68-3)	**Polyethylene Glycol** 6000 Flakes/Powder Average M. W.: 5000-7000	**500 gm** **5 kg** **25 kg**
193655 $(C_2H_4O)nH_2O$ (25322-68-3)	**Polyethylene Glycol** 8000 Average M.W.: 8000	**500 gm**
029864 $(C_2H_4O)nH_2O$ (25322-68-3)	**Polyethylene Glycol** 20000 Carbowax 20000 Average M.W.: 20000	**500 gm**
193765 $CH_3(OCH_2CH_2)nOH$ (9004-74-4)	**Polyethylene Glycol Monomethyl Ether 350** for Synthesis (Methoxy Polyethylene Glycol 350, MPEG-350, Mono-Methyl polyethylene Glycol) M. W.: 76.09	**500 ml**
	Polyoxyethylene Lauryl Ether See Brij 35	
194025 (63148-57-2)	**Polymethyl Hydrosiloxane** (Pmhs) Average M.W. : 1700-3200	**100 ml** **500 ml**
194115 $(C_5H_8O_2)n$ (9011-14-7)	**Polymethyl Methacrylate** for Synthesis	**500 gm**
025693 $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$ (1405-20-5)	**Polymyxin** B **Sulphate** App. 6,000 USP M. W.: 1385.63 Potency 6000usp units/mg	**1mil.unit**
029578 $H_{n+2}P_nO_{3n+1}$ (8017-16-1)	**Polyphosphoric Acid** for Synthesis Assay (as P_2O_5 Titrimetry) Abt. 85.0%	**500 gm** **2.5 kg**
612135 (8017-16-1)	**Polyphosphoric Acid AR** Assay (as P_2O_5 Titrimetry) Abt. 85.0%	**500 ml**
194255 $(C_3H_6)_n$ (9003-07-0)	**Polypropylene** for Synthesis	**500 gm**
	Polysorbate 20,40, 60 and 80 See Cween 20,40, 60 and 80	
194345 $(C_8H_8)_n$ (9003-53-6)	**Polystyrene** for Synthesis	**500 gm**
194455 $(C_2F_4)_n$ (9002-84-0)	**Polytetra Fluoro Ethylene** for Synthesis	**100 gm** **500 gm**
194545 $(C_4H_6O_2)_n$ (9003-20-7)	**Polyvinyl Acetate** (Very Fine Crystalline Beads) Average M.W. : 100000	**250 gm** **500 gm**

Product Code	Product Name	Packing
029791 $(CH_2CHOH)_n$ (9002-89-5)	**Polyvinyl Alcohol** (Cold) Average M.W. 85,000-1,24,000	**500 gm** **5 kg** **25 kg**
030573 $(CH_2CHOH)_n$ (9002-89-5)	**Polyvinyl Alcohol** (Hot) Average M.W. 13,000-23000	**500 gm** **5 kg** **25 kg**
194865 (63148-65-2)	**Polyvinyl Butyral**	**100 gm** **500 gm**
194915 $(C_2H_3Cl)_n$ (9002-86-2)	**Polyvinyl Chloride** for Synthesis	**500 gm**
024644 $(C_6H_9NO)n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-25 M.W. 10000 (Povidone, PVP)	**100 gm** **500 gm** **5 kg**
029579 $(C_6H_9NO)n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-30 M.W. 40000 Approx. (Povidone, PVP) Avg.M. W.: 40,000	**100 gm** **500 gm** **5 kg**
024643 $(C_6H_9NO)n$ (9003-39-8)	**Polyvinyl Pyrrolidone** K-90 M.W. 360000 (Povidone, PVP)	**500 gm** **5 kg**
961710 $(C_6H_9NO)n$ (9003-39-8)	**Polyvinyl Pyrolidone** K-90 M.W. 360000 for Molecular Biology	**100 gm**
195005 $C_{22}H_{12}N_4Na_4O_{13}S_4$ (6226-79-5)	**Ponceau S** for Electrophoresis C. I. No. 27195 M. W.: 760.57	**25 gm** **100 gm**
195125 $C_{24}H_{16}N_2O_2$ (1806-34-4)	**Popop** Scintillation grade M. W.: 364.41	**5 gm** **25 gm** **100 gm**
044510 $C_{10}H_{22}N_2O_8S_2.2H_2O$ (918131-36-9)	**POPSO** Buffer M. W.: 398.45 Assay 97.0%	**100 gm**
876500	**Potassium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
876550	**Potassium** 200 ppm Single Element Standard for Ion Chromatography in HNO_3	**100 ml** **500 ml**
876570	**Potassium** 1000 ppm Single Element Standard for ICP-MS in HNO_3	**100 ml** **500 ml**
876610	**Potassium** 10000 ppm Single Element Standard for ICP in HNO3	**100 ml** **500 ml**
029580 K (7440-09-7)	**Potassium** metal (In liquid paraffin) At. W.: 39.10 Assay (Acidimetric) 98.0%	**25 gm** **100 gm**
029581 $CH_3.COOK$ (127-08-2)	**Potassium Acetate** M. W.: 98.14 Assay 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
612225 $CH_3.COOK$ (127-08-2)	**Potassium Acetate AR/ACS** M. W.: 98.14 Assay (Non-aqueous) 99.0%	**500 gm**
971720 $CH_3.COOK$ (127-08-2)	**Potassium Acetate** for Molecular Biology M. W.: 98.14 Assay (Non-aqueous) 99.0%	**500 gm**
	Potassium Aluminium Sulphate (Potas alum) See Aluminium Potassium Sulphate	
	Potassium Antimonate See Potassium Pyroantimonate	
	Potassium Antimony (III) **Oxide Tartrate** See Antimony Potassium Tartrate	
195215 C_6H_5COOK (582-25-2)	**Potassium Benzoate** for Synthesis M. W.: 160.21	**250 gm** **500 gm**
029616 $KHCO_3$ (298-14-6)	**Potassium Bicarbonate** M. W.: 100.12 Assay(acidimetric on dried basis) 99.5-100.0%	**500 gm** **1 kg** **50 kg**
195305 KHF_2 (7789-29-9)	**Potassium Bifluoride** Extra Pure M.W.: 78.1	**500 gm** **25 kg**
	Potassium Biphosphate See Potassium Di-Hydrogen otho Phosphate	
	Potassium Bisulphate See Potassium Hydrogen Sulphate	
	Potassium Bitartrate See Potassium Hydrogen (+) Tartrate	
195435 KBH_4 (13762-51-1)	**Potassium Borohydride** for Synthesis M. W.: 53.94	**25 gm** **100 gm**
029588 $KBrO_3$ (7758-01-2)	**Potassium Bromate** M. W.: 167.00 Assay (Iodometric; on dried subs.) 99.0-101.0%	**250 gm** **500 gm** **50 kg**
612285 $KBrO_3$ (7758-01-2)	**Potassium Bromate AR/ACS** M. W.: 167.00 Assay (Iodometric) 99.8%	**500 gm** **50 kg**
029589 KBr (7758-02-3)	**Potassium Bromide** Purified M. W.: 119.00 Assay (ex Br Argentometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612305 KBr (7758-02-3)	**Potassium Bromide AR/ACS** M. W.: 119.00 Assay (Argentometric) 99.5%	**500 gm** **25 kg**
763740 KBr (7758-02-3)	**Potasium Bromide** for Spectroscopy M. W.: 119.00 Assay (Argentometric) 99.5%	**100 gm**
876700	**Potassium Bromide** 0.1M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**

Product Code	Product Name	Packing
876720	**Potassium Bromide** 0.2 M (0.2N) Volumetric Solution	**1 lit**
876750	**Potassium Bromide** 0.5 M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876830	**Potassium Bromide** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
612325 $(CH_3)_3COK$ (865-47-4)	**Potassium** tert-**Butoxide AR** (Potassium Tert-Butoxide) M. W.: 112.21	**250 gm** **1 kg** **5 kg**
026157 K_2CO_3 (584-08-7)	**Potassium Carbonate** (Anhydrous) M. W.: 138.21 Assay (Acidimertic after drying) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612335 K_2CO_3 (584-08-7)	**Potassium Carbonate** (Anhydrous) **AR/ACS** M. W.: 138.21 Assay (Acidimertic after drying at 300° C) 99.9%	**500 gm** **25 kg** **50 kg**
876850	**Potassium Chloride** 0.5M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876870	**Potassium Chloride** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
876900	**Potassium Chloride Solution** 3M (for Potentiometer Electrodes)	**500 ml**
029594 KCl (7447-40-7)	**Potassium Chloride** Purified M. W.: 74.55 Assay (Argentometric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612375 KCl (7447-40-7)	**Potassium Chloride AR** Meets Analytical Specification of IP, BP, Ph. Eur. M. W.: 74.55 Assay 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
971800 KCl (7447-40-7)	**Potassium Chloride** for Molecular Biology M. W.: 74.55 Assay (Argentometric) 99.5%	**500 gm** **5 kg**
612465 K_2PtCl_6 (16921-30-5)	**Potassium Chloro Platinate AR** M. W.: 486.00 Platinum (Pt) 40.0%	**1 gm**
029598 K_2CrO_4 (7789-00-6)	**Potassium Chromate** Purified M. W.: 194.19 Assay (oxidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
612515 K_2CrO_4 (7789-00-6)	**Potassium Chromate AR** M. W.: 194.19 Assay (Iodometric) 99.5-100.5%	**500 gm** **25 kg**
877100	**Potassium Chromate** Solution 5% (Chloride Free)	**125 ml**
877050	**Potassium Chromate** 0.0333m (0.1N) Standardized Solution Nist Traceable	**1 lit**

Product Code	Product Name	Packing
029599 $K_3C_6H_5O_7.H_2O$ (6100-05-6)	tri-**Potassium Citrate** Purified M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0-101.0%	**500 gm** **25 kg** **50 kg**
612545 $K_3C_6H_5O_7.H_2O$ (6100-05-6)	tri-**Potassium Citrate AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 324.41 Assay (Non-aqueous, Calc. on anhydrous subs) 99.0%	**500 gm** **25 kg** **50 kg**
024638 KOCN (590-28-3)	**Potassium Cyanate** for Synthesis M. W.: 81.12 Assay (Argentometric) 97.0%	**500 gm**
019515 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate** Powder (Potassium Bichromate) M. W.: 294.18	**500 gm** **50 kg**
029605 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate** Pure M. W.: 294.18 Assay (iodometric) 99.5%	**500 gm** **1 kg** **2.5 kg** **25 kg** **50 kg**
612615 $K_2Cr_2O_7$ (7778-50-9)	**Potassium Dichromate AR** M. W.: 294.18 Assay (Iodometric; after drying) 99.9%	**500 gm** **25 kg** **50 kg**
877190	**Potassium Dichromate** 0.02M (0.12N) Volumetric Solution for Determination of Cod	**500 ml** **1 lit** **2.5 lit**
877220	**Potassium Dichromate** 0.0417M (0.25N) Volumetric Solution	**1 lit**
877250	**Potassium Dichromate** 0.167M (1N) Volumetric Solution	**1 lit**
877360	**Potassium Dichromate** Solution 1/60 mol/lit Citrisol 2.4515g $K_2Cr_2O_7$ For 500 ml solution 0.1 N solution	**6 amp**
029608 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** Anhydrous Purified M. W.: 136.09 Assay (acidimetric) 99.0-101.0%	**500 gm** **5 kg** **25 kg** **50 kg**
612705 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** Anhydrous **AR/ACS** M. W.: 136.09 Assay (Acidimetric after drying) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
972100 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Ortho Phosphate** for Molecular Biology M. W.: 136.09 Assay (Acidimetric) 99.5%	**500 gm**
764000 KH_2PO_4 (7778-77-0)	**Potassium Dihydrogen Orthophosphate** for HPLC (Potassium Phosphate Monobasic) M.W.: 136.09	**500 gm**
	Potassium Disulphite See Potassium Meta Bisulphite	
195585 C_2H_5OCSSK (140-89-6)	**Potassium Ethyl Xanthate** for Synthesis M.W.: 160.30	**100 gm** **500 gm**

Product Code	Product Name	Packing
029610 $K_3Fe(CN)_6$ (13746-66-2)	**Potassium Ferricyanide** Printing grade M. W.: 329.25 Assay (Iodometric) 97.0%	**100 gm** **500 gm** **25 kg** **50 kg**
612755 $K_3Fe(CN)_6$ (13746-66-2)	**Potassium Ferricyanide AR/ACS** M. W.: 329.25 Assay (iodometric) 99.0%	**500 gm**
029611 $K_4Fe(CN)_6.3H_2O$ (14459-95-1)	**Potassium Ferrocyanide** Purified M. W.: 422.39 Assay (Oxidimertic) 99.0%	**500 gm** **25 kg** **50 kg**
612805 $K_4Fe\ (CN)_6.3H_2O$ (14459-95-1)	**Potassium Ferrocyanide AR/ACS** M. W.: 422.39 Assay (Oxidimertic) 99.0%	**500 gm** **25 kg**
877430	**Potassium Ferricyanide** 0.1M (0.1N) Volumetric Solution	**1 lit**
613535 KBF_4 (14075-53-7)	**Potassium Fluoborate AR** M. W.: 125.90	**1 kg**
029613 KF (7789-23-3)	**Potassium Fluoride** (Anhydrous) M. W.: 58.10 Assay (ion-exchange) 97%	**250 gm** **500 gm** **25 kg** **50 kg**
613625 KF (7789-23-3)	**Potassium Fluoride** (Anhydrous) **AR** M. W.: 58.10 Assay (Ion-exchange) 99.0%	**500 gm** **50 kg**
024634 $CHKO_2$ (590-29-4)	**Potassium Formate** M. W.: 84.12 Assay (Non-aqueous) 98.0%	**100 gm** **500 gm**
613715 $CHKO_2$ (590-29-4)	**Potassium Formate AR** M. W.: 84.12 Assay 99.0%	**500 gm**
024662 $KAu(CN)_2$ (13967-50-5)	**Potassium Gold Cyanide** M. W.: 288.10 Au min. 68.0%	**1 gm** **5 gm**
	Potassium Hexa Cyano Ferrate (III) See Potassium Ferricyanide	
	Potassium Hexa Cyano Ferrate (II) See Potassium Ferrocyanide	
	Potassium Hexachloroplatinate (IV) **See** Potassium Chloroplatinate	
195795 KPF_6 (17084-13-8)	**Potassium Hexafluorophosphate** for Synthesis M.W.: 184.07	**25 gm** **100 gm** **500 gm**
195885 (68514-28-3)	**Potassium Humate**	**500 gm**
	Potassium Hydrogen Carbonate See Potassium Bicarbonate	
613805 $KH\ (IO_3)_2$ (13455-24-8)	**Potassium Hydrogen Di Iodate AR** M. W.: 389.92 Assay(acidimetry) 99.8%	**25 gm**
	Potassium Hydrogen Difluoride See Potassium Bifluoride	

Product Code	Product Name	Packing
029619 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** (Dibasic) Anhydrous M. W.: 174.18 Assay (Acidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
613905 K_2HPO_4 (7758-11-4)	di-**Potassium Hydrogen Ortho Phosphate** (Dibasic) Anhydrous **AR** M. W.: 174.18 Assay (Acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
972300 K_2HPO_4 (7758-11-4)	**di-Potassium Hydrogen Ortho Phosphate** for Molecular Biology M. W.: 174.18 Assay (Acidimetric) 99.5%	**100 gm** **500 gm**
764500 K_2HPO_4 (7758-11-4)	**di-Potassium Hydrogen Ortho Phosphate** for HPLC & Spectroscopy M. W.: 174.18 Assay (Acidimetric) 99.0%	**500 gm**
	tri-**Potassium Hydrogen Orthophosphate** See tri-Potassium Phosphate	
877500	**Potassium Hydrogen Phthalate** 0.1m (0.1N) Volumetric Solution Nist Traceable	**1 lit**
029621 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate** Purified M. W.: 204.22 Assay (after drying) 99.5%	**500 gm** **50 kg**
613965 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate AR** M. W.: 204.22 Assay (Non-aqeuous, after drying) 99.9-100.1%	**500 gm** **50 kg**
764700 $COOH.C_6H_4.COOK$ (877-24-7)	**Potassium Hydrogen Phthalate** for HPLC M.W.: 204.22 Assay 99.5%	**500 gm**
029624 $KHSO_4$ (7646-93-7)	**Potassium Hydrogen Sulphate** Cryst. M. W.: 136.16 Assay (ex; acidity) 99.0%	**500 gm** **25 kg** **50 kg**
614055 $KHSO_4$ (7646-93-7)	**Potassium Hydrogen Sulphate AR** M. W.: 136.16 Assay 99.0%	**500 gm** **25 kg** **50 kg**
029626 $C_4H_5KO_6$ (868-14-4)	**Potassium Hydrogen** (+) **Tartrate** M. W.: 188.18 Assay (alkalimetric; on dried substance) 99.0%	**500 gm** **25 kg** **50 kg**
877950	**Potassium Hydroxide** Solution 40% w/v for Gas Analysis to BS	**500 ml** **1 lit** **2.5 lit**
877970	**Potassium Hydroxide** 45% Aqueous Solution **AR**	**500 ml** **1 lit** **2.5 lit**
877760	**Potassium Hydroxide** 0.1 M (0.1N) Citrisol Volumetric Solution	**3 Amp** **6 Amp**
877700	**Potassium Hydroxide** 0.1 M (0.1N) CTITRINORM Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
877850	**Potassium Hydroxide in Alcohol** 0.5 M (0.5N) Alcoholic CTITRINORM Volumetric Solution	**500 ml** **1 lit** **2.5 lit**

Product Code	Product Name	Packing
877920	**Potassium Hydroxide Alcoholic 1M** (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
026165 KOH (1310-58-3)	**Potassium Hydroxide** Flakes (Caustic Potash) M. W.: 56.11 Assay (Acidimetric) 85.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
614335 KOH (1310-58-3)	**Potassium Hydroxide** Flakes **AR** M. W.: 56.11	**500 gm** **5 kg**
029628 KOH (1310-58-3)	**Potassium Hydroxide** Pellets Purified M. W.: 56.11 Assay (Acidimetric) 85.0%	**500 gm** **5 kg** **25 kg** **50 kg**
614365 KOH (1310-58-3)	**Potassium Hydroxide** Pellets **AR** M. W.: 56.11 Assay (Acidimetric) 85.0%	**500 gm** **5 kg** **25 kg** **50 kg**
195985 KOH (1310-58-3)	**Potassium Hydroxide Pellets** Bio Grade for Biochemistry M. W.: 56.11 Assay 86%	**500 gm**
878100	**Potassium Iodate** 0.0147M (0.08833N) Standardized Solution Nist Traceable	**1 lit**
878130	**Potassium Iodate** 0.01667M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
878160	**Potassium Iodate** 0.05 M (0.3 N) CTITRINORM Volumetric Soln. Nist Traceable	**1 lit**
029630 KIO_3 (7758-05-6)	**Potassium Iodate** Pure M. W.: 214.00 Assay (iodometric) 99.5%	**100 gm** **250 gm** **5 kg**
614405 KIO_3 (7758-05-6)	**Potassium Iodate AR** Oxidizing Agent in Volumetric Chemical Analysis M. W.: 214.00 Assay (Iodometricl; after drying) 99.9%	**100 gm** **250 gm** **5 kg**
878290	**Potassium Iodide Iodate** N/50	**500 ml**
878320	**Potassium Iodide** 0.1M (0.1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
878360	**Potassium Iodide** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
878500	**Potassium Iodide** 3M (3N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
029631 KI (7681-11-0)	**Potassium Iodide** Pure M. W.: 166.00 Assay (Oxidimetric; after drying) 99.0%	**25 gm** **100 gm** **250 gm** **500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
614465 KI (7681-11-0)	**Potassium Iodide AR/ACS** M. W.: 166.00 Assay (Oxidimetric; after drying) 99.8%	25 gm 100 gm 250 gm 1 kg 5 kg 25 kg 50 kg
196095 BiI_7K_4 (12589-75-2)	**Potassium Iodo Bismuthate** M.W. : 1253.50	25 gm
614565 $I_6Pt.K_2$ (16905-14-9)	**Potassium Iodoplatinate AR** M.W. : 1034.68	1 gm
029633 $C_3H_5KO_3$ (996-31-6)	**Potassium Lactate** Soln. Abt 50% M. W.: 128.00 Assay Abt. 50.0%	500 ml
196245 K_2HgI_4 (7783-33-7)	**Potassium Mercuric Iodide** Pure M. W.: 786.38	25 gm 100 gm
029634 $K_2S_2O_5$ (16731-55-8)	**Potassium Metabisulphite** M. W.: 222.31 Assay (Iodometric) 95.0%	500 gm 5 kg 25 kg 50 kg
614625 $K_2S_2O_5$ (16731-55-8)	**Potassium Metabisulphite AR** M. W.: 222.31 Assay (Iodometric) 97.0%	500 gm
196355 KIO_4 (7790-21-8)	**Potassium Meta Periodate** Extra Pure M.W.: 230.00 Assay 99.0%	100 gm 500 gm
614725 KIO_4 (7790-21-8)	**Potassium Meta Periodate AR/ACS** Reagent for Li and Mn M. W.: 230.00 Assay (iodometric after drying) 99.8%	100 gm 500 gm
029638 KNO_3 (7757-79-1)	**Potassium Nitrate** Purified M. W.: 101.10 Assay (Ion-exchange) 99.0%	500 gm 5 kg 25 kg 50 kg
614765 KNO_3 (7757-79-1)	**Potassium Nitrate AR** M. W.: 101.10 Assay (Ion-exchange) 99.5%	500 gm 50 kg
029639 KNO_2 (7758-09-0)	**Potassium Nitrite** Crystal M. W.: 85.11 Assay 97.0%	500 gm
614805 KNO_2 (7758-09-0)	**Potassium Nitrite AR/ACS** M. W.: 85.11 Assay (Redox-titration) 97.0%	250 gm
196505 $C_{15}H_{36}O_2.k$ (143-18-0)	**Potassium Oleate** for Synthesis M. W.: 320.55 Assay 87.0%	500 gm
029641 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate** Purified M. W.: 184.23 Assay (oxidimetric) 99.0%	500 gm 25 kg 50 kg
614895 $(COOK)_2.H_2O$ (6487-48-5)	**Potassium Oxalate AR/ACS** M. W.: 184.23 Assay (Oxidimetric) 99.5%	500 gm 50 kg
878640	**Potassium Oxalate** 5% Solution Assay 4.9-5.1%	125 ml
878660	**Potassium Oxalate** 10% Solution Assay 9.9-10.1%	125 ml
878700	**Patassium Palmitate** 0.1 M Volumetric Solution	1 lit
614935 $KClO_4$ (7778-74-7)	**Potassium Perchlorate AR/ACS** M. W.: 138.55 Assay (argentometric) 99.0-100.5%	500 gm
	Potassium Periodate See Potassium Meta Periodate	
878780	**Potassium Permanganate** Solution 0.02 Mol/lit Citrisol 1.5805g $KMnO_4$ For 500 ml Solution 0.1N Solution	3 Amp
878740	**Potassium Permanganate** 0.01M (0.05N) Volumetric Solution Nist Traceable	1 lit
878790	**Potassium Permanganate** 0.05M (0.25N) Volumetric Solution Nist Traceable	1 lit
878820	**Potassium Permanganate** 0.2M (1N) Volumetric Solution Nist Traceable	1 lit
878850	**Potassium Permanganate** 0.25 N Solution in water	500 ml 1 lit 2.5 lit
878880	**Potassium Permanganate** 1.0 N	500 ml 1 lit 2.5 lit
029644 $KMnO_4$ (7722-64-7)	**Potassium Permanganate** Purified M. W.: 158.03 Assay (Iodometric) 99.0%	500 gm 5 kg 25 kg 50 kg
615025 $KMnO_4$ (7722-64-7)	**Potassium Permanganate AR/ACS** Meets Analytical Specification of USP M. W.: 158.03 Assay (Iodometric) 99.5-100.5%	500 gm 50 kg
029861 $K_2S_2O_8$ (7727-21-1)	**Potassium Persulphate** M. W.: 270.31 Assay (Redox-titration) 98.0%	500 gm 5 kg 25 kg 50 kg
615065 $K_2S_2O_8$ (7727-21-1)	**Potassium Persulphate AR** M. W.: 270.31 Assay (Redox-titration) 99.0%	500 gm 50 kg
196225 K_3PO_4 (7778-53-2)	tri-**Potassium Phosphate** M. W .: 212.27 Assay 97.0%	500 gm
615085 K_3PO_4 (7778-53-2)	tri-**Potassium Phosphate AR** M. W .: 212.27 Assay 98.0%	250 gm
024629 $C_8H_4KNO_2$ (1074-82-4)	**Potassium Phthalimide** M. W.: 185.22 Assay (dried, Non-aqueous) 99.0%	500 gm 25 kg
	Potassium Phosphate Dibasic See di-Potassium Hydrogen Ortho Phosphate	

Product Code	Product Name	Packing
	Potassium Phosphate Mono Basic See Potassium Dihydrogen Ortho Phosphate	
029582 $K[Sb(OH)_6]$ (12208-13-8)	**Potassium Pyroantimonate** (Potassium Antimonate) M. W.: 262.89 Assay (on dried basis) 98.5%	**100 gm** **500 gm**
615175 $K[Sb(OH)_6]$ (12208-13-8)	**Potassium Pyroantimonate AR** M. W.: 262.89 Assay 99.0%	**100 gm** **500 gm**
024660 $K_4O_7P_2$ (7320-34-5)	tetra-**Potassium Pyrophosphate** M. W.: 330.34 Assay (acidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
196375 $K_2S_2O_7$ (7790-62-7)	**Potassium Pyrosulphate** M. W.: 254.33	**500 gm**
615215 $K_2S_2O_7$ (7790-62-7)	**Potassium Pyrosulphate AR** (Potassium Disulphate) M. W.: 254.33 Assay (acidimetric) 97.5%	**500 gm**
196425 K_2SiF_6 (16871-90-2)	**Potassium Silicofluoride** M. W.: 220.27	**1 kg**
029656 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate** M. W.: 282.22 Assay (Non-aqueous) 99.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
615305 $C_4H_4KNaO_6.4H_2O$ (6381-59-5)	**Potassium Sodium** (+) **Tartrate AR/ACS** M. W.: 282.22 Assay (Non-aqueous) 99.0%	**500 gm** **25 kg** **50 kg**
024651 $C_6H_7KO_2$ (24634-61-5)	**Potassium Sorbate** M. W.: 150.22 Assay (Acidimetric; on cal. dried basis) 99.0-101.0%	**1 kg** **25 kg** **50 kg**
196515 $K_2SnO_3.3H_2O$ (12125-03-0)	**Potassium Stannate** Trihydrate for Synthesis M. W.: 298.95 Assay (Trance metal basis) 99.9%	**500 gm**
196595 $C_{18}H_{35}O_2.K$ (593-29-3)	**Potassium Stearate** for Synthesis M. W.: 322.57	**500 gm**
029658 K_2SO_4 (7778-80-5)	**Potassium Sulphate** Low in Nitrogen Content Suitable for Protein Test M. W.: 174.25 Assay (Alkalimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
615395 K_2SO_4 (7778-80-5)	**Potassium Sulphate AR/ACS** M. W.: 174.25 Assay (Alkalimetric) 99.5%	**500 gm** **25 kg** **50 kg**
196725 K_2S (1312-73-8)	**Potassium Sulphide** M. W.: 110.26	**500 gm**
196775 K_2SO_3 (10117-38-1)	**Potassium Sulphite** M. W.: 158.26 Assay 90.0%	**500 gm**
615795 K_2SO_3 (10117-38-1)	**Potassium Sulphite AR** M. W.: 158.26 Assay 90.0%	**1 kg**
	Potassium Sulphocyanide See Potassium Thiocyanate	
196815 $C_4H_6O_6.K_2$ (921-53-9)	**Potassium Tartrate** Extra Pure M. W.: 226.26	**500 gm**
615985 $C_4H_6O_6.K_2$ (921-53-9)	**Potassium Tartrate AR** M. W.: 226.26	**250 gm**
	Potassium Tert-Butoxide See Potassium tert-Butoxide	
196780 $K_2TeO_3.3H_2O$ (7790-58-1)	**Potassium Tellurite** Trihydrate for Microbiology M.W. : 307.84 Assay (Argentometric on dried substance) 98.0%	**25 gm** **100 gm**
029664 $K_2B_4O_7.4H_2O$ (12045-78-2)	**Potassium Tetraborate** M. W.: 305.50 Assay 99.0-101.0%	**500 gm**
024654 K_2PtCl_4 (10025-99-7)	**Potassium Tetra Chloro Platinate** (II) M. W.: 415.09 Assay (ex Pt Gravimetric) 46.3-47.0%	**1 gm**
029665 $C_4H_3KO_8.2H_2O$ (6100-20-5)	**Potassium Tetraoxalate** M. W.: 254.19 Assay 99.0%	**500 gm**
616385 $C_4H_3KO_8.2H_2O$ (6100-20-5)	**Potassium Tetraoxalate** (Dihydrate) **AR** M. W.: 254.19	**100 gm**
879120	**Potassium Thiocyanate** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
879160	**Potassium Thiocyanate** 0.05 M (0.05N) CTITRINORM Volumetric Solution	**1 lit**
029666 KSCN (333-20-0)	**Potassium Thiocyanate** M. W.: 97.18 Assay (Argentometric) 98.0%	**500 gm** **25 kg** **50 kg**
616475 KSCN (333-20-0)	**Potassium Thiocyanate AR/ACS** M. W.: 97.18 Assay (Argentometric) 99.0%	**500 gm** **25 kg** **50 kg**
196925 $K_2S_2O_3$ (10294-66-3)	**Potassium Thiosulphate** Practical Grade M. W.: 190.32 Assay 95.0%	**100 gm** **500 gm**
196975 K_2TiO_3 (12030-97-6)	**Potassium Titanate** M. W.: 174.06	**100 gm** **500 gm**
024658 K_2TiF_6 (16919-27-0)	**Potassium Titanium Fluoride** M. W.: 240.09 Assay 98.0%	**500 gm**
616795 K_2TiF_6 (16919-27-0)	**Potassium Titanium Fluoride AR** M. W.: 240.09	**500 gm**

Product Code	Product Name	Packing
616885 $K_2TiC_4O_9.2H_2O$ (14402-67-6)	**Potassium Titanium Oxalate AR** M. W.: 354.13 Assay 98.5%	**100 gm** **250 gm**
024630 KVO_3 (13769-43-2)	**Potassium** Meta **Vanadate** M.W.: 138.04 Assay (exV) 98.0%	**100 gm** **500 gm**
	Potato Starch See Starch Potato	
014615 $C_{15}H_{11}NO$ (92-71-7)	**PPO** (2,5-Diphenyloxazole) Scintillation grade M. W.: 221.26 Assay (Spectrophotometric) 99.0%	**25 gm** **100 gm**
RE2140 (7440-10-0)	**Praseodymium** Metal **Ingot** Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE2145 (7440-10-0)	**Praseodymium** Metal **Lump** Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2150 (7440-10-0)	**Praseodymium** Metal **Powder** 325 Mesh Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2155 (7440-10-0)	**Praseodymium** Metal **Wire** 0.1mm Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2160 (7440-10-0)	**Praseodymium** Metal **Rod** 5mmx30cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2165 (7440-10-0)	**Praseodymium** Metal **Foil** 0.25 mmx40cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2170 (7440-10-0)	**Praseodymium** Metal Foil 0.50 mmx40cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2175 (7440-10-0)	**Praseodymium** Metal SLAB 1cmx40cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2180 (7440-10-0)	**Praseodymium** Metal Disc 0.1mmxdia 35cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2195 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2200 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2205 $Pr(O_2C_2H_3)_3.xH_2O$ (334869-74-8)	**Praseodymium Acetate** M. W.: 318.03 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2220 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2225 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2230 $Pr_2(CO_3)_3.8H_2O$ (14948-62-0)	**Praseodymium Carbonate** M. W.: 605.97 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2245 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**

Product Code	Product Name	Packing
RE2250 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2255 $PrCl_3.xH_2O$ (19423-77-9)	**Praseodymium Chloride** M. W.: 247.27 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2270 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2275 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.99%	**5 gm** **100 gm**
RE2280 PrF_3 (13709-46-1)	**Praseodymium Fluoride** M. W.: 197.90 Assay (Trace metal basis) 99.999%	**10 gm** **100 gm**
RE2300 $Pr(OH)_3.xH_2O$	**Praseodymium Hydroxide** M. W.: 191.90 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2305 $Pr(OH)_3.xH_2O$	**Praseodymium Hydroxide** M. W.: 191.90 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2320 $Pr(NO_3)_3.xH_2O$	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2325 $Pr(NO_3)_3.xH_2O$	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2330 $Pr(NO_3)_3.xH_2O$	**Praseodymium Nitrate** M. W.: 326.92 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2345 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2350 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2355 $Pr_2(C_2O_4)_3.xH_2O$ (28877-86-3)	**Praseodymium Oxalate** M. W.: 545.87 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2370 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.9%	**10 gm** **25 gm** **100 gm**
RE2375 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2380 Pr_6O_{11} (12037-29-5)	**Praseodymium Oxide** M. W.: 1021.43 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2395 $Pr_2(SO_4)_3.8H_2O$ (13510-41-3)	**Praseodymium Sulphate** M. W.: 714.12 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **500 gm**
RE2400 $Pr_2(SO_4)_3.8H_2O$ (13510-41-3)	**Praseodymium Sulphate** M. W.: 714.12 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**

Product Code	Product Name	Packing
029672 $C_{13}H_{11}N_3.0.5H_2SO_4.XH_2O$ (1811-28-5)	**Proflavine Hemisulphate** hydrate M.W. : 258.29 (Anhy.)	**10 gm** **25 gm**
043033 $C_{21}H_{30}O_2$ (57-83-0)	**Progesterone** for lab use M. W.: 314.47 Assay(HPLC) 97.0%	**5 gm** **25 gm** **500 gm**
617495 $C_5H_9NO_2$ (344-25-2)	D-**Proline AR** M. W.: 115.13 Assay 99.0%	**1 gm** **5 gm**
037143 $C_5H_9NO_2$ (147-85-3)	L-**Proline** for Biochemistry M. W.: 115.13 Assay (Non-aq.on dried subs.) 99.0%	**5 gm** **25 gm** **500 gm**
	Propan-1-ol See 1-Propanol	
	Propan-2-ol See 2-Propanol	
029673 $C_3H_8O_2$ (57-55-6)	1,2-**Propanediol** for Synthesis (Propylene Glycol) M. W.: 76.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
617585 $C_3H_8O_2$ (57-55-6)	1,2-**Propanediol AR** M. W.: 76.10 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
765700 $C_3H_7NaO_3S$ (14533-63-2)	1-**Propane Sulphonic Acid Sodium Salt** HPLC M.W. : 146.14 Assay 99.0%	**5 gm** **25 gm**
029679 C_3H_8O (71-23-8)	1-**Propanol** for Synthesis (n-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
617645 C_3H_8O (71-23-8)	1-**Propanol AR** (n-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
765800 C_3H_8O (71-23-8)	1-**Propanol** for HPLC & Spectroscopy M. W.: 60.10 Assay (GC) 99.8%	**1 lit**
765760 C_3H_8O (71-23-8)	1-**Propanol** for Pesticide residue analysis (n-Propyl Alcohol, Propan-1-Ol) M. W.: 60.10	**1 lit**
029694 C_3H_8O (67-63-0)	2-**Propanol** for Synthesis (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.0%	**500 ml** **2.5 lit** **5 lit** **25 lit** **200 lit**
617665 C_3H_8O (67-63-0)	2-**Propanol AR** (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
617675 C_3H_8O (67-63-0)	2-**Propanol** Specially dried **AR** M. W.: 60.10 Assay (GC) 99.5%	**500 ml** **2.5 lit**


Product Code	Product Name	Packing
765857 C_3H_8O (67-63-0)	2-**Propanol** EL grade (ISO-Propyl Alcohol) M. W.: 60.10 Assay (GC) 99.8%	**2.5 lit**
765860 C_3H_8O (67-63-0)	2-**Propanol** for HPLC & Spectroscopy M. W.: 60.10 Assay (GC) 99.8%	**1 lit** **2.5 lit**
972570 C_3H_8O (67-63-0)	2-**Propanol** for Molecular Biology M. W.: 60.10 Assay (GC) 99.5%	**500 ml**
765900 C_3H_8O (67-63-0)	**Propanol-2-OL** for Pesticide Residue Trace Analysis (Iso Propyl Alcohol, 2-Propanol) M. W.: 60.10	**500 ml** **1 lit**
D89478 C_3H_7DO (3972-26-7)	2 **Propanol** d_1 M.W.: 61.10 (for NMR Spectroscopy) Assay Min. 98.0 atom%D	**25 ml**
024683 $C_{16}H_{21}NO_2.HCl$ (318-98-9)	● **Propanolol Hydrochloride** for Lab Use M. W.: 295.81 Assay 99.0%	**5 gm**
197385 C_3H_4O (107-19-7)	**Propargyl Alcohol** (2-Propyn-1-ol,Propinol, Ethynyl Carbinol) M. W.: 56.06	**500 ml** **2.5 lit** **25 lit**
029685 C_3H_6O (123-38-6)	**Propionaldehyde** for Synthesis M. W.: 58.08 Assay (GC) 98.0%	**500 ml** **2.5 lit**
029688 $C_3H_6O_2$ (79-09-4)	**Propionic Acid** for Synthesis M. W.: 74.08 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
029689 $C_6H_{10}O_3$ (123-62-6)	**Propionic Anhydride** for Synthesis M. W.: 130.14 Assay 97.0%	**500 ml** **2.5 lit** **25 lit**
197535 CH_3CH_2CN (107-12-0)	**Propionitrile** for Synthesis (Ethyl Cyanide) M. W.: 55.08	**250 ml** **1 lit**
618305 CH_3CH_2CN (107-12-0)	**Propionitrile AR** M. W.: 55.08	**250 ml**
197625 CH_3CH_2COCl (79-03-8)	**Propionyl Chloride** for Synthesis (Propionic Acid Chloride) M. W.: 92.52	**500 ml** **2.5 lit**
197695 $C_9H_{10}O$ (93-55-0)	**Propiophenone** for Synthesis (Ethyl Phenyl Ketone) M. W.: 134.18	**500 ml** **2.5 lit**
197885 $C_5H_{10}O_2$ (109-60-4)	n-**Propyl Acetate** for Synthesis M. W.: 102.13	**500 ml** **2.5 lit** **25 lit** **200 lit**
	n-**Propyl Alcohol** See 1-Propanol	

Product Code	Product Name	Packing
	iso-**Propyl Alcohol** See 2-Propanol	
	iso-**Propyl Bromide** See ISO-Propyl Bromide	
198065 C_9H_{12} (103-65-1)	N-**Propyl Benzene** M. W.: 120.19 Assay 97.5%	**25 ml** **100 ml**
	iso-**Propylamine** See ISO-Propylamine	
029695 C_3H_9N (107-10-8)	n-**Propylamine** for Synthesis M. W.: 59.11 Assay(GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
619005 C_3H_9N (107-10-8)	n-**Propylamine AR** M. W.: 59.11	**500 ml** **2.5 lit**
198155 $C_9H_{13}N$ (1821-39-2)	2-**Propylaniline** M. W.: 135.21 Assay 96.5%	**5 gm**
198185 $C_9H_{13}N$ (2696-84-6)	4-**Propylaniline** M. W.: 135.21 Assay 98.0%	**1 gm** **5 gm**
027484 $CH_3.CH_2.CH_2Br$ (106-94-5)	n-**Propyl Bromide** for Synthesis M. W.: 122.99 Assay (GC) 99.0%	**500 ml**
198305 $C_4H_6O_3$ (108-32-7)	**Propylene Carbonate** (1,2-Propanediol Cyclic Carbonate) (4-Methyl-1,3-Dioxolan-2-one) M. W.: 102.09	**500 ml** **2.5 lit** **25 lit** **200 lit**
619325 $C_4H_6O_3$ (108-32-7)	**Propylene Carbonate AR** M. W.: 102.09	**500 ml**
198415 $C_3H_{10}N_2$ (78-90-0)	**Propylene Diamine** for Synthesis M. W.: 74.12 Assay 98.5%	**250 ml**
	Propylene Glycol See 1,2-Propanediol	
619505 C_3H_6O (75-56-9)	**Propylene Oxide AR** M. W.: 58.08 Assay 99.5%	**1 lit**
029704 $C_{10}H_{12}O_5$ (121-79-9)	n-**Propyl Gallate** (Antioxident) M. W.: 212.20 Assay (Complexometric) 98.0%	**100 gm** **500 gm** **5 kg** **25 kg**
025691 $C_{10}H_{12}O_3$ (94-13-3)	**Propyl**-p-**Hydroxy Benzoate** (Propyl Paraben) M. W.: 180.20 Assay Acidimetric, potentiometric cal. on dried subs. 99.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
024627 $C_{10}H_{11}NaO_3$ (35285-69-9)	**Propyl**-p-**Hydroxy Benzoate** **Sodium Salt** M. W.: 202.19 Assay 99.0-104.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
198505 C_3H_7I (107-08-4)	n-**Propyl Iodide** for Synthesis (1-Iodopropane) M.W. : 169.99 Assay 99.0%	**100 ml** **250 ml**

Product Code	Product Name	Packing
	iso-**Propyl Myristate** See ISO-Propyl Myristate	
619845 (53597-25-4)	**Protamine Sulphate AR**	**5 gm**
024647	**Protein A** Soluble Purified from S aureus Cell Wall, Lyophilised essentially salt free binding capacity 7-14 mgm of human 1g per mgm solid	**2 mgm**
198615 $(OH)_2C_6H_3CO_2H$ (99-50-3)	**Protocatechuic Acid** for Synthesis M. W.: 154.12 Assay 97.0%	**10 gm** **25 gm** **100 gm** **500 gm**
198695 $Fe_4[Fe(CN)_6]_3$ (14038-43-8)	**Prussian Blue** for Microscopy M.W. : 859.23	**10 gm** **50 gm**
033083 (1332-09-8)	**Pumic Stone** (Granular for elemental analysis)	**500 gm**
024659 (1332-09-8)	**Pumic Stone** Powder	**500 gm** **5 kg**
029707 C_5H_5N (110-86-1)	**Pyridine** M. W.: 79.10 Assay (GC) 99.0%	**250 ml** **500 ml** **2.5 lit**
619935 C_5H_5N (110-86-1)	**Pyridine AR** M. W.: 79.10 Assay 99.5%	**250 ml** **500 ml** **2.5 lit** **25 lit** **200 lit**
620355 C_5H_5N (110-86-1)	**Pyridine "Dry" AR** M. W.: 79.10	**500 ml**
199000 C_5H_5N (110-86-1)	**Pyridine** for Karl Fischer Reagent M. W.: 79.10	**500 ml**
766500 C_5H_5N (110-86-1)	**Pyridine** for HPLC & Spectroscopy M. W.: 79.10	**500 ml**
D93078 C_5D_5N (7291 22 7)	**Pyridine** d_5 (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99 5 atom%D	**10x0.75 ml**
D93087 C_5D_5N (7291 22 7)	**Pyridine** d_5 (for NMR Spectroscopy) M.W.: 84.14 Assay Min. 99 5 atom%D	**10 ml**
198905 $C_7H_5NO_4$ (499-83-2)	**Pyridine** 2:6-**Dicarboxylic Acid** for Synthesis M. W.: 167.12 Assay 99.0%	**5 gm** **25 gm**
199045 $C_5H_5N.HBr$ (18820-82-1)	**Pyridine Hydrobromide** for Synthesis (Pyridinium Bromide) M. W.: 160.01	**100 gm** **250 gm** **1 kg**
199095 C_5H_5NO (694-59-7)	**Pyridine**-N-**Oxide** for Synthesis M. W.: 95.10 Assay 94.0-106.0%	**100 gm**


Product Code	Product Name	Packing
199175 $C_6H_4N_2$ (100-54-9)	**3-Pyridine Carbonitrile** (3-Cyano Pyridine) M. W.: 104.11 Assay 98.0%	**100 gm** **500 gm**
199205 $C_6H_4N_2$ (100-48-1)	**4-Pyridine Carbonitrile** (4-Cyano Pyridine) M. W.: 104.11 Assay 98.0%	**100 gm** **500 gm**
199315 $C_5H_6NClCrO_3$ (26299-14-9)	**Pyridinium Chlorochromate** for Synthesis M. W.: 215.56 Assay 98.0%	**100 gm** **500 gm**
620785 $C_{10}H_{10}N_2.H_2Cr_2O_7$ (20039-37-6)	**Pyridinium Dichromate AR** M. W.: 376.20	**25 gm** **100 gm** **500 gm**
199405 $C_{12}H_{13}NO_3S$ (24057-28-1)	**Pyridinium**-p-**Toluene Sulphonate** for Synthesis (4-Toluenesulphonic Acid Pyridine Salt) M. W.: 251.30	**25 gm**
024668 $C_8H_{10}NO_6PH_2O$ (41468-25-1)	● **Pyridoxal**-5-**Phosphate** for Biochemistry M. W.: 265.16 Assay 99.0%	**1 gm** **5 gm**
044086 $C_8H_{11}NO_3.HCl$ (58-56-0)	**Pyridoxine Hydrochloride** For Biochemistry M. W.: 205.64 Assay (dried, non aqueous) 98-101.0%	**10 gm** **25 gm** **100 gm**
029438 $C_{12}H_9NO$ (127406-56-8)	4-(2-**Pyridyl) Benzaldehyde** M.W.: 183.21	**5 gm** **500 gm**
620875 $C_{20}H_{14}N_4$ (1046-56-6)	3-(2-**Pyridyl)**-5,6-**Diphenyl**-1,2,4-**Triazine AR (PDT)** M. W.: 310.36 Assay ($HClO_4$-titration) 99.0%	**1 gm** **5 gm**
620885 $C_{20}H_{12}N_4Na_2O_6S_2$ (28048-33-1)	3-(2-**Pyridyl)**-5,6-**Diphenyl** -1,2,4-**Triazine** 4'-4"-**Disulphonic Acid Disodium Salt AR** M. W.: 514.44 Assay ($HClO_4$-titration, on anhydrous substances) 99.0%	**1 gm**
	1-(2-**Pyridyl Azo**)-2-**naphthol** Metal (Pm) Indicator See PAN Indicator	
	4-(2-**Pyridyl Azo) Resorcinol Mono Sodium Salt** Metal (Pm) Indicator See PAR Indicator	
024673 $C_9H_{13}N_3$ (34803-66-2)	1- (2-**Pyridyl) Piprazine** M.W.: 163.22	**25 gm** **500 gm**
027653 $C_6H_4(OH)_2$ (120-80-9)	**Pyrocatechol** M. W.: 110.11 Assay (GC) 98.0%	**100 gm** **500 gm** **25 kg** **50 kg**
620925 $C_6H_4(OH)_2$ (120-80-9)	**Pyrocatechol AR** M. W.: 110.11 Assay (GC) 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
621295 $C_{19}H_{14}O_7S$ (115-41-3)	**Pyrocatechol Violet AR** (Catechol violet) M.W.: 386.38	**1 gm** **5 gm**
029716 $C_6H_3(OH)_3$ (87-66-1)	**Pyrogallol** for Synthesis 1, 2, 3-Trihydroxy benzene (Pyrogallic acid) M. W.: 126.11 Assay (By GC) 98.0%	**100 gm** **500 gm** **25 kg**
621385 $C_6H_3(OH)_3$ (87-66-1)	**Pyrogallol AR** M. W.: 126.11 Assay (By GC) 99.0%	**100 gm** **500 gm**
621425 $C_{19}H_{14}O_9S$ (32638-88-3)	**Pyrogallol Red AR** M. W.: 418.38	**1 gm**
199545 $C_5H_7NO_3$ (98-79-3)	**L-Pyroglutamic Acid** for Biochemistry M. W.: 129.11 Assay 99.0%	**25 gm** **100 gm**
199625 $C_{42}H_{54}Cl_8Fe_2N_4O_2$ (2150-48-3)	**Pyronin B** C. I. NO. 45010 M.W.: 1042.22 Dye content 40.0%	**5 gm**
199645 $C_{17}H_{19}ClN_2O$ (92-32-0)	**Pyronin G** for Microscopy Suitable as Tracker Dye in Acid Buffer System (Pyronin y) c. I. No. 45005 M.W.: 302.80	**5 gm**
199755 C_4H_5N (109-97-7)	**Pyrrole** for Synthesis M.W.: 67.09 Assay 97.5%	**100 ml** **500 ml**
199835 $C_5H_5NO_2$ (634-97-9)	**Pyrrole**-2-**Carboxylic Acid** M.W.: 111.10 Assay 99.0%	**10 gm** **100 gm**
199945 C_4H_9N (123-75-1)	**Pyrrolidine** for Synthesis (Tetramethyleneimine Tetrahydropyrole) M.W.: 71.12	**250 ml** **1 lit**
621465 C_4H_9N (123-75-1)	**Pyrrolidine AR** M. W.: 71.12 Assay 99.5%	**100 ml**
200105 $C_6H_{13}NO$ (2955-88-6)	**2-Pyrrolidino Ethanol** for Synthesis M.W.: 115.17 Assay 97.0%	**250 gm**
200225 C_7H_7NO (616-45-5)	2-**Pyrrolidone** (2-Pyrrolidone, Butyrolactum) M.W.: 85.10	**500 ml** **2.5 lit** **25 lit** **200 lit**
	Pyruvic Acid Sodium Salt See Sodium Pyruvate	



Product Code	Product Name	Packing
623895 SiO_2 (14808-60-7)	**Quartz** Granular **AR** Washed and Calcined M. W.: 60.09	**250 gm** **1 kg**
024449 SiO_2 (14808-60-7)	**Quartz** Powder Pure M. W.: 60.08	**250 gm** **1 kg**
024500 SiO_2 (14808-60-7)	**Quartz** Powder ≤ 230 Mesh Pure M. W.: 60.08	**100 gm**
623905 SiO_2 (14808-60-7)	**Quartz** Powder ≤ 230 mesh **AR** M. W.: 60.08	**100 gm**
024448 SiO_2 (14808-60-7)	**Quartz** Powder ≥ 230 Mesh Pure M. W.: 60.08	**100 gm** **500 gm**
623910 SiO_2 (14808-60-7)	**Quartz** Fine Powder > 230 Mesh **AR** M. W.: 60.08	**250 gm** **1 kg**
024446 SiO_2 (14808-60-7)	**Quartz** Sand Acid Purified Pure M. W.: 60.08	**500 gm** **1 kg**
024447 SiO_2 (14808-60-7)	**Quartz** White Powder Pure For Cleaning of Platinum,Crucibles, Calcined, Crdeu M. W.: 60.08	**2.5 kg**
623915 SiO_2 (14808-60-7)	**Quartz** Washed & Calcined **AR** M. W.: 60.08	**250 gm** **1 kg**
205315 $C_{15}H_{10}O_7.2H_2O$ (6151-25-3)	**Quercetin Dihydrate** (3,3,4,5,7-pentahydroxyflavone) M. W.: 338.27	**25 gm** **100 gm**
205395 $C_{23}H_{30}ClN_3O.2HCl$ (69-05-6)	**Quinacrine Dihydrochloride** for Synthesis M. W.: 472.88 Assay 98.0%	**5 gm** **25 gm** **100 gm**
205505 $C_{10}H_9N$ (91-63-4)	**Quinaldine** for Synthesis (2-Methylqunoline) M. W.: 143.19 Assay 95.0%	**100 ml** **500 ml**
205615 $C_{21}H_{23}IN_2$ (117-92-0)	**Quinaldine Red** Indicator M. W.: 430.33 Dye content 95.0%	**1 gm** **5 gm**
626895 $C_{10}H_7NO_2$ (93-10-7)	**Quinaldic Acid AR** M. W.: 173.17 Assay 98.0%	**5 gm**
626985 $C_{14}H_8O_6$ (81-61-8)	**Quinalizarin AR** for Microscopy (C.I. No. 58500) M. W.: 272.21 Assay 95.0%	**5 gm** **10 gm**
205725 $C_{14}H_8O_6$ (81-61-8)	**Quinalizarin** Pract Grade M. W.: 272.21	**5 gm** **10 gm** **25 gm**

Product Code	Product Name	Packing
627075 $C_{12}H_{10}O_4$ (106-34-3)	**Quinhydrone AR** M. W.: 218.21	**100 gm** **500 gm**
205835 $C_7H_{12}O_6$ (77-95-2)	**Quinic Acid** for Synthesis M. W.: 192.17 Assay 98.0%	**5 gm** **25 gm**
627135 (146-39-4)	**Quinine Glycero Phosphate AR**	**5 gm**
024445 $(C_{20}H_{24}N_2O_2)_2.H_2SO_4.2H_2O$ (6119-70-6)	**Quinine Sulphate** M. W.: 782.95 Assay (Non-aqueous) 99.5%	**25 gm**
627175 $(C_{20}H_{24}N_2O_2)_2.H_2SO_4.2H_2O$ (6119-70-6)	**Quinine Sulphate AR** M. W.: 782.95 Assay (Non-aqueous) 99.5%	**25 gm**
205925 $C_{14}H_8O_4$ (81-64-1)	**Quinizarine** for Synthesis M. W.: 240.21 Assay 95.0%	**25 gm** **100 gm**
	Quinol See Hydroquinone	
030012 C_9H_7N (91-22-5)	**Quinoline** for Synthesis M. W.: 129.16 Assay (GC) 97.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
627495 C_9H_7N (91-22-5)	**Quinoline AR** M. W.: 129.16	**1 lit**
206035 $C_{10}H_7NO_2$ (486-74-8)	**Quinoline-4-Carboxylic Acid** for Synthesis M. W.: 173.17 Assay 97.0%	**1 gm**
206140 (8003-22-3)	**Quinoline Yellow** (Spirit Soluble) C.I. 47000	**25 gm**
206145 $C_{18}H_9NO_8S_2Na$ (8004-92-0)	**Quinoline Yellow** (Water Soluble) C.I. 47005 M. W.: 477.38	**25 gm** **100 gm**
206235 $C_7H_5NO_4$ (89-00-9)	**Quinolinic Acid** for Synthesis M.W.: 167.12 Assay 99.0%	**5 gm** **25 gm** **100 gm** **500 gm**




Product Code	Product Name	Packing
883000	**R.B.C. Diluting Fluid** (Gower's)	**500 ml**
883010	**R.B.C. Diluting Fluid** (Hayem's)	**125 ml** **500 ml**
632495 $C_{18}H_{32}O_{16}.5H_2O$ (17629-30-0)	D-**Raffinose AR** (Pentahydrate) M. W.: 594.52	**10 gm** **25 gm** **100 gm**
883110	**Rare Earth Multielelemnt ICP Nist** Traceable "Certified" 10mg/L in Nitric Acid (Ce, Dy, Er, Eu, Gd, Ho, La, Lu, Nd, Pr, Sc, Sm, Tb, Th, Tm, U, Y, Yb)	**100 ml**
	Reinecke Salt See Ammonium Reineckate	
632585 $C_{33}H_{40}N_2O_9$ (50-55-5)	**Reserpine AR** M.W.: 608.69 Assay (Non-aqueous) ≥ 99.0%	**1 gm** **5 gm**
	Resazurin AR See Resazurin Sodium Salt	
632635 $C_{12}H_6N.NaO_4$ (62758-13-8)	**Resazurin Sodium Salt AR** M. W.: 251.17 Dye content Min. 75.0%	**1 gm** **5 gm**
883200 $C_{12}H_6N.NaO_4$ (62758-13-8)	**Resazurin Tablets** M. W.: 251.17	**10 tabs** **100 tabs**
030019 $C_6H_4(OH)_2$ (108-46-3)	**Resorcinol** for Synthesis M. W.: 110.11 Assay (GC) 99.0%	**250 gm** **500 gm** **25 kg**
632695 $C_6H_4(OH)_2$ (108-46-3)	**Resorcinol AR** M. W.: 110.11 Assay(GC) 99.5%	**100 gm** **500 gm**
213755 $C_8H_{10}O_2$ (151-10-0)	**Resourcinol Dimethyl Ether** for Synthesis M.W.: 138.16 Assay 98.0%	**100 gm**
213865 $C_7H_6O_3$ (95-01-2)	**b-Resourcylaldehyde** for Synthesis M.W.: 138.12 Assay 97.5%	**25 gm**
213975 $C_{14}H_{12}O_3$ (501-36-0)	**Resveratrol** for Biochemistry M. W.: 228.24 Assay 99.0%	**100 mgm** **500 mgm** **1 gm** **5 gm**
883225	**Reticulocyte Counting** Fluid	**125 ml**
632785 $C_6H_{12}O_5H_2O$ (10030-85-0)	L-**Rhamnose AR** M. W.: 182.17	**5 gm** **25 gm**
883250	**Rhenium** Atomic Absorption Std.Soln. contain1000 mg/lit AAS in HNO_3	**100 ml**
883260	**Rhenium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
030668 Re (7440-15-5)	**Rhenium metal powder** M. W.: 186.21 Assay 99.9%	**1 gm** **5 gm**

Product Code	Product Name	Packing
632705 $ReCl_5$ (13596-35-5)	**Rhenium** (V) **Chloride AR** M.W.: 363.47	**2 gm**
632795 $C_{28}H_{31}N_2O_3Cl$ (81-88-9)	**Rhodamine B AR** for Microscopy C.I. No. 45170 M. W.: 479.02 Dye content Abt. 80.0%	**25 gm** **100 gm**
214165 $C_{29}H_{30}ClN_3O_3S$ (36877-69-7)	**Rhodamine B-Iso-Thiocyanate** for Biochemistry & Microscopy M.W.: 536.08	**100 mgm** **1 gm**
020102 $C_{28}H_{31}ClN_2O_3$ (989-38-8)	**Rhodamine** 6G C.I. No. 45160 M. W.: 479.02 Dye content (Spectrophotometric, on dried subs.) Abt. 95.0%	**25 gm** **100 gm** **1 kg**
214275 $C_3H_3NOS_2$ (141-84-4)	**Rhodanine** (2-Thioxo-4-Thiazolidinone) M.W.: 133.19 Assay (HPLC) 98.0%	**25 gm**
214395 $C_{10}H_{20}O$ (141-25-3)	**Rhodinol** for Synthesis M. W.: 156.27	**500 gm**
214505 $C_{12}H_{22}O_2$ (141-11-7)	**Rhodinyl Acetate** for Synthesis M. W.: 198.30	**500 gm**
214525 $C_{14}H_{26}O_2$ (732282-93-8)	**Rhodinyl Butyrate** for Synthesis M. W.: 226.36	**500 gm**
214545 (845870-35-1)	**Rhodinyl Formate** for Synthesis	**500 gm**
214565 $C_{18}H_{26}O_2$ (10486-14-3)	**Rhodinyl Phenyl Acetate** for Synthesis M. W.: 274.40	**500 gm**
883320	**Rhodium** Atomic Absorption Std.Soln. contain1000 mg/lit AAS in HNO_3	**100 ml**
883330	**Rhodium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
214675 Rh (7440-16-6)	**Rhodium** (Metal) Powder A.W.: 102.91 Assay 99%	**1 gm**
030671 $RhCl_3xH_2O$ (20765-98-4)	**Rhodium Trichloride** Rh contain abt 40% M. W.: 209.26 (Anhydrous) Assay (Rh) 40.0%	**1 gm**
044088 $C_{17}H_{20}N_4O_6$ (83-88-5)	**Riboflavin** For Biochemistry Vitamin B2 (For Lab use) M. W.: 376.37 Assay (Spectrophotometric, on dried substance) 98.0-102.0%	**10 gm** **25 gm** **500 gm**
044089 $C_{17}H_{20}N_4NaO_9P$ (130-40-5)	**Riboflavin-5-Mono Phosphate Sodium Salt** (FMN) for Biochemistry M. W.:478.33 (For Lab use) Assay (UV) 93.0%	**5 gm** **25 gm**

Product Code	Product Name	Packing
039039 (9001-99-4)	•**Ribonuclease** 3xcryst Lyophilised (R Nase) ex. Bovine pancreas	**100 mgm** **500 mgm**
038058 $C_5H_{10}O_5$ (50-69-1)	•D-**Ribose** for Biochemistry M. W.: 150.13 Assay ≥ 99.0%	**5 gm** **25 gm** **1 kg**
214805 $C_5H_{10}O_5$ (24259-59-4)	L-**Ribose** for Biochemistry M.W.: 150.13	**250 mgm** **1 gm**
223945 (9005-25-8)	**Rice Starch**	**500 gm**
099800 $C_{43}H_{58}N_4O_{12}$ (13292-46-1)	•**Rifampicin** for Lab use M. W.: 822.96 Assay(dried subsatnce) 97-102%	**1 gm**
883380	**Ringer**'S Solution	**125 ml** **500 ml**
883410	**Robert's** Test Reagent	**125 ml**
	Rochelle Salt See Potassium Sodium (+) Tartrate	
030024 $C_{20}H_{19}N_3.HCl$ (632-99-5)	**Rosaniline Hydrochloride** M.W. : 337.86 Dye content (Titanometric; on dried subs.) 88.0%	**25 gm** **100 gm**
215025 $C_{10}H_9Cl_3O_2$ (90-17-5)	**Rose** Crystals Pure M. W..: 267.53	**500 gm**
632855 $C_{20}H_2O_5I_4Cl_4Na_2$ (632-69-9	**Rose Bengal AR** C.I. No. 45440 M. W.: 1017.6 Dye content (Gravimetry, on dried substance) Abt.75.0%	**25 gm** **100 gm**
024498 $C_{19}H_{14}O_3$ (603-45-2)	**Rosolic Acid** C.I. 43800 (Para Rosolic Acid, Aurine) M. W.: 290.32 Dye Content 85%	**25 gm** **100 gm**
044464	**Rothera's** Mixture Powder (For detection of Ketone bodies (Acetone) in Urine)	**100 gm**
024497 $C_{41}H_{76}N_2O_{15}$ (80214-83-1)	**Roxithromycin** for Lab use M.W. : 837.05 Assay 90.0%	**1 gm**
883510	**Rubidium** Atomic Absorption Std.Soln. contain1000 mg/lit AAS in HNO_3	**100 ml**
883520	**Rubidium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
632885 RbBr (7789-39-1)	**Rubidium Bromide AR** M.W.: 165.37 Assay 99.0%	**5 gm** **25 gm**
215145 Rb_2CO_3 (584-09-8)	**Rubidium Carbonate** M.W.: 230.94 Assay 98.5-101.5%	**10 gm** **50 gm**
632975 RbCl (7791-11-9)	**Rubidium Chloride AR** M. W.: 120.92	**5 gm** **25 gm**

Product Code	Product Name	Packing
632945 RbI (7790-29-6)	**Rubidium Iodide AR** M.W.: 212.37	**5 gm** **25 gm**
633005 Rb_2SO_4 (7488-54-2)	**Rubidium Sulphate AR** M.W.: 267.00 Assay 99.8%	**5 gm** **25 gm**
215255 Ru (7440-18-8)	**Ruthenium** Metal A.W.: 101.07 Assay (trace metal basis) 99.99%	**1 gm**
883540	**Ruthenium** 1000 ppm Single Element Standard for ICP	**100 ml**
883610	**Ruthenium** 10000 ppm Single Element Standard for ICP	**100 ml**
215445 RuO_2 (12036-10-1)	**Ruthenium Dioxide** Anhydrous M.W.: 133.07 Assay 99.9%	**1 gm**
034066 $Ru_3O_2(NH_3)_{14}Cl_6.4H_2O$ (11103-72-3)	**Ruthenium Red** Content about 34% Approx M. W.: 858.42 Assay (As Ru) 34.0%	**1 gm** **5 gm**
030032 $RuCl_3.xH_2O$ (14898-67-0)	**Ruthenium Trichloride** Ru Content about 40% M. W.: 207.43 (anhydrous) Assay (Ru) 38-43%	**1 gm** **5 gm**
024492 $C_{27}H_{30}O_{16}.3H_2O$ (250249-75-3)	**Rutin** (Vitamin P) M. W.: 664.55 Assay (HPLC) Abt. 90.0%	**25 gm** **100 gm**



Product Code	Product Name	Packing
024384 $C_7H_5NO_3S$ (81-07-2)	**Saccharin** insoluble M. W.: 183.18 Assay (Acidimetric) 98.0%	**500 gm**
030034 $C_7H_4NNaO_3.S.2H_2O$ (6155-57-3)	**Saccharin Sodium** M. W.: 241.19 Assay (Non-aqu., on; anhydrous subs.) 98.0%	**500 gm** **25 kg** **50 kg**
	Saccharose See Sucrose	
034067 $C_{20}H_{19}ClN_4$ (477-73-6)	**Safranine O** for Microscopy C.I. No. 50240 M. W.: 350.85 Dye content (spectrophotometry, dried) Abt. 90.0%	**25 gm** **100 gm** **1 kg**
887100	**Safranine** Staining Solution	**125 ml** **250 ml**
038060 $C_{13}H_{18}O_7$ (138-52-3)	**Salicin** for Microbiology M. W.: 286.28	**5 gm** **10 gm**
030035 $C_6H_4(OH).CHO$ (90-02-8)	**Salicylaldehyde** for Synthesis M. W.: 122.12 Assay (GC) 99.0%	**100 ml** **250 ml**
634305 $C_6H_4(OH).CHO$ (90-02-8)	**Salicylaldehyde AR** M. W.: 122.12 Assay (GC) 99.5%	**100 ml** **500 ml**
215685 $C_{14}H_{12}N_2O_2$ (959-36-4)	**Salicylaldehyde Azine** M .W.: 240.26	**5 gm** **10 gm**
638305 $2\text{-}(OH)C_6H_4CH{=}NOH$ (94-67-7)	**Salicylaldehyde Oxime AR** (salicylaldoxime) M .W.: 137.14	**5 gm** **25 gm**
024399 $C_7H_7NO_2$ (65-45-2)	**Salicylamide** M. W.: 137.14 Assay (T) 98.0%	**500 gm**
638395 $C_7H_8N_2O_2$ (936-02-7)	**Salicylhydrazide AR** M. W.: 152.15	**25 gm**
030038 $C_6H_4(OH).COOH$ (69-72-7)	**Salicylic Acid** for Synthesis M. W.: 138.12 Assay 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
638435 $C_6H_4(OH)COOH$ (69-72-7)	**Salicylic Acid AR** M. W.: 138.12 Assay (Cal. on dried subs. alkalimetric) 99.0-100.5%	**500 gm** **25 kg** **50 kg**
215805 (53597-25-4)	**Salmine Sulphate** (protamine sulphate)	**5 gm** **25 gm**
024382	**Salt Mixture** Bernhart Tommarelli (a modified NRC salt mixture)	**500 gm** **1 kg** **5 kg**
024381	**Salt Mixture** H.M.W. (acc. to Hubble Mendal and Wakeman, Journal of Nutrition 14,273 (1937)	**500 gm** **1 kg** **5 kg**
024380	**Salt Mixture** XIV (as per USP XIV (1950)	**500 gm** **1 kg** **5 kg**
RE2410 (7440-19-9)	**Samarium** Metal Ingot Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2415 (7440-19-9)	**Samarium** Metal Lump (1 cm) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2420 (7440-19-9)	**Samarium** Metal Powder 325 mesh Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2425 (7440-19-9)	**Samarium** Metal Wire (0.1 mm) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2430 (7440-19-9)	**Samarium** Metal Rod (5mmx30cm) Assay (Trace metal basis) 99.99%	**1 Pc**
RE2435 (7440-19-9)	**Samarium** Metal Foil (0.25mmx40cm) Assay (Trace metal basis) 99.99%	**1 Pc**
RE2440 (7440-19-9)	**Samarium** Metal Foil (0.50mmx40cm) Assay (Trace metal basis) 99.99%	**1 Pc**
RE2445 (7440-19-9)	**Samarium** Metal Slab (1cmx40cm) Assay (Trace metal basis) 99.99%	**1 Pc**
RE2450 (7440-19-9)	**Samarium** Metal Disc (0.1mmxdia 35cm) Assay (Trace metal basis) 99.99%	**1 Pc**
RE2465 $SmC_6H_9O_6.XH_2O$ (100587-91-5)	**Samarium** (III) **Acetate** M .W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE2470 $SmC_6H_9O_6.XH_2O$ (100587-91-5)	**Samarium** (III) **Acetate** M .W.: 327.49 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2480 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2485 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2490 $Sm_2(CO_3)_3.XH_2O$ (38245-37-3)	**Samarium** (III) **Carbonate** M. W.: 480.73 (Anhy.) Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE2500 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2505 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2510 $SmCl_3.XH_2O$ (10361-82-7)	**Samarium** (III) **Chloride** M. W.: 256.71 (Anhy.) Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE2520 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2525 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2530 $Sm(NO_3)_3.6H_2O$ (13759-83-6)	**Samarium** (III) **Nitrate** M. W.: 444.47 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE2545 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **500 gm**
RE2550 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm** **500 gm**
RE2555 Sm_2O_3 (12060-58-1)	**Samarium** (III) **Oxide** M. W.: 348.70 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm** **100 gm**
RE2565 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE2570 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay (Trace metal basis) 99.999%	**25 gm** **100 gm**
RE2575 $Sm_2(SO_4)_3.8H_2O$ (13465-58-2)	**Samarium** (III) **Sulphate** M. W.: 733.03 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
024383 SiO_2 (14808-60-7)	**Sand** Acid Purified 40-200 mesh M. W.: 60.08	**500 gm** **1 kg** **5 kg**
024369 SiO_2 (14808-60-7)	**Sand** Calcined Crude Pract M. W.: 60.08	**2.5 kg**
044092 (8047-15-2)	**Saponin** Pure	**100 gm** **500 gm**
216005 $C_3H_7NO_2$ (107-97-1)	**Sarcosine** For Biochemistry M. W.: 89.09 Assay 98.0%	**100 gm** **500 gm**
887290	**Scandium** Atomic Absorption Std. Soln. Contain 1000 mg/lit AAS in HNO_3	**100 ml**
887300	**Scandium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
RE2585 (7440-20-2)	**Scandium** Metal Ingot Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2590 (7440-20-2)	**Scandium** Metal Lump (1cm) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2595 (7440-20-2)	**Scandium** Metal Powder 325 mesh Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2600 (7440-20-2)	**Scandium** Metal Wire 0.1mm Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2605 (7440-20-2)	**Scandium** Metal Rod 5mmx30cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2610 (7440-20-2)	**Scandium** Metal Foil 0.25 mmx40cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2615 (7440-20-2)	**Scandium** Metal Foil 0.50 mmx40cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2620 (7440-20-2)	**Scandium** Metal SLAB 1cmx40cm Assay (Trace metal basis) 99.99%	**1 PC**
RE2625 (7440-20-2)	**Scandium** Metal Disc 0.1mmxdia 35cm Assay (Trace metal basis) 99.99%	**1 PC**

Product Code	Product Name	Packing
RE2635 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2640 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2645 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2650 $Sc(O_2C_2H_3)_3.XH_2O$ (304675-64-7)	**Scandium Acetate** M. W.: 222.10 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2665 $Sc_2(CO_3)_3.XH_2O$	**Scandium Carbonate** M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2670 $Sc_2(CO_3)_3.XH_2O$	**Scandium Carbonate** M. W.: 269.94 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2680 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2685 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2690 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2695 $ScCl_3.6H_2O$ (20662-14-0)	**Scandium Chloride** M. W.: 259.41 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2705 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.9%	**5 gm**
RE2710 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.99%	**5 gm**
RE2715 ScF_3 (13709-47-2)	**Scandium Fluoride** M. W.: 101.95 Assay (Trace metal basis) 99.999%	**5 gm**
RE2725 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.9%	**5 gm**
RE2730 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm**
RE2735 $Sc(OH)_3.xH_2O$ (17674-34-9)	**Scandium Hydroxide** M. W.: 95.95 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm**
RE2745 ScI_3 (14474-33-0)	**Scandium Iodide** M. W.: 425.67 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE2755 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**

Product Code	Product Name	Packing
RE2760 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2765 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2770 $Sc(NO_3)_3.XH_2O$ (107552-14-7)	**Scandium Nitrate** M. W.: 230.97 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2785 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy) Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2790 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy) Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2795 $Sc_2(C_2O_4)_3.XH_2O$ (17926-77-1)	**Scandium Oxalate** M. W.: 353.97 (Anhy) Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2805 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2810 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2815 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE2820 Sc_2O_3 (12060-08-1)	**Scandium Oxide** M. W.: 137.91 Assay (Trace metal basis) 99.9999%	**1 gm** **5 gm**
RE2830 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.9%	**1 gm** **10 gm**
RE2835 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2840 $Sc_2(SO_4)_3.8H_2O$ (52788-54-2)	**Scandium Sulphate** M. W.: 522.22 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
887330	**Schaeffer & Fulton's Spore Stain A**	**100 ml**
887360	**Schaeffer & Fulton's Spore Stain B**	**100 ml**
887390	**Schaeffer & Fulton's Spore stains kit**	**KIT**
888040	**Schiff's** Reagent for detection of aldehydes	**125 ml** **500 ml**
216150 SiO_2 (7631-86-9)	**Sea Sand** Purified M.W.: 60.08	**1 kg**
638525 SiO_2 (7631-86-9)	**Sea Sand AR** M. W.: 60.08	**1 kg**
030042 $C_{10}H_{18}O_4$ (111-20-6)	**Sebacic Acid** for Synthesis M. W.: 202.25 Assay (acidimetric) 98.0%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
216215 H_2SeO_4 (7783-08-6)	**Selenic Acid** for Synthesis M. W.: 144.97	**25 ml** **100 ml**
030045 Se (7782-49-2)	**Selenium** (Metal) Powder A. W.: 78.96 Assay (iodometric) 99.0%	**100 gm** **500 gm**
638615 Se (7782-49-2)	**Selenium** (Metal) Powder Black **AR** A. W.: 78.96 Assay (Iodometric) 99.5%	**25 gm** **100 gm** **500 gm**
216285 Se (7782-49-2)	**Selenium Metal** Pellets A. W.: 78.96 Assay (Iodometric) 99.999%	**100 gm**
888160	**Selenium** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
888190	**Selenium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
888130	**Selenium** 10000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
030050 SeO_2 (7446-08-4)	**Selenium Dioxide** (Sublimed) M. W.: 110.96 Assay (ex Se Iodometric) 98.0%	**100 gm** **500 gm**
024387 SeS_2 (7488-56-4)	**Selenium Disulphide** M. W.: 143.09 Assay (ex Se) 52.0-55.5%	**250 gm**
030054 H_2SeO_3 (7783-00-8)	**Selenous Acid** M. W.: 128.97 Assay (ex Se iodometric) 98.0%	**100 gm** **1 kg**
888280	**Seliwan Off's** Reagent	**125 ml**
888310	**Semen Diluting** Fluid	**125 ml**
030056 CH_5N_3OHCl (563-41-7)	**Semicarbazide Hydrochloride** M. W.: 111.53 Assay (Oxidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
638675 CH_5N_3OHCl (563-41-7)	**Semicarbazide Hydrochloride AR** M. W.: 111.53 Assay (Oxidimetric) 99.5%	**100 gm** **500 gm** **25 kg**
037147 $C_3H_7NO_3$ (302-84-1)	DL-**Serine** M. W.: 105.10 Assay (non aqueous) 98.5%	**25 gm** **100 gm**
037146 $C_3H_7NO_3$ (56-45-1)	L-**Serine** M. W.: 105.10 Assay (Non-aqueous Calc. with ref. to the dried substance) 98.5-101.0%	**25 gm** **100 gm** **1 kg**
216405 $C_4H_9NO_3.HCl$ (5680-80-8)	L-**Serine Methyl Ester HCl** for Biochemistry M. W.: 155.58 Assay 98.0%	**5 gm** **25 gm** **100 gm**
055046	**Serolite 225** (Na) 14-25 mesh standard grade	**500 gm**
216515 $C_{14}H_{19}N_5O_2.H_2O_4SH_2O$ (61-47-2)	**Serotinine Creatinine Sulfate** for Biochemistry M. W.: 405.43	**1 gm**

Product Code	Product Name	Packing
216605 $C_7H_6O_3$ (533-31-3)	**Sesamol** For Synthesis [3,4-(Methylenedioxy) Phenol] M. W.: 138.12 Assay 98.0%	**50 gm** **250 gm**
024404 (9000-59-3)	**Shellac** Flakes (Arsenic free)	**500 gm**
888400	**Shorr** Staining Soln.	**125 ml**
216715 SiO_2 (112945-52-5)	**Silica Fumed** Fine Powder M. W.: 60.08	**500 gm** **25 kg**
030060 SiO_2 (112926-00-8)	**Silica Gel Blue** Self indicating (Coarse) 5-8 mesh M. W.: 60.08	**500 gm** **1 kg** **5 kg** **25 kg**
216740 SiO_2 (112926-00-8)	**Silica Gel Blue** Self indicating (about 6-20 mesh) M. W.: 60.08	**500 gm** **1 kg** **5 kg** **25 kg**
030062 SiO_2 (112926-00-8)	**Silica Gel White** Ability to absorb moisture (coarse) M. W.: 60.08	**500 gm** **1 kg** **5 kg**
024398 SiO_2 (112926-00-8)	**Silica Gel 60-120** mesh Column Chromatography M. W.: 60.08	**500 gm** **25 kg** **50 kg**
024361 SiO_2 (112926-00-8)	**Silica Gel 60-200** mesh for Resolution of Acidic Mixtures pH of 10% Slurry...4.0-5.5 M. W.: 60.08	**500 gm** **25 kg**
024397 SiO_2 (112926-00-8)	**Silica Gel 100-200** mesh for Lipid Chromatography M. W.: 60.08	**500 gm** **25 kg**
024396 SiO_2 (112926-00-8)	**Silica Gel 100-200** mesh Fia grade M. W.: 60.08	**500 gm**
216905 SiO_2 (112926-00-8)	**Silica Gel 200-400** Mesh M. W.: 60.08	**500 gm** **25 kg**
024366 SiO_2 (112926-00-8)	**Silica Gel 230-400** mesh for TLC M. W.: 60.08	**500 gm** **25 kg**
216995 SiO_2 (112926-00-8)	**Silica Gel 400-700** Mesh M. W.: 60.08	**500 gm**
024395 SiO_2 (112926-00-8)	**Silica Gel** for TLC with **Binder** M. W.: 60.08	**500 gm**
024385 SiO_2 (112926-00-8)	**Silica Gel** without Binder for TLC M. W.: 60.08	**500 gm**

Product Code	Product Name	Packing
015173 SiO_2 (112926-00-8)	**Silica Gel Davison** 923 Suitable for use in the testing of Petroleum Product by I.P. and ASTM Methods M. W.: 60.08	**500 gm**
024391 SiO_2 (112926-00-8)	**Silica Gel G** for TLC M. W.: 60.08	**250 gm** **500 gm** **1 kg**
024388 SiO_2 (112926-00-8)	**Silica Gel GF 254** for TLC Contains $CaSO_4$ M. W.: 60.08	**500 gm** **25 kg**
024390 SiO_2 (112926-00-8)	**Silica Gel H** for TLC M. W.: 60.08	**500 gm**
638765 SiO_2 (112926-00-8)	**Silica Gel H** for TLC **AR** M. W.: 60.08	**500 gm**
024394 SiO_2 (112926-00-8)	**Silica Gel HF 254** for TLC without $CaSO_4$ M. W.: 60.08	**500 gm**
638825 SiO_2 (112926-00-8)	**Silica Gel HF 254** for TLC **AR** M. W.: 60.08	**500 gm**
216715 SiO_2 (112945-52-5)	**Silica Powder Precipitated** M. W.: 60.08	**500 gm**
217175 $SiO_2.XH_2O$ (1343-98-2)	**Silicic Acid for Lipid Chromatography** Narrow Range below 325 Mesh M. W. 60.08 (anhy.)	**250 gm** **500 gm**
030064 $SiO_2.XH_2O$ (1343-98-2)	**Silicic Acid** Precipitated Dried M. W. 60.08 (anhy.) Assay (gravimetry SiO_2, on calcined substance) 99-100.5%	**500 gm**
888680	**Silicon** Atomic Absorption STD. Soln. Contains 1000 mg/litre AAS in Water	**250 ml**
888740	**Silicon** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
888710	**Silicon** 10000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
030066 Si (7440-21-3)	**Silicon** (Metal) Powder M. W.: 28.09 Assay (Alkalimetric) 99.0%	**500 gm**
033151	**Silicon Antifoaming Agent** Nonionic	**100 ml** **500 ml** **2.5 lit**
024356 SiC (409-21-2)	**Silicon Carbide** 220 mesh M. W.: 40.10 Mesh size (pass through 220 mesh) Min 95.0%	**250 gm** **1 kg**
024354 SiC (409-21-2)	**Silicon Carbide** 400 Mesh M. W.: 40.10 Mesh size (pass through 400 mesh) Min 95.0%	**250 gm** **1 kg**

Product Code	Product Name	Packing
	Silicon Dioxide See Quartz	
	Silicon High Vacuum Grease See High Vacuum Silicon Grease	
015067 (63148-62-9)	**Silicon Oil** For Oil Baths upto 250°C	**100 ml** **500 ml** **2.5 lit** **25 lit**
640205 $H_4[Si(W_3O_{10})_4].xH_2O$ M. W.: 2878.17 (12027-43-9)	**Silicotungstic Acid AR**	**25 gm** **100 gm**
030072 Ag (7440-22-4)	**Silver** Metal Powder At. W.: 107.87 Assay (Argentometric) 99.9%	**25 gm** **100 gm**
030073 Ag (7440-22-4)	**Silver** Metal Wire Abt. 1mm M. W.: 107.87	**25 gm**
217845 Ag (7440-22-4)	**Silver Wool** M. W.: 107.87	**10 gm**
888840	**Silver** Atomic Absorption STD Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
888900	**Silver** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml** **500 ml**
888960	**Silver** 10000 ppm Single Element Standard for ICP in HNO3	**100 ml** **500 ml**
030074 $C_2H_3AgO_2$ (563-63-3)	**Silver Acetate** for Synthesis M. W.: 166.91 Assay (ex Ag) 98.0%	**25 gm** **100 gm**
024359 AgBr (7785-23-1)	**Silver Bromide** for Synthesis M. W.: 187.77 Assay (ex Ag) 97.0%	**25 gm**
030078 Ag_2CO_3 (534-16-7)	**Silver Carbonate** Purified M. W.: 275.75 Assay (ex Ag) 98.0%	**25 gm**
030079 AgCl (7783-90-6)	**Silver Chloride** M. W.: 143.32 Assay (ex Ag gravimetric) 99.0%	**25 gm** **100 gm**
640295 AgCl (7783-90-6)	**Silver Chloride AR** M. W.: 143.32	**25 gm** **500 gm**
217475 Ag_2CrO_4 (7784-01-2)	**Silver Chromatae** M. W.: 331.73	**25 gm**
640325 $C_5H_{10}AgNS_2$ (1470-61-7)	**Silver Diethyl Dithiocarbamate AR** M. W.: 256.13	**5 gm** **25 gm**
PA1827	**Silver Estimation** Paper	**200 lvs**
640515 AgF (7775-41-9)	**Silver Fluoride AR** M. W.: 126.87 Assay 99.0%	**5 gm** **10 gm**
024357 $AgIO_3$ (7783-97-3)	**Silver Iodate** M. W.: 282.77 Assay (Iodometric) 98.0%	**25 gm** **500 gm**

Product Code	Product Name	Packing
030085 AgI (7783-96-2)	**Silver Iodide** M. W.: 234.77 Assay (ex Ag Argentometric) 98.0%	**25 gm**
030087 $AgNO_3$ (7761-88-8)	**Silver Nitrate** M. W.: 169.87 Assay (Argentometric ex Ag) 99.8%	**10 gm** **25 gm** **100 gm** **500 gm**
640575 $AgNO_3$ (7761-88-8)	**Silver Nitrate AR/ACS** M. W.: 169.87 Assay (Argentometric ex Ag) (Trace metals basis) 99.9%	**10 gm** **25 gm** **100 gm** **500 gm**
217565 $AgNO_3$ (7761-88-8)	**Silver Nitrate Sticks** M. W.: 169.87	**25 gm**
889280	**Silver Nitrate** Solution N/10	**500 ml** **1 lit** **2.5 lit**
889290	**Silver Nitrate** N/50 solution (0.02 M)	**500 ml** **1 lit** **2.5 lit**
889300	**Silver Nitrate** Solution 0.2906%	**125 ml**
889330	**Silver Nitrate** Solution 0.5814%	**125 ml**
889340	**Silver Nitrate** Solution 0.1 M Citrisol 8.4935 g $AgNO_3$ for 500 ml Solution 0.1 N Solution	**3 Amp**
889370	**Silver Nitrate** 0.01M (0.01N) Volumetric Solution Nist Traceable	**1 lit**
889400	**Silver Nitrate** 0.05M (0.05N) Volumetric Solution Nist Traceable	**1 lit**
889410	**Silver Nitrate** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
889450	**Silver Nitrate** 0.5M (0.5N) Volumetric Solution Nist Traceable	**1 lit**
889520	**Silver Nitrate** 1M (1N) Volumetric Solution Nist Traceable	**1 lit**
030090 Ag_2O (20667-12-3)	**Silver Oxide** Purified M. W.: 231.74 Assay (ex Ag Argentometric) 98.0%	**25 gm** **500 gm**
640885 Ag_2O (20667-12-3)	**Silver Oxide AR** M. W.: 231.74	**25 gm**
217675 $AgClO_4$ (7783-93-9)	**Silver Perchlorate** Pure M. W.: 207.32 Assay 97.0%	**25 gm**
024350 Ag_3PO_4 (7784-09-0)	**Silver** ortho **Phosphate** M. W.: 418.57 Assay (ex Ag Argentometric) 99.0%	**25 gm**
640995 Ag_3PO_4 (7784-09-0)	**Silver** ortho **Phosphate AR** M. W.: 418.57	**5 gm**

Product Code	Product Name	Packing
217755 (9008-42-8)	**Silver Proteinate** for Histology	**10 gm** **25 gm**
030095 Ag_2SO_4 (10294-26-5)	**Silver Sulphate** Purified M. W.: 311.79 Assay (Argentometric ex Ag) 98.5%	**10 gm** **25 gm** **100 gm**
641035 Ag_2SO_4 (10294-26-5)	**Silver Sulphate AR/ACS** M. W.: 311.79 Assay (Argentometric) 99.0%	**10 gm** **25 gm** **100 gm**
889860	**Silver Sulphate** 10,000 mg/lit in Sulphuric Acid	**1 lit**
889870	**Silver Sulphate** 60,000 mg/lit in Sulphuric Acid	**1 lit**
024362 Ag_2S (21548-73-2)	**Silver Sulphide** M. W.: 247.80 Assay (ex Ag Argentometric) 98.0%	**25 gm**
024379 $AgVO_3$ (13497-94-4)	**Silver Vanadate** M. W.: 206.81 Assay 98.0%	**5 gm** **25 gm**
024363	**Skim Milk Powder** for Microbiology	**500 gm**
889930	**Smith's** Reagent For Bile Pigment	**125 ml**
217935	**Soap Powder** (White)	**1 kg** **10 kg**
889940	**Soap Solution** (For Water Hardness Determination)	**1 lit**
033106 (8006-28-8)	**Sodalime** Granules	**500 gm** **5 kg**
641125 (8006-28-8)	**Sodalime AR** With indicator For Absorbing Carbon dioxide	**1 kg** **5 kg**
218085 NH_2Na (7782-92-5)	**Sodamide** M.W. : 39.01 Assay 98.0%	**100 gm** **500 gm**
030101 Na (7440-23-5)	**Sodium** Metal Pieces in Kerosene/Liq. Paraffin At. W.:22.99 Assay 98.0%	**100 gm** **250 gm** **500 gm**
641185 Na (7440-23-5)	**Sodium** Metal **AR** Pieces in Kerosene/Liq. Paraffin At. W. : 22.99 Assay (Acidimetric) 99.0%	**250 gm** **500 gm**
890000	**Sodium** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
890060	**Sodium** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in Hcl	**250 ml**
890120	**Sodium** 1000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable	**100 ml** **500 ml**
890150	**Sodium** 10000 ppm Single Element Standard for ICP-MS in Water Nist Traceable	**100 ml** **500 ml**
890180	**Sodium** 1000 ppm Single Element Standard for ICP in Water Nist Traceable	**100 ml** **500 ml**
890210	**Sodium** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
030104 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous M. W.: 82.03 Assay (Non-aqueous) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
641225 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous **AR/ACS** M. W.: 82.03 Assay(non-aqueous) 99.0%	**250 gm** **500 gm** **5 kg** **25 kg** **50 kg**
769600 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for HPLC & Spectroscopy M. W.: 82.03 Assay (Non-aqueous) 99.5%	**500 gm**
984300 CH_3COONa (127-09-3)	**Sodium Acetate** Anhydrous for Molecular Biology M. W.: 82.03 Assay (Non-aqueous) 99.0%	**250 gm**
D96678 $C_2D_3NaO_2$ (39230 37 0)	**Sodium Acetate** d3 M.W.: 85 06 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	**5 gm**
890300	**Sodium Acetate** Buffer Solution for Chlorine determination in water monitors	**500 ml** **2.5 lit**
030103 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Cryst. M. W.: 136.08 Assay (non-aqueous) 99.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
641230 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate Cryst. **AR** Meets Analytical Specification of IP M. W.: 136.08 Assay (Non-aqueous) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
769700 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for HPLC M. W.: 136.08	**500 gm**
984350 $C_2H_3NaO_23H_2O$ (6131-90-4)	**Sodium Acetate** Trihydrate for Molecular Biology M. W.: 136.08	**250 gm**
	Sodium Acid Phosphate See Sodium Dihydrogen Orthophosphate	
030105 (9005-38-3)	**Sodium Alginate**	**500 gm** **5 kg** **25 kg** **50 kg**
218275 $NaAlO_2$ (11138-49-1)	**Sodium Aluminate** for Synthesis M. W.: 81.97	**500 gm**

Product Code	Product Name	Packing
	Sodium Aluminium Fluoride See Cryolite	
027199 $H_3NH_3O_4PNa$ (13011-54-6)	**Sodium Ammonium Phosphate** M. W.: 137.07	**500 gm**
641265 $Na_2HAsO_4.7H_2O$ (10048-95-0)	**Sodium Arsenate AR/ACS** M. W.: 312.02 Assay (iodometric) 99.0-102.0%	**25 gm** **100 gm** **250 gm** **500 gm**
641275 $NaAsO_2$ (7784-46-5)	**Sodium Arsenite AR** M. W.: 129.91 Assay (iodometric) 98.5%	**25 gm** **100 gm** **250 gm** **500 gm**
890390	**Sodium Arsenite** 0.05 M (0.1N) Volumetric Soln.	**500 ml** **2.5 lit**
890420	**Sodium Arsenite** 0.005M (0.01N) Volumetric Solution Nist Traceable	**1 lit**
890450	**Sodium Arsenite** 0.15M (0.3N) Volumetric Solution Nist Traceable	**1 lit**
024343 $C_6H_7NaO_6$ (134-03-2)	**Sodium** L(+) **Ascorbate** M.W.:198.11 Assay(dried basis) 99-101%	**100 gm** **500 gm**
030111 NaN_3 (26628-22-8)	**Sodium Azide** M. W.: 65.01 Assay (oxidimetric) 99.0%	**100 gm** **500 gm** **25 kg**
641335 NaN_3 (26628-22-8)	**Sodium Azide AR** M. W.: 65.01 Assay (oxidimetric) 99.5%	**100 gm** **500 gm**
030112 C_6H_5COONa (532-32-1)	**Sodium Benzoate** Meets Analytical Specification of IP, BP, Ph. Eur., FCC. M. W.: 144.11 Assay (on dry material Non-aqueous) 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
641425 C_6H_5COONa (532-32-1)	**Sodium Benzoate AR** M. W.: 144.11 Assay (on dried) 99.5%	**500 gm** **25 kg** **50 kg**
	Sodium Bicarbonate See Sodium Hydrogen Carbonate	
	Sodium Biphosphate See Sodium Dihydrogen Orthophosphate	
030161 $NaHSeO_3$ (7782-82-3)	**Sodium Biselenite** M.W.: 150.96 Assay (ex Se Iodometric) 98.0%	**100 gm** **1 kg**
030113 $NaBiO_3$ (12232-99-4)	**Sodium Bismuthate** [Sodium bismuthate (V)] M. W.: 279.97 Assay (Oxidimetric) 80.0%	**100 gm**
641485 $NaBiO_3$ (12232-99-4)	**Sodium Bismuthate AR** M. W.: 279.97 Assay (oxidimetric) 85.0%	**100 gm**
	Sodium Bisulphate See Sodium Hydrogen Sulphate	

Product Code	Product Name	Packing
024392 $NaHSO_3$ (7631-90-5)	**Sodium Bisulphite** M.W.: 104.06 Assay (as SO_2; oxidimetric) 58.5-67.4%	**500 gm** **5 kg** **25 kg** **50 kg**
641525 $NaHSO_3$ (7631-90-5)	**Sodium Bisulphite AR** M. W.: 104.06 Assay (as SO_2; oxidimetric) 58.5%	**500 gm** **5 kg** **25 kg** **50 kg**
218555 $C_4H_6O_6.Na$ (526-94-3)	**Sodium Bitartrate** Extra Pure M. W.: 172.07	**500 gm**
030181 $NaBO_2.4H_2O$ (10555-76-7)	**Sodium**-m-**Borate** M. W.: 137.86 Assay (acidimetric) 98.0%	**500 gm**
030114 $NaBH_4$ (16940-66-2)	**Sodium Borohydride** for Synthesis M. W.: 37.83 Assay (Iodometric) 98.0%	**100 gm** **500 gm** **5 kg**
030115 $NaBrO_3$ (7789-38-0)	**Sodium Bromate** M. W.: 150.89 Assay (iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
030116 NaBr (7647-15-6)	**Sodium Bromide** Pure M. W.: 102.89 Assay (after drying Argentometric) 99.0%	**500 gm** **25 kg** **50 kg**
641585 NaBr (7647-15-6)	**Sodium Bromide AR** M. W.: 102.89 Assay (ex Br) after drying 99.5%	**500 gm** **25 kg** **50 kg**
060112 C_4H_9NaO (865-48-5)	**Sodium**-tert-**Butoxide** M. W.: 96.11 Assay (potentiometric) 97.0%	**100 gm** **500 gm**
024336 $C_4H_7NaO_2$ (156-54-7)	**Sodium Butyrate** M. W.: 110.09 Assay (GC) 98.5%	**100 gm** **500 gm**
030118 $C_2H_6AsNaO_2 3H_2O$ (124-65-2)	**Sodium Cacodylate** M. W.: 214.03 Assay (ex Na Non-aqueous) 97.0%	**25 gm** **100 gm**
	Sodium Caprylate See Caprylic Acid Sodium Salt	
891000	**Sodium Carbonate** N/10	**6 Amp**
891030	**Sodium Carbonate** 0.05 M (0.1N) Volumetric Soln.	**500 ml**
891060	**Sodium Carbonate** 0.5M (1N) Volumetric Solution Nist Traceable	**1 lit**
030119 $Na_2CO_3.H_2O$ (5968-11-6)	**Sodium Carbonate** Monohydrate M. W.: 124.00 Assay (Acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
642195 $Na_2CO_3.H_2O$ (5968-11-6)	**Sodium Carbonate** Monohydrate **AR** M. W.: 124.00	**500 gm** **25 kg** **50 kg**
030121 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) Pure M. W.: 105.99 Assay (acidimetric after drying) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
642205 Na_2CO_3 (497-19-8)	**Sodium Carbonate** (Anhydrous) **AR** M. W.: 105.99 Assay (acidimetric cal. on dried subs.) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
024386 (9005-46-3)	**Sodium Caseinate** for Biochemistry	**100 gm** **500 gm**
030123 NaCl (7647-14-5)	**Sodium Chloride** Cryst. Pure M. W.: 58.44 Assay (Argentometric after ignition) 99.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
642243 NaCl (7647-14-5)	**Sodium Chloride AR/ACS** M. W.: 58.44 Assay (Argentometric, after ignition) 99.9%	**500 gm** **5 kg** **25 kg** **50 kg**
770200 NaCl (7647-14-5)	**Sodium Chloride** for HPLC M. W.: 58.44 Assay (Argentometric) 99.5%	**500 gm**
984900 NaCl (7647-14-5)	**Sodium Chloride** for Molecular Biology M. W.: 58.44 Assay (Argentometric after ignition) 99.9%	**500 gm** **5 kg**
891150	**Sodium Chloride** (Concentrated saline solution) for prepairing isotonic (0.9% w/v) Soln.	**500 ml** **5 lit**
891180	**Sodium Chloride** 0.1 M (0.1N) Volumetric Solution	**6 Amp**
891190	**Sodium Chloride** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
891200	**Sodium Chloride** 1M (1N) Volumetric Solution Nist Traceable	**1 lit**
891210	**Sodium Chloride** 0.05M (0.05N) Volumetric Solution Nist Traceable	**1 lit**
891220	**Sodium Chloride** 0.5M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
026176 $NaClO_2$ (7758-19-2)	**Sodium Chlorite** M. W.: 90.44 Assay (Iodometric titration) 80.0%	**500 gm** **1 kg** **25 kg**
218955 CH_2CO_2NaCl (3926-62-3)	**Sodium Chloroacetate** Mono for Synthesis (Chloroacetic Acid Sodium Salt) M. W.: 116.48	**500 gm**
219005 $Na_3IrCl_6.xH_2O$ (123334-23-6)	**Sodium (Hexa) Chloro Iridate** M. W.: 473.90 Anhy Assay (Ir) 35-40%	**1 gm**
219115 $C_{24}H_{40}O_5Na$ (361-09-1)	**Sodium Cholate** for Biochemistry M. W.: 430.55	**25 gm** **100 gm**
030733 $Na_2CrO_4.4H_2O$ (10034-82-9)	**Sodium Chromate** Tetrahydrate M. W.: 234.03 Assay (iodometric) 99.0-102.0%	**500 gm** **25 kg** **50 kg**
642325 $Na_2CrO_4.4H_2O$ (10034-82-9)	**Sodium Chromate AR** M. W.: 234.03 Assay(iodometric) 99.5%	**500 gm** **25 kg** **50 kg**
030128 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** Dihydrate (tri-Sodium Citrate-2 hydrate) Meets Analytical Specification of FCC. M. W.: 294.10 Assay (Cal. anhydrous basis Non-aqueous) 99.0-100.5%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
642385 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 294.10 Assay (calculated w.r.t. anhydrous subs. Non-aqueous) 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
985400 $Na_3C_6H_5O_7.2H_2O$ (6132-04-3)	tri **Sodium Citrate** for Molecular Biology M. W.: 294.10 Assay (Non-aqueous) 99.5%	**500 gm**
891410	**Sodium Citrate** Solution 3.8% w/v (as $C_6H_5Na_3O_7.2H_2O$) 3.8-4.2% w/v	**500 ml**
219190 $Na_3Co(NO_2)_6$ (13600-98-1)	**Sodium Cobaltinitrite** M. W.: 403.94 Assay 90.0%	**100 gm**
642445 $Na_3Co(NO_2)_6$ (13600-98-1)	**Sodium Cobaltinitrite AR** M. W.: 403.94 Assay 95.0%	**100 gm**
219255 NaOCN (917-61-3)	**Sodium Cyanate** for Synthesis M. W.: 65.01	**500 gm**
219345 NaCN (143-33-9)	**Sodium Cyanide** Extra Pure (Against Poison Licence) M. W.: 49.01	**500 gm** **1 kg** **25 kg** **50 kg**
642845 NaCN (143-33-9)	**Sodium Cyanide AR/ACS** (Against Poison Licence) M. W.: 49.01	**500 gm** **25 kg** **50 kg**
066320 $NaBH_3CN$ (25895-60-7)	**Sodium Cyanoborohydride** M.W.: 62.84 Assay (Iodometric) 95.0%	**25 gm**
219455 $C_{10}H_{21}O_4SNa$ (142-87-0)	**Sodium Decyl Sulphate** for ion pair Chromatography (Decyl Sulphate Sodium Salt) M. W.: 260.32 Assay 99.0%	**1 gm** **5 gm**
066325 $C_{24}H_{39}O_4Na$ (302-95-4)	**Sodium Deoxycholate** (Sodium desoxycholate) M.W. : 414.55 Assay 90.0%	**100 gm** **500 gm**
030130 $Na_2Cr_2O_7.2H_2O$ (7789-12-0)	**Sodium Dichromate** Dihydrate M. W.: 298.00 Assay (iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
642905 $Na_2Cr_2O_7.2H_2O$ (7789-12-0)	**Sodium Dichromate AR/ACS** M. W.: 298.00 Assay (iodometric) 99.5%	**500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
642945 $C_5H_{10}NNaS_2.3H_2O$ (20624-25-3)	**Sodium Diethyl Dithiocarbamate AR/ACS** Sensitivity to Cu... 1:50,000,000 M. W.: 225.30 Assay (iodometric) 98.5%	**100 gm** **500 gm**
030132 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** Dihydrate Cryst. M. W.: 156.01 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
642985 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** Dihydrate **AR** M. W.: 156.01 Assay (Acidimetric; dried subs.) 98.0-100.5%	**500 gm** **5 kg** **50 kg**
771000 $NaH_2PO_4.2H_2O$ (13472-35-0)	**Sodium Dihydrogen Ortho Phosphate** **Dihydrate** for HPLC M. W.: 156.01 Assay 99.0% (acidimetric)	**500 gm**
986000 NaH_2PO_4 (7558-80-7)	**Sodium Dihydrogen Ortho Phosphate** Anhydrous Molecular Biology M.W. : 119.98 Assay 98.0%	**500 gm**
643005 $NaH_2PO_4.H_2O$ (10049-21-5)	**Sodium Dihydrogen Ortho Phosphate** Monohydrate **AR** M. W.: 137.99 Assay 99.0%	**500 gm** **25 kg** **50 kg**
891500 $P_{12}H_{10}Na$ (5137-46-2)	**Sodium Diphenyl** Solution **AR** M.W. : 177.20	**15 ml** **10x15 ml**
643065 $C_{12}H_{10}NNaO_3S$ (6152-67-6)	**Sodium Diphenylamine Sulphonate AR/ACS** M. W.: 271.27	**5 gm** **25 gm**
	Sodium Disulphite See Sodium Meta Bisulphite	
219595 $Na_2S_2O_4+H_2O$ (7775-14-6)	**Sodium Dithionite** Purified M. W.: 174.13+H_2O Assay (Iodometric) 87.0%	**500 gm** **25 kg** **50 kg**
	Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate	
030139 NaF (7681-49-4)	**Sodium Fluoride** M. W.: 41.99 Assay (Non-aqueous) 97.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643105 NaF (7681-49-4)	**Sodium Fluoride AR** M. W.: 41.99 Assay (ion exchange) 99.0%	**500 gm** **25 kg** **50 kg**
891530	**Sodium Fluoride** 1 gm/lit Volumetric Solution	**1 lit**
891535	**Sodium Fluoride** 40 gm/lit Volumetric Solution	**1 lit**
219735 $NaBF_4$ (13755-29-8)	**Sodium Fluoroborate** M. W.: 109.79	**500 gm**
024332 CH_3NaO_4S (870-72-4)	**Sodium Formaldehyde Bisulphite** M. W.: 134.08 Assay (Iodometric) 96.0%	**500 gm**

Product Code	Product Name	Packing
030141 $CH_3NaO_3S.2H_2O$ (149-44-0)	**Sodium Formaldehyde Sulphoxylate** M. W.: 154.11 Assay (Iodometric) 95.0%	**500 gm** **2.5 kg** **25 kg** **50 kg**
030142 HCOONa (141-53-7)	**Sodium Formate** M. W.: 68.01 Assay (Iodometric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643145 HCOONa (141-53-7)	**Sodium Formate AR/ACS** M. W.: 68.01 Assay (Iodometric) 99.0%	**500 gm** **25 kg** **50 kg**
030143 $C_4H_2O_4Na_2$ (17013-01-3)	**Sodium Fumarate** M. W.: 160.04 Assay (Non-aqueous) 99.0%	**500 gm**
643195 $C_4H_2O_4Na_2$ (17013-01-3)	**Sodium Fumarate AR** M. W.: 160.04 Assay (ex Na) 99.5%	**100 gm** **1 kg**
030144 $C_6H_{11}NaO_7$ (527-07-1)	**Sodium Gluconate** for Synthesis M. W.: 218.14 Assay (non-aqueous) 98.0-102.0%	**500 gm** **50 kg**
037106 $C_5H_8O_4NNa.H_2O$ (6106-04-3)	**Sodium-L-Glutamate** M. W.: 187.13 Assay (non-aqueous) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg** **50 kg**
643255 $C_3H_7Na_2O_6P.5H_2O$ (13408-09-8)	**Sodium- -Glycero Phosphate AR** Substrate for the assay of Phosphatase M. W.: 306.11 Assay (potentiometric) 98.0%	**25 gm** **100 gm** **1 kg**
030734 $(NaPO_3)_6$ (10124-56-8)	**Sodium Hexametaphosphate** M. W.: 612.00 Assay (as P_2O_5) 62.0%	**500 gm** **5 kg** **25 kg** **50 kg**
030150 HNa (7646-69-7)	**Sodium Hydride** for Synthesis (Moistened with Paraffin Oil) M. W.: 24.00 Assay(titrimetry) 55-65%	**100 gm** **500 gm** **5 kg**
030151 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** Purified M. W.: 84.01 Assay (acidimetric) 99.0-101.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
643545 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate AR** Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 84.01 Assay (Acidimetric) 99.7-100.3%	**500 gm** **5 kg** **25 kg** **50 kg**
771200 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for HPLC & Spectroscopy M.W. : 84.01 Assay (Acidimetric) 99.7-100.3%	**500 gm**
986200 $NaHCO_3$ (144-55-8)	**Sodium Hydrogen Carbonate** for Molecular Biology M. W.: 84.01 Assay (Acidimetric) 99.7%	**500 gm**

Product Code	Product Name	Packing
030152 $C_6H_6Na_2O_7.1½\ H_2O$ (144-33-2)	di-**Sodium Hydrogen Citrate** M. W.: 263.11 Assay (Non-aqueous) 99.0-104.0%	**500 gm**
030158 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho** **Phosphate** Anhydrous M. W.: 141.96 Assay (acidimetric dried subs.) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643385 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho** **Phosphate** Anhydrous **AR** M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	**500 gm** **25 kg** **50 kg**
771500 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho** **Phosphate** Anhydrous for HPLC & Spectroscopy M. W.: 141.96 Assay (Acidimetric; dried subs.) 99.0%	**500 gm**
986350 Na_2HPO_4 (7558-79-4)	di-**Sodium Hydrogen Ortho** **Phosphate** Anhydrous for Molecular Biology M. W.: 141.96 Assay (Acidimetric ;after drying) 99.5%	**500 gm**
030157 $Na_2HPO_4.2H_2O$ (10028-24-7)	di-**Sodium Hydrogen Ortho** **Phosphate** Dihydrate Purified M. W.: 177.99 Assay (acidimetric dried subs.) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643405 $Na_2HPO_4.2H_2O$ (10028-24-7)	di-**Sodium Hydrogen Ortho** **Phosphate** Dihydrate **AR** M. W.: 177.99 Assay (Acidimetric; dried substance) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
986400 $Na_2HPO_4.2H_2O$ (10028-24-7)	di- **Sodium Hydrogen Ortho** **Phosphate** Dihydrate For Molecular Biology M. W.: 177.99 Assay (Acidimetric) 99.0%	**500 gm**
030156 $Na_2HPO_4.12H_2O$ (10039-32-4)	di-**Sodium Hydrogen Ortho** **Phosphate** Dodecahydrate M. W.: 358.14 Assay (acidimetric) 98.0-101.0%	**500 gm** **25 kg** **50 kg**
	Sodium Hydrogen Selenite See Sodium Biselenite	
030162 $NaHSO_4.H_2O$ (10034-88-5)	**Sodium Hydrogen Sulphate** Monohydrate M. W.: 138.07 Assay (acidimetric) 98-104.0%	**500 gm** **25 kg** **50 kg**
643465 $NaHSO_4.H_2O$ (10034-88-5)	**Sodium Hydrogen Sulphate** Monohydrate **AR** M. W.: 138.07 Assay (acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
030166 NaOH (1310-73-2)	**Sodium Hydroxide** Flakes M. W.: 40.00 Assay (acidimetric) 96.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
030167 NaOH (1310-73-2)	**Sodium Hydroxide** Pellets Purified M. W.: 40.00 Assay (Acidimetric) 97.0%	**500 gm** **5 kg** **25 kg** **50 kg**
643525 NaOH (1310-73-2)	**Sodium Hydroxide** Pellets **AR** Meets Analytical Specification of BP, USP, Ph. Eur. M. W.: 40.00 Assay (Acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
219875	**Sodium Hydrosulphide** 30% (Sodium Hydrogen Sulphide)	**2.5 lit**
891600	**Sodium Hydroxide** N/1 Solution 1 mol/l Citrisol 20.00 g NaOH for 500 ml Solution 1N solution	**6 amp**
891630	**Sodium Hydroxide** N/10 Solution 0.1 mol/l Citrisol 2.000 g NaOH for 500 ml solution 0.1N Solution	**6 amp**
891660	**Sodium Hydroxide** Solution (N/10)	**500 ml** **1 lit** **2.5 lit**
891690	**Sodium Hydroxide** 0.01M (0.01N) Volumetric Solution Nist Traceable	**1 lit**
891720	**Sodium Hydroxide** 0.05 M (0.05N) Volumetric Solution	**500 ml**
891750	**Sodium Hydroxide** 0.1M (0.1N) Volumetric Solution Nist Traceable	**1 lit**
891870	**Sodium Hydroxide** 0.111M (0.111N) Volumetric Solution Nist Traceable	**1 lit**
891960	**Sodium Hydroxide** 0.2 M (0.2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
891990	**Sodium Hydroxide** 0.25 M (0.25N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892050	**Sodium Hydroxide** 0.5 M (0.5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892060	**Sodium Hydroxide** 1M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892065	**Sodium Hydroxide** 2 M (2N) Volumetric Solution	**500 ml** **1 lit** **5 lit**
892070	**Sodium Hydroxide** 4 M (4N) low in Carbonate Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892080	**Sodium Hydroxide** 5M (5N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892110	**Sodium Hydroxide** 8M (8N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**

Product Code	Product Name	Packing
892170	**Sodium Hydroxide** 10M (10N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
643565 $4HOC_6H_4CO_2Na$ (114-63-6)	**Sodium-p-Hydroxy Benzoate AR** M. W.: 160.10 Assay 98.0%	**100 gm** **500 gm**
220045	**Sodium Hypobromite** For Synthesis	**500 ml**
023039	**Sodium Hypochlorite** Solution (Approximately 4% w/v available Chlorine) Assay (iodometric) 4% w/v available chlorine	**500 ml** **1 lit** **5 lit** **25 lit**
030170 $NaH_2PO_2H_2O$ (10039-56-2)	**Sodium Hypophosphite** (Monohydrate) M. W.: 105.99 Assay (oxidimetric) 98.0-101.0%	**500 gm** **25 kg** **50 kg**
644245 $NaH_2PO_2H_2O$ (10039-56-2)	**Sodium Hypophosphite** (Monohydrate) **AR** M. W.: 150.99	**500 gm** **25 kg** **50 kg**
030171 $NaIO_3$ (7681-55-2)	**Sodium Iodate** M. W.: 197.90 Assay (Iodometric) 98.0%	**100 gm**
644305 $NaIO_3$ (7681-55-2)	**Sodium Iodate AR** M. W.: 197.90 Assay (Iodometric) 99.5%	**100 gm**
030172 NaI (7681-82-5)	**Sodium Iodide** Pure M. W.: 149.89 Assay (ex I)(after drying)99.0%	**100 gm** **250 gm** **25 kg**
644345 NaI (7681-82-5)	**Sodium Iodide AR/ACS** M. W.: 149.89 Assay (after drying) 99.5%	**100 gm** **250 gm**
030173 $C_3H_5NaO_3$ (72-17-3)	**Sodium Lactate** 60% Soln. M. W.: 112.06 Assay (Non-aqueous) 58.8-61.2%	**500 ml** **2.5 lit** **25 lit** **50 lit**
220305 $(C_2H_4O)_nC_{12}H_{26}O_4SNa$ (9004-82-4)	**Sodium Lauryl Ether Sulphate** (SLES) M.W. : 332.43	**5 lit** **25 lit** **50 lit**
044145 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** Powder Meets Analytical Specification of IP, BP, USP, NF, Ph. Eur. M.W.: 288.38 Assay (Sodium Lauryl Sulphate $(C_{12}H_{25}O.SO_3Na)$ 90.0%	**500 gm** **5 kg** **25 kg** **50 kg**
024349 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** (Needle Shape) M. W.: 288.38 Assay (As sodium Lauryl Sulphate, cal. as $(C_{12}H_{25}NaO_4S)$ 90.0%	**500 gm** **5 kg** **25 kg** **50 kg**
644595 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate AR** For SDS Electrophoresis M. W.: 288.38 Assay (After drying two phase titration) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg**
772000 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** HPLC (Sodium Dodecyl Sulphate) M. W.: 288.38	**10 gm** **25 gm**
986680 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate** For Molecular Biology M. W.: 288.38 Assay (After drying two phase titration) 99.0%	**100 gm** **500 gm**
220555 $C_{12}H_{25}NaO_4S$ (151-21-3)	**Sodium Lauryl Sulphate Suprapure** M. W.: 288.38	**25 gm** **250 gm** **1 kg**
	Sodium M- **Arsenite** See **Sodium Arsenite**	
030179 $C_3H_2Na_2O_4$ (141-95-7)	**Sodium Malonate** M. W.: 148.03 Assay(Non-aqueous) 98.5%	**25 gm** **100 gm** **500 gm**
030180 $Na_2S_2O_5$ (7681-57-4)	**Sodium Metabisulphite** Purified (Sodium Disulphite,Sodium Pyrosulphite) M. W.: 190.11 Assay (iodometric) 95.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
644455 $Na_2S_2O_5$ (7681-57-4)	**Sodium Metabisulphite AR/ACS** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 190.11 Assay (Iodometric) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
	Sodium Meta Periodate See Sodium-Meta-Periodate	
026186 $Na_2SiO_3.9H_2O$ (13517-24-3)	**Sodium Meta Silicate** Nonahydrate M. W.: 284.2 Assay Abt. 95.0%	**500 gm** **1 kg** **25 kg** **50 kg**
024325 $Na_2SiO_3.5H_2O$ (10213-79-3)	**Sodium Meta Silicate** Pentahydrate M.W.: 212.14 Assay (Acidimetric) 97.0%	**500 gm** **5 kg** **50 kg**
066323 $NaOCH_3$ (124-41-4)	**Sodium Methoxide** M. W.: 54.02 Assay (Calculated; as $NaOCH_3$) 97.5%	**500 gm** **5 kg** **25 kg** **50 kg**
892450	**Sodium Methoxide** Solution 25% Assay 24.9-25.1%	**250 ml**
030185 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate** Pure M. W.: 241.95 Assay (ex Mo) 98-102.0%	**100 gm** **250 gm** **500 gm** **1 kg** **25 kg**
644495 $Na_2MoO_4.2H_2O$ (10102-40-6)	**Sodium Molybdate AR** Reagent for Alkaloids M. W.: 241.95 Assay (ex Mo) 99.0-102.0%	**100 gm** **250 gm** **500 gm** **1 kg** **25 kg**
	Sodium Monochloroacetate See **Sodium Chloro Acetate Mono**	
220875 $C_{10}H_9NO_3SNa$ (130-13-2)	**Sodium Naphthionate** M. W.: 245.23	**1 kg**
644585 $C_{10}H_8NaPO_4.H_2O$ (81012-89-7)	**Sodium-1-Naphthyl Phosphate Monohydrate AR** (I-Naphthyl Phosphate Mono Sodium Salt) M. W.: 264.15 Assay (NaOH titration) 99.0%	**5 gm**

Product Code	Product Name	Packing
644985 $C_{10}H_7O_4PNa_2$ (14463-68-4)	**Sodium 2-Naphthyl Phosphate AR** for Biochemistry M. W.: 268.10	**5 gm**
030187 $NaNO_3$ (7631-99-4)	**Sodium Nitrate** Purified M. W.: 84.99 Assay (ex NO_3) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
645075 $NaNO_3$ (7631-99-4)	**Sodium Nitrate AR/ACS** M. W.: 84.99 Assay (ex NO_3) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
030188 $NaNO_2$ (7632-00-0)	**Sodium Nitrite** Purified M. W.: 69.00 Assay (ex NO_2 Oxidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
645080 $NaNO_2$ (7632-00-0)	**Sodium Nitrite AR** M. W.: 69.00 Assay (ex NO_2 Oxidimetric) 98.0%	**500 gm** **25 kg** **50 kg**
892630	**Sodium Nitrite** 0.1M (0.2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892660	**Sodium Nitrite** 0.2M (0.4N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892690	**Sodium Nitrite** 0.5M (1N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892720	**Sodium Nitrite** 1M (2N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
892750	**Sodium Nitrite** 4M (8N) Volumetric Solution	**500 ml** **1 lit** **2.5 lit**
030190 $Na_2[Fe(CN)_5NO]2H_2O$ (13755-38-9)	**Sodium Nitroprusside** Purified M. W.: 297.95 Assay (Argentometric) 98.0%	**100 gm** **500 gm**
645170 $Na_2[Fe(CN)_5NO].2H_2O$ (13755-38-9)	**Sodium Nitroprusside AR/ACS** M. W.: 297.95 Assay (Argentometric) 99.0%	**100 gm** **500 gm**
645435 $C_8H_{18}O_4SNa$ (142-31-4)	**Sodium Octyl Sulfate AR** M. W.: 232.27	**1 gm** **5 gm** **25 gm**
221135 $C_{18}H_{33}NaO_2$ (143-19-1)	**Sodium Oleate** Pure M. W.: 304.44 Assay 98.0%	**1 kg**
030193 $Na_3PO_4.12H_2O$ (10101-89-0)	tri-**Sodium Ortho Phosphate** -12-hydrate M. W.: 380.13 Assay (acidimetric) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
645495 $Na_3PO_4.12H_2O$ (10101-89-0)	tri-**Sodium Ortho Phosphate** -12-hydrate **AR** M. W.: 380.13 Assay (acidimetric) 98.0-102.0%	**500 gm** **5 kg** **25 kg** **50 kg**
030195 $C_2Na_2O_4$ (62-76-0)	**Sodium Oxalate** Purified (di-Sodium Oxalate) M. W.: 134.00 Assay (oxidimetric) 99.5%	**500 gm** **25 kg** **50 kg**
645535 $C_2Na_2O_4$ (62-76-0)	**Sodium Oxalate AR** M. W.: 134.00 Assay(oxidimetric) 99.9%	**500 gm** **25 kg** **50 kg**
892840	**Sodium Oxalate** 0.05M (0.1N) Volumetric Solution Nist Traceable	**500 ml** **1 lit** **2.5 lit**
892845	**Sodium Oxalate** 0.05 M (0.1 N) Volumetric Solution Nist Traceable	**1 lit**
221295 Na_2O (1313-59-3)	**Sodium Oxide** M. W.: 61.98 Assay 80.0%	**50 gm** **100 gm**
221425 $C_9H_{17}NO_5Na$ (867-81-2)	**Sodium Pantothenate** for Biochemistry M. W.: 241.21	**10 gm**
026152 $C_6Cl_5.NaO$ (131-52-2)	**Sodium Pentachlorophenate** M. W.: 288.32 Assay (acidimetric,on anhydrous substance) 98.0%	**500 gm**
024326 $NaBO_3.4H_2O$ (10486-00-7)	**Sodium Perborate** Tetrahydrate M. W.: 153.86 Assay (Iodometric) 96.0%	**1 kg** **25 kg** **50 kg**
030196 $NaBO_3.3H_2O$ (13517-20-9)	**Sodium Perborate** Trihydrate M. W.: 135.84 Assay (iodometric) 96.0%	**1 kg** **25 kg**
645605 $NaClO_4.H_2O$ (7791-07-3)	**Sodium Perchlorate AR** M. W.: 140.46 Assay (argentometric) 99.0%	**250 gm** **500 gm**
030200 $NaIO_4$ (7790-28-5)	**Sodium** meta **Periodate** M. W.: 213.89 Assay (Iodometric) 98.0%	**100 gm** **1 kg**
645645 $NaIO_4$ (7790-28-5)	**Sodium** Meta **Periodate AR/ACS** For the colorimetric determination of triglycerides M. W.: 213.89 Assay (Iodometric, on dry subs.) 99.0%	**100 gm** **500 gm**
024340 Na_2O_2 (1313-60-6)	**Sodium Peroxide** Granular M. W.: 77.98 Assay 93.0%	**500 gm**
645665 Na_2O_2 (1313-60-6)	**Sodium Peroxide** granular **AR/ACS** M. W.: 77.98 Assay (By titration of reducing powder against permaganate) 95.0%	**100 gm** **500 gm**
030203 $Na_2S_2O_8$ (7775-27-1)	**Sodium Persulphate** M. W.: 238.09 Assay (iodometric) 95.0%	**500 gm** **25 kg** **50 kg**
645705 $Na_2S_2O_8$ (7775-27-1)	**Sodium Persulphate AR** M. W.: 238.09 Assay(iodometric) 98.0%	**500 gm** **25 kg**
	Sodium Phosphate Dibasic See di-Sodium Hydrogen Ortho Phosphate	

Product Code	Product Name	Packing
645745 (55963-78-5)	**Sodium Polyanethole Sulphonate AR**	**1 gm** **5 gm**
	Sodium Potassium Tartrate See Potassium Sodium tartrate	
030206 $C_3H_5NaO_2$ (137-40-6)	**Sodium Propionate** M. W.: 96.06 Assay (after drying, Non-aqueous) 99.0-101.0%	**500 gm** **25 kg** **50 kg**
030208 $Na_4P_2O_7$ (7722-88-5)	tetra-**Sodium Pyro Phosphate** (Anhydrous) M. W.: 265.90 Assay (acidimetric) 97.5%	**500 gm** **25 kg** **50 kg**
030207 $Na_4P_2O_7.10H_2O$ (13472-36-1)	tetra-**Sodium Pyro Phosphate** (Decahydrate) M. W.: 446.05 Assay (acidimetric) 98.5%	**500 gm** **50 kg**
645835 $Na_4P_2O_7.10H_2O$ (13472-36-1)	tetra-**Sodium Pyro Phosphate** (Decahydrate) **AR** M. W.: 446.06 Assay (acidimetric) 99-103%	**500 gm** **25 kg** **50 kg**
646085 $NaHSO_4$ (7681-38-1)	**Sodium Pyrosulphate AR** M.W. : 120.06	**250 gm**
646175 $C_3H_3O_3Na$ (113-24-6)	**Sodium Pyruvate** for Biochemistry **AR** M. W.: 110.04 Assay (NAT) (Non-aqueous) 99.0%	**25 gm** **100 gm**
646235 $C_6Na_2O_6$ (523-21-7)	**Sodium Rhodizonate AR** M. W.: 214.04 Assay (non-aqueous) 98.5%	**5 gm**
030210 $C_7H_5NaO_3$ (54-21-7)	**Sodium Salicylate** M. W.: 160.10 Assay (after drying non-aqueous) 99.0%	**500 gm** **25 kg** **50 kg**
646305 $C_7H_5NaO_3$ (54-21-7)	**Sodium Salicylate AR** M. W.: 160.10 Assay (dried substance) 99.5-100.5%	**250 gm** **500 gm**
646405 Na_2SeO_4 (13410-01-0)	**Sodium Selenate AR** M. W.:188.94 Assay 99.0%	**100 gm** **1 kg**
221615 Na_2SeO_3 (10102-18-8)	**Sodium Selenite** Anhydrous M. W.:172.94	**100 gm** **1 kg**
646495 Na_2SeO_3 (10102-18-8)	**Sodium Selenite AR** Additive for nutrient media alkaloidal reagent M. W.: 172.94 Assay (ex Se Oxidimetric) 99.0%	**25 gm** **100 gm** **1 kg**
024327	**Sodium Sesquicarbonate**	**500 gm**
	Sodium-m-Silicate See Sodium Meta Silicate	
892935 $Na_2Si_3O_7$ (1344-09-8)	**Sodium Silicate** Solution water glass M. W.: 242.23 Assay as (Na_2O Titrimetric) 10% (Gravimetric as) 25.5-28.5%	**5 lit** **25 lit**

Product Code	Product Name	Packing
221765 Na_2SiF_6 (16893-85-9)	**Sodium Silicofluoride** M W.: 188.05 Assay (NaF) 43.0-45.0%	**1 kg** **25 kg** **50 kg**
026190 $Na_2SnO_3.3H_2O$ (12209-98-2)	**Sodium Stannate** M.W.:266.71 Assay [soluble Tin (as Sn)] Abt. 40.0%	**500 gm** **25 kg** **50 kg**
030217 (9063-38-1)	**Sodium Starchglycolate**	**500 gm** **5 kg** **25 kg** **50 kg**
221895 $CH_3(CH_2)_{16}COONa$ (822-16-2)	**Sodium Stearate** for Synthesis M.W. : 306.46 Assay 98.0%	**500 gm**
030219 $(CH_2COONa)_2.6H_2O$ (6106-21-4)	**Sodium Succinate** Hexahydrate M. W.: 270.14 Assay (dried, non-aq.) 99.0%	**500 gm** **25 kg** **50 kg**
646555 $(CH_2COONa)_2.6H_2O$ (6106-21-4)	**Sodium Succinate AR** (Hexahydrate) M. W.: 270.14 Assay (NT) 99.0%	**100 gm** **500 gm**
030223 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** Anhydrous Purified (Sodium Sulphate Dried) M. W.: 142.04 Assay (after drying) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646605 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** (Anhydrous) **AR/ACS** M. W.: 142.04 Assay (Acidimetric after drying) 99.5%	**500 gm** **1 kg** **25 kg** **50 kg**
772700 Na_2SO_4 (7757-82-6)	**Sodium Sulphate** HPLC M. W.: 142.04	**250 gm**
030224 $Na_2S.XH_2O$ (27610-45-3)	**Sodium Sulphide** Fused Flakes Iron Free M. W.: 78.04 (anhy.) Assay (Na_2S) 55.0-58.0%	**500 gm** **25 kg** **50 kg**
646665 $Na_2S.XH_2O$ (27610-45-3)	**Sodium Sulphide AR** M. W.: 78.04 Assay (Na_2S) About 60.0%	**500 gm** **25 kg** **50 kg**
030226 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous Purified M. W.: 126.04 Assay (iodometric) 96.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
646705 Na_2SO_3 (7757-83-7)	**Sodium Sulphite** Anhydrous **AR** M. W.: 126.04 Assay(iodometric) 97.0%	**500 gm** **25 kg** **50 kg**
030227 $[CHOHCOONa]_2.2H_2O$ (6106-24-7)	di-**Sodium Tartrate** Purified M. W.: 230.08 Assay (Non-aqueous) 99-101%	**500 gm** **25 kg** **50 kg**
646735 $C_4H_4Na_2O_62H_2O$ (6106-24-7)	di-**Sodium Tartrate AR** M. W.: 230.08 Assay 99.0%	**250 gm** **500 gm**
024323 $C_4H_4Na_2O_6$ (868-18-8)	**Sodium-DL-Tartrate** Anhydrous (Not Suitable for Karl Fischer) M. W.: 194.05 Assay (Non-aqueous) 99-101.00%	**500 gm**

Product Code	Product Name	Packing
043037	**Sodium Tauroglycocholate** for Bacteriological	500 gm
222125 Na_2TeO_3 (10102-20-2)	**Sodium Tellurite** Extra Pure M. W.: 221.58 Assay (Te) 56.7-58.5%	100 gm
	Di-**Sodium Tetraborate** See Borax	
222235 Na_2PdCl_4 (13820-53-6)	**Sodium Tetrachloropalladate** M. W.: 294.21	1 gm 5 gm
646805 $C_{24}H_{20}BNa$ (143-66-8)	**Sodium Tetra Phenyl Borate AR** M. W.: 342.23 Assay (argentometric) 99.5%	10 gm 100 gm
030636 NaSCN (540-72-7)	**Sodium Thiocyanate** M. W.: 81.07 Assay (Calculated on dried basis; Argentometric) 98.0%	500 gm 25 kg
646845 NaSCN (540-72-7)	**Sodium Thiocyanate AR/ACS** M. W.: 81.07 Assay (Calculated on dried basis; argentometric) 99.0%	500 gm 50 kg
893120	**Sodium Thiocyanate** 0.1M (0.1N) Volumetric Solution Nist Traceable	1 lit
030234 $C_2H_3NaO_2S$ (367-51-1)	**Sodium Thioglycolate** for Bacteriology M.W. : 114.09 Assay (Iodometric) 98.0%	100 gm 500 gm
030235 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate Purified (Sodium Thiosulphate-5-hydrate Hypo) M. W.: 248.17 Assay (iodometric) 99.0%	500 gm 1 kg 5 kg 25 kg 50 kg
646905 $Na_2S_2O_3.5H_2O$ (10102-17-7)	**Sodium Thiosulphate** Pentahydrate **AR** Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 248.17 Assay (Iodometric) 99.5%	500 gm 5 kg 25 kg 50 kg
646935 $Na_2S_2O_3$ (7772-98-7)	**Sodium Thiosulphate** (Anhydrous)**AR** M. W.: 158.11 Assay (iodometric on dried subs.) 98.0%	1 kg 50 kg
893240	**Sodium Thiosulphate** 0.1 M (0.1N) Volumetric Solution (N/10)	500 ml 1 lit 2.5 lit
893270	**Sodium Thiosulphate** 0.01M (0.01N) Volumetric Solution	500 ml 1 lit 2.5 lit
893330	**Sodium Thiosulphate** 0.05M (0.05N) Volumetric Solution	500 ml 1 lit 2.5 lit
893340	**Sodium Thiosulphate** Solution 0.1 mol/L Citrisol 12.409g $Na_2S_2O_3\ 5H_2O$ for 500 ml solution 0.1 N solution	6 amp
893350	**Sodium Thiosulphate** 0.2M (0.2N) Volumetric Solution	500 ml 1 lit 2.5 lit
893360	**Sodium Thiosulphate** 0.394M (0.394N) Volumetric Solution	500 ml 1 lit 2.5 lit
893390	**Sodium Thiosulphate** 1M (1N) Volumetric Solution	500 ml 1 lit 2.5 lit
024320 $C_6H_{10}BNaO_6$ (56553-60-7)	**Sodium Triacetoxyborohydride** M. W.: 211.94 Assay 95.0%	25 gm 100 gm 500 gm
222485 CCl_3CO_2Na (650-51-1)	**Sodium Trichloroacetate** (Trichloroacetic acid sodium salt) M. W.: 185.37	500 gm
030719 $Na_5O_{10}P_3$ (7758-29-4)	**Sodium Tripolyphosphate** Anhydrous (STPP) M. W.: 367.86 Assay (Cal. Based on P_2O_5) 57-59%	1 kg
030237 $Na_2WO_4.2H_2O$ (10213-10-2)	**Sodium Tungstate** Purified M. W.: 329.86 Assay (Gravimetric) 98.0%	100 gm 250 gm 5 kg
646995 $Na_2WO_4.2H_2O$ (10213-10-2)	**Sodium Tungstate AR/ACS** Reagent for determination of Uric acid M. W.: 329.86 Assay 99.0-101.0%	100 gm 250 gm 500 gm
893480	**Sodium Tungstate** 10% w/v Volumetric Solution Assay 10-11.0% w/v	100 ml 500 ml
030183 $NaVO_3$ (13718-26-8)	**Sodium** Meta **Vanadate** (Sodium Monovanadate) M. W.: 121.93 Assay (ex V) 98.0%	100 gm 500 gm
	Solochrome Black T See Erichrome black T	
013120 $C_{20}H_{13}N_2NaO_5S$ (2538-85-4)	**Solochrome Dark Blue** C.I. No. 15705 (Calcon, Eriochrome Blue Black R) M. W.: 416.39	5 gm 25 gm
	Soluble Blue See Aniline Blue	
222765 $C_{28}H_{22}N_2O_2$ (128-80-3)	**Solvent Green 3** [Quinzarine Green (Spirit Soluble)] (C.I. 61565) M.W. : 418.49 Dye content 95.0%	25 gm
030241 $C_6H_8O_2$ (110-44-1)	**Sorbic Acid** Mould yeast inhibitor M. W.: 112.13 Assay (acidimetric) 98.5%	500 gm 5 kg 25 kg 50 kg
030242 $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** for Microbiology M. W.: 182.17 Assay (Iodometric, Calc. on anhy. subs.) 98.0-100.5%	250 gm 1 kg
987180 $C_6H_{14}O_6$ (50-70-4)	D-**Sorbitol** Molecular Biology Grade M. W.: 182.17	250 gm

Product Code	Product Name	Packing
024314	**Sorbitol** Liquid 70%	**500 ml** **2.5 lit**
222905 $C_6H_{12}O_6$ (87-79-6)	L (-) **Sorbose** for Biochemistry M. W.: 180.16	**25 gm**
	Sorensen's Salt See di-Sodium Hydrogen Ortho Phosphate	
044095 (68513-95-1)	**Soyabean Meal** Defatted	**500 gm**
024321 (8002-43-5)	**Soya Lecithin**	**100 gm** **500 gm**
647055 $C_{16}H_9N_2Na_3O_{11}S_3$ (23647-14-5)	**Spadns AR** Certified M. W.: 570.40	**5 gm** **25 gm**
056002 $C_{18}H_{34}O_6$ (1338-39-2)	**Span** 20 M. W.: 346.46	**500 ml**
024347 $C_{22}H_{42}O_6$ (26266-57-9)	**Span** 40 M. W.: 402.57	**500 gm**
024346 $C_{24}H_{46}O_6$ (1338-41-6)	**Span** 60 M.W. : 430.62	**500 gm**
024345 $C_{60}H_{114}O_8$ (26658-19-5)	**Span** 65 M. W.: 963.55	**500 gm**
024344 $C_{24}H_{44}O_6$ (1338-43-8)	**Span** 80 M. W.: 428.60	**500 ml** **5 lit**
223085 $C_{60}H_{108}O_8$ (26266-58-0)	**SPAN** 85 (sorbitain Trioleate) M. W.: 957.50	**500 ml**
223275 $C_{30}H_{62}$ (111-01-3)	**Squalane** For Synthesis M. W.: 422.81 Assay 99.0%	**100 ml** **500 ml**
223305 $C_{30}H_{50}$ (111-02-4)	**Squalene** For Synthesis M. W.: 410.72 Assay 98.0%	**100 ml** **500 ml**
223415 $SnCl_4$ (7646-78-8)	**Stannic Chloride Anhydrous** (Tin (IV) Chloride) Fuming Liquid M.W. : 260.52 Assay 98.5-101.5%	**250 ml** **2.5 lit**
030247 $SnCl_4.5H_2O$ (10026-06-9)	**Stannic Chloride** Pentahydrate M. W.: 350.58 Assay (ex Sn) 97.5%	**500 gm**
030251 SnO_2 (18282-10-5)	**Stannic Oxide** M. W.: 150.69 Assay 99.0%	**500 gm**
647395 SnO_2 (18282-10-5)	**Stannic Oxide AR** M. W.: 150.69 Assay 99.5%	**250 gm**

Product Code	Product Name	Packing
030254 $SnCl_2.2H_2O$ (10025-69-1)	**Stannous Chloride** (Tin II Chloride) M. W.: 225.63 Assay 97.0%	**100 gm** **250 gm** **500 gm** **5 kg** **25 kg**
647435 $SnCl_2.2H_2O$ (10025-69-1)	**Stannous Chloride AR/ACS** Reagent for Amino Acid & Peptide Analysis M. W.: 225.63 Assay 98.0-103.0%	**100 gm** **250 gm** **500 gm** **5 kg** **25 kg**
223745 SnC_2O_4 (814-94-8)	**Stannous Oxalate** Extra Pure M. W.: 206.73 Assay (Tin) 56-58%	**500 gm**
030258 SnO (21651-19-4)	**Stannous Oxide** M. W.: 134.69 Assay (ex stannous, Tin) 90.0%	**500 gm**
030726 $SnSO_4$ (7488-55-3)	**Stannous Sulphate** (Tin (II) Sulphate) M. W.: 214.75 Assay (oxidimetric, Sn) 50.0%	**100 gm** **500 gm**
646435 $SnSO_4$ (7488-55-3)	**Stannous Sulphate AR** M. W.: 214.75 Assay (iodometric) 96.0%	**250 gm**
893890	**Starch** 0.5% w/v aq.Indicator Solution in Saturated Salt Solution APHA Stabilized	**100 ml**
893910	**Starch** 0.05% w/v aq.Indicator Solution	**100 ml**
030261 $(C_6H_{10}O_5)_n$ (9005-25-8)	**Starch Corn** (Maize) (Insoluble)	**500 gm** **5 kg**
044514 (9005-84-9)	**Starch Hydrolysed** for Biochemistry	**100 gm** **500 gm**
PA1850	**Starch Iodide** Paper (10 Books of 20 Leaves in Box)	**200 lvs**
030262 (9005-25-8)	**Starch Potato** (Insoluble)	**500 gm** **5 kg** **25 kg**
223945 (9005-25-8)	**Starch Rice** (Insoluble)	**500 gm**
030264 (9005-84-9)	**Starch** Soluble (Ex Potato)	**500 gm** **25 kg**
647625 (9005-84-9)	**Starch** Soluble (Ex Potato) **AR**	**500 gm** **25 kg**
224055 (9005-25-8)	**Starch Wheat** (Insoluble)	**500 gm**
024319 $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** for Biochemistry M. W.: 284.49 Assay 99.0%	**5 gm** **25 gm**
030267 $C_{18}H_{36}O_2$ (57-11-4)	**Stearic Acid** for Synthesis M. W.: 284.49 Total assay (Palmitic acids stearic acid) ($C_{18}H_{36}O_2$ & $C_{16}H_{32}O_2$) (GC) 90.0%	**500 gm** **25 kg**

Product Code	Product Name	Packing
030268 $(C_{17}H_{35}.CO)_2O$ (638-08-4)	**Stearic Anhydride** M. W.: 550.95 Assay (ex anhydride) 97.0%	**5 gm**
	Stearyl Alcohol See 1-Octadecanol	
224245 $C_{27}H_{50}NCl.H_2O$ (122-19-0)	**Stearylkonium Chloride** (Dimethylstearylbenzylammonium Chloride) M. W.: 442.00 Assay (ex ci) 98.0%	**25 gm**
893940	**Steril** Solution	**1 lit**
224415 $C_{29}H_{48}O$ (83-48-7)	**Stigmasterol** for Biochemistry (3-β-Hydroxy-24-Ethyl-5,22-Cholestadiene) M. W.: 412.70	**1 gm** **5 gm**
224495	**Stopcock Grease** (Lab)	**250 gm** **1 kg**
024360 $C_{21}H_{39}N_7O_{12}.1.5H_2SO_4$ (3810-74-0)	**Streptomycin Sulphate** for Lab Use M. W.: 728.69 Assay (dried) 95.0%	**5 gm** **25 gm**
224625 $C_8H_{15}N_3O_7$ (18883-66-4)	**Streptozotocin** for Biochemistry M. W.: 265.22 Assay (HPLC) 98.0%	**100 mgm** **1 gm**
893990	**Strontium** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
894020	**Strontium** 1000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
894050	**Strontium** 10000 ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**
894080	**Strontium** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
894110	**Strontium** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
224815 Sr (7440-24-6)	**Strontium** (Metal) Powder M. W.: 87.62 Assay (trace metal basis) 99.9%	**5 gm** **25 gm**
224835 $(CH_3CO_2)_2Sr$ (543-94-2)	**Strontium Acetate** M. W.: 205.71	**500 gm**
224855 (71786-49-7)	**Strontium Borate**	**500 gm**
224875 $SrBr_2$ (10476-81-0)	**Strontium Bromide** M. W.: 247.43	**500 gm**
648115 $SrBr_2$ (10476-81-0)	**Strontium Bromide AR** M. W.: 247.43	**500 gm**
030275 $SrCO_3$ (1633-05-2)	**Strontium Carbonate** M. W.: 147.63 Assay (acidimetric) 99.0%	**250 gm** **500 gm** **25 kg**
030276 $SrCl_2.6H_2O$ (10025-70-4)	**Strontium Chloride** Purified M. W.: 266.62 Assay (Complexometric) 98.0-101.0%	**500 gm** **50 kg**
648155 $SrCl_2.6H_2O$ (10025-70-4)	**Strontium Chloride AR/ACS** M. W.: 266.62	**500 gm**
225025 $SrCrO_4$ (7789-06-2)	**Strontium Chromate** M.W. : 203.61	**500 gm**
225045 SrF_2 (7783-48-4)	**Strontium Fluoride** for Synthesis M. W.: 125.62	**500 gm**
225065 $Sr(OH)_2.8H_2O$ (1311-10-0)	**Strontium Hydroxide** Octahydrate Extra Pure M. W.: 265.76	**500 gm**
030282 $Sr(NO_3)_2$ (10042-76-9)	**Strontium Nitrate** Anhydrous Purified M. W.: 211.63 Assay (complexometric) 99.0%	**500 gm** **50 kg**
648245 $Sr(NO_3)_2$ (10042-76-9)	**Strontium Nitrate AR/ACS** M. W.: 211.63 Assay (Complexometric) 99.0%	**500 gm**
225085 SrC_2O_4 (814-95-9)	**Strontium Oxalate** Extra Pure M. W.: 175.64	**500 gm**
225125 $Sr_3(PO_4)_2$ (7446-28-8)	**Strontium Phosphate** M. W.: 452.80	**500 gm**
024342 $SrSO_4$ (7759-02-6)	**Strontium Sulphate** Pure M. W.: 183.68 Assay 98.0%	**500 gm**
648775 SrS (1314-96-1)	**Strontium Sulphide AR** M. W.: 119.69	**500 gm**
225335 $C_{10}H_{12}O_2$ (93-92-5)	**Styrallyl Acetate** for Synthesis M. W.: 164.20	**500 gm**
225435 (8046-19-3)	**Styrax** for Synthesis (Gum Storax)	**500 gm**
225585 C_8H_8 (100-42-5)	**Styrene** for Synthesis (Monomer-Stabilised) M. W.: 104.15 Assay 98.0%	**500 ml**
648955 $C_8H_{14}O_4$ (505-48-6)	**Suberic Acid AR** M. W.: 174.19 Assay 98.0%	**100 gm** **500 gm**
030295 $C_4H_6O_4$ (110-15-6)	**Succinic Acid** Cryst. Pure M. W.: 118.09 Assay (acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
649045 $C_4H_6O_4$ (110-15-6)	**Succinic Acid AR** M. W.: 118.09 Assay(acidimetric) 99.5%	**100 gm** **500 gm** **25 kg** **50 kg**

Product Code	Product Name	Packing
030296 $C_4H_4O_3$ (108-30-5)	**Succinic Anhydride** for Synthesis M. W.: 100.07 Assay (acidimetric) 99.0%	**100 gm** **500 gm** **25 kg** **50 kg**
030297 $C_4H_5NO_2$ (123-56-8)	**Succinimide** (Butanimide) M. W.: 99.09 Assay (acidimetric) 98.5%	**100 gm** **500 gm** **25 kg**
030299 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** (Saccharose) M. W.: 342.30	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
645105 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose AR** M. W.: 342.30 Assay 99.5%	**500 gm** **1 kg** **25 kg** **50 kg**
987380 $C_{12}H_{22}O_{11}$ (57-50-1)	**Sucrose** For Molecular Biology M. W.: 342.30 Assay 99.5%	**500 gm** **1 kg** **25 kg**
024304 $C_{16}H_{12}N_2O$ (842-07-9)	**Sudan** I C.I. 12055 M. W.: 248.29 Dye content (titanometry) Abt. 97.0%	**25 gm** **100 gm**
034069 $C_{22}H_{16}N_4O$ (85-86-9)	**Sudan** III for Microscopy C.I. No. 26100 M. W.: 352.4 Dye content (titanometry) Not less than 75.0%	**10 gm** **25 gm** **100 gm**
894290	**Sudan** III Solution	**125 ml**
034070 $C_{24}H_{20}N_4O$ (85-83-6)	**Sudan** IV for Microscopy C.I. No. 26105 M. W.: 380.45 Dye content (titanometry) About 80.0%	**10 gm** **25 gm** **100 gm**
894350	**Sudan** IV Solution	**125 ml** **500 ml**
034071 $C_{29}H_{24}N_6$ (4197-25-5)	**Sudan Black** B for Microscopy C.I. No. 26150 M. W.: 456.55 Dye content (Acidimetry) 60.0%	**10 gm** **25 gm** **100 gm**
024310 $C_8H_9N_2NaO_3S.H_2O$ (6209-17-2)	**Sulphacetamide Sodium** for Lab Use M. W.: 254.24 Assay (Calculated on anhy. basis) 99.0%	**25 gm**
024313 $C_{10}H_{10}N_4O_2S$ (68-35-9)	**Sulphadiazine** for Lab Use M. W.: 250.28	**25 gm**
024309 $C_{12}H_{14}N_4O_2S$ (57-68-1)	**Sulphamethazine** Plain for Lab Use M. W.: 278.33 Assay (HPLC) 99.0%	**25 gm**
024318 $C_{10}H_{11}N_3O_3S$ (723-46-6)	**Sulphamethoxazole** for Lab Use M. W.: 253.28	**10 gm**
030307 NH_2SO_3H (5329-14-6)	**Sulphamic Acid** (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dired subs.) 99.0%	**500 gm** **5 kg** **50 kg**
649665 NH_2SO_3H (5329-14-6)	**Sulphamic Acid AR** (Amido Sulphonic Acid) M. W.: 97.09 Assay (acidimetric on dried subs.) 99.3-100.3%	**500 gm** **25 kg**
225760 $C_6H_8N_2O_2S$ (63-74-1)	**Sulphanilamide** M. W.: 172.20 Assay (HPLC) 98.0%	**500 gm** **25 kg**
649225 $C_6H_8N_2O_2S$ (63-74-1)	**Sulphanilamide AR** M. W.: 172.20 Assay (HPLC) 99.0%	**100 gm** **500 gm** **25 kg**
030309 $C_6H_7NO_3S$ (121-57-3)	**Sulphanilic Acid** for Synthesis M. W.: 173.19 Assay (acidimetric) 98.5%	**100 gm** **500 gm**
649265 $C_6H_7NO_3S$ (121-57-3)	**Sulphanilic Acid AR/ACS** Sensitivity to Nitrate 1:100,000,000 Parts M. W.: 173.19 Assay (Acidimetric) 99.0%	**100 gm** **500 gm**
894490	**Sulphanilic** Acid Solution	**100 ml**
894520	**Sulphate** Standard Solution 1000 mg/l	**100 ml**
225795 $C_4H_8O_2S$ (126-33-0)	**Sulpholane** for Synthesis (Tetramethylene Sulfone) M. W.: 120.17 Assay 98.0%	**500 ml** **2.5 lit**
649675 $C_4H_8O_2S$ (126-33-0)	**Sulpholane AR** M. W.: 120.17 Assay 99.0%	**500 ml** **2.5 lit**
030314 $C_7H_6O_6S.2H_2O$ (5965-83-3)	5-**Sulphosalicylic Acid** M. W.: 254.21 Assay (acid-base titrimetric) 99.0-101.0%	**100 gm** **500 gm** **25 kg**
649765 $C_7H_6O_6S.2H_2O$ (5965-83-3)	5-**Sulphosalicylic Acid AR** Suitable for detection of Protein in Urine M. W.: 254.21 Assay(acidimetric) 99.5%	**250 gm** **500 gm**
894610	5-**Sulpho Salicylic Acid** 3% Solution	**125 ml**
894640	5-**Sulpho Salicylic Acid** 10% Solution	**125 ml**
894670	5-**Sulphosalicylic Acid** 20% Solution Assay (Acidimetric) 20.0%	**125 ml**
894700	5-**Sulphosalicyclic Acid** 30% Soln. for Biochemistry	**250 ml**
894730	**Sulphur** 1000 ppm Single Element Standard for ICP in Water Nist Traceable	**100 ml** **500 ml**
894760	**Sulphur** 10000 ppm Single Element Standard for ICP in Water Nist Traceable	**100 ml** **500 ml**
226005 S (7704-34-9)	**Sulphur Powder** Extra Pure M. W.: 32.06 Assay 98.0%	**500 gm** **25 kg** **50 kg**
649965 S (7704-34-9)	**Sulphur Powder AR** M. W.: 32.06 Assay 99.0%	**500 gm**

Product Code	Product Name	Packing
	Sulphur Dioxide Aqueous Solution See Sulphurous Acid 5-6%	
226125 S_2Cl_2 (10025-67-9)	**Sulphur Monochloride** for Synthesis M. W.: 135.04 Assay 98.0%	500 ml 25 lit
894850	**Sulphuric Acid** N/1	500 ml
894870	**Sulphuric Acid** 0.1N (N/10)	500 ml
894880	**Sulphuric Acid** N/50 (0.02N)	500 ml 1 lit 2.5 lit
894890	**Sulphuric Acid** 2N/3	500 ml
894900	**Sulphuric Acid** 20% v/v Assay About 19.9-20.1% v/v	500 ml
894910	**Sulphuric Acid** 25% v/v Assay about 24.9-25.1% w/v	500 ml
894920	**Sulphuric Acid** 40% for Determination of Gas Metabolism According to Knipping	500 ml 1 lit 2.5 lit
894930	**Sulphuric Acid** 90-91% for Gerber Fat Determination and Determination of Nitrates in Milk	500 ml 2.5 lit
894950	**Sulphuric Acid** 0.005 M (0.01N) for 1000 ml Solution	1 amp 6 amp
894955	**Sulphuric Acid** 0.005M (0.01N) for 1000 ml Nist Traceable	1 lit
894960	**Sulphuric Acid** 0.05M (0.1N) Standardized Solution	500 ml 1 lit 2.5 lit
894965	**Sulphuric Acid** 0.05M (0.1N) Standardized Solution Nist Traceable	1 lit
894970	**Sulphuric Acid** 0.1M (0.2N) Standardized Solution	500 ml 1 lit 2.5 lit
895000	**Sulphuric Acid** 0.1M (0.2N) Standardized Solution Nist Traceable	1 lit
895090	**Sulphuric Acid** 0.1N Solution 0.05 mol/lit Citrisol	1 amp 3 amp 6 amp
895120	**Sulphuric Acid** 0.25M (0.5N) Standardized Solution Nist Traceable	1 lit
895130	**Sulphuric Acid** 0.25M (0.5N) Solution	500 ml 1 lit 2.5 lit
895140	**Sulphuric Acid** 0.5M (1N) Standardized Solution	500 ml 1 lit 2.5 lit
895150	**Sulphuric Acid** 0.5M (1N) Standardized Solution Nist Traceable	1 lit
895155	**Sulphuric Acid** 1M (2N) Standardized Solution	500 ml 1 lit 2.5 lit
895160	**Sulphuric Acid** 1M (2N) Solution Standardized Nist Traceable	1 lit
895170	**Sulphuric Acid** 2.5M (5N) Solution	500 ml 1 lit 2.5 lit
895260	**Sulphuric Acid** 2.5M (5N) Standardized Solution Nist Traceable	1 lit
895265	**Sulphuric Acid** 5M (10N) Standardized Solution	500 ml 1 lit 2.5 lit
895275	**Sulphuric Acid** 5M (10N) Standardized Solution Nist Traceable	1 lit
226325 H_2SO_4 (7664-93-9)	**Sulphuric Acid** (SP.GR 1.835) M. W.: 98.08 Assay ABT 98%	500 ml 2.5 lit
650055 H_2SO_4 (7664-93-9)	**Sulphuric Acid AR** (SP.GR 1.84) M. W.: 98.08 Assay ABT 98%	500 ml 2.5 lit
773520 H_2SO_4 (7664-93-9)	**Sulphuric Acid** EL (SP.GR. 1.84) M. W.: 98.08 Assay ABT 98%	2.5 lit
895440 So_2 (7782-99-2)	**Sulphurous Acid** Solution 5-6% **AR** (Sulphur dioxide) M. W.: 64.06 Assay (So_2) 5.0-6.0% w/v	500 ml 2.5 lit
226445 SO_2Cl_2 (7791-25-5)	**Sulphuryl Chloride** for Synthesis M. W.: 134.97	500 ml
226605 $C_{16}H_{10}N_2Na_2O_7S_2$ (2783-94-0)	**Sunset Yellow** M. W.: 452.37 Dye content 90.0%	25 gm
226715 $[HOC_6H_2(OCH_3)_2CH=N-]_2$ (14414-32-5)	**Syringaldazine** (4-Hydroxy-3,5-Dimethoxy- Benzaldehyde Azine) M. W.: 360.36	1 gm 5 gm
226855 $HOC_6H_2(OCH_3)_2CHO$ (134-96-3)	**Syringaldehyde** for Synthesis (4-Hydroxy-3,5-Dimethoxy- Benzaldehyde) M. W.: 182.17	5 gm 25 gm
226885 $HOC_6H_2(OCH_3)_2CO_2H$ (530-57-4)	**Syringic Acid** for Synthesis (4-Hydroxy-3,5-Dimethoxy- Benzoic Acid) M. W.: 198.17	25 gm

Product Code	Product Name	Packing
033122 (14807-96-6)	**Talcum Powder** Pract	**500 gm** **5 kg** **25 kg** **50 kg**
236885 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid** Powder Pure M. W.: 1701.23	**100 gm** **250 gm** **500 gm**
655565 $C_{76}H_{52}O_{46}$ (1401-55-4)	**Tannic Acid AR** M. W.: 1701.23	**100 gm** **250 gm** **500 gm**
237055 Ta (7440-25-7)	**Tantalum Sheet** 0.1mm Thick (40Mm X 100mm) M. W.: 180.95 Assay 99.9%	**1 pc**
237075 Ta (7440-25-7)	**Tantalum Sheet** 0.1mm Thick (40Mm X 50mm) M. W.: 180.95 Assay 99.9%	**1 pc**
237125 $TaCl_5$ (7721-01-9)	**Tantalum (V) Chloride** (Tantalum penta chloride) M. W.: 358.21 Assay (trace metal basis) 99.8%	**10 gm**
655655 Ta_2O_5 (1314-61-0)	**Tantalum (V) Oxide AR** (Tantalum penta oxide) M. W.: 441.89 Assay (Base on trance metal) 99.5%	**5 gm** **10 gm**
044158 $C_7H_{17}NO_6S$ (29915-38-6)	**TAPS** Buffer M. W.: 243.28 Assay (Acidimetric) 99.0%	**25 gm** **100 gm**
044575 $C_7H_{17}NO_7S$ (68399-81-5)	**TAPSO** Buffer M.W.: 259.28 Assay 99.0%	**100 gm**
024273 $C_4H_6O_6$ (147-71-7)	D (-) **Tartaric Acid** M. W.: 150.09 Assay (acidimetric) 99.0%	**25 gm** **250 gm**
237435 $C_4H_6O_6$ (133-37-9)	DL-**Tartaric Acid** (This is not D-Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	**500 gm** **25 kg** **50 kg**
030713 $C_4H_6O_6$ (87-69-4)	L (+) **Tartaric Acid** Cryst.Pure (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (acidimetric) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**
655745 $C_4H_6O_6$ (87-69-4)	L (+) **Tartaric Acid AR** (Dextro-Rotatory (+) Tartaric Acid) M. W.: 150.09 Assay (on dried subs. acidimetric) 99.5-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
034150 $C_{16}H_9N_4Na_3O_9S_2$ (1934-21-0)	**Tartrazine** for Microscopy C.I. No. 19140 M. W.: 534.37 Dye content (dried, titanometric) 85.0%	**25 gm** **100 gm** **1 kg**
037149 $C_2H_7NO_3S$ (107-35-7)	**Taurine** for Synthesis M. W.: 125.15 Assay (T; acidimetry) 98.0%	**100 gm**

Product Code	Product Name	Packing
655945 $C_{11}H_{16}N_5O.BF_4$ (125700-67-6)	**TBTU (O-(1H-Benzotriazol-1-Yl)-N,N,N',N'-Teramethyluroniumtetra Fluoroborate) AR** M. W.: 321.08	**5 gm** **25 gm** **100 gm**
655985 H_6TeO_6 (7803-68-1)	**Telluric Acid AR** M. W.: 229.64 Assay 99.0%	**25 gm** **100 gm**
896100	**Tellurium** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
896130	**Tellurium** 1000 ppm Atomic Absorption Std. Soln. for ICP in HCl	**100 ml** **500 ml**
896150	**Tellurium** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceacble	**100 ml** **500 ml**
030347 Te (13494-80-9)	**Tellurium** (Metal) powder At. W.: 127.60 Assay (Iodometry) 99.0%	**100 gm**
656125 $C_9H_{18}NO$ (2564-83-2)	**Tempo** (Free Radical) **AR** M. W.: 156.25 Assay 98.0%	**1 gm** **5 gm** **25 gm**
896200	**Terbium** Atomic Absorption Std.Soln. Contain 1000 mg/litr AAS in HNO_3	**100 ml**
896210	**Terbium** 1000 ppm Single Element Standard for ICP in HNO_3	**100 ml**
RE2850 Tb (7440-27-9)	**Terbium** Metal **Ingot** M. W. : 158.93 Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE2855 Tb (7440-27-9)	**Terbium** Metal **Lump** (1cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE2860 Tb (7440-27-9)	**Terbium** Metal **Powder** 325 mesh M. W. : 158.93 Assay (Trace metal basis) 99.9%	**1 gm** **5 gm**
RE2862 Tb (7440-27-9)	**Terbium** Metal **Wire** (0.1 mm) M. W. : 158.93	**1 gm** **5 gm**
RE2865 Tb (7440-27-9)	**Terbium** Metal **Rod** (5mmx30cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE2870 Tb (7440-27-9)	**Terbium** Metal **Foil** (0.25mmx40cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE2875 Tb (7440-27-9)	**Terbium** Metal **Foil** (0.50mmx40cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE2880 Tb (7440-27-9)	**Terbium** Metal **SLAB** (1cmx40cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE2885 Tb (7440-27-9)	**Terbium** Metal **Disc** (0.1mmx Dia 35cm) M. W. : 158.93 Assay (Trace metal basis) 99.99%	**1 PC**

Product Code	Product Name	Packing
RE2900 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2905 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2910 $Tb(CH_3CO_2)_3.xH_2O$ (100587-92-6)	**Terbium Acetate** M. W.: 336.06 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2925 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2930 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE2935 $Tb_2(CO_3)_3.xH_2O$ (100587-96-0)	**Terbium Carbonate** M. W.: 497.88 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2950 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE2955 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE2960 $TbCl_3.6H_2O$ (13798-24-8)	**Terbium Chloride** M. W.: 373.38 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE2975 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.9%	**5 gm** **50 gm**
RE2980 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE2985 $Tb(NO_3)_3.5H_2O$ (57584-27-7)	**Terbium Nitrate** M. W.: 435.02 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3000 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.9%	**1 gm** **10 gm** **50 gm** **250 gm** **1 kg**
RE3005 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm** **250 gm**
RE3010 Tb_4O_7 (12037-01-3)	**Terbium Oxide** M. W.: 747.69 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm** **250 gm**
RE3025 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.9%	**5 gm** **50 gm**
RE3030 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE3035 $Tb_2(SO_4)_3.8H_2O$ (13842-67-6)	**Terbium Sulphate** M. W.: 750.16 Assay (Trace metal basis) 99.999%	**10 gm** **50 gm**
237525 $C_8H_6O_2$ (623-27-8)	**Terephthalaldehyde** for Synthesis M. W.: 134.13 Assay 97.5%	**100 gm** **500 gm**
237635 $C_{18}H_{14}$ (92-94-4)	p-**Terphenyl** for Synthesis M. W.: 230.30	**25 gm** **100 gm**
030351 $C_8H_6O_4$ (100-21-0)	**Terephthalic Acid** for Synthesis M. W.: 166.14 Assay (acidimetric) 98.0%	**500 gm**
D98568 $C_8H_2D_4O_4$ (60088 54 2)	**Terephthalic** d_4 **Acid** M.W.: 170.16 (for NMR Spectroscopy) Assay Min. 99.0 atom%D	**1 gm** **5 gm**
237805 $C_8H_4Cl_2O_2$ (100-20-9)	**Terphthaloyl Chloride** for Synthesis M. W.: 203.02 Assay 99.0%	**100 gm** **500 gm**
024274 $C_{10}H_{18}O$ (8006-39-1)	**Terpineol** (Mixture of isomers) M. W.: 154.25 Assay (mix isomers) 98.0%	**500 ml** **2.5 lit**
237975 $C_{12}H_{20}O_2$ (80-26-2)	**Terpinyl Acetate** for Synthesis M. W.: 196.29 Assay 95.0%	**500 gm**
	Tert-Butanol See tert-Butanol	
044130 $C_6H_{15}NO_6S$ (7365-44-8)	**TES** Buffer M. W.: 229.25 Assay (Acidimetric) 99.0%	**25 gm** **100 gm**
238045 $C_{19}H_{28}O_2$ (58-22-0)	**Testosterone** for Lab use M. W.: 288.42	**5 gm** **25 gm**
238135 (57-85-2)	**Testosterone Propionate**	**5 gm** **25 gm**
030355 $C_2H_2Br_4$ (79-27-6)	1,1,2,2-**Tetra Bromo Ethane** for Microscopy M. W.: 345.67 Assay (GC) 98.5%	**250 ml** **500 ml**
024283 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetra Butyl Ammonium Bromide** M. W.: 322.37 Assay (argentometric) 99.0%	**250 gm** **1 kg** **25 kg**
656955 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetrabutyl Ammonium Bromide AR** M. W.: 322.37	**100 gm** **500 gm**
773700 $C_{16}H_{36}NBr$ (1643-19-2)	**Tetrabutyl Ammonium Bromide** HPLC Phase Transfer Catalyst Suitable for HPLC M. W.: 322.37	**100 gm**
238285 $[CH_3(CH_2)_3]_4NCl$ (1112-67-0)	**Tetrabutyl Ammonium Chloride** for Synthesis M. W.: 277.92 Assay 99.0%	**10 gm**

Product Code	Product Name	Packing
238745 $C_{16}H_{36}NH_2O_4P$ (5574-97-0)	**Tetrabutyl Ammonium Dihydrogen Phosphate** for Synthesis M. W.: 339.45	**5 gm** **25 gm** **100 gm**
773750 $C_{16}H_{36}NH_2O_4P$ (5574-97-0)	**Tetrabutyl Ammonium Dihydrogen Phosphate AR**/ HPLC M. W.: 339.45 Assay 99.0%	**5 gm** **25 gm**
024282 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetra Butyl Ammonium Hydrogen Sulphate** for Synthesis M. W.: 339.54 Assay (acidimetric) 98.0%	**100 gm** **500 gm** **25 kg**
656995 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetra Butyl Ammonium Hydrogen Sulphate AR** M. W.: 339.53 Assay (acidimetric cal. subs.) 99.0%	**25 gm** **100 gm**
773800 $C_{16}H_{37}NO_4S$ (32503-27-8)	**Tetrabutyl Ammonium Hydrogen Sulphate** HPLC M. W.: 339.53	**100 gm**
890290	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N aq. Solution **AR** Assay About 0.1%	**500 ml**
896310	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N In Isopropanol **AR** Assay About 0.1%	**500 ml**
896330	**Tetra**-N-**Butyl Ammonium Hydroxide** 0.1N In Toluene/Methanol **AR** (For Non-Aqueous Titration) Assay About 0.1%	**500 ml**
896350	**Tetra**-N-**Butyl Ammonium Hydroxide** 1m in Water	**100 ml**
896370	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% aqueous Solution Assay (acidimetric) 9.9-10.1%	**100 ml**
896390	**Tetra**-N-**Butyl Ammonium Hydroxide** 10% in Methanol Assay About 10.0%	**100 ml**
896450	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% aq. Solution Assay About 20.0%	**100 ml** **500 ml**
896470	**Tetra**-N-**Butyl Ammonium Hydroxide** 20% Solution in Methanol/Toluene Assay About 20%	**100 ml**
896510	**Tetra**-N-**Butyl Ammonium Hydroxide** 25% In Methanol Extra Pure Assay About 25%	**100 ml** **250 ml**
896530	**Tetra**-N-**Butyl Ammonium Hydroxide** 40% in Methanol **AR** Assay About 40%	**100 ml**
896570	**Tetra**-N-**Butyl Ammonium Hydroxide** 40 % in Water Assay 39-41%	**100 ml**
657055 $[CH_3(CH_2)_3]_4NI$ (311-28-4)	**Tetra Butyl Ammonium Iodide AR** M. W.: 369.38 Assay (argentometric) 99.0%	**100 gm** **1 kg**

Product Code	Product Name	Packing
026198 $CHCl_2.CHCl_2$ (79-34-5)	1,1,2,2-**Tetra Chloroethane** for Synthesis M. W.: 167.85 Assay (GC) 97.0%	**500 ml** **2.5 lit**
657165 $CHCl_2.CHCl_2$ (79-34-5)	1,1,2,2-**Tetra Chloroethane AR** M. W.: 167.85 Assay (GC) 98.0%	**500 ml** **2.5 lit**
030693 $CCl_2:CCl_2$ (127-18-4)	**Tetrachloroethylene** for Synthesis (Perchloro Ethylene) M. W.: 165.83 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
657195 $CCl_2:CCl_2$ (127-18-4)	**Tetrachloroethylene AR** (perchloroethylene) M. W.: 165.83	**500 ml** **2.5 lit** **25 lit**
774000 $Cl_2C:CCl_2$ (127-18-4)	**Tetrachloroethylene** for HPLC & Spectroscopy M. W.: 165.83 Assay (GC) 99.8%	**1 lit**
239025 $C_8Cl_4O_3$ (117-08-8)	**Tetrachloro Phthalic Anhydride** M. W.: 285.95 Assay 96.0%	**1 kg**
657275 C_6N_4 (670-54-2)	**Tetracyanoethylene AR** M. W.: 128.09 Assay 98.0%	**5 gm** **25 gm**
239175 $C_{12}H_4N_4$ (1518-16-7)	7,7,8,8-**Tetracyanoquino Dimethane** Extra Pure M. W.: 204.19 Assay 98.0%	**1 gm** **5 gm**
099900 $C_{22}H_{24}N_2O_8HCl$ (64-75-5)	**Tetracycline Hydrochloride** for Lab Use M. W.: 480.90 Assay (dry basis) 95.0%	**10 gm** **25 gm**
657465 $C_{14}H_{30}$ (629-59-4)	N-**Tetradecane AR** M. W.: 198.39	**100 ml** **500 ml**
774090 $C_{40}H_{84}NBr$ (14937-42-9)	**Tetradecyl Ammonium Bromide AR** for HPLC M. W.: 659.01 Assay 99.0%	**5 gm** **25 gm**
239395 $C_8H_{20}O_4Si$ (78-10-4)	**Tetraethoxy Silane** for Synthesis M. W.: 208.33 Assay 99.0%	**250 ml** **500 ml**
030366 $(C_2H_5)_4$ NBr (71-91-0)	**Tetraethyl Ammonium Bromide** for Synthesis M. W.: 210.16 Assay (Argentometric) 98.0%	**100 gm** **500 gm** **1 kg**
239515 $C_8H_{20}ClN$ (56-34-8)	**Tetraethyl Ammonium Chloride** (Contains 10-15% Water) Pure M. W.: 165.70	**25 gm** **100 gm**
774140 $C_8H_{20}NHO_4S$ (16873-13-5)	**Tetraethyl Ammonium Hydrogen Sulphate** (HPLC) M. W.: 227.32 Assay 99.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
896740 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 20% In Water for Synthesis Assay 18.5-21.5%	**100 ml** **500 ml**
896770 (77-98-5)	**Tetraethyl Ammonium Hydroxide** 25% Aqueous Solution Assay 23.5-26.5%	**100 ml** **500 ml**
024237 $C_8H_{20}NI$ (68-05-3)	**Tetraethyl Ammonium Iodide** M. W.: 257.153	**100 gm** **1 kg**
239625 $C_{10}H_{22}O_5$ (143-24-8)	**Tetraethylene Glycol Dimethyl Ether** for Synthesis M. W.: 222.28 Assay 98.0%	**100 ml**
239775 $C_8H_{20}O_4Si$ (78-10-4)	**Tetraethyl** Ortho **Silicate** for Synthesis M. W.: 208.33 Assay 99.0%	**250 ml** **500 ml**
657745 $C_{28}H_{60}NBr$ (4368-51-8)	**Tetraheptylammonium Bromide AR** M. W.: 490.70	**25 gm** **100 gm**
030371 C_4H_8O (109-99-9)	**Tetrahydrofuran** (Stabilized) for Synthesis M. W.: 72.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
657835 C_4H_8O (109-99-9)	**Tetrahydrofuran AR** Stabilized M. W.: 72.11 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
774380 C_4H_8O (109-99-9)	**Tetrahydrofuran** For HPLC & Spectroscopy M. W.: 72.11 Assay (GC) 99.7%	**1 lit** **2.5 lit**
774410 C_4H_8O (109-99-9)	**Tetrahydrofuran** for Pesticide Residue Trace Analysis M. W.: 72.11	**1 lit**
	1,2,5,8 **Tetrahydroxyanthraquinone** Please See **Quinalizarine**	
677925 $C_6H_4O_6.2H_2O$ (5676-48-2)	**Tetrahydroxy-p-Benzoquinone AR** Indicator for Sulphate Titration M. W.: 208.12 Assay (HPLC) 97.0%	**1 gm** **5 gm**
658055 $C_{72}H_{60}P_4Pd$ (14221-01-3)	**Tetrakis** (Triphenylphosphine) Palladium(0) (Reduction Catalyst) **AR** M. W.: 1155.56 Assay 99.0%	**1 gm** **5 gm** **25 gm**
030373 $C_{10}H_{12}$ (119-64-2)	**Tetralin** M. W.: 132.21 Assay (GC) 98.0%	**500 ml** **2.5 lit**
240085 $C_{10}H_{10}O$ (530-93-8)	B-**Tetralone** M. W.: 146.19 Assay 98.0%	**5 gm** **25 gm**
240125 $C_{10}H_{10}O$ (529-34-0)	a-**Tetralone** for Synthesis M. W.: 146.19 Assay 97.0%	**100 ml** **500 ml**

Product Code	Product Name	Packing
240335 $C_4H_{12}BrN$ (64-20-0)	**Tetramethyl Ammonium Bromide** for Synthesis M. W.: 154.05 Assay 98.0%	**100 gm** **500 gm**
030379 $C_4H_{12}CIN$ (75-57-0)	**Tetramethyl Ammonium Chloride** pure M. W.: 109.60 Assay (argentometry) 98.0%	**100 gm** **500 gm**
896860	**Tetramethyl Ammonium Hydrogen Sulphate** 0.1 N **AR**	**500 ml**
774500 $C_4H_{12}NHO_4S$ (80526-82-5)	**Tetramethyl Ammonium Hydrogen Sulphate** (HPLC) for Ion Pair Chromatography M. W.: 171.21	**5 gm** **25 gm**
240485 $C_4H_{12}NHO_4S$ (80526-82-5)	**Tetramethyl Ammonium Hydrogen Sulphate** for Synthesis M. W.: 171.21 Assay 98.0%	**100 gm** **500 gm**
897000 (75-59-2)	**Tetramethyl Ammonium Hydroxide** 0.1 N In Isopropanol / Methanol Extra Pure	**250 ml** **500 ml**
897020 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 10% Solution in water for Polarography M.W.: 91.15 Assay (acidimetric) 9.5-10.5%	**50 ml** **250 ml**
897050 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 25% aqueous Solution pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	**100 ml** **500 ml**
897070 $(CH_3)_4.NOH$ (75-59-2)	**Tetramethyl Ammonium Hydroxide** 25% in Methanol pure M.W.: 91.15 Assay (acidimetric) 24.0-27.0%	**100 ml** **500 ml**
024234 $C_4H_{12}IN$ (75-58-1)	**Tetramethyl Ammonium Iodide** M. W.: 201.05 Assay (argentometric) 99.0%	**100 gm** **500 gm**
658465 $C_{16}H_{20}N_2$ (366-29-0)	N,N,N'N'-**Tetramethyl Benzidine AR** M. W.: 240.34 Assay 95.0%	**100 mgm** **1 gm** **5 gm**
658545 $C_{16}H_{20}N_2$ (54827-17-7)	3,3,5,5-**Tetramethyl Benzidine AR** (TMB) (Reagent for Detection of Blood) M. W.: 240.34	**1 gm** **5 gm**
240825 $C_{17}H_{22}N_2$ (101-61-1)	N,N,N'N'-**Tetramethyl Diamino Diphenyl Methane** for Synthesis (Michler's Base) M. W.: 254.37	**25 gm** **100 gm** **500 gm**
044308 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n-**Tetramethyl Ethylenediamine** (Temed) for Synthesis M. W.: 116.21 Minimum assay (GLC) 99.0%	**100 ml** **500 ml** **2.5 lit**
658605 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n-**Tetramethyl Ethylene Diamine AR** M. W.: 116.21 Assay (GC) 99.0%	**25 ml** **100 ml** **500 ml**

Product Code	Product Name	Packing
988500 $C_6H_{16}N_2$ (110-18-9)	n,n,n,n-**Tetramethyl Ethylene Diamine** for Electrophoresis/Molecular Biology M. W.: 116.21	**100 ml**
658725 $C_5H_{13}N_3$ (80-70-6)	1,1,3,3-**Tetramethyl Guanidine AR** M. W.: 115.18 Assay 98.5%	**100 gm** **500 gm**
030386 $C_{10}H_{18}Cl_2N_2$ (637-01-4)	n,n,n,n-**Tetramethyl**-p-**Phenylene Hydrochloride** M. W.: 237.17 Assay (argentometric) 98.0%	**5 gm** **25 gm**
	2,2,6,6-**Tetramethylpiperidine-1-Oxyl** See TEMPO	
D99036 $C_4H_{12}Si$ (75 76 3)	**Tetramethylsilane** TMS) M.W.: 88.23 (for NMR Spectroscopy) Assay GC)Min. 99 9%	**25 ml**
012325 $C_6H_{12}N_2S_4$ (137-26-8)	**Tetramethyl Thiuram Disulphide** M. W.: 240.44 Assay 98.0%	**100 gm** **500 gm**
658915 $C_{40}H_{28}Cl_2N_{12}O_{10}$ (1184-43-6)	**Tetranitro B.T. AR** (Tetranitro Blue Tetrazolium Chloride) M. W.: 907.63	**100 mgm** **250 mgm**
241225 $C_{24}H_{20}P.Br$ (2751-90-8)	**Tetraphenyl Phosphonium Bromide** for Synthesis M. W.: 419.3	**25 gm** **100 gm**
241265 $C_{24}H_{20}P.Cl$ (2001-45-8)	**Tetraphenyl Phosphonium Chloride** for Synthesis M. W.: 374.85 Assay 98.0%	**10 gm**
241305 $C_{24}H_{20}P.I$ (2065-67-0)	**Tetraphenyl Phosphonium Iodide** for Synthesis M. W.: 466.30	**10 gm**
241425 $C_{12}H_{28}NBr$ (1941-30-6)	**Tetrapropyl Ammonium Bromide** Extra Pure M. W.: 266.26	**100 gm** **500 gm**
897260 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 10% Aqueous Solution Assay 9.5-10.5%	**100 ml** **500 ml**
897280 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 20% Solution in Water Assay 18.5-21.5%	**100 ml** **500 ml**
897300 (4499-86-9)	**Tetrapropyl Ammonium Hydroxide** 40% Solution in Water Assay 38.5-41.5%	**100 ml** **500 ml**
774680 CH_2N_4 (288-94-8)	1H-**Tetrazole** for Dna Synthesis (Amidite Activator) Store at -2 M. W.: 70.05	**1 gm** **5 gm** **25 gm**
	Tetrazolium Salt See 2,3,5-Triphenyl Tetrazolium Chloride	
659325 $C_{23}H_{17}ClN_4$ (1719-71-7)	**Tetrazolium Violet AR** M. W.: 384.86	**1 gm**
659415 $C_8H_5F_3O_2S$ (326-91-0)	2-**Thenoyl Trifluoro Acetone AR** M. W.: 222.19 Assay (acidimetric) 99.0%	**10 gm** **100 gm**
241905 $C_7H_8N_4O_2$ (83-67-0)	**Theobromine** for Synthesis M. W.: 180.16 Assay 99.0%	**100 gm** **500 gm**
659505 $C_7H_8N_4O_2$ (58-55-9)	**Theophylline** Anhydrous **AR** M. W.: 180.16 Assay 99.0%	**100 gm**
044005 $C_{12}H_{17}N_4OSClHCl$ (67-03-8)	**Thiamine Hydrochloride** for Biochemistry (Vitamin B1) M. W.: 337.27 Assay (On dried substance) 98.5-101.5%	**10 gm** **25 gm** **500 gm**
024294 CH_3CSNH_2 (62-55-5)	**Thioacetamide** Pract M. W.: 75.13 Assay (Argentometry) 98.0%	**100 gm** **500 gm**
659545 CH_3CSNH_2 (62-55-5)	**Thioacetamide AR** for Precipitation of Heavy Metals M. W.: 75.13 Assay (Argentometric)99.0%	**100 gm** **500 gm** **5 kg**
242125 CH_3COSH (507-09-5)	**Thioacetic Acid** for Synthesis M. W.: 76.12	**100 ml** **500 ml**
659605 $C_4H_4N_2O_2S$ (504-17-6)	2-**Thiobarbituric Acid AR** M. W.: 144.15 Assay (acidimetric on dried substance) 99.0%	**25 gm** **100 gm**
242305 C_7H_7NS (2227-79-4)	**Thiobenzamide** M. W.: 137.20 Assay 98.0%	**25 gm** **100 gm**
242575 $C_4H_{10}O_2S$ (111-48-8)	2,2-**Thio Diethanol** for Synthesis M. W.: 122.19 Assay 99.0%	**500 ml**
242725 $C_{17}H_{19}ClN_2S$ (2390-54-7)	**Thioflavine T** C.I. 49005 M. W.: 318.86 Dye content 65-75%	**5 gm** **25 gm**
030415 $CH_2(SH)COOH$ (68-11-1)	**Thioglycolic Acid** 80% M. W.: 92.11 Assay Abt. 80.0%	**500 ml** **2.5 lit**
659335 $CH_2(SH)COOH$ (68-11-1)	**Thioglycolic Acid AR** M. W.: 92.11 Minimum assay (iodometric) 99.0%	**500 ml**
242825 $C_4H_6O_4S$ (70-49-5)	**Thiomalic Acid** for Synthesis Used In Cosmetic, Mettallurgy, Printing Ink and for Electroplating M. W.: 150.15 Assay 97.0%	**100 gm** **1 kg**

Product Code	Product Name	Packing
030416 $C_9H_9HgNaO_2S$ (54-64-8)	**Thiomersal** Used as a Preservative for Sucrose Buffer Solution M. W.: 404.81 Assay (Argentometric) 97.0%	**10 gm** **25 gm** **100 gm** **1 kg**
024263 $C_3H_8O_2S$ (96-27-5)	1-**Thioglycerol** (3-Mercapto-1, 2-Propanediol) M. W.: 108.16 Assay (oxidimetric) 90.0%	**100 ml** **500 ml**
242945 $C_{12}H_9N_3S.C_2H_4O_2$ (78338-22-4)	**Thionin Acetate** for Microscopy C. I. No. 52000 M. W.: 287.34	**5 gm** **25 gm**
024288 $SOCl_2$ (7719-09-7)	**Thionyl Chloride** for Synthesis (Min. order should be for 4x500 ml) M. W.: 118.97 Assay (iodometric ex; Cl) 99.0-101.0%	**500 ml** **2.5 lit**
660235 $SOCl_2$ (7719-09-7)	**Thionyl Chloride AR** M. W.: 118.97	**500 ml** **2.5 lit**
243085 C_4H_4S (110-02-1)	**Thiophene** for Synthesis M. W.: 84.14	**100 ml** **500 ml**
243255 C_5H_4OS (98-03-3)	**Thiophene**-2-**Carboxyaldehyde** for Synthesis M. W.: 112.15 Assay 98.0%	**25 ml** **100 ml** **500 ml**
024230 C_6H_6S (108-98-5)	**Thiophenol** for Synthesis M. W.: 110.18 Assay (GC) 98.0%	**500 ml** **2.5 lit**
243575 CH_5N_3S (79-19-6)	**Thiosemicarbazide** for Synthesis M. W.: 91.13	**25 gm** **100 gm** **1 kg**
660295 CH_5N_3S (79-19-6)	**Thiosemicarbazide AR** M. W.: 91.13 Assay (Iodometric) 99.0%	**25 gm** **100 gm**
243725 $C_4H_4N_2OS$ (141-90-2)	2-**Thiouracil** for Synthesis (Used In Bioside & Electroplating) M. W.: 128.15 Assay 99.0%	**25 gm** **100 gm**
024297 CH_4N_2S (62-56-6)	**Thiourea** Pract M. W.: 76.12 Assay (iodometric) About 97.0%	**500 gm** **25 kg** **50 kg**
030423 CH_4N_2S (62-56-6)	**Thiourea** Purified M. W.: 76.12 Assay (Iodometric) 98.0%	**500 gm** **25 kg** **50 kg**
660355 CH_4N_2S (62-56-6)	**Thiourea AR** M. W.: 76.12 Assay (Iodometric) 99.0%	**500 gm** **50 kg**
660375 $C_{16}H_{11}AsN_2Na_2O_{10}S_2$ (3688-92-4)	**Thorin Indicator AR** Reagent for Throium, Beryllium & Other Metals M. W.: 576.30	**5 gm** **10 gm**

Product Code	Product Name	Packing
660415 $Th(NO_3)_45H_2O$ (14767-04-5)	**Thorium Nitrate AR** as a reagent for determination of Fluorine M. W.: 570.13 Assay (complexometric) 99.0%	**25 gm** **100 gm**
660435 ThO_2 (1314-20-1)	**Thorium Oxide AR** M. W.: 264.04 Assay 99.0%	**5 gm**
660505 $C_4H_9NO_3$ (72-19-5)	L-**Threonine AR** M. W.: 119.12 Assay (ex. N non-aq.) 99.0%	**10 gm** **25 gm** **500 gm**
243935 $C_4H_9NO_3$ (80-68-5)	DL-**Threonine** for Biochemistry M. W.: 119.12	**25 gm** **100 gm**
RE3045 Tm (7440-30-4)	**Thulium** Metal Ingot M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3050 Tm (7440-30-4)	**Thulium** Metal Lump (1 cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3055 Tm (7440-30-4)	**Thulium** Metal Powder 325 mesh M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3060 Tm (7440-30-4)	**Thulium** Metal Wire (0.1mm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**5 gm**
RE3065 Tm (7440-30-4)	**Thulium** Metal Rod (5cmx30cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE3070 Tm (7440-30-4)	**Thulium** Metal Foil (0.25mmx40cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE3075 Tm (7440-30-4)	**Thulium** Metal Foil (0.50mmx40cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE3080 Tm (7440-30-4)	**Thulium** Metal SLAB (1cmx40cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE3085 Tm (7440-30-4)	**Thulium** Metal Disc (0.1mmxdia35cm) M. W.: 168.93 Assay (Trace metal basis) 99.99%	**1 PC**
RE3095 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **100 gm**
RE3100 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3105 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay(Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3110 $Tm(CH_3CO_2)_3.xH_2O$ (207738-11-2)	**Thulium** (III) **Acetate** M. W.: 346.07 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**

Product Code	Product Name	Packing
RE3114 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3116 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3118 $Tm_2(CO_3)_3.xH_2O$ (87198-17-2)	**Thulium** (III) **Carbonate** M. W.: 517.90. (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3120 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.9%	**2 gm** **10 gm**
RE3125 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE3130 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.999%	**2 gm** **10 gm**
RE3135 $TmCl_3$ (13537-18-3)	**Thulium** (III) **Chloride** M. W.: 275.29 Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3137 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE3139 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3141 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3143 TmF_3 (13760-79-7)	**Thulium** (III) **Fluoride** M. W.: 225.93 Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3145 TmI_3 (13813-43-9)	**Thulium** (III) **Iodide** M. W.: 549.65 Assay (Trace metal basis) 99.95%	**1 gm** **5 gm**
RE3155 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3160 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE3165 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3170 $Tm(NO_3)_3.xH_2O$	**Thulium** (III) **Nitrate** M. W.: 354.95 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3172 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE3174 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.99%	**1 gm** **25 gm**
RE3176 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
RE3178 $Tm_2(C_2O_4)_3.xH_2O$ (58176-73-3)	**Thulium Oxalate** M. W.: 601.93 (Anhy.) Assay (Trace metal basis) 99.9999%	**1 gm** **25 gm**
RE3180 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3185 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.99%	**2 gm** **10 gm**
RE3190 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.999%	**1 gm** **5 gm**
RE3195 Tm_2O_3 (12036-44-1)	**Thulium Oxide** M. W.: 385.88 Assay (Trace metal basis) 99.9999%	**1 gm** **10 gm**
RE3205 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE3210 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.99%	**1 gm** **5 gm**
RE3215 $Tm_2(SO_4)_3.8H_2O$ (13778-40-0)	**Thulium Sulphate** M. W.: 770.18 Assay (Trace metal basis) 99.999%	**1 gm** **25 gm**
042048 $C_{10}H_{14}N_2O_5$ (50-89-5)	**Thymidine** for biochemistry M. W.: 242.23 Assay (HPLC) 99.0%	**1 gm** **5 gm** **25 gm**
244125 $C_5H_6N_2O_2$ (65-71-4)	**Thymine** for Biochemistry M. W.: 126.11 Assay 99%	**10 gm** **25 gm**
030433 $C_{10}H_{14}O$ (89-83-8)	**Thymol** (Crystal) M. W.: 150.22 Assay(GC) 99.0%	**100 gm** **500 gm**
660595 $C_{10}H_{14}O$ (89-83-8)	**Thymol** (Crystal) **AR** M. W.: 150.22 Assay (GC) 99.5%	**100 gm** **500 gm**
660655 $C_{27}H_{30}O_5S$ (76-61-9)	**Thymol Blue** pH Indicator **AR** pH Transition range 1.2-2.8 Red to Yellow M. W.: 466.60	**5 gm** **25 gm**
897440	**Thymol Blue** Indicator Solution	**125 ml**
020114 $C_{27}H_{29}NaO_5S$ (62625-21-2)	**Thymol Blue Sodium Salt** pH Indicator M. W.: 488.58	**5 gm**
660695 $C_{28}H_{30}O_4$ (125-20-2)	**Thymolphthaleine AR** pH Indicator M. W.: 430.55	**5 gm** **25 gm** **1 kg**
897490	**Thymolphthaleine** Indicator Solution	**125 ml**
024261 $C_{38}H_{44}N_2O_{12}$ (1913-93-5)	**Thymolphthaleine** Complexone M. W.: 720.78	**1 gm** **5 gm**

Product Code	Product Name	Packing
024284	**Thymol Violet** pH Indicator	**5 gm** **25 gm**
897560	**Tin** 10000 ppm Single Element Standard for ICP in HCl	**100 ml** **500 ml**
897520	**Tin** 1000 ppm Single Element Standard for ICP in HCl	**100 ml** **500 ml**
660735 Sn (7440-31-5)	**Tin** (Metal) Powder **AR** At. Wt. : 118.69 Assay 99.5%	**100 gm** **250 gm**
660745 Sn (7440-31-5)	**Tin** (Metal) Powder **AR** At. W.: 118.69 Assay 99.9%	**10 gm** **25 gm**
244305 Sn (7440-31-5)	**Tin Wire** (2.0 MM) M. W.: 118.69	**5 gm**
660755 Sn (7440-31-5)	**Tin (**Metal) Foil **AR** At. W.:118.69 Assay 99.8%	**250 gm**
024298 Sn (7440-31-5)	**Tin** (Metal) Foil At. W.: 118.69 Assay (Complexometic) 99.5%	**50 gm**
030438 Sn (7440-31-5)	**Tin** (Metal) Granulated At. W.: 118.69 Assay (Complexometic) 99.5%	**100 gm** **500 gm**
660765 Sn (7440-31-5)	**Tin** (Metal) Granulated **AR** At. W.: 118.69 Assay (Complexometic) 99.7%	**100 gm** **500 gm**
897510	**Tin** Atomic Absorption STD Soln. Contains 1000 mg/litre AAS in HCl	**250 ml**
024296 $Sn(BF_4)_2$ (13814-97-6)	**Tin** (II) **Fluoborate** 50% for Electroplating M.W. : 292.32 Assay 50.0%	**500 gm** **25 kg**
661135 (149-45-1)	**Tiron AR** Metal (pH) Indicator	**10 gm** **25 gm**
897600	**Titan Yellow Solution**	**100 ml** **500 ml**
661225 $C_{28}H_{19}N_5Na_2O_6S_4$ (1829-00-1)	**Titan Yellow AR** C.I. No. 19540 M. W.: 695.73	**10 gm** **50 gm**
244465 Ti (7440-32-6)	**Titanium** Metal Powder M. W.: 47.87	**100 gm** **500 gm**
244485 Ti (7440-32-6)	**Titanium** Metal Granular M. W.: 47.87	**25 gm** **100 gm**
244735 $TiCl_4$ (7550-45-0)	**Titanium** (IV) **Chloride** for Synthesis (titanium tetrachloride) M. W.: 189.68	**500 ml**

Product Code	Product Name	Packing
030446 TiO_2 (13463-67-7)	**Titanium Dioxide** (Titanium IV Oxide) M. W.: 79.89 Assay (ex Ti) 98.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
661315 TiO_2 (13463-67-7)	**Titanium Dioxide AR** M. W.: 79.89 Assay (ex Ti dried subs.) 99.0-100.5%	**500 gm** **5 kg** **25 kg** **50 kg**
661325 TiO_2 (13463-67-7)	**Titanium Dioxide AR** M. W.: 79.89 Assay (ex Ti) 99.9%	**10 gm**
897700	**Titanium** (III) **Sulphate** (0.1 M) Volumetric Solution	**100 ml**
244885 $C_{12}H_{28}O_4Ti$ (546-68-9)	**Titanium Tetraisopropoxide** for Synthesis M. W.: 284.22 Assay 97.0%	**500 ml** **2.5 lit**
030448 $TiCl_3$ (7705-07-9)	**Titanium Trichloride** Solution for Synthesis M.W. : 154.23 Assay ~15.0%	**250 ml** **500 ml**
245005 $TiOSO_4aq.$ (13825-74-6)	**Titanyl Sulphate** for Synthesis M. W.: 159.93 (aq.) Assay 29.0%	**250 gm** **500 gm**
044099 $C_{31}H_{52}O_3$ (7695-91-2)	•DL-a-**Tocopherol Acetate** (Vitamin E Acetate) M. W.: 472.75 Assay (Oxidimetric) 96-102%	**50 gm** **1 kg**
897900 $C_{14}N_{16}N_2$ (119-93-7)	o-**Tolidine** Reagent (For Chlorine Estimation) M. W.: 212.30	**500 ml**
661395 $C_{14}H_{16}N_2$ (119-93-7)	o-**Tolidine AR** Reagent for the Halogens and Gold M. W.: 212.30 Assay 99.0%	**25 gm** **100 gm**
661415 $C_{14}H_{16}N_2.2HCl$ (612-82-8)	o-**Tolidine Hydrochloride AR** M. W.: 285.22 Assay (Argentometric by autotitrator) 99.0%	**25 gm** **100 gm**
898000	**Tollen's** Reagent	**100 ml** **500 ml**
030452 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Recitified M. W.: 92.14 Assay(GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
661475 $C_6H_5CH_3$ (108-88-3)	**Toluene AR** M. W.: 92.14 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**
030454 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Sulphur Free M. W.: 92.14 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit**
661480 $C_6H_5.CH_3$ (108-88-3)	**Toluene** Specially Dried **AR** M. W.: 92.14 Assay (GC) 99.5%	**500 ml** **2.5 lit**

Product Code	Product Name	Packing
775500 $C_6H_5CH_3$ (108-88-3)	**Toluene** For HPLC & Spectroscopy M. W.: 92.14 Assay (GC) 99.7%	**1 lit** **2.5 lit**
014627 $C_6H_5CH_3$ (108-88-3)	**Toluene** Scintillation Grade M. W.: 92.14 Assay (GC) 99.5%	**500 ml** **2.5 lit**
775550 $C_6H_5CH_3$ (108-88-3)	**Toluene** for Pesticide Residue Trace Analysis (Methy Benzene) M. W.: 92.14	**1 lit**
D99450 C_7D_8 (2037 26 5)	**Toluene** d_8 (for NMR Spectroscopy) M.W.: 100 21 Assay (GC)Min. 99 5 atom%D	**10 ml**
245435 $C_9H_6N_2O_2$ (584-84-9)	**Toluene** -2-4-**Diisocyanate** (Tolylene-2,4-Diisocyanate, 2,4-Diisocyanato toluene) M. W.: 174.16	**500 ml** **2.5 lit**
661505 $CH_3.C_6H_3(SH)_2$ (496-74-2)	**Toluene**-3,4-**Dithiol AR** M. W.: 156.27 Assay (GC) 97.0%	**5 ml**
661515 $C_7H_6S_2Zn$ (29726-21-4)	**Toluene**-3,4-**Dithiol Zinc** Derivative **AR** M.W.: 219.62	**1 gm**
024286 $C_7H_9NO_2S$ (70-55-3)	p-**Toluene Sulphonamide** M. W.: 171.22 Assay 99.0%	**500 gm**
024268 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid** Pract M. W.: 190.22 Assay 97.5%	**500 gm** **5 kg**
030459 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid** for Synthesis (Toluene-4-Sulphonic Acid) M. W.: 190.22 Assay (acidimetric) 98.0%	**500 gm** **5 kg** **25 kg** **50 kg**
661605 $CH_3.C_6H_4.SO_3H.H_2O$ (6192-52-5)	p-**Toluene Sulphonic Acid AR** Monohydrate M. W.: 190.22 Assay (acidimetric) 99.0%	**500 gm** **25 kg**
245575 $CH_3C_6H_4SO_3Na$ (657-84-1)	p-**Toluene Sulfonic Acid sodium Salt** for Synthesis M. W.: 194.18 Assay 95.0%	**500 gm**
030461 $CH_3C_6H_4.SO_2Cl$ (98-59-9)	p-**Toluene Sulphonyl Chloride** M. W.: 190.65 Assay (Acidimetric) 98.0%	**500 gm**
024257 $C_8H_8O_2$ (99-04-7)	m-**Toluic Acid** M. W.: 136.15 Assay (GLC) 99.0%	**500 gm**
024258 $C_8H_8O_2$ (118-90-1)	o-**Toluic Acid** M. W.: 136.15 Assay (GC) 98.0%	**500 gm**
024256 $C_8H_8O_2$ (99-94-5)	p-**Toluic Acid** M. W.: 136.15 Assay (GLC) 98.0%	**500 gm**

Product Code	Product Name	Packing
245245 C_7H_9N (108-44-1)	m-**Toluidine** for Synthesis (m-Aminotoluene) M. W.: 107.16	**500 ml** **2.5 lit**
030467 $CH_3.C_6H_4.NH_2$ (95-53-4)	o-**Toluidine** for Synthesis M. W.: 107.16 Assay (GC) 99.0%	**500 ml** **2.5 lit**
661665 C_7H_9N (95-53-4)	o-**Toluidine AR** for determination of blood sugar M. W.: 107.16 Assay(GC) 99.5%	**500 ml** **2.5 lit**
245265 $C_7H_9N.HCl$ (636-21-5)	o-**Toluidine Hydrochloride** for Synthesis M. W.: 143.61 Assay 98.0%	**5 gm** **250 gm**
030469 C_7H_9N (106-49-0)	p-**Toluidine** M. W.: 107.16 Minimum assay (GC) 98.0%	**500 gm**
661695 C_7H_9N (106-49-0)	p-**Toluidine AR** M. W.: 107.16	**100 gm**
024266 C_7H_9NHCl (540-23-8)	p-**Touidine Hydrochloride** for Synthesis M. W.: 143.62 Assay (argentometric) 99.0%	**100 gm** **500 gm**
034077 $C_{15}H_{16}ClN_3S$ (92-31-9)	**Toluidine Blue** for Microscopy C.I. No. 52040 M. W.: 305.83 Dye content (Titanometric on dried subs.) Abt. 85.0%	**25 gm** **100 gm** **1 kg**
898140	**Topfer's** Reagent Determination of HCl in Gastric Juice	**125 ml**
898190	**Total Hardness Indicator Powder**	**25 gm**
055036	**Towex** 50x8 20-50 mesh standard grade	**500 gm**
038063 $C_{12}H_{22}O_{11}.2H_2O$ (6138-23-4)	D (+) **Trehalose** M. W.: 378.33	**5 gm** **10 gm** **25 gm**
	Triacetin See Glycerol Triacetate	
662335 $C_{18}H_{12}N_6$ (3682-35-7)	2,4,6-**Tri-(2-Pyridyl)** 1,3,5-**Triazine AR** M. W.: 312.33 Assay (Non aqueous; on dried) 99.0%	**1 gm** **5 gm**
024287 $C_2H_3N_3$ (288-88-0)	1,2,4-**Triazole** for Synthesis M. W.: 69.07 Assay (GC) 98.0%	**100 gm** **500 gm**
245725 $C_2H_2N_3Na$ (41253-21-8)	1,2,4-**Triazole Sodium Salt** Technical Grade M. W.: 91.05 Assay 90.0%	**25 gm** **100 gm** **250 gm**
245935 $C_6H_3Br_3$ (626-39-1)	1,3,5-**Tribromobenzene** M. W.: 314.80	**25 gm**

Product Code	Product Name	Packing
246045 $Br_3C_6H_2OH$ (118-79-6)	2,4,6-**Tribromophenol** for Synthesis M. W.: 330.80 Assay 99.0%	**100 gm** **500 gm**
024255 $C_{12}H_{27}N$ (102-82-9)	**Tri-n-Butylamine** M. W.: 185.35 Assay (acidimetric) 99.0%	**500 ml** **2.5 lit**
662615 $[CH_3(CH_2)_3]N$ (102-82-9)	**Tri-n-Butylamine AR** M. W.: 185.35	**500 ml** **2.5 lit**
246155 $C_{12}H_{27}ClSn$ (1461-22-9)	**Tributyltin Chloride** for Synthesis M. W.: 325.50 Assay 96.0%	**250 ml** **1 lit**
246235 $C_{18}H_{32}O_7$ (77-94-1)	**Tributyl Citrate** for Synthesis M. W.: 360.44 Assay 97.0%	**100 ml** **500 ml**
246285 $C_{24}H_{54}OSn_2$ (56-35-9)	**Tributyltin Oxide** for Synthesis (Bis-(Tributyltin) Oxide) M. W.: 596.10 Assay 96.0-105.0%	**100 ml** **500 ml**
030488 $C_{12}H_{27}PO_4$ (126-73-8)	**Tri-n-Butyl Phosphate** for Synthesis M. W.: 266.32 Assay (GC) 97.0%	**500 ml** **2.5 lit**
662905 $C_{12}H_{27}O_4P$ (126-73-8)	**Tri-n-butyl Phosphate AR** for Extraction Analysis M.W.: 266.31	**500 ml**
030489 $CCl_3.COOH$ (76-03-9)	**Trichloroacetic Acid** for Synthesis M. W.: 163.39 Assay (Acidimetric) 99.0%	**100 gm** **500 gm** **25 kg**
662965 $CCl_3.COOH$ (76-03-9)	**Trichloro Acetic Acid AR/ACS** for determination of Serum-Iron Protein M. W.: 163.39 Assay (Acidimetric) 99.5%	**100 gm** **500 gm**
898330	**Trichloro Acetic Acid 20% W/V AR**	**500 ml**
246475 $C_8H_5Cl_3O$ (4252-78-2)	2',2',4'-**Trichloro Acetophenone** M. W.: 223.48 Assay 97.0%	**25 gm**
246585 $C_6H_4Cl_3NO$ (35302-72-8)	2-**(Trichloroacetyl)Pyrrole** M. W.: 212.46 Assay 99.0%	**10 gm** **50 gm**
663215 $C_6H_3Cl_3$ (87-61-6)	1,2,3-**Trichloro Benzene AR** M. W.: 181.45 Assay 99.0%	**1 kg**
246695 $C_6H_3Cl_3$ (120-82-1)	1,2,4-**Trichilorobenzene** for Synthesis M. W.: 181.45	**500 ml** **2.5 lit**
246865 Cl_3CCH_3 (71-55-6)	1,1,1-**Trichloro Ethane** for Synthesis M. W.: 133.40 Assay 97.0%	**500 ml**
663295 Cl_3CCH_3 (71-55-6)	1,1,1-**Trichloro Ethane AR** M. W.: 133.40 Assay 99.0%	**1 lit**


Product Code	Product Name	Packing
030497 $CHCl:CCl_2$ (79-01-6)	**Trichloroethylene** M. W.:131.39 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
663415 $CHCl.CCl_2$ (79-01-6)	**Trichloroethylene AR/ACS** M. W.:131.39	**500 ml** **2.5 lit**
775788 $CHCl:CCl_2$ (79-01-6)	**Trichloro Ethylene** EL grade M. W.: 131.39 Assay (GC) 99.7%	**2.5 lit**
775790 $CHCl:CCl_2$ (79-01-6)	**Trichloro Ethylene** For HPLC & Spectroscopy M. W.: 131.39 Assay (GC) 99.5%	**1 lit**
024254 $C_6H_3Cl_3O$ (88-06-2)	2,4,6-**Trichloro Phenol** for Synthesis M. W.: 197.45 Assay (GC) 97.0%	**100 gm** **500 gm**
044110 $(CH_2OH)_3C.NH.CH_2COOH$ (5704-04-1)	**Tricine** Biological Buffer (N-TRIS Hydroxy Methyl) Methyl Glycine M. W.: 179.17 Assay (Potentiometric) 99.0%	**25 gm** **100 gm**
024265 $C_{12}H_7Cl_3O_2$ (3380-34-5)	**Triclosan** M. W.: 289.54 Assay (GLC) 98.0%	**100 gm** **1 kg**
026214 $(CH_3.C_6H_4)_3PO_4$ (1330-78-5)	**Tricresyl Phosphate** (Tritolyl Phosphate) M. W.: 368.37	**500 ml** **2.5 lit**
247015 $C_{13}H_{28}$ (629-50-5)	n-**Tridecane** M. W.: 184.36	**100 ml** **250 ml**
024267 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine** Pract M. W.: 149.19 Assay (ex Total bases) 95.0%	**500 ml** **2.5 lit**
247145 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine** for Synthesis M. W.: 149.19 Assay (Acidimetric) 98.0%	**500 ml** **2.5 lit** **25 lit** **50 lit**
663435 $C_6H_{15}NO_3$ (102-71-6)	**Triethanolamine AR** Suitable for Metal Titration M. W.: 149.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **50 lit**
663445 $C_6H_{15}NO_3.HCl$ (637-39-8)	**Triethanolamine Hydrochloride AR** Buffer Component M. W.: 185.65 Assay(dried) 99.5%	**100 gm** **500 gm**
247165 $C_{12}H_{26}O_4SC_6H_{15}NO_3$ (139-96-8)	**Triethanolamine Lauryl Sulphate** M. W.: 415.58	**1 lit** **5 lit**
030502 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for Synthesis M. W.: 101.19 Assay (GC) 99.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
663505 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine AR** M. W.: 101.19 Assay (GC) 99.5%	**500 ml** **2.5 lit** **25 lit**

Product Code	Product Name	Packing
776040 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for HPLC & Spectroscopy M. W.: 101.19 Assay (GC) 99.5%	**1 lit**
775950 $(C_2H_5)_3N$ (121-44-8)	**Triethylamine** for DNA & Peptide Synthesis Store at 2-8°C M. W.: 101.19	**500 ml**
247355 $(C_2H_5)_3N.HCl$ (554-68-7)	**Triethylamine Hydrochloride** for Synthesis M. W.: 137.65 Assay 99.0%	**500 gm**
247465 $C_{12}H_{20}O_7$ (77-93-0)	**Triethyl Citrate** for Synthesis (Ethyl Citrate, Citric Acid Triethyl Ester) M. W.: 276.28 Assay 98.0%	**250 ml**
247545 $C_{11}H_{18}O_6$ (7459-46-3)	**Triethyl** 1,1,2-**Ethanetricarboxylate** M. W.: 246.25 Assay 99.0%	**25 gm** **100 gm**
030511 $C_6H_{14}O_4$ (112-27-6)	**Triethylene Glycol** (Trigol) M. W.: 150.17 Assay (GC) 95.0%	**500 ml** **2.5 lit**
026212 $C_6H_{18}N_4$ (112-24-3)	**Triethylene Tetramine** M. W.: 146.24 Assay(GC) 97.0%	**500 ml** **2.5 lit**
247665 $CH(OC_2H_5)_3$ (122-51-0)	**Triethyl Orthoformate** (Ethyl Orthoformate, Orthoformic Acid, tri-Ethyl Ester, Triethoxy Methane) M. W.: 148.20	**500 ml** **2.5 lit**
247775 $C_6H_{15}O_4P$ (78-40-0)	**Triethyl Phosphate** for Synthesis M. W.: 182.15 Assay 99.5%	**500 ml**
247805 $C_6H_{15}O_3P$ (122-52-1)	**Triethyl Phosphite** for Synthesis M. W.: 166.16 Assay 98.0%	**250 ml** **1 lit**
247925 $C_6H_{16}Si$ (617-86-7)	**Triethylsilane** for Synthesis M. W.: 116.28	**100 ml** **500 ml**
248045 $C_2H_2F_3NO$ (354-38-1)	2,2,4-**Trifluoroacetamide** M. W.: 113.04 Assay 97.0%	**25 gm** **100 gm** **500 gm**
030508 $C_2F_3HO_2$ (76-05-1)	**Trifluoro Acetic Acid** for Synthesis M. W.: 114.02 Assay (Acidimetric) 98.0%	**100 ml** **500 ml** **2.5 lit**
664225 $C_2F_3HO_2$ (76-05-1)	**Trifluro acetic Acid AR** M. W.: 114.02	**100 ml**
776140 $C_2F_3HO_2$ (76-05-1)	**Trifluoro Acetic Acid** for HPLC Spectroscopy M. W.: 114.02	**500 ml**

Product Code	Product Name	Packing
D99900 $C_2DF_3O_2$ (599 00 8)	**Trifluoroacetic acid** d TFA d) M.W.: 115 03 (for NMR Spectroscopy) Assay Min. 99 5 atom% D	**10 ml**
248195 $C_4F_6O_3$ (407-25-0)	**Trifluoro Acetic Anhydride** for Sequential Analysis M. W.: 210.03 Assay 99.0%	**100 ml** **500 ml**
248245 $C_6H_4F_3N$ (3862-73-5)	2,3,4-**Trifluoro Aniline** M. W.: 147.10 Assay 98.0%	**5 gm** **25 gm**
248325 $C_6H_3F_3$ (1489-53-8)	1,3,5-**Trifluoro Benzene** M. W.: 132.08 Assay 99.0%	**1 gm** **5 gm**
248415 $C_2H_3F_3O$ (75-89-8)	2,2,2-**Trifluoroethanol** for Synthesis (ß,ß,ß-Trifluoroethyl Alcohol) M. W.: 100.04	**100 ml** **500 ml**
248545 CHF_3O_3S (1493-13-6)	**Trifluoro Methane Sulphonic Acid** for Synthesis M. W.: 150.08 Assay 97.5-102.5%	**100 gm**
029469 $C_7H_6BF_3O_3$ (139301-27-2)	4-**(Trifluromethoxy) Phenyl Boronic Acid** M. W.: 205.93 Assay 95.0%	**5 gm**
248725 $C_7H_6O_4.H_2O$ (207742-88-9)	3,4,5-**Trihydroxybenzaldehyde** M. W.: 172.14 Assay 98.0%	**1 gm** **5 gm**
664295 $C_7H_3I_3O_2$ (88-82-4)	2,3,5-**Tri Iodo Benzoic Acid AR** (TIBA) Plant Growth Regulator M. W.: 499.81 Assay(HPLC) 99.0%	**5 gm** **10 gm**
248845 $(C_8H_{17})_3N$ (25549-16-0)	**Tri-Iso-Octylamine** for Synthesis M. W.: 353.67	**100 gm**
024259 $C_{14}H_{18}N_4O_3$ (738-70-5)	**Trimethoprim** for Lab Use M. W.: 290.32	**5 gm** **25 gm**
248955 $C_{10}H_{12}O_4$ (86-81-7)	3,4,5-**Trimethoxy Benzaldehyde** for Synthesis M. W.: 196.20	**25 gm** **100 gm**
024250 C_3H_9N (75-50-3)	**Trimethylamine** Solution for Synthesis M. W.: 59.11 Assay (acidimetric) Abt. 30.0%	**500 ml** **2.5 lit**
249125 $C_3H_9N.HCl$ (593 81-7)	**Trimethylamine Hydrochloride** for Synthesis M. W.: 95.57	**500 gm**
249215 C_3H_9ClSi (75-77-4)	**Trimethyl Chloro Silane** for Synthesis (Chloro trimethyl Silane) M. W.: 108.64	**250 ml** **1 lit**

Product Code	Product Name	Packing
249335 $C_4H_{10}O_3$ (149-73-5)	**Trimethyl Orthoformate** for Synthesis M. W.: 106.12	**500 ml** **2.5 lit**
249405 $C_8H_{18}O_3$ (13820-09-2)	**Trimethyl Orthovalerate** for Synthesis M. W.: 162.23 Assay 97.0%	**25 ml**
	2,2,4-**Trimethyl Pentane** See Iso Octane	
664535 $C_3H_9O_3P$ (121-45-9)	**Trimethyl Phosphite AR** M. W.: 124.08 Assay 99.0%	**500 ml** **2.5 lit**
664775 $C_5H_{11}O_5P$ (5927-18-4)	**Trimethyl Phosphono Acetate AR** M. W.: 182.11 Assay 98.0%	**25 gm** **100 gm**
249515 $C_8H_{11}N$ (108-75-8)	2,4,6-**Trimethyl Pyridine** for Synthesis M. W.: 121.18 Assay 98.0%	**100 ml** **500 ml**
664875 $C_4H_9F_3O_3SSi$ (27607-77-8)	**Trimethyl Silyl Triflate** (TMSOF, Trimethylsilyl Trifluoro-Methane sulphonate) **AR** M. W.: 222.26 Assay 98.5-101.5%	**25 gm** **100 gm** **500 gm**
249725 $C_3H_9IO_3$ (1774-47-6)	**Trimethyl Sulphoxonium Iodide** for Synthesis M. W.: 220.07	**100 gm** **500 gm**
249865 $C_6H_{14}O_3$ (77-99-6)	**Trimethylol Propane** (2-Ethyl-2-Hydroxymethyl-1, 3 Propanediol) M. W.: 134.18 Assay 98.0%	**500 gm**
249915 $C_{15}H_{20}O_6$ (15625-89-5)	**Trimethylolpropane Triacrylate** Technical Grade M. W.: 296.32 Assay 70.0%	**100 gm** **500 gm**
250025 $C_{24}H_{51}N$ (1116-76-3)	**Trioctylamine** for Synthesis M. W.: 353.67 Assay 98.0%	**100 ml**
664935 $C_{24}H_{51}OP$ (78-50-2)	**Tri-n-Octyl Phosphinoxide AR** for Extraction analysis M. W.: 386.64 Assay (GLC) 99.0%	**10 gm** **100 gm**
662335 $C_{18}H_{12}N_6$ (3682-35-7)	2,4,6-**Tripyridyl-S-Triazine AR** (TPTZ) 2,4,6-Tris (2-pyridyl)-1,3,5-Trizine for Determination of Iron (Reagent for Iron II) M. W.: 312.33 Assay (Non aqueous; on dried sub.)99.0%	**1 gm** **5 gm**
250165 $C_{57}H_{104}O_6$ (122-32-7)	**Triolein** for Biochemistry M. W.: 885.44	**1 gm**
250225 $C_3H_6O_3$ (110-88-3)	1,3,5-**Trioxane** for Synthesis (Sym-Trioxane) M. W.: 90.08 Assay 99.0%	**100 gm** **500 gm**
250315 $C_{51}H_{98}O_6$ (555-44-2)	**Tripalmitin** for Synthesis M. W.: 807.33 Assay 99.0%	**25 gm**

Product Code	Product Name	Packing
250415 $C_{18}H_{15}N$ (603-34-9)	**Triphenyl Amine** for Synthesis M. W.: 245.32 Assay 98.0%	**10 gm**
250525 $(C_6H_5)_3AsO$ (1153-05-5)	**Triphenyl Arsine Oxide** for Synthesis M. W.: 322.23 Assay 97.0%	**1 gm**
665185 $C_{19}H_{16}O$ (76-84-6)	**Triphenyl Carbinol AR** M. W.: 260.33 Assay 97.0%	**25 gm** **100 gm**
250615 $C_{20}H_{20}BrP$ (1530-32-1)	**Triphenylethyl phosphonium Bromide** for Synthesis M. W.: 371.25	**25 gm** **100 gm**
024249 $(C_6H_5)_3CH$ (519-73-3)	**Triphenyl Methane** M. W.: 244.33 Assay 99.0%	**100 gm** **500 gm**
030536 $(C_6H_5)_3PO_4$ (115-86-6)	**Triphenyl Phosphate** M. W.: 326.29 Assay (GLC) 99.0%	**500 gm** **25 kg**
030537 $C_{18}H_{15}P$ (603-35-0)	**Triphenyl Phosphine** M. W.: 262.29 Assay (GC) 98.0%	**100 gm** **500 gm** **1 kg**
250735 $(C_6H_5O)_3P$ (101-02-0)	**Triphenyl Phosphite** for Synthesis M. W.: 310.28 Assay 97.0%	**500 ml** **2.5 lit**
250845 $C_{18}H_{16}Si$ (789-25-3)	**Triphenylsilane** for Synthesis M. W.: 260.41	**100 gm**
665275 $C_{19}H_{15}BrN_4$ (1096.80-6)	2,3,5-**Triphenyl Tetrazolium Bromide AR** M. W.: 379.26 Assay (ex Br) 98.0%	**1 gm**
665335 $C_{19}H_{15}ClN_4$ (298-96-4)	2,3,5-**Triphenyl Tetrazolium Chloride AR** (TTC) M. W.: 334.81 Assay(exN) min. 99.0%	**10 gm** **25 gm**
250975 $C_3Cl_6O_3$ (32315-10-9)	**Triphosgene** for Synthesis M. W.: 296.75	**100 gm** **500 gm** **25 kg**
251115 $C_9H_{21}N$ (102-69-2)	**Tripropylamine** for Synthesis M. W.: 143.27 Asasy 98.0%	**100 ml**
027119 $C_4H_{11}NO_3$ (77-86-1)	**Triss** (Hydroxy Methyl) **Amino Methane** M. W.: 121.14 Assay (Acidimetric; on dried material) 99.0%	**100 gm** **500 gm** **5 kg** **25 kg**
665425 $C_4H_{11}NO_3$ (77-86-1)	**Triss** (Hydroxy Methyl) **Amino Methane AR** (Tris Hydroxy Methyl Amino Methane) biological Buffer PKA=8.07 at 25°C M. W.: 121.14 Assay (Acidimetric after drying) 99.8%	**100 gm** **500 gm** **5 kg** **25 kg**




Product Code	Product Name	Packing
665430 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane AR** A 40% at 290 nm.....max 0.05 (This is a superior grade than regular AR grade) (Tris Buffer, Tris Base) M. W.: 121.14 Assay 99.9%	**100 gm** **500 gm**
998660 $C_4H_{11}NO_3$ (77-86-1)	**Tris (Hydroxymethyl) Aminomethane** for Molecular Biology A 40% at 290 nm.....max 0.05 (Tris Buffer, Tris Base) DNase, RNase, protease not detected M. W.: 121.14 Assay (Acidimetric; on dried meterial) 99.8%	**100 gm** **500 gm**
776280 $C_4H_{11}NO_3$ (77-86-1)	**Tris(Hydroxymethyl) Aminomethane for HPLC** M. W.: 121.14	**500 gm**
998760 $C_4H_{11}NO_3$ (77-86-1)	**Tris(Hydroxymethyl) Amino Methane** for Electrophoresis (tris-buffer) M. W.: 121.14	**500 gm**
046032 $C_4H_{11}NO_3C_2H_4O_2$ (6850-28-8)	**Tris (Hydroxymethyl) Aminomethane Acetate** (Tris Acetate Buffer) M. W.: 181.2 Assay (Non-aqueous) 99.0%	**100 gm** **500 gm**
899700	**Tris (Hydroxymethyl) Amino Methane Acetate EDTA Buffer** 10X Concentrate	**100 ml**
899720	**Tris (Hydroxymethyl) Amino Methane Borate EDTA Buffer** 10X Concentrate	**100 ml**
899740	**Tris (Hydroxymethyl) Amino Methane Glycine EDTA Buffer** 10X Concentrate	**100 ml**
899760	**Tris (Hydroxymethyl) Amino Methane EDTA Buffer** 10X Concentrate	**100 ml**
665440 $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris(Hydroxymethyl) Aminomethane Hydrochloride AR** (Tris HCl) M. W.: 157.60 Assay (ex Cl) 99.5%	**100 gm** **500 gm** **25 kg**
998780 $C_4H_{11}NO_3.HCl$ (1185-53-1)	**Tris (Hydroxymethyl) Aminomethane Hydrochloride** for Molecular Biology (Tris HCl) DNase, RNase, protease not detected M. W.: 157.60	**100 gm** **500 gm**
251245 (72200-76-1)	**Tris(Hydroxymethyl) Aminomethane Maleate** (Tris-Maleate, Mono [Tris (Hydroxymethyl)-Aminomethane]Maleate)	**100 gm**
251275 $C_4H_{11}NO_3.HNO_3.$ (41521-38-4)	**Tris(Hydroxymethyl) Aminomethane Nitrate** (tris-nitrate) M. W.: 184.15	**100 gm**
251295 (108321-13-7)	**Tris(Hydroxymethyl) Aminomethane Oxalate** (Tris-Oxalate, Di[tris(Hydroxy methyl)-Aminomethane]Oxalate) Assay (Non aqueous) 97.0%	**100 gm**

Product Code	Product Name	Packing
251315 $(C_4H_{11}NO_3)_2.H_3PO_4$ (108321-11-5)	**Tris(Hydroxymethyl) Aminomethane Phosphate Dibasic** (Tris-phosphate Dibasic, Di[tris-(Hydroxymethyl) Aminomethane]Phosphate) M. W.: 340.27	**100 gm**
251335 $NH_2C(CH_2OH)_3.H_3PO_4$ (6992-39-8)	**Tris(Hydroxymethyl) Aminomethane Phosphate Monobasic** (Tris-Phosphate Monobasic, Mono[tris-(Hydroxymethyl) Aminomethane]Phosphate) M. W.: 219.13	**100 gm**
251445 $C_6H_{14}O_3$ (77-99-6)	1,1,1-**Tris(Hydroxymethyl) Propane (Tromethylol Propane, 2-Ethyl-2-Hydroxymethyl 1,3-Propanediol)** for Synthesis M. W.: 134.17	**25 gm** **100 gm** **500 gm**
251495 (85169-32-0)	**Tris(Hydroxymethyl) Aminomethane Succinate** (Tris-Succinate, Di[tris(Hydroxy methyl)-Aminomethane]Succinate)	**100 gm**
251525 $NH_2C(CH_2OH)_3.OSH_2SO_4$ (6992-38-7)	**Tris(Hydroxymethyl) Aminomethane Sulphate** (Tris-Sulphate, Di[tris(Hydroxy methyl)-Aminomethane]Sulphate) M. W.: 170.17	**100 gm**
251615 $C_{57}H_{110}O_6$ (555-43-1)	**Tristearin** for Synthesis M. W.: 891.49 Assay 99.0%	**25 gm**
	Triton B 40% See Benzyltrimethyl Ammonium Hydroxide 40% in Methanol	
	Triton x 100 See Criton X100	
251725 $C_{19}H_{15}Cl$ (76-83-5)	**Trityl Chloride** (Chloro triphenyl methane) M.W.: 278.78 Assay 96.5-103.5%	**100 gm** **500 gm**
251945 $C_{12}H_{10}N_2O_5S.Na$ (547-57-9)	**Tropaeolin O** (pH Indicator) (Resorcin Yellow) C.I. 14270 M. W.: 316.26	**25 gm** **100 gm**
251965 $C_{18}H_{14}N_3NaO_3S$ (554-73-4)	**Tropeolin OO** Indicator (C.I. 13080) M. W.: 375.38	**25 gm** **100 gm**
251985 $C_{16}H_{11}N_2NaO_4S$ (633-96-5)	**Tropaeolin OOO** (pH Indicator) (Orange II) C.I. 15510 M. W.: 350.32	**25 gm** **100 gm**
665595 $C_6H_5CH(CH_2OH)CO_2H$ (529-64-6)	DL-**Tropic Acid AR** for Biochemistry M.W. : 166.17 Assay 98.0%	**1 gm** **5 gm**
034078 $C_{34}H_{24}N_6Na_4O_{14}S_4$ (72-57-1)	**Trypan Blue** for Microscopy C.I. No. 23850 M. W.: 960.82 Dye content (Titanometric) Abt. 60.0%	**25 gm** **100 gm**


Product Code	Product Name	Packing
024260 (9002-07-7)	**Trypsin** 1:250 for Biochemistry	**25 gm** **100 gm**
039041 (9002-07-7)	**Trypsin** 2000 u/g 0.2 Anson Unit/g	**100 gm** **1 kg**
039042 (9002-07-7)	**Trypsin** exbovine Pancrease 3 x Cryst Activity 2500 NFU/mg (7500 BAEE Units mg)	**250 mgm** **1 gm** **5 gm**
252185 $C_{10}H_{12}N_2.HCl$ (343-94-2)	**Tryptamine Hydrochloride Extra** Pure for Biochemistry M. W.: 196.68 Assay 98.5-101.5%	**1 gm** **5 gm**
024293	**Trypticase**	**500 gm**
024290 (91079-40-2)	**Tryptone** for Bacteriology	**500 gm**
037154 $C_{11}H_{12}N_2O_2$ (54-12-6)	DL-**Tryptophan** for Biochemistry M. W.: 204.23 Assay (Non-aqueous) 99.0%	**5 gm** **25 gm**
037153 $C_{11}H_{12}N_2O_2$ (73-22-3)	L-**Tryptophan** M. W.: 204.23 Assay 99.0%	**5 gm** **25 gm** **500 gm**
900080	**Tungsten** Atomic Absorption Std. Soln. Contains 1000 mg/litre AAS in HNO_3	**250 ml**
030541 W (7440-33-7)	**Tungsten** (Metal) Powder 325 mesh At.:183.85 Assay (Complexometric) 99.0%	**100 gm** **500 gm**
024277 WO_3 (1314-35-8)	**Tungsten** (VI) **Oxide** (Tungsten Trioxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	**100 gm** **500 gm**

Product Code	Product Name	Packing
024279 H_2WO_4 (7783-03-1)	**Tungstic Acid** M. W.: 249.85 Assay (Acidimetric; on ignited subs.) 99.0%	**100 gm** **500 gm**
665965 H_2WO_4 (7783-03-1)	**Tungstic Acid AR** M. W.: 249.85	**100 gm** **1 kg**
024277 Wo_3 (1314-35-8)	**Tungstic Oxide** (Tungsten (VI) oxide) M. W.: 231.84 Assay (Purity based on trace metal analysis) 99.0%	**100 gm** **500 gm**
899917	**Turk's Solution** for Hematology, Leucocytes	**250 ml**
PA1980	**Turmeric** Paper	**200 lvs**
191855 (8006-64-2)	**Turpentine Oil** Pure (Pine oil)	**500 ml** **2.5 lit**
	Tween 20, 40, 60, 80 See Cween 20, 40, 60, 80	
252515 $C_8H_{11}NO.HCl$ (60-19-5)	**Tyramine Hydrochloride** for Biochemistry M. W.: 173.64 Assay 98.0%	**1 gm** **5 gm**
037156 $C_9H_{11}NO_3$ (60-18-4)	L-**Tyrosine** for Biochemistry M. W.: 181.19 Assay (Non-aqueous) 98.5%	**25 gm** **100 gm** **1 kg**
252575 $C_9H_{11}NO_3$ (556-03-6)	DL-**Tyrosine** for Biochemistry M. W.: 181.19 Assay 98.5-101.5%	**1 gm** **5 gm**
666245 $C_9H_{11}NO_3$ (556-02-5)	D-**Tyrosine AR** M. W.: 181.19 Assay 98.5%	**1 gm** **5 gm**



Product Code	Product Name	Packing
671225 $C_{11}H_{24}$ (1120-21-4)	N-**Undecane AR** M. W.: 156.31	**250 ml**
256865 $C_{11}H_{24}O$ (112-42-5)	1-**Undecanol** for Synthesis M. W.: 172.31	**100 ml**
257015 $C_{11}H_{20}O_2$ (112-38-9)	**Undecylenic Acid** for Synthesis M. W.: 184.28	**100 ml** **500 ml**
	Universal Indicator paper pH 1-10 See Indicator pH Papers Universal	
900980	**Universal** Indicator Solution pH 7.0 in IPA	**125 ml** **500 ml**
901000	**Universal** Indicator Solution pH 4-11	**125 ml** **500 ml**
901020	**Universal** Indicator Solution pH 9-14 Alcoholic	**125 ml** **500 ml**
044103 $C_4H_4N_2O_2$ (66-22-8)	**Uracil** for Biochemistry M. W.: 112.09 Assay (Potentiometric) 98.0%	**25 gm** **1 kg**
	Uranin See Fluorescein Sodium	
671605 $C_4H_6O_6U$ (541-09-3)	**Uranyl Acetate AR** (Only Enduser) M. W.: 388.12	**5 gm** **10 gm** **25 gm** **100 gm**
257135 (66735-86-2)	**Uranyl Magnesium Acetate** (Only Enduser)	**5 gm** **25 gm**
671725 $N_2O_8U.6H_2O$ (13520-83-7)	**Uranyl Nitrate AR** (Only Enduser) M. W.: 502.13	**5 gm** **25 gm**
257225 $C_4H_6O_6UZn$ (10138-94-0)	**Uranyl Zinc Acetate** (Only Enduser) M. W.: 453.50	**5 gm** **25 gm**
030558 CH_4N_2O (57-13-6)	**Urea** Cryst. Pure for Biochemistry M. W.: 60.06 Assay (Kjeldahl) 99.0%	**500 gm** **5 kg** **25 kg** **50 kg**

Product Code	Product Name	Packing
671815 CH_4N_2O (57-13-6)	**Urea AR** Special Quality for Biochemical Purpose Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 60.06 Assay (Calulated with respect to dried substance kjeldahl's method 99.0-101.0%	**500 gm** **25 kg** **50 kg**
990000 CH_4N_2O (57-13-6)	**Urea** for Molecular Biology M. W.: 60.06 Assay (Kjeldahls method) 99.5%	**500 gm**
045204 CH_4N_2O (57-13-6)	**Urea** Specially Purified for enzyme work M. W.: 60.06 Assay (ex N) 99.5%	**500 gm**
901160	**Urea** Stock Standard 0.25% w/v Assay 0.249-0.251% w/v	**125 ml**
024195 $CH_4N_2O.H_3PO_4$ (4861-19-2)	**Urea Phosphate** M. W.: 158.05 Assay (Acidimetric) 98.0%	**500 gm** **25 kg**
039045	**Urease Active Meal**	**10 gm**
671855 $C_5H_4N_4O_3$ (69-93-2)	**Uric Acid AR** Used as substrate in determination of Uricase M. W.: 168.11 Assay(ex N) 99.0%	**25 gm** **100 gm**
901210	**Uric Acid** Reagent	**125 ml**
901230	**Uric Acid** Stock Standard 0.1% w/v Assay 0.099-0.101% w/v	**125 ml**
042053 $C_9H_{12}N_2O_6$ (58-96-8)	**Uridine** for Biochemistry M.W.: 244.20 Assay (ex N HPLC) 98.0%	**1 gm** **5 gm** **25 gm**
042055 $C_9H_{11}N_2Na_2O_9P$ (3387-36-8)	**Uridine-5-Monophosphate Disodium** **Salt** Dihydrate for Biochemistry M.W.: 368.15 Assay (ex N, on dried subs.) 96.0%	**1 gm** **5 gm**
257715 $C_{18}H_{16}O_7$ (7562-61-0)	**Usnic Acid** for Synthesis M. W.: 344.32 Assay 98.0%	**5 gm**



Product Code	Product Name	Packing
	Vacuum Grease Silicon High See High Vacuum Silicon grease	
259745 $C_5H_{10}O_2$ (109-52-4)	n-**Valeric Acid** (Pentanoic Acid, 1-Butane-Carboxylic Acid) for Synthesis M. W.: 102.13	**500 ml** **2.5 lit**
259935 C_5H_9N (110-59-8)	**Valeronitrile** (Butyl Cyanide) M. W.: 83.13	**100 ml** **500 ml**
260045 $C_{11}H_{14}O$ (1009-14-9)	**Valerophenone** for Synthesis M. W.: 162.23	**100 ml** **500 ml**
260135 C_5H_9ClO (638-29-9)	**Valeroyl Chloride** for Synthesis M. W.: 120.58	**100 ml** **500 ml**
260315 $C_5H_{11}NO_2$ (640-68-6)	D-**Valine for Biochemistry** M. W.: 117.15	**1 gm** **5 gm**
037161 $C_5H_{11}NO_2$ (516-06-3)	DL-**Valine** for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 98.5%	**25 gm** **100 gm**
037160 $C_5H_{11}NO_2$ (72-18-4)	L-**Valine** for Biochemistry M. W.: 117.15 Assay (Non-aqueous) 99.0%	**25 gm** **1 Kg**
902500	**Van Gieson II Solution** for Microscopy **Differential Stain for Collagen**	**100 ml**
902590	**Vanadiun** Atomic Absorption Std.Soln. Contains 1000 mg/Litre AAS in HNO_3	**250 ml**
902610	**Vanadium** 1000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
902630	**Vanadium** 10000 ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
260455 V (7440-62-2)	**Vanadium** (Metal) 100 Mesh M. W.: 50.94 Assay (trace metal basis) 99.9%	**5 gm** **25 gm**
030565 V_2O_5 (1314-62-1)	**Vanadium Pentoxide** M. W.: 181.88 Assay 98.5%	**100 gm** **500 gm** **5 kg** **25 kg**
671915 V_2O_5 (1314-62-1)	**Vanadium Pentoxide AR** M. W.: 181.88 Assay (manganometric) 99.5%	**100 gm** **500 gm**
676725 $C_{10}H_{14}O_5V$ (3153-26-2)	**Vanadyl Acetyl Acetonate AR** M. W.: 265.16 Assay 97.0%	**50 gm** **100 gm** **250 gm**
030568 $VOSO_4.XH_2O$ (12439-96-2)	**Vanadyl Sulphate** M. W.: 163.00+xH_2O Assay (anhydrous; oxidimetric) 96.0%	**100 gm** **500 gm**
030570 $C_8H_8O_4$ (121-34-6)	**Vanillic Acid** M. W.: 168.15 Assay (HPLC) 97.0%	**25 gm** **100 gm**

Product Code	Product Name	Packing
030569 $C_8H_8O_3$ (121-33-5)	**Vanillin** for synthesis M. W.: 152.15 Assay(By GC) 98.0%	**100 gm** **500 gm**
676815 $C_8H_8O_3$ (121-33-5)	**Vanillin AR** M. W.: 152.15	**25 gm** **100 gm**
260915 $C_9H_{10}O_5$ (55-10-7)	**Vanillyl Mandelic Acid (Vma)** for Biochemistry (DI-4-Hydroxy-3-Methoxy Mandelicacid) M. W.: 198.17 Assay 98.0%	**250 mgm** **1 gm**
	Veegum See Magnesium Aluminium Silicate	
261010 $C_9H_{10}O_4$ (93-07-2)	**Veratric Acid (3,4-Dimethoxybenzoic Acid)** for Synthesis M. W.: 182.17	**100 gm**
261105 $C_8H_{10}O_2$ (91-16-7)	**Veratrole** for Synthesis M. W.: 138.16 Assay 99.0%	**100 ml** **500 ml**
	Vesuvin See Bismark Brown	
034079 $C_{33}H_{32}ClN_3$ (2580-56-5)	**Victoria Blue** B for Microscopy C.I. 44045 M. W.: 506.1 Dye content Abt. 85.0%	**25 gm** **100 gm**
024160 $C_4H_6O_2$ (108-05-4)	**Vinyl Acetate** Monomer M. W.: 86.09 Assay (GC) 99.0%	**500 ml** **2.5 lit**
261545 $C_6H_9CHCH_2$ (100-40-3)	4-**Vinyl-1-Cyclohexene** for Synthesis M. W.: 108.18 Assay 99.5%	**250 ml**
261725 $C_{10}H_7CHCH_2$ (827-54-3)	2-**Vinyl Naphthalene** for Synthesis M. W.: 154.21	**5 gm**
261905 C_7H_7N (100-69-6)	2-**Vinyl Pyridine** for Synthesis M. W.: 105.14	**250 ml**
024148 $C_{22}H_{32}O_2$ (127-47-9)	**Vitamin A Acetate** for Biochemistry (Retinol acetate) M. W.: 328. 50 Assay (Potency) 500,000 IU/gm	**25 gm** **100 gm**
	Vitamin B_6 Hydrochloride See Pyridoxine Hydrochloride	
	Vitamin B_{12} See Cyanocobalamin	
	Vitamin C See L-Ascorbic Acid	
024159 $C_{27}H_{44}O$ (67-97-0)	**Vitamin D_3** M. W.: 384.64 Assay 97.0%	**1 gm**
	Vitamin-E-Acetate See DL-a-Tocopherol Acetate	
	Vitamin K_3 Sodium Bisulphite See Menadion Sodium Bisulphite	

Product Code	Product Name	Packing
902550	**W.B.C. Diluting Fluid** (Truck's)	**125 ml** **500 ml**
902600	**Wagner'S Reagent** for the detection of alkaloids	**125 ml** **500 ml**
902690	**Wanklyn's** Solution	**500 ml** **2.5 lit**
902740 H_2O (7732-18-15)	**Water** Distilled M. W.: 18.015	**5 lit**
679825 H_2O (7732-18-15)	**Water AR** M. W.: 18.015	**1 lit**
779595 H_2O (7732-18-5)	**Water** EL M.W. : 18.015	**1 lit**
779600 H_2O (7732-18-5)	**Water** for HPLC & Spectroscopy M. W.: 18.015	**1 lit** **2.5 lit**
779650 H_2O (7732-18-5)	**Water** Gradient Grade for Chromato graphy, HPLC M. W.: 18.015	**1 lit**

Product Code	Product Name	Packing
994000 H_2O (7732-18-5)	**Water** for Molecular Biology Grade M. W.: 18.015	**5 lit**
779630 H_2O (7732-18-5)	**Water** for Pesticide Residue trase Analysis M. W.: 18.015	**1 lit**
902790	**Water** With 0.1% Acetic Acid for LCMS	**2.5 lit**
902820	**Water** With 0.1% Formic Acid for LCMS	**2.5 lit**
902910	**Water**/2-Propanol 50/50 (V/V)	**1 lit**
779700	**Water** Nuclease free	**100 ml**
902940	**Water** With 0.1% Trifluoro Acetic Acid for LCMS	**2.5 lit**
902990	**Wij's & Iodine** Solution	**500 ml**
679915 (76093-98-6)	**Wood's** (Metal) **AR**	**100 gm** **250 gm**
034080 (68988-92-1)	**Wright's** Stain for Microscopy (Wright's eosin Methylene Blue)	**25 gm** **100 gm**
903010	**Wright's** Staining Solution for Microscopy	**125 ml** **250 ml**



Product Code	Product Name	Packing
042057 $C_5H_4N_4O_2$ (69-89-6)	**Xanthine** for Biochemistry M. W.: 152.11 Assay (Spectophotometric 275 nm pH 10) 98.0%	**5 gm** **25 gm**
269005 (9014-63-5)	**Xylan** for Biochemistry Assay 90.0%	**10 gm** **25 gm** **100 gm** **500 gm**
030575 C_8H_{10} (1330-20-7)	**Xylene** Sulphur Free M. W.: 106.17	**500 ml** **2.5 lit** **25 lit**
269050 C_8H_{10} (1330-20-7)	**Xylene** Rectified M. W.: 106.17	**500 ml** **2.5 lit** **25 lit** **50 lit**
686715 C_8H_{10} (1330-20-7)	**Xylene AR** M. W.: 106.17	**500 ml** **2.5 lit** **25 lit** **200 lit**
014628 C_8H_{10} (1330-20-7)	**Xylene** Scintillation Grade M. W.: 106.17 Assay (GC) 99.0%	**500 ml** **2.5 lit**
269135 C_8H_{10} (1330-20-7)	**Xylene** Special (Mixtures of Isomers) M. W.: 106.17	**500 ml** **2.5 lit**
686725 C_8H_{10} (1330-20-7)	**Xylene Special AR** (Mixtures of Isomers) (Ethyl Benzene <0.1%) M. W.: 106.17	**500 ml** **2.5 lit**
030577 C_8H_{10} (108-38-3)	m-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
686915 (108-38-3)	m-**Xylene AR**	**500 ml**
030576 C_8H_{10} (95-47-6)	o-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.0%	**500 ml** **2.5 lit** **25 lit** **200 lit**
686935 C_8H_{10} (95-47-6)	o-**Xylene AR** M. W.: 106.17	**500 ml**

Product Code	Product Name	Packing
030574 C_8H_{10} (106-42-3)	p-**Xylene** for Synthesis M. W.: 106.17 Assay (GC) 98.5%	**500 ml** **2.5 lit** **25 lit** **200 lit**
686945 C_8H_{10} (106-42-3)	p-**Xylene AR** M. W.: 106.17 Assay (GC) 99.0%	**500 ml**
044306 $C_{25}H_{27}N_2NaO_6S_2$ (2650-17-1)	**Xylene Cyanol** FF C.I. 43535 M. W.: 538.61	**10 gm** **25 gm**
687035 $C_{23}H_{22}O_5S$ (125-31-5)	p-**Xylenol Blue** Indicator **AR** M. W.: 410.49	**1 gm** **5 gm**
687125 $C_{31}H_{28}N_2O_{13}SNa_4$ (3618-43-7)	**Xylenol Orange AR** Suitable for use in EDTA Zinc Titration M. W.: 760.6	**5 gm** **10 gm**
269285 $C_8H_{11}N$ (95-68-1)	2,4-**Xylidine** Pure M. W.: 121.18	**250 ml** **2.5 lit**
269305 $C_8H_{11}N$ (87-62-7)	2,6-**Xylidine** Pure M. W.: 121.18 Assay 98.5%	**250 ml** **2.5 lit**
269265 $(CH_3)_2C_6H_3NH_2$ (108-69-0)	3,5-**Xylidine** M. W.: 121.18	**100 ml** **500 ml**
034081 $C_{18}H_{14}N_2Na_2O_7S_2$ (3761-53-3)	**Xylidine Ponceau** for Microscopy M. W.: 480.42 Dye content (on dried subs., titanometry) Abt. 75.0%	**25 gm**
687175 $C_{25}H_{20}N_3NaO_6S$ (14936-97-1)	**Xylidyl Blue I AR** M. W.: 513.50	**1 gm**
038101 $C_5H_{12}O_5$ (87-99-0)	**Xylitol** for Biochemistry M.W. : 152.15	**5 gm** **25 gm**
030590 $C_5H_{10}O_5$ (58-86-6)	D (+)-**Xylose** M. W.: 150.13	**25 gm** **100 gm** **500 gm**
269475 $C_5H_{10}O_5$ (609-06-3)	L **(-)Xylose** for Biochemistry M. W.: 150.13	**1 gm**




Product Code	Product Name	Packing
271875 (8013-01-2)	**Yeast Autolysate** Bacteriological Grade	**500 gm**
023799	**Yeast Extract** Powder	**500 gm** **5 kg**
271895	**Yeast Extract Special** for Bacteriology	**500 gm**
	Yellow Ammonium Sulphide Solution See Ammonium Sulphide Solution yellow	
226605 $C_{10}H_{10}N_2Na_2O_7S_2$ (2783-94-0)	**Yellowish Orange S** (C.I. 15985) M. W.: 452.37	**25 gm**
272115 (8006-81-3)	**Ylang Ylang Oil** for Synthesis	**500 gm**
272205 $C_{21}H_{26}N_2O_3.HCl$ (65-19-0)	**Yohimbine Hydrochloride** M. W.: 390.90	**1 gm** **5 gm**
RE3225 Yb (7440-64-4)	**Ytterbium** Metal Ingot M. W.: 173.04 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3230 Yb (7440-64-4)	**Ytterbium** Metal Lump (1 cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	**5 gm** **25 gm**
RE3235 Yb (7440-64-4)	**Ytterbium** Metal Powder 325 mesh M. W.: 173.04 Assay (Trace metal basis) 99.9%	**5 gm** **25 gm**
RE3537 Yb (7440-64-4)	**Ytterbium** Metal Wire (0.1 mm) M. W.: 173.04 Assay (Trace metal basis) 99.9%	**5 gm**
RE3240 Yb (7440-64-4)	**Ytterbium** Metal Rod (5cmx30cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	**1 PC**
RE3245 Yb (7440-64-4)	**Ytterbium** Metal Foil (0.25mmx40cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	**1 PC**
RE3250 Yb (7440-64-4)	**Ytterbium** Metal Foil (0.50mmx40cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	**1 PC**
RE3255 Yb (7440-64-4)	**Ytterbium** Metal SLAB 1 cmx40cm M. W.: 173.04 Assay (Trace metal basis) 99.99%	**1 PC**
RE3260 Yb (7440-64-4)	**Ytterbium** Metal Disc (0.1mmxdia 35cm) M. W.: 173.04 Assay (Trace metal basis) 99.99%	**1 PC**
RE3270 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3275 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.99%	**5 gm** **100 gm**
RE3280 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.999%	**2 gm** **100 gm**

Product Code	Product Name	Packing
RE3285 $Yb(CH_3CO_2)_3.4H_2O$ (15280-58-7)	**Ytterbium Acetate** M. W.: 422.23 Assay (Trace metal basis) 99.9999%	**2 gm** **100 gm**
RE3295 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **50 gm**
RE3300 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.99%	**10 gm** **50 gm**
RE3305 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3310 $Yb_2(CO_3)_3.XH_2O$ (64360-98-1)	**Ytterbium Carbonate** M. W.: 526.11 (Anhy.) Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE3320 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm**
RE3325 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.99%	**10 gm** **100 gm**
RE3330 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3335 $YbCl_3.6H_2O$ (10035-01-5)	**Ytterbium Chloride** M. W.: 387.49 Assay (Trace metal basis) 99.9999%	**5 gm** **25 gm**
RE3345 YbF_3 (13760-80-0)	**Ytterbium (III) Fluoride** Anhydrous M. W.: 230.04	**10 gm**
RE3355 YbI_3	**Ytterbium Iodide** M. W.: 533.74 Assay (Trace metal basis) 99.95%	**5 gm** **25 gm**
RE3365 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9%	**10 gm** **100 gm**
RE3370 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE3375 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**
RE3380 $Yb(NO)_3.XH_2O$	**Ytterbium Nitrate** M. W.: 359.05 (Anhy.) Assay (Trace metal basis) 99.9999%	**2 gm** **25 gm**
RE3390 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.9%	**25 gm** **100 gm** **1 kg**
RE3395 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.99%	**25 gm** **100 gm**
RE3400 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.999%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE3405 Yb_2O_3 (1314-37-0)	**Ytterbium Oxide** M. W.: 394.08 Assay (Trace metal basis) 99.9999%	**2 gm** **25 gm**
RE3435 Y (7440-65-5)	**Yttrium** Metal Ingot M. W.: 88.90 Assay (Trace metal basic) 99.99%	**10 gm** **50 gm**
RE3440 Y (7440-65-5)	**Yttrium** Metal Lump (1 cm) M. W.: 88.90 Assay (Trace metal basic) 99.99%	**5 gm** **25 gm**
RE3445 Y (7440-65-5)	**Yttrium** Metal Powder 325 mesh M. W.: 88.90 Assay (Trace metal basic) 99.99%	**5 gm** **25 gm**
RE3450 Y (7440-65-5)	**Yttrium** Metal Rod (5 cmx30 cm) M. W.: 88.90 Assay (Trace metal basic) 99.99%	**1 PC**
RE3455 Y (7440-65-5)	**Yttrium** Metal Foil (0.25 mmx40 cm) M. W.: 88.90 Assay (Trace metal basic) 99.99%	**1 PC**
RE3460 Y (7440-65-5)	**Yttrium** Metal Foil (0.50 mmx40 cm) M. W.: 88.90 Assay (Trace metal basic) 99.99%	**1 PC**
RE3465 Y (7440-65-5)	**Yttrium** Metal SLAB (1 cmx40 cm) M. W.: 88.90 Assay (Trace metal basic) 99.99%	**1 PC**
RE3470 Y (7440-65-5)	**Yttrium** Metal Disc (0.1 mmx dia 35 cm) M. W.: 88.90 Assay (Trace metal basic) 99.99%	**1 PC**
RE3485 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	**Yttrium Acetate** M. W.: 266.03 (Anhy.) Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3490 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	**Yttrium Acetate** M. W.: 266.03 (Anhy.) Assay (Trace metal basic) 99.99%	**10 gm** **100 gm**
RE3495 $Y(CH_3CO_2)_3.xH_2O$ (304675-69-2)	**Yttrium Acetate** M. W.: 266.03 (Anhy.) Assay (Trace metal basic) 99.999%	**10 gm** **100 gm**
RE3510 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	**Yttrium Carbonate** M. W.: 357.84 (Anhy.) Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3515 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	**Yttrium Carbonate** M. W.: 357.84 (Anhy.) Assay (Trace metal basic) 99.99%	**25 gm** **100 gm**
RE3520 $Y_2(CO_3)_3.xH_2O$ (38245-39-5)	**Yttrium Carbonate** M. W.: 357.84 (Anhy.) Assay (Trace metal basic) 99.999%	**5 gm** **100 gm**
RE3535 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3540 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basic) 99.99%	**5 gm** **25 gm** **100 gm**
RE3545 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basic) 99.999%	**5 gm** **25 gm**

Product Code	Product Name	Packing
RE3550 $YCl_3.6H_2O$ (10025-94-2)	**Yttrium Chloride** M. W.: 303.36 Assay (Trace metal basic) 99.9999%	**2 gm** **25 gm**
RE3560 YF_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basic) 99%	**25 gm** **100 gm**
RE3565 YF_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basic) 99.9%	**25 gm** **100 gm** **500 gm**
RE3570 YF_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basic) 99.99%	**25 gm** **100 gm** **500 gm**
RE3575 Yf_3 (13709-49-4)	**Yttrium Fluoride** M. W.: 145.9 Assay (Trace metal basic) 99.999%	**5 gm** **25 gm**
RE3590 $Y(OH)_3.xH_2O$	**Yttrium Hydroxide** M. W.: 139.93 (Anhy.) Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3595 $Y(OH)_3.xH_2O$	**Yttrium Hydroxide** M. W.: 139.93 (Anhy.) Assay (Trace metal basic) 99.99%	**5 gm** **25 gm**
RE3600 $Y(OH)_3.xH_2O$	**Yttrium Hydroxide** M. W.: 139.93 (Anhy.) Assay (Trace metal basic) 99.999%	**5 gm** **25 gm**
RE3615 $Y(NO_3)_3.xH_2O$	**Yttrium Nitrate** M. W.: 274.92 (Anhy.) Assay (Trace metal basic) 99.9%	**25 gm** **250 gm**
RE3620 $Y(NO_3)_3.xH_2O$	**Yttrium Nitrate** M. W.: 274.92 (Anhy.) Assay (Trace metal basic) 99.99%	**5 gm** **25 gm**
RE3625 $Y(NO_3)_3.xH_2O$	**Yttrium Nitrate** M. W.: 274.92 (Anhy.) Assay (Trace metal basic) 99.999%	**10 gm** **50 gm**
RE3640 $Y(C_8H_{15}O_2)_2$	**Yttrium Octoate** M. W.: 374.91 Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3660 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	**Yttrium Oxalate** M. W.: 622.02 Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3665 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	**Yttrium Oxalate** M. W.: 622.02 Assay (Trace metal basic) 99.99%	**25 gm**
RE3670 $Y_2(C_2O_4)_3.10H_2O$ (13266-82-5)	**Yttrium Oxalate** M. W.: 622.02 Assay (Trace metal basic) 99.999%	**5 gm** **25 gm**
RE3685 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basic) 99.9%	**50 gm** **250 gm** **1 kg**
RE3690 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basic) 99.99%	**50 gm** **250 gm** **1 kg**
RE3695 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basic) 99.999%	**25 gm** **100 gm** **1 kg**

Product Code	Product Name	Packing
RE3700 Y_2O_3 (1314-36-9)	**Yttrium Oxide** M. W.: 225.81 Assay (Trace metal basic) 99.9999%	**10 gm** **50 gm** **250 gm**
RE3715 $Y_2(SO_4)_3.6H_2O$	**Yttrium Sulphate** M. W.: 574.27 Assay (Trace metal basic) 99.9%	**50 gm** **250 gm**
RE3720 $Y_2(SO_4)_3.6H_2O$	**Yttrium Sulphate** M. W.: 574.27 Assay (Trace metal basic) 99.99%	**25 gm** **250 gm**
RE3725 $Y_2(SO_4)_3.6H_2O$	**Yttrium Sulphate** M. W.: 574.27 Assay (Trace metal basic) 99.999%	**5 gm** **25 gm**



Product Code	Product Name	Packing
Z00100 $C_{14}H_{17}NO_4$ (10314-98-4)	**Z-Isonipecotic Acid** for Biochemistry M.W. : 263.00 Assay 98.0%	10 gm 25 gm
Z00120 $C_{11}H_{13}NO_3$ (2304-94-1)	**Z-B-Alanine** M. W.: 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00140 $C_{11}H_{13}NO_4$ (26607-51-2)	**Z-D-Alanine** M.W. : 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00180 $C_{11}H_{13}NO_4$ (4132-86-9)	**Z-DL-Alanine** M.W. : 223.21 Assay 99.0%	1 gm 5 gm 25 gm
Z00220 $C_{11}H_{13}NO_4$ (1142-20-7)	**Z-L-Alanine** M. W.: 223.21 Assay 99.0%	5 gm 25 gm 100 gm
Z00260 $C_{12}H_{20}NO_4$ (42918-86-5)	**Z-2-Aminobutyric Acid** M.W. : 237.30 Assay 99.0%	1 gm 5 gm 25 gm
Z00300 $C_{14}H_{20}N_4O_4$ (6382-93-0)	**Z-D-Arginine** M.W. : 308.30 Assay 99.0%	1 gm 5 gm 25 gm
Z00340 $C_{14}H_{20}N_4O_4$.HCl (56672-63-0)	**Z-L-Arginine** HCl M. W.: 344.79 Assay 99.0%	25 gm 100 gm
Z00380 $C_{12}H_{14}N_2O_5$ (4474-86-6)	**Z-D-Asparagine** M.W. : 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00420 $C_{12}H_{14}N_2O_5$ (29880-22-6)	**Z-DL-Asparagine** M.W. : 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00460 $C_{12}H_{14}N_2O_5$ (2304-96-3)	**Z-L-Asparagine** M. W.: 266.25 Assay 99.0%	1 gm 5 gm 25 gm
Z00500 $C_{12}H_{13}NO_6$ (78663-07-7)	**Z-D-Aspartic Acid** M. W.: 267.23 Assay 99.0%	1 gm 5 gm 25 gm
Z00540 $C_{12}H_{13}NO_6$ (4515-21-3)	**Z-DL-Aspartic Acid** M.W. : 267.23 Assay 99.0%	1 gm 5 gm 25 gm
Z00580 $C_{12}H_{13}NO_6$ (1152-61-0)	**Z-L-Aspartic Acid** M. W.: 267.23 Assay 99.0%	5 gm 10 gm 25 gm
Z00620 $C_{13}H_{15}NO_6$ (63648-73-7)	**Z-D-Glutamic Acid** M. W.: 281.27 Assay 99.0%	1 gm 5 gm 25 gm
Z00660 $C_{13}H_{15}NO_6$	**Z-DL-Glutamic Acid** M. W.: 281.27 Assay 99.0%	1 gm 5 gm
Z00700 $C_{13}H_{15}NO_6$ (1155-62-0)	**Z-L-Glutamic Acid** M. W.: 281.27 Assay 99.0%	5 gm 25 gm 100 gm

Product Code	Product Name	Packing
Z00740 $C_{20}H_{21}NO_6$ (5680-86-4)	**Z-L-Glutamic Acid-4- Benzyl Ester** for Biochemistry M. W.: 371.39 Assay 98.0%	10 gm 25 gm
Z00780 $C_{13}H_{16}N_2O_5$ (13139-52-1)	**Z-D-Glutamine** M. W.: 280.28 Assay 99.0%	1 gm 5 gm 25 gm
Z00820 $C_{13}H_{16}N_2O_5$ (2650-64-8)	**Z-L-Glutamine** M. W.: 280.28 Assay 99.0%	1 gm 5 gm 25 gm 100 gm
Z00860 $C_{10}H_{11}NO_4$ (1138-80-3)	**Z-Glycine** M. W.: 209.20 Assay 99.0%	5 gm 25 gm 100 gm
Z00900 $C_{10}H_{11}NO_4$ (1138-80-3)	**Z-L-Glycine AR** for Biochemistry M. W.: 209.20 Assay 99.0%	5 gm 25 gm
Z00940 $C_{14}H_{15}N_3O_4$ (19728-57-5)	**Z-DL-Histidine** M. W.: 289.30 Assay 99.0%	1 gm 5 gm
Z00980 $C_{14}H_{15}N_3O_4$ (14997-58-1)	**Z-L-Histidine** M. W.: 289.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01020 $C_{13}H_{15}NO_5$ (13504-85-3)	**Z-L-Hydroxyproline** M. W.: 265.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01100 $C_{14}H_{19}NO_4$ (3160-59-6)	**Z-L-Isoleucine** M. W.: 265.30 Assay 99.0%	5 gm 25 gm 100 gm
Z01140 $C_{14}H_{19}NO_4$ (28862-79-5)	**Z-D-Leucine** M. W.: 265.30 Assay 99.0%	1 gm 5 gm 25 gm
Z01180 $C_{14}H_{19}NO_4$ (3588-60-1)	**Z-DL-Leucine** M. W.: 265.30 Assay 99.0%	5 gm 25 gm
Z01240 $C_{14}H_{19}NO_4$ (2018-66-8)	**Z-L-Leucine** M. W.: 265.30 Assay 99.0%	5 gm 25 gm 100 gm
Z01280 $C_{14}H_{20}N_2O_4$ (70671-54-4)	**Z-D-Lysine** M. W.: 280.32 Assay 99.0%	1 gm 5 gm
Z01320 $C_{14}H_{20}N_2O_4$ (2212-75-1)	**Z-L-Lysine** M. W.: 280.32 Assay 99.0%	1 gm 5 gm 25 gm
Z01360 $C_{13}H_{17}NO_4S$ (28862-80-8)	**Z-D-Methionine** M. W.: 280.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01400 $C_{13}H_{17}NO_4S$ (4434-61-1)	**Z-DL-Methionine** M. W.: 283.40 Assay 99.0%	1 gm 5 gm 25 gm
Z01440 $C_{13}H_{17}NO_4S$ (1152-62-1)	**Z-L-Methionine** M. W.: 283.40 Assay 99.0%	1 gm 5 gm 25 gm

Product Code	Product Name	Packing
Z01480 $C_{14}H_{19}NO_4$ (15027-14-2)	**Z-D-Norleucine** M. W.: 265.30 Assay 99.0%	**500 mgm** **5 gm**
Z01520 $C_{14}H_{19}NO_4$ (3027-14-2)	**Z-DL-Norleucine** M. W.: 265.30 Assay 99.0%	**1 gm** **5 gm**
Z01560 $C_{14}H_{19}NO_4$ (39608-30-5)	**Z-L-Norleucine** M. W.: 265.30 Assay 99.0%	**1 gm** **5 gm**
Z01600 $C_{13}H_{17}NO_4$	**Z-D-Norvaline** M. W.: 251.30 Assay 99.0%	**1 gm** **5 gm**
Z01640 $C_{13}H_{17}NO_4$ (21691-43-0)	**Z-DL-Norvaline** M. W.: 251.30 Assay 99.0%	**1 gm** **5 gm**
Z01680 $C_{13}H_{17}NO_4$ (21691-44-1)	**Z-L-Norvaline** M. W.: 251.30 Assay 99.0%	**1 gm** **5 gm**
Z01720 $C_{13}H_{18}N_2O_4$ (3304-51-6)	**Z-L-Ornithine** M. W.: 266.30 Assay 99.0%	**1 gm** **5 gm**
Z01760 $C_{17}H_{17}NO_4$ (2448-45-5)	**Z-D-Phenylalanine** M. W.: 299.32 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z01800 $C_{16}H_{15}NO_4$ (17609-52-8)	**Z-D-Phenylglycine** for Biochemistry M. W.: 285.29 Assay 98.0%	**10 gm** **25 gm**
Z01840 $C_{17}H_{17}NO_4$ (3588-57-6)	**Z-DL-Phenylalanine** M. W.: 299.32 Assay 99.0%	**5 gm** **25 gm**
Z01880 $C_{17}H_{17}NO_4$ (1161-13-3)	**Z-L-Phenylalanine** M. W.: 299.32 Assay 99.0%	**25 gm** **100 gm**
Z01920 $C_{18}H_{19}NO_4$ (35909-92-3)	**Z-L-Phenyalanine Methyl Ester** for Biochemistry M. W.: 313.35 Assay 98.0%	**10 gm** **25 gm**
Z01960 $C_{23}H_{20}N_2O_6$ (2578-84-9)	**Z-L-Phenylalanine 4-Nitrophenyl Ester** for Biochemistry M. W.: 420.41 Assay 98.0%	**10 gm** **25 gm**
Z02000 $C_{16}H_{15}NO_4$ (53990-33-3)	**Z-L-Phenylglycine** for Biochemistry M. W.: 285.29 Assay 99.0%	**10 gm** **25 gm**
Z02040 $C_{13}H_{15}NO_4$ (6404-31-5)	**Z-D-Proline** M. W.: 249.26 Assay 99.0%	**500 mgm** **1 gm** **5 gm** **25 gm**
Z02080 $C_{13}H_{15}NO_4$ (1148-11-4)	**Z-L-Proline** M. W.: 249.26	**1 gm** **5 gm** **25 gm**

Product Code	Product Name	Packing
Z02120 $C_{11}H_{13}NO_5$ (6081-61-4)	**Z-D-Serine** M. W.: 239.20 Assay 99.0%	**500 mgm** **1 gm** **5 gm** **25 gm**
Z02160 $C_{11}H_{13}NO_5$ (1145-80-8)	**Z-L-Serine** M. W.: 239.22 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z02200 $C_{12}H_{15}NO_5$ (80384-27-6)	**Z-D-Threonine** M. W.: 253.30 Assay 99.0%	**500 mgm** **1 gm** **5 gm** **25 gm**
Z02240 $C_{12}H_{15}NO_5$ (19728-63-3)	**Z-L-Threonine** M. W.: 253.25 Assay 99.0%	**1 gm** **5 gm** **25 gm** **100 gm**
Z02300 $C_{19}H_{18}N_2O_4$ (2279-15-4)	**Z-D-Tryptophan** M. W.: 338.40 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z02340 $C_{19}H_{18}N_2O_4$ (7432-21-5)	**Z-L-Tryptophan** M. W.: 338.40 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z02380 $C_{17}H_{17}NO_5$ (64205-12-5)	**Z-D-Tyrosine** M. W.: 315.32 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z02420 $C_{17}H_{17}NO_5$ (1164-16-5)	**Z-L-Tyrosine** M. W.: 315.32 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z02460 $C_{13}H_{17}NO_4$ (1685-33-2)	**Z-D-Valine** M. W.: 251.30 Assay 99.0%	**1 gm** **5 gm** **25 gm**
Z02500 $C_{13}H_{17}NO_4$ (3588-63-4)	**Z-DL-Valine** M. W.: 251.30 Assay 99.0%	**5 gm** **25 gm**
Z02540 $C_{13}H_{17}NO_4$ (1149-26-4)	**Z-L-Valine** M. W.: 251.28 Assay 99.0%	**25 gm** **100 gm**
Z02600 $C_{19}H_{28}N_2O_6.C_{12}H_{23}N$ (2212-76-2)	**Z-N- -Lysine Dicyclohexyl Ammonium Salt** for Biochemistry M. W.: 561.75 Assay 98.0%	**10 gm** **25 gm**
Z02640 (78190-11-1)	**Z-Nipecotic Acid** for Biochemistry Assay 99.0%	**10 gm**
Z02680 $C_{24}H_{23}NO_5$ (16677-29-5)	**Z-O-Benzyl-L-Tyrosine** for Biochemistry M. W.: 405.44 Assay 98.0%	**10 gm** **25 gm**
	Zeocarbe (Pemutit) See Dermutit	
	Zerolite See Serolite	
907500	**Zinc** Atomic Absorption Std. Soln. Contains 1000 mg/lit AAS in HNO_3	**250 ml**
907520	**Zinc 1000** ppm Single Element Standard for ICP in HCl Nist Traceable	**100 ml** **500 ml**

Product Code	Product Name	Packing
907540	**Zinc 1000** ppm Single Element Standard for ICP in HNO_3 Nist Traceable	**100 ml** **500 ml**
907560	**Zinc** 10000 ppm Single Element Standard for ICP-MS in HNO_3 Nist Traceable	**100 ml** **500 ml**
030596 Zn (7440-66-6)	**Zinc** Metal Dust At. W.: 65.37 Assay (Zn Complexometric) 98.0%	**500 gm** **25 kg** **50 kg**
695305 Zn (7440-66-6)	**Zinc** Metal Dust **AR** At.Wt. : 65.37 Assay (Complexometric) 99.5%	**500 gm** **25 kg** **50 kg**
030598 Zn (7440-66-6)	**Zinc** (Metal) Granular At. W.: 65.37 Assay (Complexometric) 99.0%	**500 gm** **25 kg** **50 kg**
695315 Zn (7440-66-6)	**Zinc** (Metal) Granular **AR** At. W.: 65.37 Assay (Complexometric) 99.7%	**500 gm** **25 kg** **50 kg**
023797 Zn (7440-66-6)	**Zinc** Foil At.W. 65.38	**100 gm** **500 gm**
274725 Zn (7440-66-6)	**Zinc Wire,** Dia (2MM) M. W.: 65.39	**100 gm**
695325 Zn (7440-66-6)	**Zinc Wire,** Dia (2MM) **AR** M. W.: 65.39	**100 gm**
030601 $C_4H_6O_4Zn.2H_2O$ (5970-45-6)	**Zinc Acetate** Pure M. W.: 219.50 Assay (ex Zn Complexometric) 98-102%	**500 gm** **25 kg** **50 kg**
695415 $C_4H_6O_4Zn.2H_2O$ (5970-45-6)	**Zinc Acetate AR** M. W.: 219.50 Assay (ex Zn Complexometric) 99.5%	**500 gm**
023795 (10361-94-1)	**Zinc Borate**	**1 kg**
030603 $ZnBr_2$ (7699-45-8)	**Zinc Bromide** M. W.: 225.20 Assay 98.0%	**500 gm**
030604 $[ZnCO_3]_2\ [Zn(OH)_2]_3$ (5263-02-5)	**Zinc Carbonate** Basic M.W.: 549.02 Assay (Acidimetric Zn) 58.0%	**500 gm** **25 kg** **50 kg**
907580	**Zinc Chloride** 0.1m Volumetric Solution Nist Traceable	**1 lit**
030605 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** (Dry) Purified M. W.: 136.29 Assay (ex Zn Complexometric) 97.0%	**500 gm** **1 kg** **25 kg** **50 kg**
695505 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** (Dry) **AR/ACS** M. W.: 136.29 Assay (by complexometry) 98.0%	**500 gm** **25 kg** **50 kg**
999000 $ZnCl_2$ (7646-85-7)	**Zinc Chloride** for Molecular Biology M. W.: 136.29	**500 gm**

Product Code	Product Name	Packing
023794 CrH_2O_4Zn (13530-65-9)	**Zinc Chromate** M. W.: 181.38	**500 gm**
274915 $Zn(CN)_2$ (557-21-1)	**Zinc Cyanide** M. W.: 117.42	**500 gm**
275005 ZnF_2 (7783-49-5)	**Zinc Fluoride** Purified M. W.: 103.39 Assay 99.0%	**500 gm**
	Zinc Foil See Zinc Foil	
907630	**Zinc Iodide** Starch Solution	**100 ml**
275095 ZnI_2 (10139-47-6)	**Zinc Iodide** for Synthesis M. W.: 319.20 Assay 98.0%	**50 gm** **100 gm**
030614 $Zn(NO_3)_2.6H_2O$ (10196-18-6)	**Zinc Nitrate** Hexahydrate M. W.: 297.49 Assay (ex Zn) 96.0-103.0%	**500 gm** **25 kg** **50 kg**
695595 $Zn(NO_3)_2.6H_2O$ (10196-18-6)	**Zinc Nitrate** Hexahydrate **AR** M. W.: 297.49 Assay (Complexometric) 99.0%	**500 gm**
023796 $ZnC_2O_4.2H_2O$	**Zinc Oxalate** M. W.: 189.41 Assay 98.0%	**250 gm**
030617 ZnO (1314-13-2)	**Zinc Oxide** Pure M. W.: 81.39 Assay (Complexometric; calc. on ignited basis) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg** **50 kg**
695605 ZnO (1314-13-2)	**Zinc Oxide AR** M. W.: 81.39 Assay (Complexometric; calc. on the ignited basis) 99.0-100.5%	**500 gm**
695695 $Zn(ClO_4)_26H_2O$ (10025-64-6)	**Zinc Perchlorate AR** M. W.: 372.36 Assay 99.0-101.0%	**100 gm** **500 gm**
030615 $Zn_3\ (PO_4)_2$ (7779-90-0)	**Zinc Phosphate** Puram M. W.: 386.11 Assay 98.0%	**500 gm**
275265 ZnSe (1315-09-9)	**Zinc Selenide Electronic Grade** M. W.: 144.35 Assay (trace metal basis) 99.9%	**10 gm**
695735 $ZnSeO_3$ (13597-46-1)	**Zinc Selenite AR** M. W.: M. W.: 192.35	**10 gm** **50 gm**
275445	**Zinc Silicofluoride** for Synthesis	**500 gm**
275510 $(C_{17}H_{35}COO)_2Zn$ (557-05-1)	**Zinc Stearate** M. W.: 632.34 Assay (as Zn) 10.0-12.0%	**500 gm**
908500	**Zinc Sulphate** 0.05M VolumetricSolution HNO_3 Nist Traceable	**1 lit**
908510	**Zinc Sulphate** 0.1M Volumetric Solution HNO_3 Nist Traceable	**1 lit**

Product Code	Product Name	Packing
030621 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate** Heptahydrate Purified (Zinc sulphate-7-hydrate) M. W.: 287. 54 Assay (Complexometric) 99.0%	**500 gm** **1 kg** **5 kg** **25 kg**
695835 $ZnSO_4.7H_2O$ (7446-20-0)	**Zinc Sulphate AR/ACS** (Zinc sulphate-7-hydrate) Meets Analytical Specification of IP, BP, USP, Ph. Eur. M. W.: 287. 54 Assay (Complexometric) 99.5%	**500 gm** **5 kg** **25 kg** **50 kg**
030622 $ZnSO_4.H_2O$ (7446-19-7)	**Zinc Sulphate** (Dried) Monohydrate M. W.: 179.45 Assay (complexometric) 99-100.5%	**500 gm** **25 kg** **50 kg**
275655 ZnS (1314-98-3)	**Zinc Sulphide** Pract Grade M. W.: 97.46	**500 gm**
030623 ZnS (1314-98-3)	**Zinc Sulphide** M. W.: 97.46 Assay (ex Zn) 98.0%	**500 gm**
369935 ZnS (1314-98-3)	**Zinc Sulphide** Special Grade M. W.: 97.46	**100 gm**
275725 H_2O_3SZn (13597-44-9)	**Zinc Sulphite** M. W.: 145.45	**500 gm**
275785 $C_4H_6O_6Zn$ (551-64-4)	**Zinc Tartrate** M. W.: 213.45	**500 gm**

Product Code	Product Name	Packing
695925 $C_{20}H_{15}N_4O_6SNa$ (62625-22-3)	**Zincon AR** M. W.: 462.41	**1 gm** **5 gm**
275015 Zr (7440-67-7)	**Zirconium** Metal 100 mesh M. W.: 91.22	**25 gm** **100 gm** **500 gm**
276015 $CH_2O_7Zr_2$ (57219-64-4)	**Zirconium (IV) Carbonate Basic** M. W.: 308.46	**100 gm** **500 gm**
030627 ZrO_2 (1314-23-4)	**Zirconium Dioxide** Calcined M. W.: 123.22 Assay (Gravimetric) (ZrO_2 + HFO_2) 98.5%	**500 gm**
030630 $ZrOCl_2.8H_2O$ (13520-92-8)	**Zirconium Oxychloride** (Zirconyl Chloride) M. W.: 322.25 Assay (ex Cl, Argentometric) 96.0%	**100 gm** **500 gm**
696365 $ZrOCl_2.8H_2O$ (13520-92-8)	**Zirconium Oxychloride AR** **Octahydrate** for Fluorine Determination M. W.: 322.25 Assay 99.5%	**100 gm**
276105 $ZrSiO_4$ (10101-52-7)	**Zirconium Silicate** Extra Pure M. W.: 183.30	**250 gm** **1 kg**
026222 $ZrO(NO_3)_2.XH_2O$ (14985-18-3)	**Zirconyl Nitrate** tech. M. W.: 231.23+xH_2O Assay (Comlexometric) about 27.0-32.0%	**100 gm** **500 gm**
909810	**ZN Acid Fast** Stains Kit	**kit**



CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code
927172	009415	040003	451275
927246	011725	027048	452115
034005	013900	027053	452205
936005	019995	027051	452725
927302	020740	025997	452815
927313	021495	013003	452905
910605	022565	010527	453925
934008	023985	010506	454015
030543	024277	010007	454105
025608	024825	927074	454195
027406	025065	010300	454285
927401	026810	010008	454375
939013	039013	010009	454465
927556	041460	010010	454555
915010	042510	913007	454645
927628	042555	010521	454855
927295	045370	025990	454945
926048	045750	010520	455125
910076	049190	010505	455735
025730	049285	010013	456255
014508	054400	010509	456300
014509	054410	027172	456390
014510	054420	010014	456435
934003	055580	010015	456525
956020	056240	010017	456615
928451	063940	010301	456705
928224	077115	010019	456795
913055	078400	018020	456885
028251	078545	010021	457050
933007	082190	010022	457095
928021	085425	010023	457140
928375	089195	010024	457185
928379	092900	010302	457230
028546	106815	010025	457275
928467	107310	010352	457320
028470	110635	010028	457430
936060	120940	010515	457435
938044	122405	010029	457460
928596	124190	010031	457480
934045	145500	010510	457490
929148	147510	010032	457510
929231	157525	027197	457535
929299	167565	927198	457745
929744	183095	010502	457790
939030	183840	010033	457815
939032	185075	010035	457840
028257	195125	010036	457865
029663	196780	010027	457890
912228	216150	010390	457915
910231	216215	010041	458205
930060	216740	027246	459095
910243	219190	010511	459185
930136	219595	010529	459275
930308	225760	010043	459365
930713	237435	010503	459455
910370	247145	038007	459545
930575	269050	913010	459635
911441	275510	913011	459725
032214	450005	010044	459815
010002	450140	010516	459905
927015	450230	010303	459995
010003	450320	010045	461585
010868	450410	010046	461740
010386	450500	910046	461765
010336	451095	027289	461790
040001	451185	010047	461815

Product Code	New Product Code	Product Code	New Product Code
927291	461840	010067	491095
020008	461865	027569	491125
010609	461890	010709	491135
010048	461915	010734	491145
010049	461940	010706	491325
010103	461965	010707	491515
927305	461990	010736	492005
025871	462005	927672	492035
010602	462015	010075	492335
013155	462040	010338	492645
013056	462065	010076	492735
010603	462090	010713	493685
010613	462115	010077	493905
010051	462140	010880	493915
010052	462165	020023	494515
010053	462190	943011	495315
010606	462265	027761	495790
010055	463965	010080	495935
044009	464175	027763	496360
028270	464265	010715	496370
013059	464355	927984	496415
013017	464445	010081	496420
010614	464930	927787	496445
010057	465020	010082	496465
027401	465110	010083	496475
027408	465715	027798	496485
034011	465805	010084	496500
010263	465895	027811	496595
010267	465985	010085	496605
010058	466075	010087	496630
010612	466605	927835	496655
010059	466695	010088	496660
010607	467485	010089	496685
020012	467805	027813	496700
010624	467885	010090	496710
020014	467995	010737	496715
010608	468085	910090	496720
020015	468705	010091	496775
020019	468805	010723	498400
010623	469215	010716	498445
020020	469395	025765	498470
025866	469575	020029	498495
013019	469865	010086	499660
027495	470045	010092	499705
025864	470235	010319	500380
010061	470410	010870	500390
010358	470535	010380	500865
913021	478455	037055	501715
027541	478730	933033	505495
010063	478775	010818	505550
010064	478820	010808	506225
010318	478865	010117	506250
927554	478910	028451	506260
010066	479000	010423	506600
010404	479415	028671	506905
010068	479595	928073	508365
010070	479775	010320	508635
010304	479955	010809	508665
010305	480135	010340	508705
015010	480315	010871	508710
010071	489505	010803	508805
925799	489595	010341	510405
913026	489685	010804	510495
010072	489965	010321	510705
010074	490010	010094	511080
933134	490205	028647	511545

CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code
010095	511785	010135	545255
010801	512605	010129	545325
028179	512695	010328	545335
010365	513210	013156	545445
010096	513305	010131	545475
913044	513350	928545	545505
028618	513375	028687	546015
010097	513450	010133	546025
010322	514360	028553	546065
010882	514365	011301	546095
010098	514465	034039	546125
928201	514530	011317	550065
010323	515505	010037	550325
010872	515510	010038	550345
024006	515605	010062	550365
010099	515875	010331	550385
928235	515920	010359	550555
010100	515965	010361	550595
010873	515970	044044	559255
010101	516295	010138	560735
013051	516505	010139	560915
010102	516525	029017	561185
013055	516535	029014	561188
010816	517135	010140	561191
010104	517225	010142	561285
016032	522415	011604	561555
020107	522505	929026	561615
020044	522550	010144	561675
010105	522640	010146	561725
010325	522830	010145	561815
010108	522920	010329	565395
010902	523455	010374	565435
010909	523495	929068	565475
010904	523515	010381	565625
010093	523525	029081	565955
028379	528615	010147	566035
010110	528620	010453	566065
010306	528650	010148	568065
011005	528675	011719	568105
011007	528705	010149	568135
010112	529075	010309	568215
011006	529870	010150	568255
044032	529900	011709	568285
010113	531140	010151	568325
010326	531160	013087	568505
010115	531190	013083	568510
010367	531345	011701	568600
011002	531410	011702	568705
011003	531455	029133	568895
010118	537055	011706	568940
010119	537345	010152	568985
028467	540865	011703	569015
011307	542005	010355	569075
011308	542115	029148	569165
010353	542535	011707	569205
928485	542810	011704	580165
011309	542820	010425	580535
056016	543965	010310	580545
010327	543985	010154	580575
010330	543990	011711	580635
010121	544105	010368	581085
010122	544305	029176	581105
010126	544735	010155	581315
010308	544738	010157	581645
024012	545045	020063	582025
010134	545215	010158	582495

Product Code	New Product Code	Product Code	New Product Code
079193	582500	010161	609575
029847	584315	012003	609605
015213	585165	010173	609725
934048	585205	010434	609755
020067	586085	010287	609795
020070	586125	044462	609835
010159	587092	012005	609865
010159	587095	010192	610435
929271	587100	929581	612225
013096	587185	010194	612285
034075	587445	010195	612305
011802	592625	010196	612335
010162	592665	010198	612375
010163	592675	029596	612465
011823	592735	010199	612515
011801	592805	010200	612545
028169	592855	010202	612615
011803	593125	010203	612705
011810	593235	010204	612755
011807	593335	010205	612805
011806	593425	010344	613625
013047	593515	012025	613715
013149	593520	010418	613805
011824	593590	010436	613905
020078	593630	010207	613965
010165	593715	010208	614055
010166	593745	010210	614365
010167	593765	010211	614405
010132	594475	010212	614465
011812	594540	012011	614565
034060	594955	010213	614625
029349	595065	010216	614725
010170	595135	010214	614765
029368	595745	010378	614805
029373	596400	010215	614895
020082	596585	010815	614935
040030	596805	010217	615025
011808	596895	010218	615065
011809	596905	010193	615175
913092	596915	010819	615215
011995	597455	010219	615305
929408	597485	010220	615395
937191	597525	010222	616475
929422	597600	012013	617585
010174	597665	010345	617645
913094	597725	010224	617665
012004	603835	010875	617675
013106	604495	010225	619935
013107	604525	913158	620875
013073	604585	013158	620885
010360	604975	012006	620925
010175	605075	010226	621385
012018	605080	020098	621425
012007	605085	929719	621465
012002	605275	012101	623895
010178	605365	012103	623905
010179	605375	012100	623910
010187	606025	012104	623915
020133	606035	010227	627075
010188	606355	012099	627135
020090	606415	030010	627175
012021	606420	012150	632495
929508	608855	920101	632635
010189	608865	010228	632695
940039	609455	938057	632785
010190	609515	913111	632795

CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code
026172	632855	930214	646495
010414	632975	012225	646555
012216	634305	010264	646605
010230	638435	010265	646665
012228	638525	010357	646705
010231	638615	010333	646735
010232	638675	030233	646805
012208	638765	010429	646845
012232	638825	010268	646905
012220	640295	930236	646935
010419	640325	010269	646995
010233	640575	013123	647055
010234	641035	010270	647435
012212	641125	010271	647625
030718	641185	010272	648155
010236	641225	010314	648245
010235	641230	010273	649045
010237	641265	030308	649225
012215	641275	010275	649265
012213	641335	010410	649665
012211	641425	010346	649765
010238	641485	012313	655565
012204	641525	010277	655745
012207	641585	012316	656995
010240	642205	012334	657055
010241	642243	012301	657165
030126	642325	010334	657835
010242	642385	012321	658605
010243	642445	012315	659335
930130	642905	013128	659415
010244	642945	013129	659545
010245	642985	030408	659605
012239	643005	030420	660295
020105	643065	010348	660355
010246	643105	010280	660415
012217	643145	012318	660435
012202	643195	024278	660505
030145	643255	930433	660595
010249	643385	020113	660655
010248	643405	020116	660695
010250	643465	910280	660735
010252	643525	024285	660745
010247	643545	030436	660755
930171	644305	010281	660765
010351	644345	020119	661225
010356	644455	012305	661315
010254	644495	012323	661325
040025	644585	012306	661395
012221	644595	012307	661415
010255	645075	010284	661475
010256	645080	010877	661480
010274	645105	013133	661505
010257	645170	013134	661515
010384	645495	012308	661605
010258	645535	024045	661665
010313	645605	012320	661695
010259	645645	010286	662965
010260	645665	010370	663435
930203	645705	944127	663445
012224	645745	012309	663505
010261	645835	012310	664295
012205	646175	030714	664935
013113	646235	013136	662335
012206	646305	012311	665275
010262	646405	034072	665335
930726	646435	010315	665425

Product Code	New Product Code	Product Code	New Product Code
012330	665430	065320	764500
012335	665440	014011	765800
010290	671815	024652	765857
024011	671855	914012	765860
910290	671915	065322	769600
010291	676815	065326	770200
020122	677925	065329	771000
010292	679825	065324	771200
033132	679915	065340	771500
010293	686715	014081	774000
930578	686945	015247	774380
020124	687035	015221	775500
013137	687125	910371	775788
010296	695305	024276	775790
010294	695315	015331	776040
010297	695415	044384	779595
010379	695505	015273	779600
012455	695595	S22204	779700
010298	695605	025944	800100
012454	695695	025949	800280
010299	695835	025966	800300
013138	695925	025948	800320
010519	700100	025972	801040
025970	700140	025964	801740
010513	700330	025950	801790
010512	700380	025973	801840
065321	700580	016001	801890
014044	700630	025976	802370
014045	700640	025977	802380
S00200	700780	K1002	802390
065323	703790	025982	802720
025987	703940	025978	802860
025868	706440	014031	803140
014078	706950	025985	803610
015007	709700	016020	804500
014080	710000	S00203	804550
015317	712900	S00204	804750
014002	713910	RE0054	805100
010738	715910	025995	805600
065328	716610	027204	805950
014004	717600	S00351	806100
015291	720750	025956	806250
014015	720950	014249	806500
015218	721800	014086	807000
015357	723000	025799	807400
014079	723600	014134	807450
014021	728300	S01202	807500
014005	729500	S01203	807550
914008	730900	016473	808100
015283	743100	025862	808700
011313	743180	025863	808710
015249	743560	023004	808810
910387	743600	023003	808820
011314	743705	014115	809350
045003	744120	025878	809500
014043	747000	014046	809900
015246	747500	025880	810300
020158	752135	025881	810600
015127	752140	025884	810620
014010	752160	014252	810840
015318	752650	025886	811000
015020	753020	036087	811040
011999	759110	022416	811100
024696	762700	025888	811200
012020	762740	025888	811200
014018	763740	025889	811220

CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code
025857	811320	025546	829120
021004	811740	016015	829150
021005	811780	025548	829180
021006	812000	025549	829450
MB0153	812050	023022	829520
021007	812170	035084	829620
S01690	812300	025524	829660
S01720	812320	916032	829710
S01730	812340	025523	829820
S01735	812360	023023	834200
S01740	812380	023024	834220
S01770	812400	028380	834320
S01775	812420	921056	834365
S01785	812440	035056	834430
S01670	812500	034122	834440
S01815	812600	K1021	834730
S01825	812610	025441	835020
S01835	812620	019058	835030
S01840	812630	025439	835070
S01850	812640	023001	835100
S01860	812650	025440	835500
S01865	812660	025355	839200
S01870	812670	035085	839210
S01875	812680	025352	839300
S01880	812690	022191	839440
S01885	812700	014049	839910
S01890	812710	K1001	840050
S01895	812720	025350	840090
S01905	812730	025354	840120
S01915	812740	025351	840150
S01920	812750	035015	840200
S01930	812760	025343	840250
S01950	812770	025366	840390
014135	813350	035016	844050
014136	814010	S07300	844267
CK1004	814810	019223	844460
035007	814900	S07760	844620
025692	814920	S07755	844640
035001	815110	S07700	844700
RE0166	815300	S07710	844730
014938	815590	S07730	844840
025788	815880	S07770	844870
016086	816010	S07790	844990
019049	816150	025328	845200
021008	817340	028694	845250
019050	817410	010366	845300
025685	817500	014141	849300
014137	817540	025230	849600
014138	817710	025226	849650
033042	818800	025227	849655
033041	818810	019246	849700
025708	819040	025225	849780
014139	819100	018008	849840
S02502	819150	025237	849995
S02508	819180	014140	850040
022190	819600	025228	850800
025711	819700	011751	852050
021013	819740	011752	852070
035083	819900	025046	854500
025699	819960	025069	859230
025602	824800	036045	859260
025603	824810	036044	859300
036207	827000	014250	859400
025595	827020	014036	859630
028012	828705	035022	860370
025547	829100	036201	860400

Product Code	New Product Code	Product Code	New Product Code
035066	860530	S15721	876570
025068	860640	S15724	876590
014142	860920	S15727	876610
025061	861220	S15730	876630
025062	861250	016025	877100
035088	861390	018013	877360
014143	863100	S15803	877700
024981	863340	S15800	877760
024983	863430	S15807	877850
CK1011	863460	S15810	877950
014144	863640	S15830	878160
035025	863970	024698	878290
014168	864500	024699	878640
014145	864860	024700	878660
035027	865630	018017	878780
035028	865650	S15875	879160
019809	865850	024493	883000
021083	865895	024494	883010
021022	866040	024495	883225
035029	866180	024485	883410
019085	866270	S17501	883540
035082	866320	S17505	883610
014050	866370	035037	887100
019092	866490	024374	887330
024871	868330	024370	887360
025872	868420	K-9000	887390
K1003	868500	019120	888040
024874	868520	S18201	888130
024881	868530	014162	888160
024872	868540	024389	888280
019086	868740	024341	888310
019084	868760	024403	888400
035154	868790	014053	888680
024890	868820	S18500	888710
014147	868870	014054	888840
024892	869200	S18504	888900
044071	869280	S18512	888960
S13302	869460	024393	889280
S13315	869590	024365	889290
S13310	869600	024375	889300
024795	871200	024373	889330
024789	871350	018019	889340
024794	871450	024372	889930
018011	871520	014259	890000
014148	874100	012327	890290
024664	874370	S18715	890300
034124	874420	019130	890390
035040	874430	024378	891000
035091	874440	018026	891000
019093	874640	024335	891030
S15301	875020	023038	891150
S15351	875160	024355	891410
022042	875180	018023	891600
021030	875200	018026	891630
S15470	875500	019145	891660
S15456	875540	024371	892060
S15453	875570	S18742	892065
S15521	875710	S18745	892070
S15520	875730	024377	892450
014254	875750	030216	892935
022290	875900	019158	893240
024623	875920	018028	893340
014051	876190	023043	893480
024656	876300	014149	893990
014146	876500	035038	894290
S15733	876550	024367	894490

CROSS REFERENCE FOR NEW PRODUCT CODE

Product Code	New Product Code	Product Code	New Product Code
S18796	894520	MB0521	937530
024312	894610	MB0648	940600
024311	894640	MB0680	941100
024339	894670	MB0720	942120
024307	894850	MB0820	948100
019166	894870	MB0836	949000
024306	894880	MB1240	959340
024308	894890	MB1270	959580
024338	894900	MB1660	961710
024305	894910	MB1426	970100
024352	895090	MB1636	970700
019165	895440	MB1637	970750
014093	896100	MB1638	970770
024244	896370	MB1640	970800
024242	896450	MB1642	970820
019176	896570	MB1670	971720
024299	897020	MB1676	971800
019177	897050	MB1682	972100
024236	897070	MB1689	972300
021031	897440	MB1677	972570
021032	897490	MB1953	984300
014056	897510	MB1960	984900
016036	897900	MB1669	985400
024281	898000	MB1972	986000
024280	898140	MB1990	986200
MB2175	899700	MB1980	986350
MB2177	899720	MB1982	986400
MB2181	899740	MB2000	986680
MB2179	899760	MB2080	987380
024245	900080	MB2241	990000
024196	901000	S22201	994000
024193	901020	MB2174	998660
022197	901160	MB2182	998780
024190	901210	FMOC05	FM0055
024194	901230	FMOC07	FM0065
024200	902550	FMOC09	FM0085
014095	902590	FMOC11	FM0095
016031	902690	FMOC13	FM0105
030729	902740	FMOC15	FM0115
019079	902990	FMOC17	FM0125
035039	903010	FMOC19	FM0175
014150	907500	FMOC21	FM0185
S25301	907560	FMOC23	FM0205
CK1005	909810	FMOC25	FM0215
915212	910548	FMOC27	FM0225
MB0014	910550	FMOC29	FM0235
MB0015	910560	FMOC31	FM0245
MB0023	911000	FMOC33	FM0255
MB0025	911020	FMOC35	FM0265
MB0025	911050	FMOC37	FM0295
MB0026	911100	FMOC39	FM0315
MB0028	911150	FMOC41	FM0335
MB0029	911200	FMOC43	FM0345
MB0030	911250	FMOC45	FM0355
MB0031	911300	FMOC47	FM0365
MB0032	911350	FMOC49	FM0385
MB0050	913150	FMOC51	FM0395
MB0072	914550	FMOC53	FM0425
MB0150	918000	FMOC55	FM0435
MB0151	920000	FMOC57	FM0445
MB0230	921000	FMOC59	FM0455
MB0250	921490	FMOC60	FM0465
MB0256	921500	FMOC62	FM0475
MB0350	928500	FMOC64	FM0485
MB0351	928550	FMOC66	FM0495
MB0450	932500	FMOC68	FM0505

Product Code	New Product Code	Product Code	New Product Code
FMOC70	FM0515	RE1187	RE3390
FMOC72	FM0525	RE1212	RE3485
FMOC73	FM0635	RE1220	RE3510
921007	PA0100	RE1056	RE3685
031011	PA0190	RE1255	RE3690
031042	PA0210	ZOO010	Z00120
031043	PA1125	ZOO020	Z00140
031049	PA1151	ZOO030	Z00180
031050	PA1154	ZOO040	Z00220
031045	PA1850	ZOO050	Z00260
024289	PA1980	ZOO060	Z00300
RE0051	RE0100	ZOO070	Z00340
RE0052	RE0110	ZOO080	Z00380
RE0056	RE0120	ZOO090	Z00420
RE0160	RE0165	ZOO100	Z00460
RE0165	RE0190	ZOO110	Z00500
RE0205	RE0215	ZOO120	Z00540
RE0210	RE0260	ZOO130	Z00580
RE0218	RE0285	ZOO140	Z00620
RE0222	RE0325	ZOO150	Z00660
RE0312	RE0650	ZOO160	Z00700
RE0311	RE0655	ZOO170	Z00780
RE0331	RE0710	ZOO180	Z00820
RE0336	RE0755	ZOO190	Z00860
RE0345	RE0780	ZOO200	Z00940
RE0379	RE0865	ZOO210	Z00980
RE0403	RE0925	ZOO220	Z01020
RE0411	RE0955	ZOO240	Z01100
RE0433	RE0995	ZOO250	Z01140
RE0438	RE1015	ZOO260	Z01180
RE0444	RE1035	ZOO270	Z01240
RE0443	RE1040	ZOO280	Z01280
RE0451	RE1055	ZOO290	Z01320
RE0467	RE1125	ZOO300	Z01360
RE0476	RE1150	ZOO310	Z01400
RE0482	RE1175	ZOO315	Z01440
RE0510	RE1255	ZOO320	Z01480
RE0518	RE1285	ZOO330	Z01520
RE0535	RE1360	ZOO340	Z01560
RE0534	RE1380	ZOO350	Z01600
RE0577	RE1415	ZOO360	Z01640
RE0576	RE1420	ZOO370	Z01680
RE0611	RE1535	ZOO390	Z01760
RE0644	RE1685	ZOO400	Z01840
RE0645	RE1690	ZOO410	Z01880
RE0669	RE1780	ZOO420	Z02040
RE0678	RE1805	ZOO430	Z02080
RE0710	RE1880	ZOO440	Z02120
RE0718	RE1905	ZOO450	Z02160
RE0735	RE1985	ZOO460	Z02200
RE0743	RE2010	ZOO470	Z02240
RE0768	RE2070	ZOO480	Z02300
RE0779	RE2095	ZOO490	Z02340
RE0839	RE2345	ZOO500	Z02380
RE0848	RE2370	ZOO510	Z02420
RE0918	RE2545	ZOO520	Z02460
RE0942	RE2635	ZOO530	Z02500
RE0984	RE2805	ZOO540	Z02540
RE1001	RE2860		
RE1009	RE2900		
RE1017	RE2925		
RE1052	RE3000		
RE1077	RE3095		
RE1120	RE3180		
RE1137	RE3235		
RE1152	RE3295		



DEHYDRATED CULTURE MEDIA

microgen culture media products are made of high quality ingredients so as to produce maximum good results as expected by our customers. It is of great significance to know the functions and reactions of a particular ingredient and its interaction with other ingredients in a media. Here arises the necessity of strict evaluation of the ingredients.

In microgen each and every ingredient undergoes thorough testing prior to manufacturing by our well-equiped and highly efficient quality control department. Maximum quality control measures are taken throughout the manufacturing process to give the desired results. It will be our greatest effort to provide products of maximum attainable quality to our customers.

We serve a wide range of culture media products to meet the various requirements of Dairy, Pharmaceuticals, Veterinary, Cosmetics, Water Treatment, Public Health and Medical Microbiology departments.

dehydrated culture media
bases & supplements
CE Certified



microorganism growth requirements

Microorganism growth on culture media depends on a number of important factors :

- Proper nutrients must be available.
- Oxygen or other gases must be available as required.
- Moisture is necessary.
- The medium must have an appropriate pH.
- Proper temperature relations must prevail.
- The medium must be free of interfering bioburden.
- Contamination must be prevented.

A satisfactory microbiological culture medium must contain available sources of

- Carbon,
- Nitrogen,
- Inorganic phosphate and sulfur,
- Trace metals,
- Water,
- Vitamins

These were originally supplied in the form of meat infusion, Beef or yeast extracts frequently replace meat infusion in culture media. The addition of peptones, which are digests of proteins, provides readily available sources of nitrogen and carbon.

The pH of the culture medium is important for microorganism growth. Temperature is another important parameter mesophilic bacteria and fungi have optimal growth at temperatures of 25-40^{0}C; thermophilic bacteria ("heat loving") grow only at temperature greater than 45^{0}C psychrophilic ("cold loving") organisms require temperatures below 20^{0}C. Human pathogenic organisms are generally mesophiles.

COMMON MEDIA CONSTITUENTS

Media formulations are developed on the ability of bacteria to use media components.

CONSTITUENTS	SOURCE
Amino-Nitrogen	Peptone, protein hydrolysate, infusions and extracts
Growth Factors	Blood, serum, yeast extract or vitamins, NAD
Energy Sources	Sugar, alcohols and carbohydrates
Buffer Salts	Phosphates, acetates and citrates
Mineral Salts and Metals	Phosphate, sulfate, magnesium, calcium, iron
Selective Agents	Chemicals, antimicrobials and dyes
Indicator Dyes	Phenol red, neutral red
Gelling agents	Agar, gelatin, alginate, silica gel

Media Ingredients

Peptone, protein hydrolysates, Infusions and extracts are the major sources of nitrogen and vitamins in culture media. Peptones are water-soluble ingredients derived from proteins by hydrolysis or digestion of the source material, e.g. meat, milk.

Carbohydrates are employed in culture media as energy sources and may be used for differentiating genera and idenifying species.

Buffers maintain the pH of culture media.

Selective Agents include Bile Salts, dyes and antimicrobial agents.

Bile Salts and desoxycholate are selective for the isolation of gram-negative microorganisms, inhibiting gram-positive cocci.

Dyes and indicators are essential in the preparation of differential and selective culture media. In these formulations, dyes act as bacteriostatic agents, inhibitors of growth or indicators of changes in acidity or alkalinity of the substrate.

Antimicrobial agents are used in media to inhibit the growth of bacteria, yeasts and fungi.

Solidifying agents, including agar, gelatin and albumin, can be added to a liquid medium in order to change the consistency to a solid or semisolid state.

ENVIRONMENTAL FACTORS IN CULTURE MEDIA

Atmosphere

Most becteria are capable of growth under ordinary conditions of oxygen tension. Obligate aerobes require the free admission of oxygen, while anaerobes grow only in the absence of atmospheric oxygen. Between these two groups are the microaerophiles, which develop best under partial anacrobic conditions, and the facultative anaerobes, which are capable of growing in the presence or absence of oxygen. Anaerobic conditions for growth of microorganisms are obtained in a number of ways :

- Addition of small amounts of agar to liquid media;
- Addition of fresh tissue to the medium;
- Addition of a reducing substance to the medium, e.g., sodium thioglycollate, thioglycollic acid and L-cystine;
- Displacement of the air by carbon dioxide;
- Absorption of the oxygen by chemicals;
- Inoculation into the deep layers of solid media or under a layer of oil in liquid media.

Many microorganisms require an environment of 5-10% CO_2. Levels greater than 10% are often inhibitory due to a decrease in pH as carbonic acid forms. Culture media vary in their susceptibility to form toxic oxidation products if exposed to light and air.

Water Activity

Proper moisture conditions are necessary for continued luxuriant growth of microorganisms. Organisms require an aqueous environment and must have "free" water. "Free" water is not bound in complex structure and is necessary for transfer of nutrients and toxic waste products. Evaporation during incubation or storage results in loss of "free" water and reduction of colony size or total inhibition of organism growth.

Protective Agents and Growth Factors

Calcium carbonate, soluble starch and charcoal are examples of protective agents used in culture media to neutralize and absorb toxic metabolites produced by bacterial growth.

NAD (V factor) and hemin (X factor) are growth factors required by certain bacteria; e.g., *Haemophilus* species and for enhanced growth of *Neisseria* species.

Surfactants, including Polysorbate 80, lower the interfacial tension around bacteria suspended in the medium. This activity permits more rapid entry of desired compounds into the bacterial cell and can increase bacterial growth.

media preparation

The preparation of culture media from dehydrated media requires accuracy and attention to preparation. The following points are included to aid the user in successful and reproducible preparation of culture media.

DEHYDRATED MEDIA AND INGREDIENTS

- Store in a cool (15-30°C), dark and dry area unless otherwise specified.
- Note date opened.
- Check expiry (applied to intact container).
- Verify that the physical characteristics of the powder are typical.

GLASSWARE / PLASTICWARE

- Use high quality, low alkali borosilicate glass.
- Avoid detergent residue.
- Check for alkali or acid residue with a few drops of bromo thymol blue pH indicator (yellow is acidic; blue is alkaline).
- Use vessels at least 2-3 times the volume of medium.
- Do not used etched glassware.

EQUIPMENT

- Use measuring devices, scales, pH meters, autoclaves and other equipment that are frequently and accurately calibrated.

WATER

- Use distilled or deionized water.
- pH 5.5-7.5.

DISSOLVING THE MEDIUM

- Accurately weigh the appropriate amount of dehydrated medium.
- Dissolve the medium completely.
- Agitate the medium while dissolving.
- Take care to not overheat. Note media that are very sensitive to overheating. Overheated media will frequently appear darker. Do not heat in a microwave.

STERILIZATION

- The autoclave set-temperature should be 121°C.
- Routine autoclave maintenance is important. Ask manufacturer to check for "hot" and "cold" spots.
- The recommended 15 minute sterilization assumes a volume of 1 liter or less. Larger volumes may require longer cycles. Check with your autoclave manufacturer for recommended load configurations.
- Quantities of media in excess of two liters may require an extended autoclave time to achieve sterilization. Longer sterilization cycles can cause nutrient concentration changes and generation of inhibitory substances.

ADDING ENRICHMENTS AND SUPPLEMENTS

- Enrichments and supplements tend to be heat sensitive.
- Cool medium to 45-55°C in a waterbath prior to adding enrichments or supplements.

pH

- Commercial dehydrated media are designed to fall within the specified pH range after steam sterilization. The pH tends to fall approximately 0.2 units during steam sterilization.
- For filter sterilization, adjust the pH, if necessary, prior to filtering.
- Avoid excessive pH adjustment.

DISPENSING MEDIA

- Ensure gentle mixing during despensing.
- Cool the medium to 50-55°C prior to dispensing to reduce water evaporation.
- Dispense quickly.
- If using an automatic plate dispenser, dispense general purpose media beforedispensing selective media.
- Immediately recover or recap tubes to reduce the chance of contamination. Leave Petri dish covers slightly open for 1-2 hours to obtain a dry surface.

STORAGE AND EXPIRY

- In general, store steam-sterilized plated media inverted in a plastic bag or other container in a dark refrigerator for up to 1-2 weeks.

QUALITY CONTROL

- For media prepared in-house, each lot of every medium must be tested.
- Maintain Quality Control Organisms appropriately.
- Maintain appropriate records.
- Report deficiencies to the manufacturer.

REFERENCES

1. **Block, S.** 1992. Sterilization, p. 87-103. Encyclopedia of microbiology, vol. 4. Academic Press, Inc., San Diego, CA.
2. **Cote, R. J., and R. L. Gherna,** 1994. Nutrition and media, p. 155-178. In P. Gerhardt, R.G. E. Murray, W.A. Wood, and N.R. Krieg (ed.), Methods for general and molecular bacteriology. American Society for Microbiology, Washington, D.C.
3. **The United States Pharmacopels (USP XXIII) and The National Formulary (NF 18).** 1995. Sterilization and sterility assurance of compendial articles, p. 1976-1980. United States Pharmacopeial Convention Inc., Rockville, MD.
4. **Perkins, J.J.** 1969. Principles and methods of sterilization in health sciences, 2nd ed. Charles C. Thomas, Springfield, IL.
5. **Leahy, T.J.** 1986. Microbiology of sterilization processes. In F.J. Carleton and J.P. Agalloco (ed.), Validation of aseptic pharmaceutical processes. Marcel Dekker, Inc. New Yark, N.Y.
6. **Simko, R.J.** 1986, Organizing for validation. In F.J. Carleton and J.P. Agalloco (ed.), Validation of aseptic pharmaceutical processes. Marcel Dekker, Inc. New York, N.Y.

quality control organisms

BACTERIA CONTROL STRAIN SOURCE

An integral part of quality control testing include quality control organisms. Microorganisms should be obtained from reputable sources, for example, the American Type Culture Collection (ATCC®) or other commercial sources.

MAINTENANCE / FROZEN STOCK CULTURES

If using commercial stock cultures, follow the manufacturer's recommendations for growth and maintenance.

To prepare frozen stock cultures of Staphylococcus species, Streptococcus species, Enterobacteriaceae and Pseudomonas aeruginosa :

1. Reconstitute the stock culture, if necessary.
2. Inoculate multiple plates of a general purpose medium (e.g., TSA or blood agar).
3. Incubate plates for 18-24 hours in an appropriate atmosphere and at the recommended temperature.
4. Check for purity and correct colony morphology.
5. If necessary, verify biochemical tests.
6. Remove sufficient growth from a confluent area to prepare a 0.5 McFarland standard (1-2 x 10^8 CFU/ml). For fastidious organisms, adjust to a 1.0 McFarland.
7. Suspend the growth in 50-100 ml of cryoprotective medium, e.g., Tryptic Soy Broth with 10-15% Glycerol, Skim Milk or sterile defibrinated sheep blood.
8. Dispense 0.5-1.0 ml into sterile glass plastic freezing vials, Prepare enough vials for one year of storage. Assume only one freeze/thaw cycle per vial. Assume at least one fresh culture every four weeks.
9. Store vials at or below -50°C (freezer) for one year. Organisms will keep longer (indefinitely) if stored in ultra low temperature freezer or in a liquid nitrogen tank.

TO USE A FROZEN CULUTRE :

1. Thaw the vial quickly.
2. Use the culture directly subcutlure.
3. Discard any unused cell suspension.

WORKING CULTURES

Prepare no more than three serial subcultures from a frozen stock culture.

1. Inoculate an agar slant or plate with the frozen stock culture and incubate overnight.
2. Store the working culture at 2-8°C or at room temperature for up to four weeks.
3. Check for purity and appropriate colony morphology.

or

1. Use the frozen stock culture directly as a working culture.

Maintain anaerobic cultures in Cooked Meat Medium or another suitable anaerobic medium. Alternatively, use frozen anaerobic cultures.

TEST PROCEDURE

1. Inoculate an agar plate from the "working culture".
2. Incubate overnight.
3. Suspend 3-5 isolated colonies with typical appearance in a small volume (0.5-1.0 ml) of TSB. Incubate 4-5 hours in an appropriate atmosphere and temperature.
4. Adjust the turbidity to 0.5 McFarland and 0.08-0.1 absorbance units at 625 nm.

or

1. Adjust an overnight culture to a 0.5 McFarland.
2. Plate 0.01 ml of the specimen to confirm a colony count of 1-2 x 10^8 CFU/ml. If using a frozen culture, confirm the appropriate density.

TO TEST CULTURAL RESPONSE

NON-SELECTIVE MEDIA

Dilute the cell suspension 1:100 in normal saline or purified water. Inoculate each plate with 0.01 ml to give 1-2 x 10^{14} CFU/plate. Reduce the inoculum ten fold, if necessary, to obtain isolated colonies.

SELECTIVE MEDIA AND TUBED MEDIA

Dilute the cell suspension 1:10 in normal saline or purified water. Streak each plate with 10.01 ml of the suspension to provide 1-2 x 10^5 CFU/plate. Reduce the inoculum ten fold, if necessary, to avoid overwhelming some selective media.

RESULTS

For general-purpose media, sufficient, characteristic growth and typical colony morphology should be obtained with all test strains. For selective media, growth of designated organisms is inhibited and adequate growth of desired organisms is obtained. Color and hemolytic reaction criteria must be met.

REFERENCE

National Committee for Clinical Laboratory Standards. 1996. Quality assurance for commercially prepared microbiological culture media, 2nd ed. Approved standard. M22-A-2, vol. 16, no. 16. National Committee for Clinical Laboratory Standards, Wayne, PA.

typical analysis

"Typical" chemical compositions have been determined on media ingredients. The typical analysis is used to select products for research or production needs when specific nutritional characteristics are required. The specifications for the typical analysis include :

- Physical characteristics,
- Nitrogen content,
- Amino acids,
- Inorganics,
- Vitamins, and
- Biological testing.

All values are presented as weight/weight; % = g/100 g.



GLOSSARY

Ash

The higher the ash content, the lower the clarity of the prepared ingredient. The ash content includes sodium chloride, sulfate, phosphates, silicates and metal oxides. Acid-insoluble ash is typically from silicates found in animal fodder.

Moisture

Lower moisture levels (<.5%) are preferred. Higher moisture levels in dehydrated ingredients may reduce stability. In the presence of high moisture and high ambient temperatures, chemical interactions will cause darkening of the product and falling pH. These characteristics indicate product deterioration.

Nitrogen

Total Nitrogen : Total nitrogen is usually measured by the kjeldhal digestion or titration method. Not all organic nitrogen is nutritive. Percent (%) nitrogen x 6.25 ~ % proteins, peptides or amino acids present.

Amino Nitrogen : The amino nitrogen value shows the extent of protein hydrolysis by measuring the increase in free amino groups. This is a nutritionally meaningful value.

pH

Changes in pH from specified values, either after storage or processing, indicate deterioration. These changes are uaually accompanied by darkening of the end product. Hydrolysates vary in their pH resistance according to their inherent buffering (phosphate) capacity.

Phosphates

High-phosphate ingredients may be unsuitable for pH indicator media due to the inherent buffering of phosphates. However, phosphates do aid in gas production, which can be enhanced by deliberate addition of sodium phosphate.


Sodium Chloride

The NaCl content may reflect significant pH adjustments during processing e.g., acid hydrolysates. (See Ash).

Trace Metals

Trace metals can directly antagonize antimicrobial activity in vitro or impact toxin production, chelating agents may be added to culture media to sequester trace metals and clarify the media.

new label specimen



PRODUCT DOUCMENTATION

Certificate of Analysis :

For any given product and its batch number, a COA can be requested for.

Material Safety Data Sheet :

To ensure proper handling and storage of the product, MSDS is also abailable for each Microgen media product.

Specification Sheet :

Product specifications may vary from those printed on the specification manual. To obtain the latest updated information for any product that you wish to purchase, kindly request a specification sheet or simply log on to our website and download copy.



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1874	**A-1 Broth** for determining the presence of faecal coliforms in water samples and foods by MPN Technique.	**31.50** gms/litre	**100 gm** **500 gm**
DM 1231	**AATCC Bacteriostasis Agar** for the detection of antibacterial activity of fabrics.	**35.00** gms/litre	**500 gm**
DM 1221	**AATCC Bacteriostasis Broth (FDA Broth)** for routine antibacterial testing of antiseptics and disinfectants.	**20.00** gms/litre	**500 gm**
DM 1232	**AATCC Mineral Salts Agar** for evaluation of fungicides for use on textiles and the resistance of textiles to mildew and rot.	**27.80** gms/litre	**500 gm**
DM 1337	**AC Agar** for cultivation of a wide variety of microorganisms particularly for sterility testing.	**35.20** gms/litre	**500 gm**
DM 1875	**AC Broth** for cultivation of common aerobes and sterility testing of solutions and biological products without mercurial preservatives.	**34.20** gms/litre	**500 gm**
DM 1234	**AK Agar No.2 (Sporulating Agar) (Arret and Kirshbaum Medium)** for production of spores of *Bacillus subtilis* ATCC 6633 which are used as inoculum in detection of Pencillin and other antibiotics residues in milk and dairy products.	**30.80**	**500 gm**
DM 1226	**APT Agar** for cultivation of heterofermentative *Lactobacilli* and other organisms requiring a high thiamine content.	**61.18** gms/litre	**500 gm**
DM 1227	**APT Broth** for the cultivation of heterofermentative lactic acid bacteria requiring high thiamine content.	**46.20** gms/litre	**500 gm**
DM 1904 MS 2097	**ASLA Agar Base** for selective isolation and cultivation of *Propionibacterium* species from foods ***Propionibacteria Growth Supplement**	**16.19** gms/litre	**500 gm** **5 vl**
DM 2033	**Acetamide Agar (Twin Pack)** for differentiation of nonfermentative gram-negative bacteria, particularly *Pseudomonas aeruginosa*.	**10** of Part A + **22.63** of Part B	**500 gm**
DM 1148	**Acetamide Broth (Twin Pack)** for confirmation of *Pseudomonas aeruginosa* in water samples.	**10** of Part A + **7.63** of Part B	**100 gm** **500 gm**
DM 2370	**Acetamide Nutrient Broth (Twin Pack)** for detection of microbial utilization of acetamide.	**0.56** of Part A + **2.0** of Part B	**100 gm** **500 gm**
DM 2225	***Acetate Agar** for the isolation and cultivation of *Leuconostoc* and *Pediococcus* species.	**61.90** gms/litre	**500 gm**
DM 1339	**Acetate Differential Agar** for the defferentiation of *Shigella* species from members of the genus *Escherichia*.	**29.18** gms/litre	**500 gm**
DM 1238	**Acetobacter Agar (Glucose)** for maintenance of glucose positive *Acetobacter* species.	**38.00** gms/litre	**500 gm**
DM 1370	**Acetobacter Agar (Mannitol)** for maintenance of mannitol positive *Acetobacter* species.	**48.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1346	**Acetobacter Agar w/Liver Extract** for maintenance of glucose positive *Acetobacter* species.	**57.00** gms/litre	**500 gm**
DM 2208	**Acid Broth** for the cultivation of acid tolerant microorganisms from canned food.	**27.50** gms/litre	**500 gm**
DM 1341	**Actinomyces Agar** for cultivation and maintenance of the anaerobic Actinomyces species.	**77.22** gms/litre	**500 gm**
DM 1233	**Actinomyces Broth** for cultivation and maintenance of anaerobic Actinomyces species.	**57.22** gms/litre	**500 gm**
DM 1855	**Adams Agar** for examination of sporulation in yeasts.	**22.70** gms/litre	**500 gm**
DM 1884	**Aeromonas Isolation Medium Base** for selective, differential isolation of *Aeromonas hydrophila* from clinical and environmental Specimens.	**56.30** gms/litre	**500 gm**
MS 2039	***Aeromonas Selective Supplement**		**5 vl**
DM 1343	**Algae Culture Agar** for isolation and cultivation of algae from soil, water and sewage. Also for carrying stock cultures of algae used in the bioassay of algicidal chemicals.	**16.87** gms/litre	**500 gm**
DM 1342	**Algae Culture Broth** for cultivation of algae from soil, water and sewage. Also for preparing the inoculum for the bioassay of algicidal chemicals.	**1.87** gms/litre	**100 gm** **500 gm**
DM 1618	**Alkaline Peptone Water** for enrichment of *Vibrio* species.	**20.00** gms/litre	**100 gm** **500 gm**
DM 1618I	**Alkaline Peptone Water** recommended for detection of *Vibrio Parahaemolytics.*	**50.00** gms/litre	**500 gm**
DM 1618S	**Alkaline Peptone Water** recommended for detection of bacteria responsible for food poisoning.	**15.00** gms/litre	**100 gm** **500 gm**
DM 1010	**Alternative Thioglycollate Medium (NIH Thioglycollate Broth)** for sterility testing of turbid or viscous biological products	**29.00** gms/litre	**100 gm** **500 gm**
DM 1651	**Amies Transport Medium w/Charcoal** for transportation and preservation of microbiological specimens.	**19.75** gms/litre.	**100 gm** **500 gm**
DM 1235	**Ammonium Phosphate Agar** for detecting the ability of microorganisms to utilize ammonium phosphate as a source of nitrogen.	**26.45** gms/litre	**500 gm**
DM 1228	**Anaerobic Agar** a general purpose medium for the cultivation of anaerobic bacteria, especially, *Clostridium* species.	**58.00** gms/litre	**100 gm** **500 gm**
DM 1491	**Anaerobic Agar (Brewer)** for the isolation and sensitivity testing of anaerobic and microaerophilic organisms and study of colonial morphology.	**53.00** gms/litre	**500 gm**
DM 1230	**Anaerobic Agar w/o Dextrose** for carbohydrate fermentation studies of *Clostridia , Streptococci* and other organisms.	**38.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1229	**Anaerobic Agar w/o Dextrose and Eh Indicator** for the isolation and identification of anaerobic pathogens and for the studies of haemolytic activity of *Clostridia Streptococci* and other anaerobic organisms.	**43.00** gms/litre	**500 gm**
DM 2345	**Anaerobic Blood Agar Base** recommended for isolation and cultivation of Group A & Group B *Streptococci* from throat cultures and other clinical samples.	**40.00** gms/litre	**500 gm**
MS 2149	***Neomycine Supplement**		**5 vl**
DM 1978	**Anaerobic Fermentation Medium Base** for the detection of fermentation reactions of anaerobic microorganisms.	**40.00** gms/litre	**500 gm**
DM 2034	***Anaerobic CNA Agar Base** for the selective isolation of anaerobic *Streptococci*.	**44.14** gms/litre	**100 gm**
DM 1902	**Anaerobic Egg Agar Base** for detection of *Clostridium perfringens* in food samples.	**55.00** gms/litre	**500 gm**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
DM 1885S	**Andrade Peptone Water** a basal medium, which with carbohydrate addition is used to study fermentation reactions.	**15.10** gms/litre	**100 gm**
DM 1885	**Andrade Peptone Water** a basal medium, which with carbohydrate addition is used to study fermentation reactions.	**15.10** gms/litre	**100 gm** **500 gm**
DM 1909	**Andrade Peptone Water w/Meat Extract** as basal medium for studying fermentation reactions, particularly of members of the *Enterobacteriaceae*.	**18.10** gms/litre	**500 gm**
DM 2346	**Antinbiotic Assay Medium B** for microbiological assay of Colistin sulphate and Polymyxin B sulphate using *Bordetella bronchiseptica*.	**45.00+** 10 gms/litre polysorbate 80	**500 gm**
DM 1555	**Antibiotic Assay Medium C** as the broth medium in *Turbidimetric* assay of a wide variety of antibiotics.	**20.00** gms/litre	**500 gm**
DM 1556	**Antibiotic Assay Medium D** for microbiological assay of Erythromycin and Neomycin using *Klebsiella pneumoniae*.	**19.40** gms/litre	**500 gm**
DM 2347	**Antibiotic Assay Medium E** for microbiological assay of Neomycin sulphate and Framycetin sulphate using *Bacillus subtilis* and *Bacillus pumilus.*	**28.67** gms/litre	**500 gm**
DM 1923	**Antibiotic Assay Medium F** for microbiological assay of Nystatin using *Saccharomyces cerevisiae*.	**60.00** gms/litre	**500 gm**
DM 1991	**Antibiotic Assay Medium L-AOAC** for microbiological assay of Monensin using *Bacillus subtilis* as test organism.	**28.64** gms/litre	**500 gm**
DM 1992	**Antibiotic Assay Medium M-AOAC** for microbiological assay of Lasalocid using *Bacillus subtilis* as a test organism.	**33.64** gms/litre	**500 gm**
DM 1003	**Antibiotic Assay Medium No. 1** **(Seed Agar) (Antibiotic Assay Medium-A)** for microbiological assay of ß-lactam and other antibiotics.	**30.50** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



A

Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1005	**Antibiotic Assay medium No. 2 (Base Agar)** for microbiological assay of antibiotics.	**25.50** gms/litre	**500 gm**
DM 1042	**Antibiotic Assay Medium No. 3** for microbiological assay of antibiotics.	**17.50** gms/litre	**100 gm 500 gm**
DM 1140	**Antibiotic Assay Medium No. 4 (Yeast Beef Agar)** for detection of Penicillin-G in milk samples using *Bacillus stearothermophilus.*	**26.50** gms/litre	**500 gm**
DM 1006	**Antibiotic Assay Medium No. 5 (Streptomycin Assay Agar w/Yeast Extract)** for microbiological assay of Streptomycin using *Bacillus subtilis.*	**25.50** gms/litre	**500 gm**
DM 1223	**Antibiotic Assay Medium No. 6** for induction of spore production in *Bacillus subtilis* strains used in antibiotic assay.	**30.03** gms/litre	**500 gm**
DM 1039	**Antibiotic Assay medium No. 7** recommended as a base layer medium in antibiotic assay testing. Especially useful for the plate assay of Bacitracin and Pencillin G.	**25.50** gms/litre	**500 gm**
DM 1041	**Antibiotic Assay Medium No. 8 (Base Agar w/low pH)** for microbiological assay of Mitomycin, Plicamycin and Vancomycin.	**25.50** gms/litre	**500 gm**
DM 1147	**Antibiotic Assay Medium No. 9 (Polymyxin Base Agar)** as a base layer medium for assaying the products containing Polymyxin-B.	**50.00** gms/litre	**500 gm**
DM 1225	**Antibiotic Assay Medium No. 10 (Polymyxin Seed Agar)** as a seed layer medium for assaying the products containing Polymyxin-B, also for assaying Carbenicillin, Colistin and Colistimethate sodium.	**42.00+** 10 ml of Polysorbate 80)	**500 gm**
DM 1004	**Antibiotic Assay Medium No. 11 (Neomycin, Erythromycin Assay Agar) (Erythromycin Seed Agar)** for microbiological assay of antibiotics.	**30.50** gms/litre	**100 gm 500 gm**
DM 1280	**Antibiotic Assay Medium No. 12 (Nystatin Assay Agar)** for microbiological assay of Amphotericin B and Nystatin using *Saccharomyces. cerevisiae* ATCC 2601.	**62.50** gms/litre	**500 gm**
DM 1101	**Antibiotic Assay Medium No. 19** for microbiological assay of Amphotericin B, Netamycin and Nystatin using *Saccharomyces cerevisiae*.	**60.00** gms/litre	**500 gm**
DM 1167	**Antibiotic Assay Medium No. 20 (Yeast Beef Broth)** for microbiological assay of Amphotericin B using *Candida tropicalis* .	**42.50** gms/litre	**500 gm**
DM 2667	**Antibiotic Assay Medium No. 37 (Tryptone Soya Broth)** for cultivation of wide variety of microrganisms and sterility testing of pharmaceutical pre parations.	**30.00** gms/litre	**100 gm 500 gm**
DM 1799	**Antibiotic Assay Medium No. 38** for microbiological assay of Ticarcillin using *Pseudomonas aeruginosa*.	**45.40** gms/litre	**500 gm**
DM 2142	**Antibiotic Assay Medium No. 39** for microbiological assay of Neomycin and Streptomycin using *Klebsiella pneumoniae* as the test organism.	**17.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2143	**Antibiotic Assay Medium No. 40** for microbiological assay of Thiostrepton using *Streptococcus faecium* as the test organism	**47.10** gms/litre	**500 gm**
DM 2144	**Antibiotic Assay Medium No. 41** for microbiological assay of Thiostrepton using *Streptococcus faecium* as the test organism	**46.00** gms/litre	**500 gm**
DM 1164	**Antifungal Assay Agar** for assaying antifungal activity of pharmaceutical products and other materials by the cylinder plate or disc method.	**75.76** gms/litre	**500 gm**
DM 1619	**Arginine Dihydrolase Broth** for detection of arginine dihydrolase producing microorganisms	**19.31** gms/litre	**500 gm**
DM 1234	**Arret & Kirshbaum Medium (Sporulating Agar)** see **AK Agar No. 2**	**30.80** gms/litre	**500 gm**
DM 1804	**Ascospore Agar** for detection of ascoporogenous yeasts.	**43.50** gms/litre	**500 gm**
DM 1713	**Ashby's Glucose Agar** for cultivation of *Azotobacter* species from soil that can use glucose and atmospheric nitrogen as source of carbon and nitrogen respectively.	**40.70** gms/litre	**500 gm**
DM 1706	**Ashby's Mannitol Agar** for isolation of Azotobacter species from soil that can use mannitol and atmospheric nitrogen as source of carbon and nitrogen respectively.	**40.70** gms/litre	**500 gm**
DM 1672	**Asparagine Broth (Coccidium Histoplasmin Broth)** for the preparation of Coccidioidin and Histoplasmin antigens for immunodiagnostic work.	**28.01** gms/litre	**500 gm**
DM 1725	**Asparagine Gelatin Lactate Medium Base** for isolation of sulphur bacteria.	**152.50** gms/litre	**100 gm**
DM 1724	**Asparagine Nitrate Medium** for the isolation and cultivation of denitrifying bacteria from soil samples.	**27.70** gms/litre	**100 gm**
DM 2192	**Asparagine Proline Broth** for cultivation of *Pseudomonas aeruginosa* from water samples by membrane filter technique.	**14.50** gms/litre	**100 gm** **500 gm**
DM 1182	**Ayers and Johnson Agar (Stock Culture Agar)** for maintenance of cultures of *Streptococci* and other microorganisms.	**50.00** gms/litre	**500 gm**
DM 1158	**Azide Blood Agar Base** for selective isolation and cultivation of *Staphylococcus* and *Streptococcus* species from mixed bacterial flora.	**33.20** gms/litre	**500 gm**
DM 1345	**Azide Dextrose Broth** a selective medium for detection of *Streptococci* in water, sewage, food and other materials suspected of sewage contamination.	**34.70** gms/litre	**500 gm**
DM 2271	**Azide Dextrose Broth w/BCP** recommended for cultivation of faecal *Streptococci*.	**34.70**	**500 gm**
DM 1220	**B.A.G.G. Broth Base** **(Buffered Azide Glucose Glycerol Broth Base)** for detection of faecal *Streptococci* (group D) from clinical specimens and other materials of sanitary significance.	**36.01** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1861	**B.T.B. Lactose Agar** for isolation of pathogenic *Staphylococci*	**33.17** gms/litre	**100 gm** **500 gm**
DM 1036	***B12 Assay Medium (Vitamin B_{12} Assay Medium) (Using L. leichmannii)** for microbiological assay of Vitamin B_{12} using *Lactobacillus leichmannii* ATCC 7830 as the test organism.	**84.53** gms/litre	**100 gm**
DM 1185	***B12 Culture Agar (E. coli Maintenance Medium) (E. coli Mutant Culture Agar)** for propagation, cultivation and maintenance of *Escherichia coli* mutant used in microbiological assay of Vitamin B_{12}.	**37.85** gms/litre	**100 gm**
DM 1035	***B12 Culture Agar (L.leichmannii Maintance Medium)** for propagation cultivation and maintenance of *Lactobacillus leichmannii* ATCC 7830	**42.10** gms/litre	**100 gm**
DM 1206	***B12 Inoculum Broth** for preparing the inoculum of *Lactobacillus leichmannii* ATCC 7830 for the microbiological assay of Vitamin B_{12}.	**32.10** gms/litre	**100 gm**
DM 1906	**B.C. Motility Test Medium** for testing motility of *Bacillus cereus*.	**23.00** gms/litre	**500 gm**
DM 1106	**B.C.G. - Dextrose Agar (Snyder Test Agar)** for the estimation of *Lactobacilli*, an indication of caries activity.	**65.02** gms/litre	**500 gm**
DM 1205	**B.D.G. - Broth, Hajna** for presumptive detection of enteric bacilli present in treated drinking waters.	**35.60** gms/litre	**500 gm**
DM 1492	**B.G. Sulpha Agar (Brilliant Green Sulpha Agar)** a highly selective medium for isolation and detection of *Salmonella* species in foods, especially eggs and egg products.	**59.09** gms/litre	**100 gm** **500 gm**
DM 2020	**BPL Agar** for isolation and identification of *Salmonellae* except *Salmonella serotype Typhi* in faeces, urine, milk and other materials.	**40.04** gms/litre	**500 gm**
DM 1470	**BYE Agar** for cultivation and routine studies of distribution of Mycoplasmas or Pleuropneumonia Like organisms (PPLOs) and L- forms of bacteria.	**52.00** gms/litre	**500 gm**
DM 1833	**Bacillus Cereus Agar Base** a selective medium for isolation, detection and enumeration of *Bacillus cereus*.	**40.97** gms/litre	**100 gm** **500 gm**
MS 2003	***Polymyxin B Selective Supplement**		**5 vl**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
DM 2394	**Bacillus Differentiation Agar** for differentiation between Bacillus cereus and Bacillus subtilis based on mannitol fermentation.	**22.00** gms/litre	**500 gm**
DM 1043	**Baird Parker Agar Base** for isolation and enumeration of coagulase posiitive *Staphylococci* from food and other Materials.	**63.00** gms/litre	**100 gm** **500 gm**
MS 2046	***Egg Yolk Tellurite Emulsion (100 ml per vial)**		**5 vl**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)**		**5 vl**
MS 2069	***B. P Sulpha Supplement**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1043S	**Baird Parker Agar Base** for isolation and enumeration of bacteria responsible for food poisoning	**65.00** gms/950ml	**100 gm** **500 gm**
MS 2045	***Egg Yolk Emulsion 100 ml per vial**		**5 vl**
MS 2046	***Egg Yolk Tellurite Emulsion (100 ml per vial)**		**5 vl**
MS 2047	***Potassium Telurite 3.5% (1 ml per vial)**		**5 vl**
MS 2195	***Fibrinogen Plasma Trypsin Inhibitor Supplement**		**5 vl**
DM 1043M	**Baird Parker Agar Base** for isolation and enumeration of coagulase positive *Staphylococci* from food and other materials in accordance with IP	**63.00** gms/litre	**100 gm** **500 gm**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
MS 2052	***Potassium Tellurite 1.0% (1 ml per vial)**		**5 vl**
DM 2140	**Baird Parker Agar Base w/ Sulpha** recommended for isolation and enumeration of coagulase positive *Staphylococci* from food and other materials.	**63.05** gms/litre	**500 gm**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
MS 2046	***Egg Yolk Tellurite Emulsion (100 ml per vial)**		**5 vl**
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)**		**5 vl**
DM 1005	**Base Agar** See **Antibiotic Assay Medium No.2**	**25.50** gms/litre	**500 gm**
DM 1041	**Base Agar w/low pH** See **Antibiotic Assay Medium No.8**	**25.50** gms/litre	**500 gm**
BA 2274	**Beef Extract Paste**		**500 gm**
BA 2002	**Beef Extract Powder** refined for use in microbial culture media		**500 gm**
BC 2002	**Beef Extract Powder, Certified** for the maximum recovery and growth of a wide variety of microorganisms.		**500 gm**
BA 2669	**Beef Extract Powder Type 1** used in media for routine cultivation and diagnostic purposes.		**500 gm**
DM 1806	**Beef Extract Agar** for routine cultivation of non fastidious bacteria	**33.00** gms/litre	**100 gm** **500 gm**
DM 1807	**Beef Extract Broth** for routine cultivation of non fastidious bacteria	**18.00** gms/litre	**500 gm**
DM 1217	**Bi.G.G.Y. Agar (Nickerson Medium)** for detection, selective isolation, differentiation and presumptive identification of *Candida albicans* and *Candida tropicalis*.	**45.00** gms/litre	**500 gm**
DM 1071	**Bile Broth Base** for cultivation of members of the Enterobacteriaceae.	**30.00** gms/litre	**100 gm** **500 gm**
DM 1972	**Bile Esculin Agar** for differential isolation and presumptive identification of group D *Streptococci* in food and pharmaceutical products.	**64.50** gms/litre	**100 gm** **500 gm**
DM 1972I	**Bile Esculin Agar** recommended for isolation and identification of *Yersinia enterocolitica* from food and animal feeding stuffs.	**64.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2035	**Bile Esculin Agar w/Kanamycin** for selective isolation and presumptive identification of bacateria of the Bacteroides fragilis group from mixed flora.	**44.60** gms/litre	**100 gm** **500 gm**
DM 1340	**Bile Esculin Agar Base** for differential isolation and presumptive identification of group D *Streptococci* in food and pharmaceutical products.	**63.50** gms/litre	**500 gm**
MS 2050	**Aesculin (Esculin)**		**5 vl**
DM 1493	**Bile Esculin Azide Agar** for selective isolation and presumptive identification of faecal *Streptococci.*	**56.65** gms/litre	**500 gm**
DM 1493I	**Bile Esculin Azide Agar** recommended for isolation and presumptive identification of faecal *Streptococci.*	**56.65** gms/litre	**500 gm**
DM 1481	**Bile Peptone Transport Medium** for safe collection, transport and presentation of cholera organisms.	**25.00** gms/litre	**500 gm**
BA 2008	**Bile Salts** for Bacteriology		**500 gm**
BC 2008	**Bile Salts, Certified** a specially manufactured extract of bile salts, is recommended as a selective inhibitory agent in microbiological culture media.		**500 gm**
BA 2009	**Bile Salts Mixture** equivalent to Bile Salt No.3 for use in bacteriology culture media as selective inhibitory agent.		**100 gm**
BC 2009	**Bile Salts Mixture, Certified** recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria.		**100 gm**
DM 1739	**Bile Salt Agar** for isolation and enumeration of bile tolerant enteric bacilli.	**43.00** gms/litre	**100 gm** **500 gm**
DM 1739S	**Bile Salt Agar** for isolation and enumeration of bile tolerant enteric bacteria responsible for food poisoning.	**40.00** gms/litre	**100 gm** **500 gm**
DM 2157	**Bile Salts Brilliant Green Starch Agar** for selective isolation and identfication of *Aeromonas hydrophila* from food and environmental specimens.	**45.00** gms/litre	**500 gm**
BA 2021	**Bio Peptone** mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.		**500 gm**
BC 2021	**Bio Peptone, Certified** provides a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms.		**500 gm**
DM 1027U	**Bismuth Sulphite Agar Medium** for selective isolation of Salmonellae from faeces, urine, sewage and other materials in accordance with USP.	**52.32** gms/litre	**100 gm** **500 gm**
DM 1027	**Bismuth Sulphite Agar** for selective isolation of *Salmonellae* from faeces, urine, sewage and other materials.	**52.33** gms/litre	**100 gm** **500 gm**
DM 2004	**Bismuth Sulphite Agar, Modified** for isolation and preliminary identification of *Salmonella Typhi* and other *Salmonellae* from pathological materials, sewage, water supplies, food etc.	**40.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1073	**Blood Agar Base (Infusion Agar)** for isolation and cultivation of many fastidious pathogenic microorganisms after addition of blood.	**40.00** gms/litre	**100 gm** **500 gm**
DM 1089	**Blood Agar Base w/low pH** an infusion medium, for isolation and cultivation of fastidious organisms, after addition of blood.	**40.00** gms/litre	**100 gm** **500 gm**
DM 1834	**Blood Agar Base No. 2** after addition of blood, medium permits maximum recovery of *Streptococci*, *Pneumococci* and other fastidious pathogenic microorganisms without interfering with their haemolytic reactions.	**42.50** gms/litre	**100 gm** **500 gm**
MS 2005	***Brucella Selective Supplement**		**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**		**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**		**5 vl**
MS 2008	***Campylobacter Supplement-III (Skirrow)**		**5 vl**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
MS 2031	***Strepto Supplement**		**5 vl**
DM 1834A	**Blood Agar Base No. 2 w/1.2% Agar** especially devised to permit the maximum recovery fo fastidious pathogenic microorganisms without interfering with their haemolytic reactions.	**39.50** gms/litre	**500 gm**
MS 2005	***Brucella Selective Supplement**		**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**		**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**		**5 vl**
MS 2008	***Campylobacter Supplement-III (Skirrow)**		**5 vl**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
MS 2031	***Strepto Supplement**		**5 vl**
DM 1887	**Blood Free Campylobacter Selectivity Agar Base** recommended for selective isolation and differentiation of *Campylobacter species* from food and animal stuffs.	**45.50** gms/litre	**500 gm**
MS 2067	***Compylobacter Supplement V (BFCSA)**		**5vl**
MS 2145	***CAT Selective Supplement**		**5vl**
DM 1175	**Bordet Gengou Agar Base** for detection and isolation of *Bordetella pertussis* and *Bordetella parapertussis*.	**40.00** gms/litre	**500 gm**
MS 2004	***Bordetella Selective Supplement**		**5 vl**
DM 1175A	**Bordet Gengou Agar Base w/1.6% Agar** for detection and isolation of *Bordetella pertussis* and *Bordetella parapertussis*.	**36.00**	**500 gm**
MS 2004	***Bordetella Selective Supplement**		**5 vl**
DM 1216	**Boric Acid Broth** for the detection and presumptive identification of *Escherichia coli*, on the basis of the ability of these organisms to grow at 43°C and form gas from lactose in the presence of boric acid.	**34.60** gms/litre	**500 gm**
DM 1211	**Brain Heart Infusion Agar (Special Infusion Agar)** for cultivation of fastidious pathogenic bacteria, yeast and moulds.	**52.00** gms/litre	**100 gm** **500 gm**
DM 1211A	**Brain Heart Infusion Agar w/ 1% Agar** for cultivation of fastidious pathogenic bacteria, yeasts and moulds	**47.00** gms/litre	**500 gm**
DM 2036	**Brain Heart Infusion w/0.1% Agar** for propagation of fastidios pathogenic cocci and other organisms associated blood culture work and allied pathological investigations.	**38.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2037	**Brain Heart Indusion w/6.5% NaCl** for selective cultivation of salt tolerant microorganisms.	**97.00** gms/litre	**500 gm**
DM 2069	**Brain Heart Infusion Agar w/ 3.0% Agar** for cultivation of microorganisms when 3.0% Agar gel is desired.	**67.00** gms/litre	**500 gm**
DM 1210	**Brain Heart Infusion Broth** for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	**37.00** gms/litre	**100 gm** **500 gm**
DM 1210I	**Brain Heart Infusion Broth** recommended for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and enrichment of *Staphyiococcus* aureus.	**37.00** gms/litre	**500 gm**
DM 1212	**Brain Heart Infusion w/PABA** for examination of blood from patients under Sulphonamide therapy.	**37.05** gms/litre	**500 gm**
DM 1213	**Brain Heart Infusion w/PABA and Agar** for improved growth of pathogens from blood from patients undergoing Sulphonamide treatment.	**38.05** gms/litre	**500 gm**
DM 1019	**Brewer Thioglycollate Medium** for testing sterility of biological products and for isolation of aerobic and anaerobic organisms	**40.50** gms/litre	**100 gm** **500 gm**
DM 1195	**Brewer Thioglycollate Medium, Modified** **(Linden Thioglycollate Medium)** for testing sterility of biological products and for the isolation of aerobic and anaerobic organisms.	**38.50** gms/litre	**100 gm** **500 gm**
DM 1195A	**Brewer Thioglycollate Medium, Modified** for testing sterility of biological products and for isolation of aerobic and anaerobic organisms.	**20.60** gms/litre	**100 gm** **500 gm**
DM 1016	**Brilliant Green Agar, Modified** for selective isolation of *Salmonellae* other than *Salmonella Serotype Typhi* from faeces, foods, dairy products.	**58.09** gms/litre	**100 gm** **500 gm**
MS 2068	***Sulpha Supplement**		**5 vl**
DM 1016U	**Brilliant Green Agar, Modified** for selective isolation of *Salmonellae* other than *Salmonella Serotype Typhi* from faeces, foods, dairy products etc. in accordance with USP.	**58.09** gms/litre	**100 gm** **500 gm**
DM 1016A	**Brilliant Green Agar w/ 1.2% Agar** recommended as enrichment medium for isolation of Salmonellae from faeces, urine and other pathological materials.	**50.09** gms/litre	**100 gm** **500 gm**
MS 2068	***Sulpha Supplement**		**5 vl**
DM 1971	**Brilliant Green Agar Base w/Phosphates** recommended for selective isolation of *Salmonellae* while inhibiting *Escherichia coli, Proteus* and *Pseudomonas species.*	**51.69** gms/litre	**500 gm**
MS 2068	***Sulpha Supplement**		**5 vl**
DM 1971I	**Brilliant Green Agar w/ Phosphates** recommended for detection and enumeration of *Salmonellae*.	**54.69** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1971S	**Brilliant Green Agar Base w/ Phosphates** for selective isolation of bacteria responsible for food poisoning.	**52.00** gms/litre	**100 gm** **500 gm**
MS 2068	***Sulpha Supplement**		**5 vl**
DM 1059	**Brilliant Green Bile Agar** for enumeration of coliform bacteria in water, sewage and foods.	**20.70** gms/litre	**100 gm** **500 gm**
DM 1121	**Brilliant Green Bile Broth 2%** for detection and confirmation of coliform bacteria in water, waste water, foods, milk and dairy products.	**40.01** gms/litre	**100 gm** **500 gm**
DM 1492	**Brilliant Green Sulpha Agar** See **BG Sulpha Agar**	**59.09** gms/litre	**100 gm** **500 gm**
DM 2212	**Bromo Cresol Purple Azide Broth** for the confirmation of the presence of faecal *Streptococci* in Water and waste water.	**35.93** gms/litre	**500 gm**
DM 1676	**Bromo Cresol Purple Broth Base (Yeast Fermentation Broth Base)** for studying fermentation of carbohydrates by pure cultures.	**18.04** gms/litre	**500 gm**
DM 2265	**Bromo Cresol Purple Broth w/Lactose** for identification of *Escherichia coli* and coliform bacteria from water samples.	**28.02** Gms/litre	**500 gm**
DM 1074	**Brucella Agar Base** for selective isolation and cultivation of *Brucella* or *Campylobacter* species from clinical and nonclinical specimens.	**43.10** gms/litre	**100 gm** **500 gm**
MS 2005	***Brucella Selective Supplement**		**5 vl**
MS 2006	***Campylobacter Supplement I (Blaser - Wang)**		**5 vl**
MS 2007	***Campylobacter Supplement II (Butzler)**		**5 vl**
MS 2008	***Campylobacter Supplement III (Skirrow)**		**5 vl**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
DM 1074A	**Brucella Agar Base, Modified** for cultivation of *Campylobacter* species.	**44.10** gms/litre	**500 gm**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
MS 2008	***Campylobacter Supplement III (Skirrow)**		**5 vl**
DM 2039	**Brucella Agar w/Hemin and Vitamin K** for cultivation of *Brucella* species, for isolation and subculture of anaerobes with addition of blood.	**43.12** gms/litre	**500 gm**
DM 1348	**Brucella Broth Base** for enrichment and cultivation of *Brucella* or *Campylobacter* species from clinical and nonclinical specimens.	**28.10** gms/litre	**100 gm** **500 gm**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
DM 1813	**Buffered Charcoal Yeast Extract Agar Base** for selective isolation and cultivation of Legionella species from clinical and other materials.	**40.00** gms/litre	**100 gm**
MS 2017	***Legionella Selective Supplement**		**5 vl**
MS 2037	***Legionella Selective Supplement II**		**5 vl**
MS 2038	***Legionella Selective Supplement III**		**5 vl**
MS 2040	***Legionella Selective Supplement IV (MWY)**		**5 vl**
MS 2041	***Legionella Supplement**		**5 vl**
DM 1070	**Buffered Glucose Broth (Glucose Phosphate Broth)** See **MR-VP Medium**	**17.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1204	**Buffered Glycerol Saline Base** for collection and transportation of faecal specimens.	**8.30+300 ml** glycerol	**100 gm** **500 gm**
DM 1614	**Buffered Peptone Water** for pre-enrichment of injured *Salmonella* species from foods prior to selective enrichment and isolation.	**20.00** gms/litre	**100 gm** **500 gm**
DM 1951	**Buffered Tryptone Glucose Yeast Extract Broth** for cultivation and characterization of *Clostridia* isolated from food specimens.	**85.00** gms/litre	**500 gm**
DM 1585	**Buffered Yeast Agar** for cultivation of yeasts and moulds and for the controlling of bottle washing operations in the soft-drinks and releated industries.	**41.00** gms/litre	**500 gm**
DM 1707	**Burk's Medium** for isolation and cultivation of nitrogen fixing bacteria such as *Azotobacter* species.	**21.33** gms/litre	**500 gm**
DM 1349	**Bushnell Haas Agar** for examination of fuels for microbial contamination and for studying Hydrocarbon deterioration by microorganisms.	**23.27** gms/litre	**500 gm**
DM 1350	**Bushnell Haas Broth** for examining fuels for microbial contamination and for studying hydrocarbon deterioration by microorganisms.	**3.27** gms/litre	**100 gm** **500 gm**
DM 1893	**CAL Agar (Cellobiose Arginine Lysine Agar)** for isolation and biochemical characterization of *Yersinia enterocolitica*.	**46.03** gms/litre	**100 gm**
DM 1894	**CAL Broth (Cellobiose Arginine Lysine Broth)** for isolation and biochemical characterization of *Yersinia enterocolitica*.	**26.03** gms/litre	**100 gm**
DM 1351	**CHO Medium Base** is a basal medium to which carbohydrates may be added for use in fermentation studies of anaerobic bacteria.	**26.11** gms/litre	**500 gm**
DM 1352	**C.L.E.D. Agar w/ Andrade Indicator** for isolation, and differentiation of urinary pathogens on the basis of lactose fermentation.	**36.25** gms/litre	**100 gm** **500 gm**
DM 2146 MS 2091	**C.L.E.D. Agar Base w/o Indicator** for isolation, enumeration and presumptive identification of bacterial flora in urinary tract. ***Bromo Thymol Blue Supplement**	**36.12** gms/litre	**100 gm** **500 gm** **5 vl**
DM 1792	**C.L.E.D. Agar w/Bromo Thymol Blue** for isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	**36.15** gms/litre	**100 gm** **500 gm**
DM 2240	**Campylobacter Nitrate Broth** for identification of *Campylobacter* species on the basis of nitrate reduction.	**27.00** gms/litre	**500 gm**
DM 1363	**Carbon Utilization Agar** for characterization of streptomyces on the basis of carbon utilization source.	**24.83** gms/litre	**100 gm** **500 gm**
DM 1202	**Cary-Blair Medium Base (Transport Medium w/o Charcoal)** for collection and shipment of clinical specimens.	**12.60** gms/litre	**100 gm** **500 gm**
BA 2189	**Casein Acid Hydrolysate**, Certified, Sodium chloride less than 3%		**500 gm**
BA 2498	**Casein Acid Hydrolysate** special for Pertussis Vaccine production.		**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
BA 2013	**Casein Acid Hydrolysate**, Technical, used in antibiotic sensitivity test media, vaccine preparation media etc.		**500 gm**
BC 2013	**Casein Acid Hydrolysate**, Certified, recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.		**500 gm**
BA 2190	**Casein Acid Hydrolysate,** Vitamin Free		**500 gm**
BA 2014	**Casein Enzyme Hydrolysate**, Type-I Tryptone, used in sterility testing, diagnostic media preparations		**500 gm** **2.5 kg**
BC 2014	**Casein Enzyme Hydrolysate,** Certified Tryptone, recommended in a number of media such as sterility testing media diagnostic media for biochemical Characterization, etc.		**500 gm**
BA 2028	**Casein Enzyme Hydrolysate,** Type-II		**500 gm** **5 kg**
BA 2714	**Casein Peptone,** enzymic digest of casein		**500 gm** **2.5 kg**
DM 1201	**Casman Agar** for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension.	**43.60** gms/litre	**500 gm**
DM 1766	**Casman Broth Base** for isolation of fastidious microorganisms from clinical specimens under reduced oxygen tension.	**29.60** gms/litre	**500 gm**
DM 1024 MS 2130	**Cetrimide Agar Base** for selective isolation of *Pseudomonas aeruginosa* from clinical specimen. ***Nalidixic Selective Supplement**	**46.70** gms/litre +10ml glycerol	**100 gm** **500 gm** **5 vl**
DM 1024H	**Cetrimide Agar** Aecommended as a selective medium used for the isolation of Pseudomonas aeruginosa from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of BP.	**45.30** gms/litre +10ml glycerol	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1862	**Cetrimide Broth** for selective cultivation of *Pseudomonas aeruginosa*	**25.30** gms/litre	**100 gm** **500 gm**
DM 1862A	**Cetrimide Broth Base** recommended for cultivation of *Pseudomonas aeruginosa* from water samples using membrane filter technique.	**31.90** gms/litre	**500 gm**
DM 1215	**Chapman Stone Agar** for selective isolation of *Staphylococci* causing food poisoning.	**202.50** gms/litre	**500 gm**
DM 1344 MS 2004	**Charcoal Agar Base** for cultivation of Bordetella pertussis, for vaccine Production and also for stock culture Maintenance. ***Bordetella Selective Supplement**	**62.50** gms/litre	**500 gm** **5 vl**
DM 1646	**Charcoal Blood Agar Base** for cultivation of *Bordetella pertussis*, for vaccine production and also for the maintenance of stock cultures.	**54.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2053	**Charcoal Agar Base w/Niacin** for cultivation and isolation of Bordetella pertussis and *Haemophilus influenzae*.	**51.00** gms/litre	**500 gm**
MS 2004	***Bordetella Selective Supplement**		**5 vl**
DM 1113	**Chlamydospore Agar** for differentiation of Candida albicans from other Candida species on the basis of chlamydospore formation.	**37.10** gms/litre	**100 gm** **500 gm**
DM 1580	**China Blue Lactose Agar** for defferentiation and enumeration of bacteria in milk.	**38.30** gms/litre	**500 gm**
DM 2008	***Chloramphenicol Yeast Glucose Agar** recommended for selective enumeration of yeasts and moulds in milk and milk products.	**40.00** gms/litre	**100 gm** **500 gm**
DM 1103	**Chocolate Agar Base** for isolation of *Neisseria gonorrhoeae* from chronic and acute cases of gonococcal infections.	**45.50** gms/litre	**500 gm**
MS 2022	***Haemoglobin Powder**		**100 gm**
MS 2025	***Vitamino Growth Supplement (Vitamins and Amino Acids Mixture)**		**5vl**
MS 2027	***Yeast Autolysate Supplement**		**5vl**
DM 1728	**Citrate Agar** for cultivation of iron bacteria from soil samples.	**27.20** gms/litre	**100 gm** **500 gm**
DM 1552	**Clausen Medium** for sterility testing, in accordance with Nordic Pharmacopoeia Board.	**40.00** gms/litre	**500 gm**
DM 1836	**Clostridium Difficile Agar Base** for selective isolation of *Clostridium difficile* from faeces.	**69.10** gms/litre	**500 gm**
MS 2010	***Clostridium Difficile Supplement**		**5 vl**
DM 2211	**Coliform Broth** for isolation and cultivation of coliform organisms from cream, yogurt and raw milk.	**57.14** gms/litre	**500 gm**
DM 1144	**Columbia Blood Agar Base** an efficient base for preparation of blood agar, Chocolate agar and for various selective and identification media.	**44.00** gms/litre	**100 gm** **500 gm**
MS 2005	***Brucella Selective Supplement**		**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**		**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**		**5 vl**
MS 2008	***Campylobacter Supplement-III (Skirrow)**		**5 vl**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
MS 2030	***Staph-Strepto Supplement**		**5 vl**
MS 2031	***Strepto Supplement**		**5 vl**
MS 2056	***G.Vaginalis Selective Supplement**		**5 vl**
MS 2090	***Campylobacter Selective Supplement**		**5 vl**
MS 2106	***Campylobacter Supplement VI (Butzler)**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1144A	**Columbia Blood Agar Base w/ 1% Agar** a basal medium used with or without blood for isolation and cultivation of fastidious Bacteria.	**39.00** gms/litre	**500 gm**
MS 2005	***Brucella Selective Supplement**		**5 vl**
MS 2006	***Campylobacter Supplement-I (Blaser-Wang)**		**5 vl**
MS 2007	***Campylobacter Supplement-II (Butzler)**		**5 vl**
MS 2008	***Campylobacter Supplement III (Skirrow)**		**5 vl**
MS 2009	***Campylobacter Growth Supplement**		**5 vl**
MS 2031	***Strepto Supplement**		**5 vl**
MS 2056	***G Vaginalis Selective Supplement**		**5 vl**
MS 2090	***Campylobacter Selective Supplement**		**5 vl**
MS 2106	***Campylobacter Supplement VI (Butzlea)**		**5 vl**
MS 2119	***Streptococcus Selective Supplement**		**5 vl**
DM 2133	**Columbia Blood Agar Base w/Hemin** an efficient and enriched base for preparation of chocolate and blood agar and for various selective and identification media.	**44.01** gms/litre	**500 gm**
DM 1145	**Columbia Broth Base** for cultivation of fastidious organisms from clinical specimens.	**35.01** gms/litre	**500 gm**
DM 1560	***Columbia C.N.A. Agar Base** for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens.	**44.02** gms/litre	**500 gm**
DM 1560A	***Columbia C.N.A. Agar Base w/1% Agar** for selective isolation of pathogenic gram-positive cocci from clinical and nonclinical specimens.	**39.02** gms/litre	**500 gm**
DM 1499	**Cooke Rose Bengal Agar Base** for selective isolation and cultivation of fungi.	**36.54** gms/litre	**500 gm**
DM 1149	**Cooked Meat Medium (R.C. Medium)** for cultivation of aerobes and anaerobes, especially pathogenic *Clostridia* and also for the maintenance of stock cultures.	**125.00** gms/litre	**100 gm** **500 gm**
DM 1149S	**Cooked Meat Medium (R.C. Medium)** for cultivation of aerobes and anaerobes, especially pathogenic *Clostridia* and also for the maintenance of stock cultures.	**115.40** gms/litre	**100 gm** **500 gm**
DM 1146	**Corn Meal Agar** for production of chlamydospores by *Candida albicans* and the maintenance of fungal stock cultures.	**17.00** gms/litre	**100 gm** **500 gm**
DM 1897	**Crystal Violet Lactose Agar** for differentiation of pure cultures of pathogenic and nonpathogenic *Staphylococci*.	**33.00** gms/litre	**500 gm**
DM 1831	**Crystal Violet Lactose Broth** for detection of coliforms in water filteration control works.	**16.00** gms/litre	**500 gm**
DM 1500	**Culture Medium for RWC (Disinfactant Test Broth)** for determination of phenol coefficients of disinfectants using Salmonella typhi as a test organisms.	**50.00** gms/litre	**100 gm** **500 gm**
DM 1172	**Cystine Heart Agar Base** supports excellent growth of gram-negative cocci and other pathogenic organisms. with added haemoglobin it is used for cultivation of *Francisella tularensis*.	**51.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1159	**Cystine Tryptone Agar** for maintenance, subculturing, detection of motility and fermentation studies with the addition of various carbohydrates.	**28.51** gms/litre	**100 gm** **500 gm**
DM 1075	**Czapek Dox Agar** a semisynthetic medium for general cultivation of fungi.	**49.01** gms/litre	**100 gm** **500 gm**
DM 2170	**Czapek Dox Agar Modified (Modified Czapek Dox Agar)** for cultivation and maintenance of fungi.	**45.36** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1076	**Czapek Dox Broth** a semisynthetic medium used for cultivation of fungi.	**35.01** gms/litre	**100 gm** **500 gm**
DM 1732	**Czapek Malt Agar** for isolation, detection and cultivation of saprophytic fungi.	**94.01** gms/litre	**100 gm** **500 gm**
DM 2335	**Czapek Yeast Extract Agar** for the cultivation and maintenance of *Aspergillus niger*.	**51.40** gms/litre	**500 gm**
DM 1482	**Dnase Test Agar Base** for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic Staphylococci.	**42.00** gms/litre	**100 gm**
MS 2051	**Toluidine Blue**		**5 vl**
DM 2419	**DNase Test Agar w/ Methyl green** for detection of deoxyribonuclease activity of bacteria and fungi, and especially for identification of pathogenic *Staphylococci*.	**42.05** gms/litre	**100 gm**
DM 2041	**DNase Test Agar w/ Toluidine Blue** for detection of deoxyribonuclease activity of microorganisms.	**42.10** gms/litre	**100 gm**
DM 1741	**DNase Test Agar w/o DNA** with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi.	**40.00** gms/litre	**100 gm** **500 gm**
DM 1160	**D.C.L.S. Agar** a selective medium used to detect and isolate *Salmonella* and *Shigella* species also useful for isolation of *Virbio cholerae*.	**49.53** gms/litre	**100 gm** **500 gm**
DM 1178	**D.C.L.S. Agar, Hajna** for the isolation of gram-negative enteric bacilli.	**73.52** gms/litre	**100 gm** **500 gm**
DM 1501	**Decarboxylase Agar Base** for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid added to the medium.	**24.02** gms/litre	**500 gm**
DM 1393	**Decarboxylase Broth Base, Moeller (Moeller Decorboxylase Broth Base)** with the addition of appropriate L-amino acid, it is used to differentiate bacteria on the basis of their ability to decarboxylate the amino acid.	**10.52** gms/litre	**100 gm** **500 gm**
DM 1912S	**Decarboxylase Test Medium Base (Falkow)** for testing amino acid decarboxylase activity.	**9.00** gms/litre	**100 gm** **500 gm**
DM 1912	**Decarboxylase Test Medium Base (Falkow)** for testing amino acid decarboxylase activity.	**9.02** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1030	**Deoxycholate Agar** for the direct differential count of coliforms in dairy products and for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens.	**45.03** gms/litre	**100 gm** **500 gm**
DM 1065	**Deoxycholate Citrate Agar** selective medium for the isolation of enteric pathogens particularly *Salmonella* and *Shigella* species	**70.52** gms/litre	**100 gm** **500 gm**
DM 1065B	**Deoxycholate Citrate Agar Medium (Agar Medium J)** for selective isolation of enteric pathogens in accordance with BP.	**69.02** gms/litre	**500 gm**
DM 1065M	**Deoxycholate Citrate Agar** for selective isolation and identification of *Salmonellae* in accordance with IP.	**69.02** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2074	**Deoxycholate Citrate Agar, Modified** (Heynes) selective medium for the isolation of *Salmonella* and *Shigella* species.	**51.92** gms/litre	**500 gm**
DM 1222	**Deoxycholate Citrate Agar w/o Sucrose** for isolation and identification of enteric pathogens.	**45.03** gms/litre	**100 gm** **500 gm**
DM 1066	**Deoxycholate Lactose Agar** for isolation and enumeration of coliforms in water, Waste-water, milk and dairy products.	**42.53** gms/litre	**100 gm** **500 gm**
DM 1084	**Dextrose Agar** for cultivation of a wide variety of microorganisms.	**43.00** gms/litre	**100 gm** **500 gm**
DM 1286 MS 2035	**Dextrose Agar Base, Emmons (Sabouraud Dextrose Agar Base, Modified)** for selective cultivation of pathogenic fungi. ***CC Supplement**	**47.00** gms/litre	**100 gm** **500 gm** **5 vl**
DM 1044	**Dextrose Broth** for antibiotic sensitivity testing using the tube dilution method.	**23.00** gms/litre	**100 gm** **500 gm**
DM 1241	**Dextrose Mannitol Agar (Gillies Agar No 1)** for detection of urease production, dextrose and mannitol fermentation for primary isolation of *Salmonella* and *Shigella* species	**46.05** gms/litre	**500 gm**
DM 1649	**Dextrose Peptone Agar** for general cultivation of organisms.	**50.00** gms/litre	**500 gm**
DM 1650	**Dextrose Peptone Broth** for the cultivation of fastidious organisms, enumeration of thermophilic bacteria from canned foods and for routine sterility testing	**35.00** gms/litre	**500 gm**
DM 1102	**Dextrose Salt Agar** enumeration of yeasts and moulds in butter and other dairy products.	**35.00** gms/litre	**500 gm**
DM 1980	**Dextrose Salt Broth** enumeration of yeasts and moulds in butter and other dairy products.	**20.00** gms/litre	**500 gm**
DM 1183	**Dextrose Starch Agar** for propagation of pure cultures of *Neisseria gonorrhoeae* and other fastidious organisms.	**65.00** gms/litre	**500 gm**
DM 1092	**Dextrose Tryptone Agar** for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods.	**30.04** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1913	**Dextrose Tryptone Agar, Modified** for isolation and cultivation of aciduric and thermophilic, aerobic flat-sour sporeformers from canned foods, sugar etc.	**32.29** gms/litre	**500 gm**
DM 1122	**Dextrose Tryptone Broth** for enrichment and cultivation of mesophilic and thermophilic organisms in foods.	**15.04** gms/litre	**500 gm**
DM 1914	**Dextrose Tryptone Broth, Modified** for isolation and cultivation of aciduric and thermophilic sporeformers.	**17.29** gms/litre	**500 gm**
DM 2062	***Dey-Engley Neutralizing Broth** for neutralizing and testing antiseptics and disinfectants.	**39.02** gms/litre	**500 gm**
DM 1187	**Dey-Engley Neutralizing Broth Base** used along with Dey-Engley Neutralizing Broth Base for neutralizing and determining bactericidal activity of quaternary ammonium compounds.	**17.52** gms/litre	**500 gm**
DM 1111	**Diagnostic Stuart's Urea Broth Base (Urea Broth Base)** recommended for the identification of bacteria on the basis of urea utilization, specially for the differentiation of *Proteus, Salmonella* and Shigella species.	**18.71** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5ml per vials)**		**5 vl**
DM 1191	**Diagnostic Thioglycollate Medium (Thioglycollate Medium w/o Indicator)** for enrichment of blood cultures.	**30.05** gms/litre	**500 gm**
DM 1549	**Differential Reinforced Clostridial Broth Base** for the cultivation of *Clostridia* from water.	**29.00** gms/litre	**100 gm** **500 gm**
DM 1549I	**Differential Reinforced Clostridial Broth Base** recommended for cultivation of *Clostridia* from water.	**29.00** gms/litre	**500 gm**
DM 1915	**Dihydrolase Broth Base** for studying dihydrolase reaction of *Vibrio parahaemolyticus.*	**43.03** gms/litre	**500 gm**
DM 1500	**Disinfectant Test Broth** see **Culture Medium for RWC**	**50.00** gms/litre	**100 gm** **500 gm**
DM 1354	**Disinfectant Test Broth, AOAC** for testing disinfectants in accordance with AOAC.	**20.00** gms/litre	**500 gm**
DM 1057	**Double Sugar Agar, Russell (Russell Double Sugar Agar)** for differentiation of gram-negative enteric bacilli on the basis of their ability to ferment dextrose and lactose with or without gas formation.	**44.02** gms/litre	**500 gm**
DM 1067	**Dubos Broth Base** for preparation of liquid medium for rapid cultivation of pure cultures of *Mycobacterium tuberculosis* and related microorganisms	**6.26** gms/litre	**100 gm** **500 gm**
DM 1179	**Dubos Oleic Agar Base** for cultivation of *Mycobacteria*.	**20.06** gms/litre	**100 gm** **500 gm**
MS 2020	***Oleic Albumin Supplement**		**5 vl**
DM 1839	**Dubos Oleic Broth Base** for cultivation of *Mycobacteria*.	**5.06** gms/litre	**100 gm** **500 gm**
MS 2020	***Oleic Albumin Supplement**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1185	***E. coli Mutant Culture Agar (E. coli Maintenance Medium)** See ***B12 Culture Agar**	**37.85** gms/litre	**100 gm**
DM 1127	**EC Broth** for selective enumeration of faecal and nonfaecal coliforms in water, waste water and shell fish.	**37.00** gms/litre	**100 gm** **500 gm**
DM 1127I	**EC Broth** recommended for selective enumeration of presumptive *Escherichia coli* by MPN technique	**37.00** gms/litre	**500 gm**
DM 1748	**Edward's Medium Base, Modified** for selective and rapid isolation of Streptococcus agalactiae and other Streptococci associated with bovine mastitis.	**41.33** gms/litre	**100 gm**
DM 1287	**EE Broth, Mossel** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods.	**43.46** gms/litre	**100 gm** **500 gm**
DM 1287A	**EE Broth Modified** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods.	**45.00** gms/litre	**500 gm**
DM 1287D	**EE Broth, Mossel** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods.	**45.01** gms/litre	**500 gm**
DM 1287I	**EE Broth, Mossel** recommended for selective enrichment of Enterobactericeae in bacteriological examination of foods.	**43.46** gms/litre	**500 gm**
DM 1287H	**EE Broth, Mossel** Enterobacteria Enrichment Broth, Mossel is used for selective enrichment of Enterobacteriaceae from pharmaceuticalproducts in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 4)	**42.93** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1317	**EMB Agar** for differential isolation of gram-negative enteric bacilli from clinical and nonclinical specimens.	**35.96** gms/litre	**100 gm** **500 gm**
DM 1301	**EMB Agar Base** a basal medium to which different carbohydrates andother test substances may be added for differentiation and study of various enteric bacteria.	**27.46** gms/litre	**100 gm** **500 gm**
DM 1022S	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of Enterobacteriaceae.	**37.50** gms/litre	**100 gm** **500 gm**
DM 1022M	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of Enterobacteriaceae in accordance with IP.	**37.46** gms/litre	**100 gm** **500 gm**
DM 1022	**EMB Agar, Levine** for isolation, enumeration and differentiation of members of Enterobacteriaceae.	**37.46** gms/litre	**100 gm** **500 gm**
DM 1503	**EMB Broth** for differentiation of gram-negative enteric bacteria.	**22.46** gms/litre	**100 gm** **500 gm**
DM 1808 MS 2045	**Egg Yolk Agar Base** for isolation and identification of *Clostridia* and certain other anaerobes. ***Egg Yolk Emulsion (100 ml per vial)**	**75.10** gms/litre	**100 gm** **5 vl**
DM 1086	**Eijkman Lactose Broth** for detection and differentiation of *Escherichia coli* from other coliforms on the basis of their ability to grow and liberate gas from lactose.	**28.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1368	**Elliker Broth (Lactobacilli Broth)** for cultivation of *Lactobacilli* and *Streptococci* of importance in dairy industry.	**48.50** gms/litre	**500 gm**
DM 1466	**Ellners Broth** for induction of spore formation in *Clostridium perfringens*	**67.60** gms/litre	**500 gm**
DM 1325	**Emerson Agar** for isolation and cultivation of *Actinomycetaceae, Streptomycetaceae* and moulds.	**41.50** gms/litre	**500 gm**
DM 1773	**Emerson YSS Agar** for the isolation of Actinomycetes and other fungi.	**40.50** gms/litre	**500 gm**
DM 1029	**Endo Agar** for the confirmation of the presumptive test for members of the coliform group.	**41.50** gms/litre	**100 gm** **500 gm**
DM 2077 MS 2059	**Endo Agar Base** for preparing Endo Agar to confirm presumptive test for lactose fermenting coliforms. **Basic Fuchsin**	**38.00** gms/litre	**100 gm** **500 gm** **1 vl**
DM 2258	**Endo Agar w/NaCl** for detection and isolation of pathogenic enteric bacilli.	**37.70** gms/litre	**500 gm**
DM 2075	**Endo Agar, Modified** for detection and isolation of coliforms and other enteric organisms.	**38.60** gms/litre	**500 gm**
DM 1738	**Enriched Thioglycollate Broth** for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria.	**30.00** gms/litre	**500 gm**
DM 1392	**Enterococcus Confirmatory Agar** for confirming the presence of *Enterococci* in water supplies and other sources.	**30.41** gms/litre	**500 gm**
DM 1394	**Enterococcus Confirmatory Broth** for confirming the presence of *Enterococci* in water supplies and other sources.	**80.41** gms/litre	**500 gm**
DM 1419	**Enterococcus Presumptive Broth** for detection of *Enterococci* in water and other materials of sanitary importance.	**15.43** gms/litre	**500 gm**
DM 1004	**Erythromycin Seed Agar (Neomycin Erythromycin Assay Agar)** See **Antibiotic Assay Medium No.11**	**30.50** gms/litre	**100 gm** **500 gm**
DM 2386	**Esculin Agar** for cultivation and differentiation of bacteria that can hydrolyze esculin and produce H_2S.	**41.50** gms/litre	**500 gm**
DM 1749	**Esculin Azide Broth** for selective cultivation and identification of *Streptococci.*	**37.75** gms/litre	**500 gm**
DM 2382	**Esculin Fermentation Broth** for cultivation and differentiation of bacteria which hydrolyze esculin.	**34.50** gms/litre	**500 gm**
DM 2044	**Esculin Iron Agar** for verifying enterococcal colonies on membrane filters through which water samples have been filtered and which have been incubated on M-Enterococcus Agar, Modified.	**16.50** gms/litre	**100 gm**
DM 1426	**Ethyl Violet Azide Broth (E.V.A. Broth)** for selective, confirmatory detection of *Enterococci* as an indicator of faecal pollution in water and other specimens.	**35.80** gms/litre	**500 gm**
DM 1428	**Eugonic Agar** for cultivation of fastidious microorganisms like *Haemophilus, Neisserria, Pasteurella, Brucella* and *Lactobacillus* species.	**44.40** gms/litre	**500 gm**



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1429	**Eugonic Broth** for cultivation of fastidious microorganisms like *Haemophilus, Neisserria, Pasteurella, Brucella* and *Lactobacillus* species.	**29.40** gms/litre	**500 gm**
DM 1221	**FDA Broth** See **AATCC Bacteriostasis Broth**	**20.00** gms/litre	**500 gm**
DM 1565	**FNA Medium (Fluorescein Denitrification Agar)** for differentiation of *Pseudomonas* from other bacilli by their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment.	**30.50** gms/litre	**500 gm**
DM 1919	**Fermentation Medium Base for C. Perfringens** for studying fermentation reaction of *Clostridium perfringens* with added carbohydrate	**22.25** gms/litre	**500 gm**
DM 1827	**Fermentation Medium for Staphylococcus and Micrococcus** for studying fermentation by *Staphylococcus* and *Micrococcus* species.	**23.24** gms/litre	**500 gm**
DM 1239	**Fletcher Leptospira Medium Base (Leptospira Medium Base, Fletcher)** for isolation, cultivation and maintenance of *Leptospira* species.	**2.56** gms/litre	**100 gm** **500 gm**
DM 1117	***Fluid Casein Digest Soya Lecithin Medium (Twin Pack)** for sanitary examination of surfaces.	**25.00** of Part A + **40** ml of Part B	**100 gm** **500 gm**
DM 1026	**Fluid Lactose Medium** as a pre enrichment medium for detection of coliform bacteria in water, dairy products and food samples.	**13.00** gms/litre	**100 gm** **500 gm**
DM 1013	**Fluid Sabouraud Medium (Sabouraud Medium, Cluid)** sterility test medium for moulds and lower bacteria in pharmaceutical preparations.	**30.00** gms/litre	**100 gm** **500 gm**
DM 1025	**Fluid Selenite Cystine Medium (Selenite Cystine Medium) (Twin Pack)** enrichment medium for isolation of *Salmonellae* in foods, dairy products and materials of sanitary importance and clinical specimens.	**19** Part of A + **4** Part of B	**100 gm** **500 gm**
DM 2533I	**Fluid Selenite Cystine Broth (Twin Pack)** recommended as an enrichment medium for isolation of *Salmonellae* from faeces, urine or other pathological materials.	**19** Part of A + **4** Part of B	**500 gm**
DM 1032	**Fluid Tetrathionate Medium w/o Iodine and BG** (Tetrathionate Broth Base w/o Iodine and BG) selective enrichment medium for isolating of *Salmonellae* from foods and other *pathological* materials.	**46.00** gms/litre	**100 gm** **500 gm**
DM 1009	**Fluid Thioglycollate Medium** for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles.	**29.75** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1380	**Fluid Thioglycollate Medium w/ Beef Extract** for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing.	**34.75** gms/litre	**500 gm**
DM 1431	**Forget Fredette Agar** for selective isolation of anaerobes from a mixture of aerobic and anaerobic flora.	**40.50** gms/litre	**500 gm**
DM 1079	**Fuchsin Lactose Broth** for determination of `coliform' titre in the bacteriological examination of water and other materials.	**13.01** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1094	**Fungal Agar (Mycological Agar)** for cultivation and maintenance of fungi	**35.00** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1095	**Fungal Agar w/low pH (Mycological Agar w/low pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria.	**35.00** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1264	**Fungal Broth (Mycological Broth)** for cultivation of fungi.	**50.00** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1265	**Fungal Broth w/low pH (Mycological Broth w/low pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria.	**50.00** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 2010	**Fungi Kimmig Agar Base** for cultivation, isolation, identification and preservation of fungal strains.	**50.00** gms/litre	**500 gm**
DM 1475	***Fungobiotic Agar (Mycobio Agar)** for isolation of dermatophytes and other pathogenic fungi.	**35.55** gms/litre	**100 gm**
DM 1432	**Furunculosis Agar** for detection of *Aeromonas salmonicida* by means of its brownish Red pigment production.	**33.50** gms/litre	**100 gm** **500 gm**
DM 2073	**GBS Medium Base** for rapid detection of group B *Streptococci* in clinical specimens.	**110.25** gms/litre	**500 gm**
MS 2054	***GBS Supplement**		**5 vl**
DM 1434	**GC Agar Base** with added blood or haemoglobin and other supplements, it is recommended for selective isolation and cultivation of *Gonococci.*	**72.00** gms/litre	**100 gm** **500 gm**
MS 2021	***GC Supplement w/ Antibiotics**		**5 vl**
DM 1242	**GN Broth, Hajna** for selective enrichment of gram-negative organisms of the enteric group.	**39.00** gms/litre	**100 gm** **500 gm**
DM 1920	**Gelatin Agar** for cultivation and identification of *Vibrio* Species.	**65.00** gms/litre	**500 gm**
DM 1686	**Gelatin Iron Agar** for detecting gelatin liquefaction and hydrogen sulphide production.	**159.00** gms/litre	**500 gm**
DM 1521	**Gelatin Mannitol Salt Agar (Staphylococcus Agar No. 110)** for selective isolation and differentiation of pathogenic *Staphylococci*	**149.50** gms/litre	**100 gm** **500 gm**
BA 2020	**Gelatin Peptone,** enzymic digestion of gelatin, antibiotic assay media and various used, for fermentation media.		**500 gm**
DM 1921	**Gelatin Phosphate Salt Agar (GPS Agar)** for cultivation and characterization of *Vibrio cholerae* from food.	**40.00** gms/litre	**500 gm**
DM 2148	**Gelatin Salt Agar** for cultivation and differentiation of *Vibrio* species from foods.	**65.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1241	**Gillies Agar No. 1** See **Dextrose Mannitol Agar**	**46.05** gms/litre	**500 gm**
DM 1240	**Gillies Agar No. 2 (Sucrose Salicin Agar)** for detection of motility, hydrogen sulphide and indole production, fermentation of sucrose and salicin during identification of *Salmonella* and *Shigella* species.	**48.28** gms/litre	**100 gm**
DM 1584	**Giolitti-Cantoni Broth Base** for selective enrichment of *Staphylococcus aureus* from suspected foods stuffs.	**54.20** gms/litre	**500 gm**
MS 2047	***Potassium Tellurite 3.5% (1 ml per vial)**		**5 vl**
DM 1483	**Gluconate Test Medium** for detection of gluconate oxidizing microorganisms.	**43.50** gms/litre	**500 gm**
DM 1982	**Glucose Azide Broth** for the enumeration of faecal *Streptococci* by MPN technique From water and sewage.	**30.28** gms/litre	**500 gm**
DM 1860	**Glucose Broth** for study of dextrose fermentation where pH indicator is not desired.	**20.00** gms/litre	**100 gm** **500 gm**
DM 1433	**Glucose Cysteine Agar Base w/ Thiamine** with added blood or haemoglobin or hemin, it is used for cultivation and enumeration of *Pasteurella tularensis*.	**58.00** gms/litre	**100 gm** **500 gm**
DM 1070	**Glucose Phosphate Broth** See **MR-VP Medium**	**17.00** gms/litre	**100 gm** **500 gm**
DM 1621	**Glucose Salt Teepol Broth (Twin Pack)** for enrichment of *Vibrio parahaemolyticus* and marine isolates.	**48 Part of A** **+4ml of Part B**	**100 gm** **500 gm**
DM 1621S	**Glucose Salt Teepol Broth (Twin Pack)** for enrichment of Vibrio parahaemolyticus and marine isolates.	**48 Part of A** **+4ml of Part B**	**100 gm** **500 gm**
DM 1989	**Glucose Starch Agar** for detection of Clostridium perfringens with addition of salicin, raffinose and phenol red	**68.00** gms/litre	**500 gm**
DM 1963	**Glucose Yeast Extract Agar** for enumeration and cultivation of *Lactobacilli* in pharmaceutical preparations.	**28.32** gms/litre	**100 gm** **500 gm**
DM 1757	**Glucose Yeast Peptone Agar** for isolation of yeasts from soil specimens.	**50.00** gms/litre	**500 gm**
DM 2089	**Glutamate Starch Phenol Red Agar Base** for detection of *Pseudomonas* and *Aeromonas* species in foodstuffs waste water and equipments in food industry.	**44.86** gms/litre	**500 gm**
DM 1360	**Glycerol Asparagine Agar Base (ISP Medium No. 5)** See **ISP Medium No. 5**	**23.00+** 10 ml Glycerol	**100 gm** **500 gm**
DM 1243	**H Broth** for preparation of "H" antigen, used in the identification and differentiation of *Salmonella* species.	**21.50** gms/litre	**500 gm**
DM 1590	**Halophilic Agar** for isolation and cultivation of extremely halophilic bacteria.	**325.00** gms/litre	**500 gm**
DM 1591	**Halophilic Broth** for isolation and cultivation of extremely halophilic bacteria.	**305.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2252	**Hanahan's Broth (SOB Medium)** for use in cultivation of recombinant strains of *Escherichia coli*.	**28.08** gms/litre	**500 gm**
BA 2191	**Heart Infusion Powder,** a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity.		**500 gm**
DM 1169	**Heart Infusion Agar** for isolation and cultivation of a wide variety of fastidious organisms.	**40.00** gms/litre	**100 gm** **500 gm**
DM 1170	**Heart Infusion Broth** for isolation and cultivation of a wide variety of fastidious organisms.	**25.00** gms/litre	**100 gm** **500 gm**
DM 1467	**Hektoen Enteric Agar** for differential and selective isolation of *Salmonella* and *Shigella* species from enteric pathological specimens.	**76.67** gms/litre	**100 gm** **500 gm**
DM 1775 MS 2048	**Hemmes Medium Base** for biochemical differentiation of *Salmonella* and *Shigella* species based on dextrose, lactose, sucrose fermentation, motility, hydrogen sulphide, indole and urease production. *__Urea 40% (5 ml per vial)__	**42.95** gms/litre	**500 gm** **5 vl**
DM 2158	**Hemorrhagic Coli (HC) Agar** for isolation and enumeration with an enzyme labeled monoclonal antibody of *Escherichia coli*.	**61.13** gms/litre	**500 gm**
DM 1505	**Herellea Agar** for the selective isolation and differentiation of gram-negative, fermentative and nonfermentative organisms especially for differentiation of organisms of Mima and Herellea group.	**62.27** gms/litre	**500 gm**
DM 2097	**High Plate Count Agar** for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	**18.75** gms/litre	**500 gm**
DM 2218	**High Salt Nutrient Agar** recommended for isolation and cultivation of salt tolerant Vibrio species.	**55.00** gms/litre	**500 gm**
DM 2219	**High Salt Peptone Yeast Extract Agar** recommended for confirmation of *Vibrio* species.	**65.30** gms/litre	**500 gm**
DM 1717	**Hofer's Alkaline Medium** for selective isolation of *Agrobacterium* species while inhibiting *Rhizobium* species from soil samples.	**26.82** gms/litre	**100 gm**
DM 2425	**Hottinger Broth** for the cultivation of less fastidious microorganisms and determination of indole in accordance with USSR State Pharmacopoeia.	**23.00** gms/litre	**100 gm**
DM 1015 MS 2047	**Hoyle Medium Base** a highly selective medium used for the isolation and differentiation of *Corynebacterium diptheriae* types. *__Potassium Tellurite 3.5% (1 ml per vial)__	**40.00** gms/litre	**100 gm** **500 gm** **5 vl**
DM 1871	**Hugh Leifson Glucose Medium** for differentiation of *Staphylococci* from *Micrococci* on the basis of anaerobic fermentation of glucose.	**45.52** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1826	**Hugh Leifson Medium** for detecting aerobic and anaerobic breakdown of glucose.	**19.35** gms/litre	**100 gm** **500 gm**
DM 1826S	**Hugh Leifson Medium** for detecting aerobic and anaerobic breakdown of glucose.	**20.33** gms/litre	**100 gm** **500 gm**
DM 1356	**ISP Medium No. 1 (Tryptone Yeast Extract Broth)** a general purpose medium for not particularly fastidious microorganisms	**8.00** gms/litre	**100 gm** **500 gm**
DM 1424 MS 2095	**ISP Medium No. 2 (Yeast Malt Agar) (Y M Agar)** for the isolation and cultivation of yeasts, moulds and other aciduric microorganisms. ***10% Lactic Acid Solution (10 ml per vial)**	**41.00** gms/litre	**100 gm** **500 gm** **5 vl**
DM 1358	**ISP Medium No. 3** for cultivation and characterization of *Streptomyces* species as per International Streptomyces Project.	**38.00** gms/litre	**100 gm** **500 gm**
DM 1359	**ISP Medium No. 4 (Inorganic Salt Starch Agar)** for cultivation and characterization of *Streptomyces* species as per International Streptomyces Project.	**36.50** gms/litre	**100 gm** **500 gm**
DM 1360	**ISP Medium No. 5 (Glycerol Asparagine Agar Base)** for cultivation of *Streptomyces* species as per International Streptomyces Project.	**23.00+** 10 ml Glycerol	**100 gm** **500 gm**
DM 1361	**ISP Medium No. 6 (Peptone Yeast Extract Iron Agar)** for use as per International Streptomyces Project.	**37.58** gms/litre	**100 gm** **500 gm**
DM 1362	**ISP Medium No. 7 (Tyrosine Agar)** for isolation and characterization of *Streptomyces* species as per International Streptomyces project.	**23.00** gms/litre	**100 gm** **500 gm**
DM 1247	**IUT Medium Base** for cultivation of *Mycobacterium tuberculosis.*	**7.30+** 12 ml Glycerol	**100 gm** **500 gm**
DM 1364	**Indole Nitrate Medium (Tryptone Nitrate Medium)** for identification of microorganisms by means of nitrate reduction and indole Production.	**25.00** gms/litre	**100 gm** **500 gm**
DM 1246	**Inhibitory Mould Agar, Ulrich (Mould Inhibitory Agar, Ulrich)** for selective isolation of pathogenic fungi.	**36.17** gms/litre	**500 gm**
DM 1723	**Inorganic Salt Medium (Modified Raggios Medium)** for studying soil microorganisms such as *Rhizobium* species.	**4.14** gms/litre	**100 gm** **500 gm**
DM 1359	**Inorganic Salt Starch Agar** See **ISP Medium No 4**	**36.50** gms/litre	**100 gm** **500 gm**
DM 1574	**Inositol Brilliant Green Bile Agar (Plesiomonas Differential Agar)** for selective isolation of *Plesiomonas Shigelloides* , and *Aeromonas* species from faeces and food stuffs.	**52.05** gms/litre	**500 gm**
DM 2161	**Inositol Gelatin Medium** for the cultivation of *Plesiomonas shigelloides* from foods as per APHA	**140.05** gms/litre	**500 gm**
DM 1615	**Iron Oxidizing Medium (Twin Pack)** for the isolation, cultivation and enrichment of *Thiobacillus ferrooxidans.*	**3.85** of Part A + **44.22** of Part B	**100 gm** **500 gm**
DM 1868	**Iron Sulphite Agar** for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods.	**26.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1622	**Isolation Medium For Iron Bacteria** for the isolation of iron bacteria, especially those belonging to *Sphaerotilus-Leptothrix* group.	**10.91** gms/litre	**100 gm** **500 gm**
DM 1583	**K.R.A.N.E.P. Agar Base** for selective enumeration of total *Staphylococci* from foodstuffs.	**71.99** gms/litre	**100 gm**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
DM 1248	**KF Streptococcal Agar Base** for selective isolation and enumeration of faecal *Streptococci* in surface water by direct plating or by membrane filter method.	**76.40** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
MS 2093	***Bromo Cresol Purple**		**5 vl**
DM 1249	**KF Streptococcal Broth Base** for detection and enumeration of faecal *Streptococci* in waters and examination of faeces and other materials.	**57.05** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 2007	**KF Streptococcus Agar w/BCP** for detection and enumeration of faecal *Streptococci*.	**76.41** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 2021	**KF Streptococcus Broth Base w/BCP** for detection and enumeration of faecal *Streptococci*.	**56.41** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 1658	**KG Agar Base** for promoting fast and free sporulation to distinguish between *Bacillus cereus* and *Bacillus thuringiensis*.	**19.52** gms/litre	**500 gm**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
MS 2003	***Polymyxin B Selective Supplement**		**5 vl**
DM 1510	**Kanamycin Esculin Azide Agar** for selective isolation and identification of group D *Streptococci* in foodstuffs.	**44.67** gms/litre	**100 gm**
DM 1776	**Kanamycin Esculin Azide Broth** for selective isolation and identification of group D *Streptococci* in foodstuffs.	**32.67** gms/litre	**100 gm**
DM 2169	**Kaper's Medium** for the enumeration and identification of *Aeromonas hydrophilia* from foods, as per APHA.	**37.92** gms/litre	**500 gm**
DM 2235	**King's OF Medium Base** for studying oxidation-fermentation of carbohydrates by *Campylobacter* species.	**0.50** gms/litre	**100 gm** **500 gm**
DM 1078	**Kligler Iron Agar** for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S production.	**57.52** gms/litre	**100 gm** **500 gm**
DM 1078A	**Kligler Iron Agar, Modified** recommended for identification of *Yersinia enterocolitica*. Also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation lactose and H_2S production.	**57.41** gms/litre of dextrose,	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1078I	**Kligler Iron Agar** recommended for identification of *Pseudomonas* species. It can be also used for differential identification of gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S production.	**57.70** gms/litre	**500 gm**
DM 1142	**Kohn Two Tube Medium No. 1 Base** for identification of Enterobacteriaceae on the basis of dextrose and mannitol fermentation and urease production.	**46.05** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1802	**Kohn Two Tube Medium No. 2** for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production.	**48.12** gms/litre	**100 gm**
DM 1069	**Koser Citrate Medium** to differentiate *Escherichia coli* and *Enterobacter aerogenes* on the basis of citrate utilization.	**5.70** gms/litre	**100 gm** **500 gm**
DM 1742	**L.D. Agar** for cultivation and identification of fastidious anaerobic bacteria.	**33.22** gms/litre	**100 gm** **500 gm**
DM 1743	**L.D. Esculin Agar** for identification of anaerobic bacteria especially Bacteroides species on the basis of esculin hydrolysis.	**34.62** gms/litre	**100 gm** **500 gm**
DM 1582	**L.S. Differential Medium Base *(Lactobacillus Streptococcus* Differential Medium Base)** for differentiation of *Lactobacilli* and *Streptococci* on the basis of colonial morphology, TTC reduction and casein reaction.	**65.30** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 1599	**Lactic Agar** for enumeration and identification of lactic *Streptococci* and *Lactobacilli* by pour plate method.	**63.50** gms/litre	**100 gm**
DM 2087	**Lactic Bacteria Differential Agar** for differentiation of homofermentative and heterofermentative lactic acid bacteria.	**35.55** gms/litre	**500 gm**
DM 2086	**Lactic Bacteria Differential Broth** for differentiation of homofermentative and heterofed barmentative lactic acicteria.	**20.55** gms/litre	**500 gm**
DM 1366	***Lactobacilli Agar, AOAC** for carrying the stock cultures used in the microbiological assays of the B vitamins.	**48.00** gms/litre	**100 gm**
DM 1368	**Lactobacilli Broth** See **Elliker Broth**	**48.50** gms/litre	**500 gm**
DM 1367	***Lactobacilli Broth, AOAC** for preparation of inocula of test bacteria used in microbiological assays of B vitamins.	**38.00** gms/litre	**500 gm**
DM 1927	***Lactobacillus Bulgaricus Agar Base** for isolation and identification of *Lactobacillus bulgaricus*.	**70.00** gms/litre	**500 gm**
DM 2164	***Lactobacillus Heteroferm Screen Agar** See **MRS Agar Modified**	**47.19** gms/litre	**500 gm**
DM 1035	**Lactobacillus Leichmannii Maintenance Medium** See **B12 Culture Agar**	**42.10** gms/litre	**100 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1641	*Lactobacillus MRS Agar (MRS Agar) for isolation and cultivation of *Lactobacilli*.	67.15 gms/litre	100 gm 500 gm
DM 1641I	Lactobacillus MRS Agar (MRS Agar) recommended for the isolation and enumeration of lactic acid bacteria from meat and meat products.	65.13 gms/litre	500 gm
DM 1369	*Lactobacillus MRS Broth (MRS Broth) for cultivation of all *Lactobacilli*.	55.15 gms/litre	100 gm 500 gm
DM 2180	*Lactobacillus Selection Agar Base for isolation and enumeration of *Lactobacilli* from foods.	84.73 gms/litre	500 gm
DM 2165	*Lactobacillus Selection Oxgall Agar Base (LBS Oxygall Agar) for the selective isolation, cultivation and enumeration of Lactobacilli.	86.23 gms/litre	500 gm
DM 2166	*Lactobacillus Selection Broth Base for the selective isolation, cultivation and enumeration of Lactobacilli from foods.	69.73 gms/litre	500 gm
DM 2081	Lactose Blue Agar (BTB Lactose Agar, Modified) for differentiation of lactose fermenting and non-fermenting bacteria belonging to Enterobacteriaceae.	40.54 gms/litre	500 gm
DM 2003	Lactose Broth for the detection of coliform bacteria in water, foods, dairy products as per Standard Methods.	13.00 gms/litre	100 gm 500 gm
DM 2003S	Lactose Broth for the detection of coliform bacteria in water, foods, dairy products.	13.00 gms/litre	100 gm 500 gm
DM 2003E	Lactose Monohydrate Broth (Broth Medium D) for detection of coliform bacteria in water, foods, dairy products in accordance with E.P.	12.75 gms/litre	100 gm 500 gm
DM 1628	Lactose Gelatin Medium for the detection of Clostridium species from food samples.	135.00 gms/litre	500 gm
DM 1987	Lactose Gelatin Medium, Modified for detection and presumptive identification of Clostridium perfringens from foods, as per AOAC.	160.05 gms/litre	500 gm
DM 1987I	Lactose Gelatin Medium, Modified recommended for detection and enumeration of Clostridium perfringens from foods samples.	15.50 gms/litre	500 gm
DM 1080	Lauryl Sulphate Broth (Lauryl Tryptose Broth) for detection and enumeration of coliform bacteria in water, wastewater, dairy products and other foods samples.	35.60 gms/litre	100 gm 500 gm 1 kg 2.5 kg
DM 2070	Lauryl Tryptose Mannitol Broth w/Tryptophan a single tube medium used for confirmation of Escherichia coli in drinking water.	35.80 gms/litre	500 gm
DM 1180	Lead Acetate Agar for detection of hydrogen sulphide producing enteric bacteria.	36.28 gms/litre	500 gm
DM 1602	Lee's Agar for differential enumeration of yogurt starter bacteria (Lactobacillus bulgaricus, Streptococcus thermophilus).	51.52 gms/litre	500 gm

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1809	**Legionella Agar Base** with addition of supplements it is used for cultivation of *Legionella* species.	**37.00** gms/litre	**100 gm**
MS 2016	***Legionella Growth Supplement**		**5 vl**
MS 2017	***Legionella Selective Supplement**		**5 vl**
MS 2041	***Legionella Supplement**		**5 vl**
DM 1809A	**Legionella Agar Base** with addition of supplements it is used for cultivation of *Legionella* species.	**25.00** gms/litre	**500 gm**
MS 2142	***Legionella Growth Supplement (BCYE)**		**5 vl**
MS 2143	***Legionella (GVPC) Selective Supplement**		**5 vl**
MS 2144	***Legionella (BMPA) Selective Supplement**		**5 vl**
MS 2206	***Legionella Growth w/o L-Cysteine**		**5 vl**
MS 2242	***Legionella Selective Supplement (GVPN)**		**5 vl**
DM 2399	**Legionella Enrichment Broth Base** with addition of supplements it is used for cultivation of *Legionella* species.	**27.50** gms/litre	**100 gm**
MS 2016	***Legionella Growth Supplement**		**5 vl**
DM 2009	**Leptospira Medium Base** for cultivation and maintenance of *Leptospira* species.	**2.55** gms/litre	**100 gm** **500 gm**
MS 2066	***Leptospira Enrichment**		**5 vl**
DM 1239	**Leptospira Medium Base, Fletcher** See **Fletcher Leptospira Medium Base**	**2.56** gms/litre	**100 gm** **500 gm**
DM 1414	***Letheen Agar** to determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538.	**32.00** gms/litre	**500 gm**
DM 1946	***Letheen Agar, Modified (Modified Letheen Agar)** for screening cosmetic products for microbial contamination.	**54.10** gms/litre	**500 gm**
DM 1165	***Letheen Broth, AOAC** for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus ATCC 6538.	**25.70** gms/litre	**500 gm**
DM 1976	***Letheen Broth, Modified (Modified Letheen Broth)** for screening cosmetic products for microbial contamination.	**42.80** gms/litre	**500 gm**
DM 1472	**Levinthal's Medium Base** for cultivation of Haemophilus species.	**45.00** gms/litre	**500 gm**
DM 1569	**Listeria Enrichment Broth (Twin Pack)** for selective enrichment of Listeria monocytogenes from clinical specimens.	**26.00** Part of A + **37.50** Part of B	**500 gm**
DM 1888	***Listeria Enrichment Broth, Modified** for selective enrichment of Listeria species.	**51.98** gms/litre	**100 gm** **500 gm**
DM 1890A	***Listeria Enrichment Medium Base (UVM)** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens.	**54.35** gms/litre	**100 gm** **500 gm**
MS 2136	***Listeria UVM Supplement I**		**5 vl**
MS 2137	***Listeria UVM Supplement II**		**5 vl**
DM 2215	**Listeria Motility Medium** recommended for testing motility of Listeria monocytogenes.	**29.60** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1114	**Litmus Lactose Agar** for differentiation of lactose fermenting and lactose nonfermenting microorganisms.	**29.00** gms/litre	**500 gm**
DM 1609	**Litmus Milk** for maintenance of Lactobacilli and for determining the action of bacteria on milk.	**101.00** gms/litre	**100 gm** **500 gm**
DM 1373	**Littman Oxgall Agar Base** for primary isolation of pathogenic fungi.	**55.01** gms/litre	**500 gm**
DM 1663	**Littman Oxgall Broth Base** for selective enrichment and cultivation of pathogenic fungi.	**35.01** gms/litre	**500 gm**
BA 2326	**Liver Extract Powder** for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.		**500 gm**
BA 2023	**Liver Hydrolysate,** an ideal ingredient of culture media used for the cultivation of fastidious Anaerobic bacteria.		**500 gm**
DM 1162 MS 2053	**Lowenstein Jensen Medium Base (L.J. Medium)** for isolation and cultivation of Mycobacterium species. ***Gruft Mycobacterial Supplement**	**37.24** gms/600 ml	**100 gm** **500 gm** **5 vl**
DM 1557	**Luria Agar** for routine cultivation and estimation of not particularly fastidious microorganisms.	**35.00** gms/litre	**500 gm**
DM 2151	**Luria Bertani Agar, Miller** for the cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies, may be used for routine isolation and cultivation of not particularly fastidious microorganisms.	**40.00** gms/litre	**500 gm**
DM 2245	**Luria Bertani Broth, Miller** for the cultivation and maintenance of recombinant strains of Escherichia coli and may be used for routine cultivation of not particularly fastidious microorganisms.	**25.00** gms/litre	**500 gm**
DM 1575	**Luria Broth** for the cultivation and maintenance of recombinant strains of Escherichia coli	**20.00** gms/litre	**500 gm**
DM 2230	**Lysine Arginine Iron (LAI) Agar** for the isolation and presumptive identification of Yersinia species from milk and milk products.	**44.56** gms/litre	**100 gm**
DM 1376	**Lysine Decarboxylase Broth** for differentiating Salmonella arizonae from the Bethesda Bellerup group of Enterobacteriaceae.	**14.02** gms/litre	**100 gm** **500 gm**
DM 1376I	**Lysine Decarboxylase Broth w/o Peptone** recommended for distinguishing the Salmonella arizonae from the Bethesda Ballerup group of Enterobacteriaceae.	**9.01** gms/litre	**100 gm** **500 gm**
DM 1377	**Lysine Iron Agar** for differentiation of enteric organisms espeically Salmonella arizonae, based on their ability to decarboxylate or deaminate lysine and to form Hydrogen sulphide (H_2S).	**34.56** gms/litre	**100 gm** **500 gm**
DM 1845 MS 2101	**Lysine Iron Cystine Broth Base** for rapid presumptive detection of *Salmonellae* in foods, food ingredients and feed materials. ***Novobiocin Selective Supplement**	**25.72** gms/litre	**100 gm** **500 gm** **5 vl**



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1330	**Lysine Lactose Broth** for determination of lysine decarboxylase activity of lactose nonfermenting members of *Enterobacteriaceae* especially *Salmonellae*.	**24.02** gms/litre	**500 gm**
DM 1642	**Lysine Medium Base** for isolation and enumeration of wild yeasts in pitching yeasts.	**66.27** gms/litre	**100 gm** **500 gm**
MS 2123	***50% Potassium Lactate (10 ml per vial)**		**5 vl**
DM 1846	***M-Broth** for detecting *Salmonellae* in foods and feeds by the accelerated enrichment Serology procedures.	**36.23** gms/litre	**100 gm**
DM 2119	**M-Azide Broth Base** for the cultivation and enumeration of *Enterococci* from water samples by membrane filter Technique.	**156.40** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 2130	**M-BCG Yeast and Mould Broth** for the detection of fungi in routine analysis of beverages using membrane filter technique	**73.23** gms/litre	**500 gm**
DM 2101	**M-Bismuth Sulphite Broth** for selective detection of *Salmonellae* by the membrane filter technique.	**64.65** gms/litre	**500 gm**
DM 2102	**M-Brilliant Green Broth** for selective differentiation for primary screening of *Salmonellae* in polluted water using membrane filter technique.	**76.19** gms/litre	**500 gm**
DM 2105	**M-EMB Broth** for the detection of members of the coliform group by the membrane filter technique.	**84.33** gms/litre	**500 gm**
DM 2106	**M-Endo Agar LES** for enumeration of coliforms in water using a two step membrane filter technique.	**51.05** gms/litre	**100 gm** **500 gm**
DM 2107	**M-Endo Broth** for estimation of coliforms in water samples using membrane filter technique.	**61.50** gms/litre	**100 gm** **500 gm**
DM 2103	**M-Endo Broth MF (MF Endo Medium) (M-Coliform Broth)** for the enumeration of coliform bacteria in water samples using one step membrane filter technique.	**48.05** gms/litre	**500 gm**
DM 2109	**M-Enrichment Broth** for enumeration of bacteria by membrane filter technique and preliminary enrichment of organisms on membrane filter prior to using selective media.	**54.00** gms/litre	**500 gm**
DM 2108	**M-Enterococcus Agar Base** for isolation and enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens.	**41.50** gms/litre	**500 gm**
DM 2048	***M-Enterococcus Agar Base, Modified** for recovery of Enterococci in water samples using membrane filter technique, along with Esculin Iron Agar for identification.	**71.45** gms/litre	**100 gm**
MS 2057	***TTC solution 1% (10 ml per vial)**		**5 vl**
DM 2123	**M-(HPC) Heterotrophic Plate Count Agar Base** for enumeration of heterotrophic microorganisms from water samples using membrane filter technique.	**60.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2110	**M-HD Endo Broth** for detection of coliforms in water samples by membrane filter technique.	**57.14** gms/litre	**500 gm**
DM 2118	**M-HD Endo Broth w/BG** for detection of coliforms in highly polluted waters using membrane filter technique.	**56.44** gms/litre	**500 gm**
DM 2023	**M-Lauryl Sulphate Broth** for enumeration of *Escherichia coli* in water using membrane filter technique.	**76.20** gms/litre	**500 gm**
DM 2023I	**M-Lauryl Sulphate Broth** recommended for enumeration of *Escherichia coli* and coliforms in water using membrane filter technique.	**77.20** gms/litre	**500 gm**
DM 2126	**M-Nutrient Broth** for enumeration of bacteria using membrane filter technique.	**46.00** gms/litre	**500 gm**
DM 2121	**M-PA Agar Base** for detection and isolation of *Pseudomonas aeruginosa* by membrane filter technique.	**39.68** gms/litre	**500 gm**
MS 2202	***M-PA Selective Supplement**		**5 vl**
DM 2113	**M-Slanetz Enterococcus Broth Base** for isolation and detection of Enterococci using membrane filter technique.	**156.40** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 2114	**M-Standard Methods Broth** for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique.	**17.00** gms/litre	**500 gm**
DM 2120	**M-Staphylococcus Broth** for detection and isolation of *Staphylococci* by membrane filter technique.	**104.55** gms/litre	**500 gm**
DM 2115	**M-Tetrathionate Broth Base** for selective enrichment of *Salmonellae* using membrane filter technique.	**36.00** gms/litre	**500 gm**
DM 2116	**M-Tryptone Glucose Extract Broth** for determination of bacterial count in milk and other samples in dairy sanitization by membrane filter technique.	**18.00** gms/litre	**500 gm**
DM 1929	**M17 Agar Base** for cultivation of lactic *Streptococci* and plaque assay of lactic bacteriophages.	**33.25** gms/litre	**500 gm**
DM 2019	**M17 Agar w/o Lactose** on addition of lactose, this medium can be used for cultivation and isolation of lactic Streptococci.	**48.25** gms/litre	**500 gm**
DM 2029	**M17 Broth** for cultivation and isolation of lactic *Streptococci* and their bacteriophages.	**42.25** gms/litre	**100 gm** **500 gm**
DM 2063	**M17 Agar w/ Glycerophosphate** for cultivation of lactic *Streptococci* and plaque assay of lactic bacteriophages.	**52.25** gms/litre	**100 gm**
DM 1858	**M2 Agar** a semisynthetic culture medium used as a general purpose plate count Agar.	**40.15** gms/litre	**500 gm**
DM 1378	**MIO Medium (Motility Indole Ornithine Medium)** for the identification of *Enterobacteriaceae* on the basis of motility, indole production and ornithine decarboxylase activity.	**31.02** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2076	**MIU Medium Base** for detection of motility, urease and indole production.	**18.00** gms/litre	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1379	**MOF Medium (Marine Oxidation Fermentation Medium)** for differentiation of marine bacteria on the basis of fermentative and oxidative Metabolism of carbohydrates.	**22.14** gms/litre	**500 gm**
DM 1070	**MR-VP Medium (Glucose Phosphate Broth) (Buffered Glucose Broth)** for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group.	**17.00** gms/litre	**100 gm** **500 gm**
DM 1070S	**MR-VP Medium (Buffered Glucose Broth)** for performance of Methyl Red and Voges Proskauer tests in differentiation of coli-aerogenes group.	**15.00** gms/litre	**100 gm** **500 gm**
DM 1641	***MRS Agar** See **Lactobacillus MRS Agar**	**67.15** gms/litre	**100 gm** **500 gm**
DM 2163	***MRS Agar, Modified (Lactobacilli Heteroferm Screen Agar)** for isolation and cultivation of *Lactobacillus* species from salad dressings	**62.19** gms/litre	**500 gm**
DM 1369	***MRS Broth** See **Lactobacillus MRS Broth**	**55.15** gms/litre	**100 gm** **500 gm**
DM 1594	**MY 40 Agar (Osmophilic Agar)** for detection and isolation of osmophilic microorganisms from food samples.	**445.00** gms/litre	**500 gm**
DM 2168	**MY 40G Agar (Osmophilic Glucose Agar)** for isolation and cultivation of osmotolerant microorganisms from foods.	**427.00** gms/litre	**500 gm**
DM 1082	**MacConkey Agar w/o CV, NaCl w/0.5% Sodium Taurocholate** for cultivation and differentiation of enteric bacteria, restricting swarming of *Proteus* species from specimens such as urine which may contain large number of *Proteus* species as well as potentially pathogenic gram-positive organisms.	**55.00** gms/litre	**100 gm** **500 gm**
DM 1082A	**MacConkey Agar w/o CV, NaCl w/ 0.5% Bile Salts** for cultivation and differentiation of enteric bacteria, restricting swarming of *Proteus* species from specimens such as urine which may contain large number of *Proteus* species as well as potentially pathogenic gram-positive organisms.	**47.00** gms/litre	**500 gm**
DM 1081	**MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl** for selective isolation and differentiation of coliform organisms and other enteric pathogens.	**51.50** gms/litre	**100 gm** **500 gm**
DM 1081A	**MacConkey Agar w/ CV, NaCl and 0.15% Bile Salts** to identify Enterobacteriaceae in the presence of coliforms and lactose nonfermenters from water, sewage, food products etc.	**51.55** gms/litre	**500 gm**
DM 1081H	**MacConkey Agar (Agar Medium H)** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria, in accordance with BP.	**49.53** gms/litre	**100 gm** **500 gm**
DM 1008	**MacConkey Agar w/o CV w/ 0.15% Bile Salts** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	**51.53** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1008B	**MacConkey Agar w/o CV, w/ 1.2% Agar** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	**48.50** gms/litre	**500 gm**
DM 1008A	**Mac Conkey Agar w/o CV, w/ 0.5% Bile Salts** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	**52.00** gms/litre	**500 gm**
DM 1008E	**MacConkey Agar Medium** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria and also isolation for faecal Streptococci.	**55.37** gms/litre	**500 gm**
DM 1008S	**MacConkey Agar** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria.	**55.07** gms/litre	**100 gm** **500 gm**
DM 1061	**MacConkey Agar w/ Bromo Thymol Blue** for detection of lactose fermenting enteric bacteria.	**51.53** gms/litre	**100 gm** **500 gm**
DM 2024	**MacConkey Agar Base** for studying carbohydrate fermentation reactions of coliforms by adding carbohydrates either individually or in combination.	**40.00** gms/litre	**500 gm**
DM 1051	**MacConkey Agar, Modified** for isolation of Klebsiella species from water samples.	**50.00** gms/litre	**100 gm**
DM 1007	**MacConkey Broth w/Neutral Red** for selective enrichment and enumeration of coliforms.	**40.07** gms/litre	**100 gm** **500 gm**
DM 1007S	**MacConkey Broth w/ Neutral Red** for selective enrichment and enumeration of coliforms,	**40.07** gms/litre	**100 gm** **500 gm**
DM 1539	**MacConkey Broth (Double Strength) w/Neutral Red** for primary isolation of coliforms from large samples such as water or waste water.	**80.15** gms/litre	**100 gm** **500 gm**
DM 1539S	**MacConkey Broth (Double Strength) w/ Neutral Red** for primary isolation of coliforms from large samples such as water or waste water.	**80.14** gms/litre	**100 gm** **500 gm**
DM 1083	**MacConkey Broth Purple w/BCP** for the presumptive identification of coliforms from variety of specimens such as water,milk, and food etc.	**40.01** gms/litre	**100 gm** **500 gm**
DM 1083I	**MacConkey Broth Purple w/BCP** recommended for presumptive identification of coliforms from water.	**40.01** gms/litre	**100 gm** **500 gm**
DM 1083S	**MacConkey Broth Purple w/ BCP** for presumptive identification of coliforms from variety of specimens such as water, milk and food etc.	**40.02** gms/litre	**100 gm** **500 gm**
DM 1796	**MacConkey Broth Purple (Double Strength) w/BCP** for the presumptive identification of coliforms from large samples.	**80.00** gms/litre	**100 gm** **500 gm**
DM 1298	**MacConkey Sorbitol Agar** See **Sorbitol Agar**	**50.03** gms/litre	**100 gm** **500 gm**
DM 1777	**Maintenance (SCY) Medium** for the maintenance of iron bacteria.	**12.26** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1418	**Maintenance Medium for B. subtilis ATCC 6633** for maintenance of *Bacillus subtilis* ATCC 6633, used as the test organism for microbiological assay of antibiotics.	**30.50** gms/litre	**100 gm**
DM 2266	**Malachite green Broth** for selective enrichment of *Pseudomonas aeruginosa*.	**25.13** gms/litre	**500 gm**
DM 1382	**Malonate Broth** for differentiation of *Enterobacter* and *Escherichia* on the basis of malonate utilization.	**8.02** gms/litre	**100 gm**
DM 1779	**Malonate Broth, Ewing Modified** for differentiation of members of Enterobacteriaceae on the basis of malonate utilization.	**9.27** gms/litre	**100 gm**
DM 1253	**Malt Agar** for detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also for carrying stock cultures of yeasts and moulds.	**45.00** gms/litre	**100 gm** **500 gm**
BA 2004	**Malt Extract Powder** ideally suitable for use in media for cultivation of fungi.		**500 gm**
BC 2004	**Malt Extract** Certified, ideally suitable for use in media for cultivation of fungi.		**500 gm**
DM 1137	**Malt Extract Agar Base (Malt Extract Agar w/Mycological Peptone)** for detection, isolation and enumeration of yeasts and moulds.	**50.00** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1995	**Malt Extract Agar Base, Modified as per Thom and Church** for isolation and cultivation of yeasts and moulds.	**31.28** gms/litre	**500 gm**
DM 1255	**Malt Extract Broth Base** for detection and enumeration of yeasts, moulds and aciduric microorganisms.	**20.00** gms/litre	**500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 2128	**Malt Extract Broth, Modified as per Thom and Church** for cultivation and enumeration of yeasts and moulds and to check sterility to detect presence of these organisms.	**15.00** gms/litre	**500 gm**
BA 2569	**D(+) Maltose, Monohydrate**, Extra pure NCR grade, for vaccine production		**100 gm** **500 gm**
DM 2071	**Mannitol Lysine Agar** for selective isolation of *Salmonellae* other than *Salmonella serotype Typhi* and *Salmonella serotype Paratyphi* A.	**49.02** gms/litre	**500 gm**
DM 1118	**Mannitol Salt Agar Base** for selective isolation of pathogenic *Staphylococci*.	**111.02** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
DM 1383	**Mannitol Salt Broth** for selective isolation of presumptive pathogenic *Staphylococci*.	**96.02** gms/litre	**100 gm** **500 gm**
DM 2534	**Mannitol Selenite Broth (Selenite Mannitol Broth) (Twin Pack)** for selective enrichment of *Salmonellae* from clinical materials.	**19.00** of Part A+ **4 of Part B**	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2537	**Mannitol Selenite Broth w/ Brilliant Green (Twin Pack)** for enrichment of Salmonellae from faeces, foodstuffs and other materials.	**23.75** of Part A **+ 4 of Part B**	**500 gm**
DM 1384	**Marine Agar 2216 (Zobell Marine Agar)** for isolation and enumeration of heterotrophic marine bacteria.	**55.25** gms/litre	**100 gm** **500 gm**
DM 1385	**Marine Broth 2216 (Zobell Marine Broth)** for cultivation of heterotrophic marine bacteria.	**40.25** gms/litre	**100 gm** **500 gm**
DM 1379	**Marine Oxidation Fermentation Medium** See **MOF Medium**	**22.14** gms/litre	**500 gm**
DM 2030	**Maximum Recovery Diluent** a protective and isotonic diluent used for maximal recovery of microorganisms.	**9.50** gms/litre	**500 gm**
BA 2003	**Meat Extract Powder** used in general purpose and diagnostic media preparations		**500 gm**
BC 2003	**Meat Extract, Certified** replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.		**500 gm**
BA 2192	**Meat Infusion Powder** a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.		**500 gm**
DM 1869	**Meat Liver Agar** recommended for cultivation of *Clostridium perfringens* and *Clostridium sporogens.*	**34.20** gms/litre	**500 gm**
BA 2635	**Meat Peptone** for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.		**500 gm**
BA 3049	**Meat Peptone Type P** peptone from meat (peptic) is obtained by proteolytic digestion of meat with pepsin.		**500 gm**
BA 3050	**Meat Peptone Type T** peptone from meat (peptic) is obtained by proteolytic digestion of meat with trypsin.		**500 gm**
DM 1917	**Mehlman's Maintenance Medium** for maintenance of *Campylobacter* species.	**38.02** gms/litre	**500 gm**
DM 1132	**Micro Vitamin Test Culture Agar** for cultivation and maintenance of stock cultures of *Lactobacilli* used in microbiological assays of vitamins.	**52.10** gms/litre	**100 gm**
DM 1133	**Micro Vitamin Test Inoculum Broth** for preparation of inocula of *Lactobacilli* used in microbiological assays of vitamins.	**37.10** gms/litre	**100 gm**
DM 1197 MS 2018	**Middlebrook 7H9 Agar Base A** for isolation, cultivation and sensitivity testing of *Mycobacterium tuberculosis.* ***Middlebrook OADC Growth Supplement**	**19.69** gms/litre	**500 gm** **5 vl**
DM 1198 MS 2019	**Middlebrook 7H9 Broth Base** for cultivation and sensitivity testing of *Mycobacterium tuberculosis.* ***Middlebrook ADC Growth Supplement**	**4.69** gms/litre	**500 gm** **5 vl**
DM 1199 MS 2018	**Middlebrook 7H10 Agar Base** for isolation, cultivation and sensitivity testing of *Mycobacterium tuberculosis.* ***Middlebrook OADC Growth Supplement**	**19.47** gms/litre	**500 gm** **5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1196	**Middlebrook 7H10 Agar Base, Special** for isolation, cultivation and sensitivity testing of *Mycobacterium tuberculosis*.	**19.49** gms/litre	**500 gm**
MS 2018	*__Middlebrook OADC Growth Supplement__		**5 vl**
DM 1511	**Middlebrook 7H11 Agar Base** for isolation, cultivation and sensitivity testing of *Mycobacteria*.	**20.49** gms/litre	**500 gm**
MS 2018	*__Middlebrook OADC Growth Supplement__		**5 vl**
DM 1511A	**Middlebrook 7H11 Agar Base w/o Malachite Green** for isolation, cultivation and determination of antimicrobial susceptibility of *Mycobacteria*.	**20.50** gms/litre	**500 gm**
MS 2018	*__Middlebrook OADC Growth Supplement__		**5 vl**
DM 1163	**Milk Agar** for enumeration of bacteria in milk and milk products, rinse waters, icecreams etc.	**24.00** gms/litre	**100 gm** **500 gm**
DM 1782	**Milk Agar (Brown and Scott Modified) (Twin Pack)** for the confirmation of *Pseudomonas aeruginosa* in swimming pool waters.	**100** gms of Part A + **28** of Part B	**500 gm**
DM 2273	**Milk Agar w/Cetrimide (Twin Pack)** recommended for detection and enumeration of *Pseudomonas aeruginosa* in water.	**26.4** gms Part B + **133.33** gms of Part A	**500 gm**
DM 2273S	**Milk Agar w/ Cetrimide (Twin Pack)** for detection and enumeration of *Pseudomonas aeruginosa* in water.	**19.80** of Part B + **100** gms of Part A	**100 gm** **500 gm**
DM 1661	**Milk Salt Agar Base** for selective isolation and cultivation of *Staphylococci*.	**88.00** gms/litre	**500 gm**
DM 2151	**Miller Luria Bertani Agar** See **Luria Bertani Agar, Miller**	**40.00** gms/litre	**500 gm** **1 kg** **2.5 kg**
DM 2245	**Miller Luria Bertani Broth** See **Luria Bertani Broth, Miller**	**25.00** gms/litre	**500 gm**
DM 1512	**Minimal Agar** for isolation and characterization of nutritional mutants of *Escherichia coli*.	**26.60** gms/litre	**500 gm**
DM 1389	**Minimal Broth, Davis** for isolation and characterization of nutritional mutants of *Escherichia coli*.	**11.60** gms/litre	**500 gm**
DM 1390	**Minimal Broth, Davis w/o Dextrose** for isolation and characterization of nutritional mutants of *Escherichia coli*.	**10.60** gms/litre	**500 gm**
DM 2254	**Minimum Salts w/ Casein Acid Hydrolysate** for the cultivation of *Escherichia coli* strains used for genetic and molecular studies.	**19.54** gms/litre	**500 gm**
DM 1259	**Mitis Salivarius Agar Base** for isolation of *Streptococci* from mixed cultures, especially *Streptococcus mitis*, *Streptococcus salivarius* and *Streptoccus faecalis*.	**90.07** gms/litr	**500 gm**
MS 2052	*__Potassium Tellurite 1% (1ml per vial)__		**5 vl**
DM 2236	**Modified AEA Sporulation Medium Base** for early sporulation of *Clostridium perfringens* from foods.	**26.31** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2150	**Modified Bile Esculin Azide Agar** for selective isolation and enumeration of group D *Streptococci*.	**56.25** gms/litre	**500 gm**
DM 2170	**Modified Czapek Dox Agar** See **Czapek Dox Agar Modified**	**45.36** gms/litre	**500 gm**
DM 2085	**Modified Differential Clostridial Broth** for enumeration of *Clostridia* from food stuffs and other samples by the MPN technique.	**27.50** gms/litre	**500 gm**
DM 2237	**Modified Duncan Strong (DS) Medium** for isolation and differentiation of *Clostridium perfringens* from other *Clostridia* from foods on the basis of raffinose fermentation.	**34.00** gms/litre	**500 gm**
DM 2045	***Modified Fungal Agar Base (Modified Inhibitory Mold Agar Base)** for estimation of moulds in cosmetics and toiletaries.	**54.46** gms/litre	**500 gm**
DM 1946	***Modified Letheen Agar** See **Letheen Agar, Modified**	**54.10** gms/litre	**500 gm**
DM 1976	***Modified Letheen Broth** See **Letheen Broth, Modified**	**42.80** gms/litre	**500 gm**
DM 1723	**Modified Raggios Medium** See **Inorganic Salt Medium**	**4.14** gms/litre	**100 gm** **500 gm**
DM 2137	**Modified Rappaport Vassiliadis Medium** for selective enrichment of *Salmonellae* from food and environmental specimens.	**30.03** gms/1110ml	**500 gm**
DM 2137I	**Modified Rappaport Vassiliadis Medium** recommended for the isolation of *Salmonella* species from food and environmental specimens	**30.00** gm/s1110ml	**500 gm**
DM 1600	***Modified Rogosa Agar (M16 Agar)** for cultivation, enumeration of lactic *Streptococci* used in manufacturing of cheddar cheese.	**36.00** gms/litre	**500 gm**
DM 2213	**Modified Skim Milk Agar** recommended for cultivation and enumeration of Microorganisms encountered in dairy industry.	**24.50** gms/litre	**500 gm**
DM 1637	**Modified V.P. Broth** for performing VP test.	**17.00** gms/litre	**500 gm**
DM 1393	**Moeller Decarboxylase Broth Base** See **Decarboxylase Broth Base, Moeller**	**10.52** gms/litre	**100 gm** **500 gm**
DM 1689	**Moeller Decarboxylase Broth w/Arginine HCl** for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride.	**20.52** gms/litre	**100 gm**
DM 1687	**Moeller Decarboxylase Broth w/Lysine HCl** for differentiaton of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride.	**20.52** gms/litre	**100 gm**
DM 1688	**Moeller Decarboxylase Broth w/Ornithine HCl** for differentiation of bacteria on the basis of their ability to decarboxylate L-Orinithine hydrochloride.	**20.52** gms/litre	**100 gm**
DM 1246	**Mould Inhibitory Agar, Ulrich** See **Inhibitory Mould Agar, Ulrich**	**36.17** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1474	**Monsur Medium Base** for selective isolation and differentiation of *Vibrio cholerae* and other *Vibrios* from pathological samples.	**71.00** gms/litre	**100 gm** **500 gm**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**		**5 vl**
DM 1847	**Motility-Indole-Lysine Medium (MIL Medium)** for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production.	**36.52** gms/litre	**100 gm** **500 gm**
DM 1514	**Motility Medium S Base** for easy detection of bacterial motility by means of TTC reduction.	**60.00** gms/litre	**500 gm**
MS 2057	***TTC Solution 1% (10ml per vial)**		**5 vl**
DM 1630	**Motility Nitrate Medium, Buffered** for isolation and detection of *Clostridium perfringens* on the basis of motility and nitrate test.	**19.50** gms/litre	**500 gm**
DM 1630I	**Motility Nitrate Medium, Buffered** recommended for isolation and detection of *Clostridium perfringens* on the basis of motility and nitrate test.	**19.50** gms/litre	**500 gm**
DM 1515	**Motility Sulphide Medium** for detection of motility and hydrogen sulphide production by pure cultures.	**104.40** gms/litre	**500 gm**
DM 1260	**Motility Test Medium** for detection of bacterial motility.	**20.00** gms/litre	**500 gm**
DM 1930	**Motility Test Medium (Edwards and Ewing)** for testing motility of enteric bacteria.	**22.00** gms/litre	**500 gm**
DM 1930S	**Motility Test Medium (Edwards and Ewing)** for testing motility of enteric bacteria.	**22.00** gms/litre	**100 gm** **500 gm**
DM 1173	**Mueller Hinton Agar** for cultivation of *Neisseria* and for determination of susceptibility of microorganisms to antimicrobial agents.	**38.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1391	**Mueller Hinton Broth** to determine the susceptibility of bacteria to *Sulphonamides* by the tube dilution method.	**21.00** gms/litre	**100 gm** **500 gm**
DM 1876	**Mueller Kauffman Tetrathionate Broth Base** for improved enrichment and isolation of *Salmonellae*.	**82.05** gms/litre	**500 gm**
DM 1977	**Mutans-Sanguis Agar** for differentiation of *Streptococcus mutans* and *Streptococcus sanguis* associated with oral microflora.	**98.10** gms/litre	**500 gm**
DM 1475	***Mycobio Agar** See **Fungobiotic Agar**	**35.55** gms/litre	**100 gm**
DM 1094	**Mycological Agar** See **Fungal Agar**	**35.00** gms/litre	**500 gm**
DM 2422	**Mycological Agar, Modified** for cultivation of fungi.	**36.00** gms/litre	**500 gm**
DM 1095	**Mycological Agar w/low pH** See **Fungal Agar w/low pH**	**35.00** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
BA 2006	**Mycological Peptone** See **Peptone M**		**500 gm**
BC 2006	**Mycological Peptone, Certified** nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.		**500 gm**
DM 1264	**Mycological Broth** See **Fungal Broth**	**50.00** gms/litre	**500 gm**
DM 1266 MS 2075	**Mycoplasma Agar Base (PPLO Agar Base)** with the addition of enrichment, it is used for isolation and cultivation of Mycoplasma species (Pleuro-pneumonia-like organisms-PPLO). ***Mycoplasma Enrichment Supplement**	**36.00** gms/litre	**100 gm** **500 gm** **5 vl**
DM 1268 MS 2052 MS 2075	**Mycoplasma Broth Base w/CV (PPLO Broth Base w/CV)** with the addition of enrichment it is used for isolating *Mycoplasma* species (PPLO) from clinical specimens and mixed cultures. ***Potassium Tellurite 1% (1 ml per vial)** ***Mycoplasma Enrichment Supplement**	**21.00** gms/litre	**500 gm** **5 vl** **5 vl**
DM 1267 MS 2075	**Mycoplasma Broth Base w/o CV (PPLO Broth Base w/o CV)** with the addition of enrichment it is recommended for enrichment of Mycoplasmas species (Pleuro-pneumonia-like organisms) ***Mycoplasma Enrichment Supplement**	**21.00** gms/litre	**500 gm** **5 vl**
DM 1194	**NIH Agar** for sterility testing and for cultivation and maintenance of isolates from sterility testing of biological products.	**43.05** gms/litre	**100 gm** **500 gm**
DM 1004	**Neomycin, Erythromycin Assay Agar (Erythromycin Seed Agar)** for microbiological assay of antibiotic in accordance with U.S.P.	**30.50** gms/litre	**100 gm** **500 gm**
DM 1217	**Nickerson Medium** See **Bi. G.G.Y. Agar**	**45.00** gms/litre	**500 gm**
DM 1072	**Nitrate Agar** for detection of nitrate reducing bacteria.	**21.00** gms/litre	**500 gm**
DM 1439	**Nitrate Broth** for detection of nitrate reduction by bacteria.	**9.00** gms/litre	**100 gm** **500 gm**
DM 1439S	**Nitrate Broth** for detection of nitrate reduction by bacteria.	**39.00** gms/litre	**100 gm** **500 gm**
DM 1001	**Nutrient Agar** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids.	**28.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1012M	**Nutrient Agar (Medium)** a general culture medium which may be used as enriched medium by incorporating blood or other biological fluids in accordance with I.P.	**37.00** gms/litre	**100 gm** **500 gm**
DM 1087	**Nutrient Agar 1.5%** for cultivation of bacteria not requiring a highly nutritious medium can be enriched with blood, ascitic fluid or other enriching fluids.	**31.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1087I	**Nutrient Agar, 1.5%** recommended as a general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment.	**28.00** gms/litre	**500 gm**
DM 2269	**Nutrient Agar No. 2** for general purpose culture medium.	**40.00** gms/litre	**500 gm**
DM 2269S	**Nutrient Agar No. 2** for general purpose culture medium.	**40.00** gms/litre	**100 gm** **500 gm**
DM 1561	**Nutrient Agar, pH 6.8** a general purpose nutrient medium for examination of water, sewage, faeces and other materials.	**23.00** gms/litre	**100 gm** **500 gm**
DM 1561A	**Nutrient Agar, pH 7.0** recommended for cultivation of *Salmonella* species.	**23.00** gms/litre	**100 gm** **500 gm**
DM 1931	**Nutrient Agar w/ Manganese** for promoting sporulation in *Bacillus* species.	**23.03** gms/litre	**500 gm**
DM 1012	**Nutrient Agar w/1% Peptone** a general culture medium which may be used as enriched medium by Incorporating blood or other biological fluids.	**35.00** gms/litre	**100 gm** **500 gm**
DM 1090	**Nutrient Agar, pH 6.0 w/0.8% NaCl** for cultivation of bacteria requiring slightly acidic pH.	**31.00** gms/litre	**100 gm** **500 gm**
DM 2274	**Nutrient Agar for Oxidase** recommended for confirmation of presence of oxidase in microorganisms in water.	**22.00** gms/litre	**500 gm**
DM 1002	**Nutrient Broth** for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	**13.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2362	**Nutrient Broth No. 2** for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media.	**15.00** gms/litre	**500 gm**
DM 1244	**Nutrient Broth w/ 1% Peptone** a sterility testing medium for aerobes.	**25.00** gms/litre	**100 gm** **500 gm**
DM 1088	**Nutrient Broth, pH 6.9 w/o NaCl** as general purpose medium for the cultivation of microorganisms.	**8.00** gms/litre	**100 gm** **500 gm**
DM 1244S	**Nutrient Broth w/ 1% Peptone** as a general purpose culture medium.	**25.00** gms/litre	**100 gm** **500 gm**
DM 1060	**Nutrient Gelatin** for detection of gelatin liquefaction by proteolytic microorganisms.	**128.00** gms/litre	**500 gm**
DM 1280	**Nystatin Assay Agar** for microbiological assay of Amphotericin B and Nystatin using Saccharomyces cerevisiae ATCC 2601.	**62.50** gms/litre	**500 gm**
DM 1848	**Orchid Agar** for germination of orchid seeds.	**37.03** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2223	**Ornithine Decarboxylase Broth** recommended by Iso committee for detection of the ability of microorganisms to decarboxylate ornithine.	**9.01** gms/litre	**500 gm**
BA 2621	**Ox Bile, Bacteriological** used in various culture media as a selective inhibitory agent.		**100 gm** **500 gm**
DM 2186	**PA Broth** for the detection of presence and absence of coliform bacteria in water from treatment plants or distribution systems.	**30.50** gms/litre	**500 gm**
DM 1611	**PE-2 Medium** for detection and cultivation of mesophilic anaerobic sporeformers in specimens collected from food processing plants.	**23.04** gms/litre	**500 gm**
DM 2173	**PL Agar** for the isolation and cultivation of *Plesiomonas shigelloides* from foods.	**43.58** gms/litre	**500 gm**
DM 1849	***PM Indicator Agar (Penicillin in Milk Indicator Agar)** for rapid detection of trace amounts of Penicillin in milk as per AOAC.	**32.06** gms/litre	**500 gm**
DM 1266	**PPLO Agar Base** See **Mycoplasma Agar Base**	**36.00** gms/litre	**100 gm** **500 gm**
DM 1268	**PPLO Broth Base w/ CV** See **Mycoplasma Broth Base w/ CV**	**21.00** gms/litre	**500 gm**
DM 1267	**PPLO Broth Base w/o CV** See **Mycoplasma Broth Base w/o CV**	**21.00** gms/litre	**500 gm**
DM 1941	**PSB Broth Base** for primary enrichment and enumeration of *Yersinia enterocolitica* from foods.	**50.64** gms/litre	**500 gm**
DM 1941I	**PSB Broth, Modified** recommended for primary enrichment and enumeration of *Yersinia enterocolitica* from foods.	**30.78** gms/litre	**500 gm**
DM 1940	**PSTA Enrichment Broth Base** for secondary enrichment of *Yersinia enterocolitica* from foods.	**5.20** gms/litre	**100 gm** **500 gm**
DM 1037	***Pantothenate Assay Medium** for microbiological assay of Pantothenic acid or its salts using *Lactobacillus plantarum* as the test organism.	**73.12** gms/litre	**100 gm**
DM 1135	**Pantothenate Culture Agar** for culturing *Lactobacillus plantarum* ATCC 8014 used in the microbiological assay of Pantothenic acid or its salts.	**45.00** gms/litre	**100 gm**
DM 1542	**Pantothenate Inoculum Broth** for preparation of inoculum used in microbiological assay of Pantothenic acid or its salts.	**38.00** gms/litre	**100 gm**
DM 2185	**Park and Sanders Enrichment Broth Base** recommended for selective enumeration of thermotolerant *Campylobacter* species from foods.	**28.35** gms/litre	**500 gm**
MS 2104	***Park and Sanders Selective Supplement I**		**5 vl**
MS 2105	***Park and Sanders Selective Supplement II**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2185I	**Park and Sanders Broth Base** recommended for selective enumeration of thermotolerant *Campylobacter* species in food and animal feed.	**29.35** gms/litre	**500 gm**
MS 2104	***Park and Sanders Selective Supplement I**		**5 vl**
MS 2105	***Park and Sanders Selective Supplement II**		**5 vl**
DM 1867	**Peizer TB Medium Base** for cultivation of *Mycobacterium tuberculosis*	**44.72** gms/litre	**500 gm**
DM 1440	**Peptone Iron Agar** for detection of hydrogen sulphide production by microorganisms.	**36.58** gms/litre	**100 gm**
BA 2001	**Peptone, Bacteriological** contains high tryptophan content used as culture media ingredient invariety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and Other products.		**500 gm** **1 kg** **2.5 kg**
BC 2001	**Peptone, Certified** recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.		**500 gm**
BA 2006	**Peptone M** equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.		**500 gm**
BA 2015	**Peptone Special** equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.		**500 gm**
BA 2667	**Peptone Type I, Bacteriological** used as culture media ingredient.		**500 gm** **5 kg**
DM 2231	**Peptone Sorbitol Bile Broth** for identification of *Yersinia enterocolitica* from dairy products.	**30.93** gms/litre	**500 gm**
DM 1028	**Peptone Water** all purpose growth medium and as a base of carbohydrate fermentation media.	**15.00** gms/litre	**100 gm** **500 gm**
DM 1028I	**Peptone Water w/ Phenol Red** recommended for studying fermentation ability of *Yersinia enterocolitica*.	**15.02** gms/litre	**500 gm**
DM 1670	**Peptone Yeast Dextrose Agar (Cantino)** for cultivation of aquatic fungi like *Blastocladiella* species.	**25.50** gms/litre	**100 gm**
DM 1671	**Peptone Yeast Dextrose Broth (Cantino)** for cultivation of aquatic fungi like *Blastocladiella* species.	**5.50** gms/litre	**100 gm**
DM 1361	**Peptone Yeast Extract Iron Agar** See **ISP Medium No 6**	**37.58** gms/litre	**100 gm** **500 gm**
DM 1442	**Peptonized Milk Agar** for cultivation of lactic acid bacteria and examination of dairy products.	**27.00** gms/litre	**500 gm**
DM 1579	**Perfringens Agar Base (O.P.S.P.)** for selective isolation and enumeration of *Clostridium perfringens* from foods.	**50.50** gms/litre	**500 gm**
MS 2011	***Perfringens Supplement-I**		**5 vl**
MS 2012	***Perfringens Supplement-II**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1837	**Perfringens Agar Base (T.S.C./S.F.P. Agar Base)** with the addition of selective supplement and enrichment, it is used for the presumptive identification and enumeration of *Clostridium perfringens*.	**47.00** gms/litre	**500 gm**
MS 2013	***S.F.P. Supplement (Perfringens S.F.P. Supplement)**		**5 vl**
MS 2014	***T.S.C. Supplement (Perfringens T.S.C. Supplement)**		**5 vl**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
MS 2243	***Clostridium Perfringens Supplement**		**5 vl**
DM 1787	**Pfizer Selective Enterococcus Agar** for selective isolation and cultivation of *Enterococci*.	**57.75** gms/litre	**500 gm**
DM 1053	**Phenol Red Agar Base** a basal medium to which carbohydrates may be added for use in fermentation studies of microorganisms.	**31.02** gms/litre	**100 gm** **500 gm**
DM 1055	**Phenol Red Dextrose Agar** for Dextrose fermentation studies of microorganisms.	**41.02** gms/litre	**100 gm** **500 gm**
DM 1270	**Phenol Red Lactose Agar** for Lactose fermentation studies of microorganisms.	**41.02** gms/litre	**100 gm** **500 gm**
DM 1271	**Phenol Red Maltose Agar** for Maltose fermentation studies of microorganisms.	**41.02** gms/litre	**100 gm** **500 gm**
DM 1571	**Phenol Red Mannitol Agar** for Mannitol fermentation studies of microorganisms.	**41.02** gms/litre	**100 gm** **500 gm**
DM 1273	**Phenol Red Sucrose Agar** for Sucrose fermentation studies of microorganisms.	**41.02** gms/litre	**100 gm** **500 gm**
DM 1872	**Phenol Red Tartrate Agar** for identification and differentiation of *Salmonellae* on the basis of tartrate utilization.	**40.02** gms/litre	**100 gm**
DM 1054	**Phenol Red Broth Base** a basal medium to which carbohydrates are added for determination of fermentation reactions of pure cultures of microorganisms.	**16.00** gms/litre	**100 gm** **500 gm**
DM 1279	**Phenol Red Broth Base w/ Meat Extract** highly nutritive basal medium which can be used to study fermentation of carbohydrates.	**16.00** gms/litre	**100 gm** **500 gm**
DM 2200	**Phenol Red Adonitol Broth** for Adonitol fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2014	**Phenol Red Arabinose Broth** for Arabinose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 1056	**Phenol Red Dextrose Broth** for Dextrose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm** **500 gm**
DM 1617	**Phenol Red Dulcitol Broth** for Dulcitol fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2135	**Phenol Red Galactose Broth** for Galactose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2017	**Phenol Red Inositol Broth** for Inositol fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 1275	**Phenol Red Lactose Broth** for Lactose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1275I	**Phenol Red Lactose Broth** recommended for Lactose fermentation studies of coliforms.	**25.02** gms/litre	**100 gm** **500 gm**
DM 1276	**Phenol Red Maltose Broth** for Maltose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm** **500 gm**
DM 1570	**Phenol Red Mannitol Broth** for Mannitol fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm** **500 gm**
DM 2013	**Phenol Red Raffinose Broth** for Raffinose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2183	**Phenol Red Rhamnose Broth** for Rhamnose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2011	**Phenol Red Salicin Broth** for Salicin fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2012	**Phenol Red Sorbitol Broth** for Sorbitol fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2016	**Phenol Red Starch Broth** for Starch fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 1274	**Phenol Red Sucrose Broth** for Sucrose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm** **500 gm**
DM 2201	**Phenol Red Trehalose Broth** for Trehalose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 2015	**Phenol Red Xylose Broth** for Xylose fermentation studies of microorganisms.	**21.00** gms/litre	**100 gm**
DM 1652	**Phenolphthalein Phosphate Agar** for identification of phosphatase positive *Staphylococcus aureus*.	**28.01** gms/litre	**100 gm** **500 gm**
DM 1281	**Phenylalanine Agar** for differentiation of *Proteus* and *Providencia* group of organisms from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine.	**26.00** gms/litre	**100 gm** **500 gm**
DM 1781	**Phenylalanine Malonate Broth (Shaw and Clarke Medium)** for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine.	**11.03** gms/litre	**100 gm**
DM 1461	**Phosphate Buffer, APHA, pH 7.2** for preparation of dilution, blanks for the examination of waters, dairy products, foods, eating utensils and other specimens.	**34.00** gms/litre	**100 gm** **500 gm**
DM 1783	**Photobacterium Broth** for cultivation and demonstration of luminiscence of photobacteria.	**65.61** gms/litre	**100 gm**
DM 1519	**Pike Streptococcal Broth Base** for selective enrichment and cultivation of *Streptococci* from throat swabs and othe clinical specimens.	**30.26** gms/litre	**100 gm** **500 gm**
DM 1520	**Pikovskaya's Agar** for detection of phosphate solubilizing soil microorganisms.	**31.30** gms/litre	**100 gm** **500 gm**
DM 1091	**Plate Count Agar (Standard Methods Agar)** for determination of plate counts of microorganisms in foods, water and wastewater.	**23.50** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1091A	**Plate Count Agar** for determining plate counts of microorganisms in milk and dairy products by pour plate technique.	**17.50** gms/litre	**100 gm** **500 gm**
DM 1091S	**Plate Count Agar** for determining plate counts of microorganisms in milk and dairy products by pour plate technique.	**30.00** gms/litre	**100 gm** **500 gm**
DM 2025	**Plate Count Agar, Special** for estimation of microbial counts in raw milk and other dairy products as per Netherlands Dairy Association.	**40.52** gms/litre	**500 gm**
DM 2351	**Plate Count Agar w/BCP** for enumeration of *Lactobacilli* in cultured milk, yogurt and sour creams.	**24.64** gms/litre	**500 gm**
DM 1574	**Plesiomonas Differential Agar** See **Inositol Brilliant Green Bile Agar**	**52.05** gms/litre	**500 gm**
DM 1096	**Potato Dextrose Agar** for isolation and enumeration of yeasts and moulds from dairy and other food products.	**39.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1096H	**Potato Dextrose Agar** for the cultivation of yeasts and moulds from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP.	**39.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1937	**Potato Dextrose Agar w/3% Agar** for cultivation of yeasts and moulds from dairy and other food products.	**54.00** gms/litre	**500 gm**
DM 1403	**Potato Dextrose Broth** for cultivation and enumeration of yeasts and moulds.	**24.00** gms/litre	**500 gm**
DM 1938	**Potato Dextrose Rose Bengal Agar** for promoting ascospore production.	**39.00** gms/litre	**500 gm**
DM 2174	**Potato Dextrose Sucrose Agar** for the isolation and cultivation of Zygosaccharomyces rouxii from chocolate syrup.	**659.00** gms/litre	**500 gm**
DM 1174	**Potato Infusion Agar** for isolation of *Brucella* species.	**49.00** gms/litre	**500 gm**
DM 2178	**Pre-Enrichment Broth Base** for isolation and enrichment of *Yersinia enterocolitica* from foods.	**39.10** gms/litre	**500 gm**
DM 1939	**Preston Agar Base** recommended for selective isolation of thermotolerant *Campylobacter* species.	**37.00** gms/litre	**500 gm**
DM 1956	**Propionibacter Isolation Agar Base** for selective isolation of *Propionibacteria*	**40.30** gms/litre	**500 gm**
BA 2005	**Proteose Peptone** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.		**500 gm** **5 kg**



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
BC 2005	**Proteose Peptone, Certified** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.		**500 gm**
DM 1406	**Pseudomonas Isolation Agar Base** for selective isolation and identification of Pseudomonas aeruginosa from clinical and nonclinical specimens.	**45.03** gms/litre	**100 gm** **500 gm**
DM 1120	**Pseudomonas Agar (For Fluorescein)** for detection of fluorescein production by *Pseudomonas* species.	**38.00** gms/litre	**100 gm** **500 gm**
DM 1120U	**Pseudomonas Agar Medium For Detection of Fluorescein** for detection of fluorescein production by *Pseudomonas* species in accordance with U.S.P.	**37.23** gms/litre	**100 gm** **500 gm**
DM 1119	**Pseudomonas Agar (For Pyocyanin)** for detection of pyocyanin production by *Pseudomonas* species.	**46.40** gms/litre	**100 gm** **500 gm**
DM 1119M	**Pseudomonas Agar Medium For Detection of Pyocyanin)** for detection of pyocyanin production by *Pseudomonas* species in accordance with I.P.	**46.40** gms/litre	**100 gm** **500 gm**
DM 2096	**Pseudomonas Asparagine Broth** for presumptive determination of *Pseudomonas aeruginosa* from recreational or natural water as per A.P.H.A.	**4.50** gms/litre	**100 gm** **500 gm**
DM 1098	**Purple Agar Base** for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms.	**31.02** gms/litre	**500 gm**
DM 1284	**Purple Broth Base** for preparation of carbohydrate media used in fermentation studies for the cultural identification of pure cultures of enteric and other microorganisms.	**15.02** gms/litre	**500 gm**
DM 1962	**R-2A Agar** for heterotrophic plate count of treated potable water using longer incubation periods	**18.12** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2052	**R-3A Agar** for subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples.	**21.25** gms/litre	**500 gm**
DM 1149	**R.C. Medium** See **Cooked Meat Medium**	**125.00** gms/litre	**100 gm** **500 gm**
DM 1576 MS 2096	**RS Medium Base** for selective isolation, cultivation and presumptive identification of *Aeromonas hydrophila.* ***Novobiocin Supplement**	**45.43** gms/litre	**500 gm** **5 vl**
DM 1500	**RWC Medium** See **Culture Medium for RWC/Disinfectant Test Broth**	**50.00** gms/litre	**100 gm** **500 gm**
DM 1880	**Rappaport Vassiliadis Medium** for enrichment of *Salmonellae*, based on its ability to multiply selectively at high osmotic pressure, low pH and at 43°C, with modest nutritional requirements.	**49.17** gms/litre	**100 gm** **500 gm**
DM 1154	**Reinforced Clostridial Agar** for the cultivation and enumeration of *Clostridia* and other anaerobes.	**51.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1443	**Reinforced Clostridial Broth** for cultivation and enumeration of *Clostridia* and other anaerobes.	**38.00** gms/litre	**100 gm** **500 gm**
DM 1443A	**Reinforced Clostridial Broth w/o Agar** for the cultivation and enumeration of Clostridia when a semisolid medium is preferred.	**37.50** gms/litre	**100 gm** **500 gm**
DM 1443H	**Reinforced Medium for Clostridial** for the enrichment of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP (Medium 14).	**37.54** gms/litre	**100 gm** **500 gm**
DM 1408	**Rhizobium Medium** for cultivation and isolation of *Rhizobium species.*	**31.80** gms/litre	**500 gm**
DM 2026	**Rice Extract Agar** for identification of *Candida albicans* by means of its chlamydospore production.	**40.00** gms/litre	**500 gm**
DM 1525	**Ringer Salt Solution Powder** an isotonic diluent for food, milk and dairy products during microbiological examination.	**8.91** gms/litre	**100 gm**
DM 1859	**Rippey-Cabelli Agar Base** for differential and selective isolation of *Aeromonas hydrophila* species from water samples using membrane filter technique.	**32.34** gms/litre	**100 gm**
MS 2107	***Rippey Cabelli Selective Supplement**		**5 vl**
DM 1149	**Robinson's Cooked Meat Medium (R.C. Medium)** See **Cooked Meat Medium**	**125.00** gms/litre	**100 gm** **500 gm**
DM 1130	***Rogosa SL Agar** for selective cultivation of oral and faecal *Lactobacilli*.	**74.72** gms/litre	**500 gm**
DM 1407	***Rogosa SL Broth** for selective cultivation of all *Lactobacilli* including oral and faecal *Lactobacilli*.	**59.72** gms/litre	**500 gm**
DM 2177	**SA Agar Base** for isolation, cultivation and differentiation of Aeromonas hydrophila from foods based on starch hydrolysis as per APHA.	**31.01** gms/litre	**500 gm**
MS 2082	***Ampicillin Supplement**		**5 vl**
DM 2535	**SBG Enrichment Broth (Twin Pack)** for selective enrichment of *Salmonellae* from clinical specimens.	**19.67** Part of A+ **4** Part of B	**100 gm**
DM 2371	**SD Agar** for the growth of yeasts for molecular biology purposes.	**46.71** gms/litre	**500 gm**
DM 1297	**SF Broth** for selective cultivation, detection and differentiation of Enterococci from other cocci in diagnostic work.	**36.03** gms/litre	**500 gm**
DM 2005	**S.F.P. Agar Base** for the presumptive identification and enumeration of *Clostridium perfringens* in foods.	**47.00** gms/litre	**500 gm**
MS 2013	***S.F.P. Supplement (Perfringens S.F.P. Supplement)**		**5 vl**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1181	**SIM Medium** for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli.	**36.23** gms/litre	**500 gm**
DM 1632	***SPS Agar** for detection of *Clostridium perfringens* in foods.	**40.03** gms/litre	**500 gm**
DM 1898	***SPS Agar Modified** for selective isolation and enumeration of *Clostridium perfringens* from foodstuffs.	**41.28** gms/litre	**500 gm**
DM 1108	**SS Agar (Salmonella Shigella Agar)** for differential and selective isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuffs etc.	**63.02** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2067	***Sabouraud Chloramphenicol Agar** for selective cultivation of yeasts and moulds.	**65.00** gms/litre	**100 gm** **500 gm**
DM 1063	**Sabouraud Dextrose Agar** for cultivation of yeasts, moulds and aciduric microorganisms.	**65.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1063H	**Sabouraud Dextrose Agar (Sabouraud Dextrose Agar Medium)** recommended for the cultivation of yeasts, moulds and aciduric bacteria in accordance with harmonized methodology of United States Pharmacopoeia.	**65.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2313	**Sabouraud Dextrose Maltose Agar** for cultivation of moulds and yeasts and for testing antimycotic substances.	**45.00** gms/litre	**500 gm**
DM 2460	**Sabouraud Dextrose Maltose Broth** for cultivation of moulds, yeasts and aciduric organisms as well as testing antimycotic substances.	**30.00** gms/litre	**500 gm**
DM 1286	**Sabouraud Dextrose Agar Base, Modified** See **Dextrose Agar Base, Emmons**	**47.00** gms/litre	**100 gm** **500 gm**
MS 2035	***CC Supplement**		**5 vl**
DM 1062	**Sabouraud Maltose Agar** for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions.	**65.00** gms/litre	**500 gm**
DM 1064	**Sabouraud Maltose Broth** for propagation of yeasts and moulds, particularly the parasitic fungi concerned with skin and scalp lesions.	**50.00** gms/litre	**500 gm**
DM 1013	**Sabouraud Medium, Fluid** See **Fluid Sabouraud Medium.**	**30.00** gms/litre	**100 gm** **500 gm**
DM 1573	**Salmonella Agar, ONOZ** for selective isolation and identification of *Salmonellae* from clinical specimens.	**76.15** gms/litre	**500 gm**
DM 1821	**Salt Polymixin Broth Base** for detection and enumeration of *Vibrio* species.	**33.00** gms/litre	**500 gm**
MS 2003	***Polymyxin-B Selective Supplement**		**5 vl**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



S

Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1821I	**Salt Polymixin Broth Base** recommended for detection and enumeration of *Vibrio* species.	**29.70** gms/litre	**500 gm**
MS 2003	***Polymyxin-B Selective Supplement**		**5 vl**
DM 2276	**Sauton's Fluid Medium** for cultivation and enumeration of *Mycobacteria,* in accordance with I.P.	**3.19** gms/litre	**100 gm** **500 gm**
DM 1003	**Seed Agar** See **Antibiotic Assay Medium No. 1**	**30.50** gms/litre	**100 gm** **500 gm**
DM 1052	**Selenite Broth (Selenite F Broth) (Twin Pack)** an enrichment medium for isolation of *Salmonella* species from faeces, urine or other pathological materials.	**19.00** Part A **+ 4** of Part B	**100 gm** **500 gm**
DM 1052M	**Selenite F Broth (Twin Pack)** an enrichment medium for isolation of *Salmonella* from faeces, urine or other pathological materials, in accordance with I.P.	**19.00** Part A **+ 4** of Part B	**100 gm** **500 gm**
DM 1970	**Selenite Broth Base w/o Biselenite** with addition of selenite, it is used for enrichment of *Salmonellae* species from food, dairy products and pathological materials.	**19.00** gms/litre	**500 gm**
DM 1025	**Selenite Cystine Broth (Twin Pack)** See **Fluid Selenite Cystine Medium**	**19.01** of Part A **+4.00** of Part B	**100 gm** **500 gm**
DM 2079	**Selenite Cystine Broth Base w/o Biselenite** for selective enrichment of *Salmonella* and possibly *Shigella sonnei* from faeces, urine, water and foodstuffs.	**19.01** gms/litre	**500 gm**
DM 2534	**Selenite Mannitol Broth (Twin Pack)** See **Mannitol Selenite Broth**	**19.00** of Part A **+4.00** of Part B	**500 gm**
DM 1293	**Sellers Differential Agar** for differentiation and identification of gram-negative nonfermentative bacilli especially *Pseudomonas aeruginosa* and *Acinetobacter calcoaceticus*.	**44.89** gms/litre	**500 gm**
DM 2191	**Semisolid Nutrient Agar** recommended for detection of *Salmonella* species on the basis of motility and hydrogen sulphide (H_2S) production.	**12.00** gms/litre	**500 gm**
DM 1645	**Shapton Medium** for enumeration of spores of *Bacillus stearothermophilus* which causes flat sour spoilage in canned foods with pH more than 4.5	**27.53** gms/litre	**500 gm**
DM 1411	**Simmons Agar Base** a synthetic medium recommended for differentiation between faecal coli and members of the aerogenes group on the basis of citrate utilization.	**21.28** gms/litre	**100 gm**
DM 1099	**Simmons Citrate Agar** for differentiating members of Enterobacteriaceae on the basis of citrate utilization.	**24.28** gms/litre	**100 gm** **500 gm**
DM 1530	**Skim Milk** for cultivation of dairy organisms and differentiation of *Clostridium* species.	**100.00** gms/litre	**500 gm**
DM 1763	**Skim Milk Agar** for cultivation and enumeration of microorganisms encountered in dairy industry.	**51.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1612	**Slanetz and Bartley Medium** for detection and enumeration of faecal *Streptococci* by membrane filter technique.	**46.50** gms/litre	**500 gm**
DM 1612I	**Slanetz and Bartley Medium** recommended for detection and enumeration of faecal *Streptococci* by membrane filter technique.	**46.50** gms/litre	**500 gm**
DM 1106	**Snyder Test Agar** See **BCG-Dextrose Agar**	**65.02** gms/litre	**500 gm**
BA 2154	**Sodium Bi Selenite**		**100 gm**
BA 2708	**Sodium Tauroglycocholate**		**500 gm**
DM 1298	**Sorbitol Agar (Sorbitol MacConkey Agar)** for isolation and identification of enteropathogenic *Escherichia coli* strains associated with infant diarrhoea.	**50.03** gms/litre	**100 gm** **500 gm**
DM 1299	**Sorbitol Iron Agar** for cultural identification and differentiation of enteropathogenic *Escherichia coli* which do not ferment sorbitol.	**46.03** gms/litre	**500 gm**
DM 1290	**Soyabean Casein Digest Agar (Tryptone Soya Agar) (Casein Soyabean Digest Agar)** a general purpose medium used for cultivation of a wide variety of microorganisms.	**40.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1011	**Soyabean Casein Digest Medium (Tryptone Soya Broth)** a general purpose medium used for cultivation of a wide variety of microorganisms and sterility testing of moulds and lower bacteria as per various Pharmacopia.	**30.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1011H	**Soyabean Casein Digest Medium (Casein Soyabean Digest Broth)** a general purpose medium used for cultivation of a wide variety of microorganisms from Pharmacopoeia products in accordance with the microbial limit testing by harmonised methodology of UPS/EP/BP/JP/IP.	**29.77** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1322	**Soyabean Casein Digest Medium (Tryptone Soya Broth w/o Dextrose.)** recommended for cultivation of anaerobic microorganisms when the presence of carbohydrate is not desired.	**27.50** gms/litre	**500 gm**
DM 1323	**Soyabean Casein Digest Medium w/0.1% Agar (Tryptone Soya Broth w/0.1% Agar)** for cultivation of anaerobes from root canals, blood and other specimens.	**31.00** gms/litre	**500 gm**
DM 1207	**Soyabean Casein Digest Medium w/Yeast Extract and Hemin w/o Dextrose (Tryptone Soya w/Yeast Extract and Hemin w/o Dextrose)** a highly nutritious medium which supports luxuriant growth of fastidious bacteria.	**32.52** gms/litre	**100 gm** **500 gm**
BA 2007	**Soya Peptone** papaic digest of soyabean meal, plant peptone		**500 gm** **5 kg**
BC 2007	**Soya Peptone,** Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.		**500 gm**
BA 2015	**Special Peptone** See **Peptone Special**		**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
BC 2015	**Special Peptone, Certified** specially designed to maximize the growth of fastidious microorganisms.		**500 gm**
DM 1412	**Spirolate Broth, OMATA** for mass cultivation of *Treponema pallidum,* Reiter strain for antigen production and other studies.	**29.00** gms/litre	**100 gm**
DM 1234	**Sporulating Agar** See **AK Agar No 2 (Arret & Krishbaum Medium)**	**30.80** gms/litre	**500 gm**
DM 1302	***Standard Methods Agar w/Tween 80 and Lecithin** for sanitary examination of surfaces, that is, for counts before and after Application of disinfectants.	**29.20** gms/litre	**100 gm** **500 gm**
DM 1588	**Standard Methods Caseinate Agar** for detection of proteolytic microorganisms.	**40.13** gms/litre	**100 gm**
DM 1877	**Standard Nutrient Agar** a general utility medium for cultivation and enumeration of not particularly fastidious microorganisms.	**45.00** gms/litre	**500 gm**
DM 2210	**Standard Nutrient Agar No. 1** for the cultivation of fastidious bacteria.	**37.00** gms/litre	**500 gm**
DM 2224	**Standard Nutrient Broth No. 1** for the cultivation of fastidious bacteria.	**25.00** gms/litre	**500 gm**
DM 1521	**Staphylococcus Agar No. 110** See **Gelatin Mannitol Salt Agar**	**149.50** gms/litre	**100 gm** **500 gm**
DM 1156	**Staphylococcus Agar No. 110 w/Azide** for selective isolation and testing of pathogenic *Staphylococci.*	**149.60** gms/litre	**500 gm**
DM 1107	**Starch Agar** for detection of starch hydrolyzing microorganisms.	**30.00** gms/litre	**500 gm**
DM 1182	**Stock Culture Agar** See **Ayers and Johnson Agar**	**50.00** gms/litre	**500 gm**
DM 1925	**Streptococcus Lactis Differential Agar Base** for differentiation of citrate utilizing lactic *Streptococci-Lactococcus* lactis (*Streptococcus lactis*) subspecies diacetylactis from citrate non-utilizing *Lactococcus lactis* (*Streptococcus lactis*) and *Lactococcus lactis* (*Streptococcus lactis*) subspecies cremoris.	**32.50** gms/litre	**500 gm**
DM 1304	**Streptococcus Selection Agar** for selective isolation and enumeration of all types of *Streptococci* including Group A beta Haemolytic strains.	**45.60** gms/litre	**500 gm**
DM 1303	**Streptococcus Selection Broth** for selective isolation and cultivation of *streptococci* including group A beta Haemolytic strains.	**30.60** gms/litre	**500 gm**
DM 1948	**Streptococcus Thermophilus Isolation Agar** for determining the ratio of *Streptococcus thermophilus* and *Lactobacillus bulgaricus* in yoghurt.	**42.00** gms/litre	**500 gm**
DM 1006	**Streptomycin Assay Agar w/Yeast Extract (Antibiotic Assay Medium No. 5)** for microbiological assay of Streptomycin using Bacillus subtilis.	**25.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1306	**Stuart Transport Medium (Transport Medium, Stuart)** for preservation and transportation of *Neisseria* species and other fastidious organisms from clinic to the laboratory.	**14.10** gms/litre	**100 gm** **500 gm**
DM 2131	**Stuart Transport Medium w/o Methylene Blue** for routine transport of *gonococcal* species and other fastidious organisms.	**14.00** gms/litre	**100 gm** **500 gm**
DM 1309	***Sulphate API Agar w/o Sodium Lactate** for detection and estimation of sulphate reducing bacteria.	**25.41** gms/litre	**500 gm**
DM 1310	***Sulphate API Broth w/o Sodium lactate** for detection of sulphate reducing bacteria.	**11.41** gms/litre	**500 gm**
DM 1523	***Sulphate API Broth w/o NaCl** for detection, differentiation and estimation of sulphate reducing bacteria.	**1.41** gms/litre	**100 gm** **500 gm**
DM 1800	**Sulphate Reducing Medium (Twin Pack)** for cultivation and enumeration of sulphate reducing bacterium- *Thiobacillus thioparus*	**2.32** of Part A+ **10.00** of Part B	**100 gm** **500 gm**
DM 1803	**Sulphate Reducing Medium (Triple Pack)** for enumeration of sulphate reducing bacteria in water samples.	**7.10** of Part A+ **0.49** of Part B + **3.50** of Part C	**100 gm** **500 gm**
DM 1311	**Sulphite Agar** for detection of thermophilic sulphide producing anaerobes.	**31.00** gms/litre	**500 gm**
DM 1559	**Sulphur Medium (Twin Pack)** for cultivation of *Thiobacillus thiooxidans*.	**4.07** of Part A+ **10.00** of Part B	**100 gm** **500 gm**
DM 1100	**TB Broth Base** for cultivation of *Mycobacterium tuberculos*is.	**12.10** gms/litre	**500 gm**
DM 1034	**TB Broth Base w/o Tween 80** for cultivation of *Mycobacteria* when the presence of oelic acid is undesirable.	**11.60** gms/litre	**500 gm**
DM 1189	**TCBS Agar** for selective isolation and cultivation of *Vibrio cholerae* and other enteropathogenic *Vibrios* causing food poisoning.	**89.08** gms/litre	**100 gm** **500 gm**
DM 1870	**TCBS Agar (Selective)** for selective isolation of *Vibrio cholerae* and other enteropathogenic *Vibrios*.	**89.08** gms/litre	**100 gm** **500 gm**
DM 1870A	**TCBS Agar, Modified** for selective isolation of *Vibrio cholerae* and other enteropathogenic *Vibrios*.	**88.00** gms/litre	**100 gm** **500 gm**
DM 1870S	**TCBS Agar** for selective isolation of *Vibrio cholerae* and other enteropathogenic Vibrios.	**89.00** gms/litre	**100 gm** **500 gm**
DM 1791	**TGB Agar (Tryptone Glucose Beef Extract Agar)** for enumeration of bacteria in water, air, milk and dairy products.	**24.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1950	**TN Agar** for isolation and cultivation of *Vibrios* from food samples.	**35.00** gms/litre	**500 gm**
DM 1402	**TPEY Agar Base** with addition of supplement, it is recommended for selective isolation and enumeration of *Staphylococci* from foods.	**60.00** gms/litre	**500 gm**
MS 2045	***Egg Yolk Emulsion (100 ml per vial)**		**5 vl**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**		**5 vl**
DM 2250	**Tartoff- Hobbs Broth (Terrific Broth)** for the cultivation of recombinant strains of *Escherichia coli*.	**47.60** gms/litre	**500 gm**
DM 1045	**Taurocholate Broth** for selective isolation of coliforms from water, milk and other food products.	**40.00** gms/litre	**500 gm**
DM 2260	**Tellurite Blood Agar Base** for the selective isolation and cultivation of *Corynebacterium* species.	**31.00** gms/litre	**500 gm**
MS 2022	***Haemoglobin Powder**		**100 gm**
MS 2025	***Vitamino Growth Supplement**		**5 vl**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**		**5 vl**
DM 1616	**Tergitol-7 Agar Base** for selective enumeration and identification of coliform organisms.	**33.13** gms/litre	**100 gm** **500 gm**
MS 2057	***TTC Solution 1% (10 ml per vial)**		**5 vl**
DM 1850	**Tergitol-7 Agar H** for selective isolation and differentiation of enteric bacteria from urine specimens.	**34.13** gms/litre	**500 gm**
DM 1851	**Tergitol-7 Broth** selective and differential medium for detection and enumeration of coliforms.	**18.13** gms/litre	**500 gm**
DM 2255	**Tetrathionate Brilliant Green Bile Broth** for isolation and identification of *Salmonellae*.	**63.07** gms/litre	**500 gm**
DM 1032M	**Tetrathionate Broth Medium** an enrichment broth for isolation of Salmonellae from specimens suspected to be contaminated with Salmonellae in accordance with I.P.	**77.40** gms/litre	**100 gm** **500 gm**
DM 1032	**Tetrathionate Broth Base (w/o Iodine and BG)** See **Fluid Tetrathionate Medium w/o Iodine and BG**	**46.00** gms/litre	**100 gm** **500 gm**
DM 2256	**Tetrathionate CV Enrichment Broth** for the selective enrichment of *Salmonellae* from meat and foodstuffs.	**35.00** gms/litre	**500 gm**
DM 1413	**Thayer Martin Medium Base** for selective isolation of *Gonococci* from pathological specimens.	**42.00** gms/litre	**100 gm** **500 gm**
MS 2021	***GC Supplement w/ Antibiotics**		**5 vl**
MS 2022	***Haemoglobin Powder**		**100 gm**
MS 2023	***V.C.N. Supplement**		**5 vl**
MS 2024	***V.C.N.T. Supplement**		**5 vl**
MS 2025	***Vitamino Growth Supplement**		**5 vl**
DM 1125	**Thermoacidurans Agar** for isolation of *Bacillus thermoacidurans* from food products.	**39.00** gms/litre	**500 gm**
DM 1788	**Thiobacillus Agar** for isolation and cultivation of *Thiobacillus* species.	**22.66** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1789	**Thiobacillus Broth** for cultivation of *Thiobacillus* species.	**10.16** gms/litre	**500 gm**
DM 1608	**Thioglycollate Agar** for cultivation of anaerobic microorganisms.	**49.00** gms/litre	**500 gm**
DM 1462	**Thioglycollate Broth w/ Liver Extract (B.Q. Vaccine Medium)** See **B.Q. Vaccine Medium**	**30.00** gms/litre	**500 gm**
DM 1010	**Thioglycollate Broth, Alternative** See **Alternative Thioglycollate Medium (NIH Thioglycollate Medium)**	**29.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1009	**Thioglycollate Medium Fluid** See **Fluid Thioglycollate Medium.**	**29.75** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1979	**Thioglycollate Medium w/ Hemin and Vitamin K** for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions.	**29.65** gms/litre	**500 gm**
DM 1190	**Thioglycollate Medium w/o Dextrose** for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates.	**25.70** gms/litre	**500 gm**
DM 1191	**Thioglycollate Medium w/o Indicator** See **Diagnostic Thioglycollate Medium**	**30.05** gms/litre	**500 gm**
DM 1195	**Thioglycollate Medium Linden** See **Brewer Thioglycollate Medium Modified.**	**38.50** gms/litre	**100 gm** **500 gm**
DM 1610	**Thiogel Medium** for cultivation of strictly anaerobic, aerobic as well as facultative microorganisms and for the identification of pure cultures on the basis of their ability to liquefy gelatin.	**80.05** gms/litre	**100 gm** **500 gm**
DM 1314	**Tinsdale Agar Base** for selective isolation and differentiation of *Corynebacterium diphtheriae*.	**40.67** gms/litre	**500 gm**
DM 1313	**Todd Hewitt Broth** for cultivation of group A haemolytic *Streptococci* used for serological studies.	**37.00** gms/litre	**100 gm** **500 gm**
DM 1048	***Tomato Juice Agar** for cultivation and enumeration of *Lactobacilli*.	**51.00** gms/litre	**500 gm**
DM 1879	***Tomato Juice Agar, Special** for cultivation and enumeration of *Lactobacilli* from saliva and of other acidophilic bacteria.	**60.00** gms/litre	**500 gm**
DM 2027	***Tomato Juice Broth** for cultivation of yeasts and other aciduric microorganisms.	**41.23** gms/litre	**500 gm**
DM 1315	**Transport Charcoal Medium** for transportation of clinical specimens.	**24.00** gms/litre	**500 gm**
DM 1306	**Transport Medium (Stuart)** See **Stuart Transport Medium.**	**14.10** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1202	**Transport Medium w/o Charcoal** See **Cary-Blair Medium.**	**12.60** gms/litre	**500 gm**
DM 1157	**Tributyrin Agar Base w/o Tributyrin** for detection of lipolytic microorganisms.	**23.00** gms/litre	**100 gm** **500 gm**
MS 2081	*__Tributyrin (10 ml per vial)__		**5 vl**
DM 1021	**Triple Sugar Iron Agar** for identification of gram-negative enteric bacilli on the basis of dextrose, Lactose and sucrose fermentation and hydrogen sulphide production.	**64.52** gms/litre	**100 gm** **500 gm**
DM 1021S	**Triple Sugar Iron Agar** for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production.	**65.00** gms/litre	**100 gm** **500 gm**
DM 1021I	**Triple Sugar Iron Agar** recommended for identification of members of *Enterobacteriaceae* especially *Salmonella* species.	**64.51** gms/litre	**500 gm**
BA 2014	**Tryptone** Type I See **Casein Enzyme Hydrolysate** used in sterility testing, diagnostic media preparations.		**500 gm** **2.5 kg**
BC 2014	**Tryptone,** Certified See **Casein Enzyme Hydrolysate, Certified**		**500 gm**
BA 2029	**Tryptone T,** Type-III for tetanus toxin, culture media ingredient.		**500 gm**
DM 1319	**Tryptone Agar Base** for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes.	**23.52** gms/litre	**500 gm**
DM 1463	**Tryptone Broth** (Tryptone Water) for detection of indole producing microorganisms.	**15.00** gms/litre	**100 gm** **500 gm**
DM 1961	**Tryptone Bile Agar** for rapid detection and enumeration of *Escherichia coli* in foods using a modified direct plating method.	**36.50** gms/litre	**500 gm**
DM 1791	**Tryptone Glucose Beef Extract Agar** See **TGB Agar**	**24.00** gms/litre	**100 gm** **500 gm**
DM 1014	**Tryptone Glucose Extract Agar** (Tryptone Glucose Yeast Extract Agar) for enumeration of bacteria in water, air, milk and dairy products.	**24.00** gms/litre	**100 gm** **500 gm**
DM 1952	**Tryptone Glucose Yeast Extract Broth** for enumeration of microorganisms from foods by MPN technique.	**17.25** gms/litre	**500 gm**
DM 1364	**Tryptone Nitrate Medium** See **Indole Nitrate Medium**	**25.00** gms/litre	**100 gm** **500 gm**
DM 1953	**Tryptone Phosphate Broth** for enrichment and cultivation of enteropathogenic *Escherichia coli* from suspected food samples.	**30.50** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1290	**Tryptone Soya Agar (Casein Soyabean Digest Agar)** See **Soyabean Casein Digest Agar** a general purpose medium used for cultication of a wide variety of microorganisms.	**40.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1011	**Tryptone Soya Broth** See **Soyabean Casein Digest Medium**	**30.00** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1323	**Tryptone Soya Broth w/0.1% Agar** See **Soyabean Casein Digest Medium w/ 0.1% Agar**	**31.00** gms/litre	**500 gm**
DM 1322	**Tryptone Soya Broth w/o Dextrose** See **Soyabean Casein Digest Medium w/o Dextrose**	**27.50** gms/litre	**500 gm**
DM 2056	**Tryptone Tellurite Agar Base** for selective isolation of pathogens from clinical specimens, especially from nose, throat and vagina.	**47.00** gms/litre	**500 gm**
MS 2052	***Potassium Tellurite 1% (1 ml per vial)**		**5 vl**
DM 1463	**Tryptone Water (Tryptone Broth)** for detection of indole producing microorganisms.	**15.00** gms/litre	**100 gm** **500 gm**
DM 1463I	**Tryptone Water** recommended for detection of indole production	**25.00** gms/litre	**500 gm**
DM 1463S	**Tryptone Water w/o Sodium Chloride** for detection of Vibrio cholerae and Vibrio para-haemolyticus.	**10.00** gms/litre	**100 gm** **500 gm**
DM 2198	**Tryptone Water Broth w/BCP** for the cultivation of *Salmonella* species from foods.	**17.29** gms/litre	**500 gm**
DM 2272	**Tryptone Yeast Extract Agar** recommended for estimation of microbial counts in water.	**21.00** gms/litre	**500 gm**
DM 2193	**Tryptone Yeast Extract Agar w/BCP** recommended for isolation and enumeration of *Enterobacteriaceae* and *Bacillus cereus*.	**41.51** gms/litre	**500 gm**
DM 1356	**Tryptone Yeast Extract Broth** See **ISP Medium No. 1**	**8.00** gms/litre	**100 gm** **500 gm**
BA 2030	**Tryptose** bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.		**500 gm** **2.5 kg**
BC 2030	**Tryptose**, Certified designed to promote luxuriant growth of highly fastidious microorganisms.		**500 gm**
DM 1538	**Tryptose Agar** for isolation, cultivation and differentiation primarily of *Brucella,* but also of *Streptococci*, *Pneumococci, Meningococci* and other pathogenic microorganisms.	**41.00** gms/litre	**500 gm**
DM 1996	**Tryptose Agar w/Thiamine HCl** for isolation, differentiation and cultivation of fastidious microorganisms in an infusion free medium.	**41.00** gms/litre	**500 gm**
DM 1097	**Tryptose Blood Agar Base** for the isolation of fastidious organisms and determining the haemolytic reactions.	**33.00** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1450	**Tryptose Blood Agar Base w/Yeast Extract** with or without added blood it can be used for culturing fastidious microorganisms.	**34.00** gms/litre	**500 gm**
DM 1177	**Tryptose Broth** for the cultivation primarily of *Brucella* species.	**26.00** gms/litre	**500 gm**
DM 1997	**Tryptose Broth w/Thiamine HCl** for cultivation and differentiation of fastidious microorganisms in an infusion free medium.	**26.00** gms/litre	**500 gm**
DM 1093	**Tryptose Phosphate Broth** for cultivation of fastidious bacteria.	**29.50** gms/litre	**100 gm** **500 gm**
DM 1634	***Tryptose Sulphite Neomycin Agar** for selective isolation and enumeration of *Clostridium perfringens* in foods or other specimens.	**40.07** gms/litre	**100 gm**
DM 1415	**Universal Beer Agar (UB Agar)** for culturing microorganisms of significance in the brewing industry.	**62.16** gms/litre	**100 gm**
DM 1112	**Urea Agar Base (Christensen) (Autoclavable)** for detection of urease production, particularly by *Proteus vulgaris*, *Micrococci* and paracolon organisms.	**24.01** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1112I	**Urea Agar Base, Christensen** recommended for the detection of urease production, particularly by members of the genus *Proteus*.	**24.01** gms/litre	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1112A	***Urea Agar Base (Filter Sterilizable) (w/o Agar)** with added agar it is used for detection of urea splitting microorganisms.	**29.00** gms/litre	**500 gm**
DM 1112S	***Urea Agar Base (Christensen)** for detection of urease production, particularly by *Proteus vulgaris*, *Micrococci* and paracolon organisms.	**24.51** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1111	**Urea Broth Base** (Diagnostic Stuart's Urea Broth Base) recommended for the identification of bacteria on the basis of urea utillization, specially for the differentiation of *Proteus, Simonella* and Shigella species.	**18.71** gms/litre	**100 gm** **500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1111M	**Urea Broth** for the identiciation of bacteria on the basis of urea utilization specifically for the differentiation of *Proteus, Salmonella* and *Shigella* species in accordance with I.P.	**38.70** gms/litre	**500 gm**
DM 1111A	***Urea Broth (Filter Sterilizable)** for identification of bacteria on the basis of urea utilization, specifically for the differentiation of *Proteus* species from *Salmonella* and *Shigella* species.	**38.71** gms/litre	**500 gm**
DM 1416	**Veillonella Agar Base** for selective isolation of *Veillonella* species.	**23.75** gms/litre	**500 gm**
DM 1820	**Vibrio Agar** for selective cultivation of *Vibrio* species.	**79.92** gms/litre	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 2153	**Vibrio Parahaemolyticus Sucrose Agar** for isolation and enumeration of *Vibrio parahaemolyticus* from seafood samples as per APHA.	**73.52** gms/litre	**500 gm**
DM 1049S	**Violet Red Bile Agar** recommended for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products.	**41.53** gms/litre	**100 gm** **500 gm**
DM 1049A	**Violet Red Bile Agar (1.2%)** recommended for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy and food products.	**38.53** gms/litre	**500 gm**
DM 1458	**Violet Red Bile Broth** for detection and enumeration of coliforms from water and food.	**26.53** gms/litre	**500 gm**
DM 1581H	**Violet Red Bile Glucose Agar** recommended for detection and enumeration of *Enterobacteri aceae* from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	**40.62** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1036	***Vitamin B12 Assay Medium** See **B12 Assay Medium**	**84.53** gms/litre	**100 gm**
DM 1023	**Vogel-DMhnson Agar Base w/o Tellurite (V.J. Agar)** for selective isolation of coagulase positive, mannitol fermenting *Staphylococcus aureus* from heavily contaminated foods and clinical specimens.	**61.02** gms/litre	**100 gm** **500 gm**
MS 2052	***Potassium Tellurite 1% (1ml per vial)**		**5 vl**
DM 2152	**Wesley Broth Base** used as a selective enrichment medium for isolation of *Campylobacter jejuni* from poultry products as per APHA.	**39.25** gms/litre	**500 gm**
MS 2077	***Campylobacter Selective Supplement**		**5 vl**
DM 1832	**Wilkins Chalgren Anaerobic Agar Base** for selective isolation and cultivation of anaerobic bacteria and susceptibility testing of anaerobes by the agar dilution method.	**43.01** gms/litre	**500 gm**
MS 2001	***Non Spore Anaerobic Supplement**		**5 vl**
MS 2002	***G.N. Spore Anaerobic Supplement**		**5 vl**
DM 1863	**Wilkins Chalgren Anaerobic Broth Base** for cultivation and susceptibility testing of anaerobic bacteria.	**33.01** gms/litre	**500 gm**
MS 2001	***Non Spore Anaerobic Supplement**		**5 vl**
MS 2002	***G.N. Spore Anaerobic Supplement**		**5 vl**
DM 1331	**Wilson Blair Agar Base** with the addition of selective reagent used for the isolation of *Salmonella serotype Typhi*.	**60.00** gms/litre	**100 gm** **500 gm**
DM 1332	**Wilson Blair Agar w/BG** for isolation and preliminary identification of *Salmonella typhi* from clinical specimens.	**52.32** gms/litre	**100 gm** **500 gm**
DM 1129	**Wort Agar** for the cultivation and enumeration of yeasts.	**48.28** gms/litre	**100 gm** **500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1333	**Wort Broth** for cultivation and enumeration of yeasts.	**33.28** gms/litre	**500 gm**
DM 1336	**Xylose Lysine Agar Base** for isolation and identification of pathogenic enteric bacilli.	**45.08** gms/litre	**500 gm**
DM 1031	**Xylose Lysine Deoxycholate Agar (XLD Agar)** for selective isolation and enumeration of *Salmonella serotype Typhi* and other *Salmonella* species.	**56.68** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 1031H	**XLD Agar** a selective medium recommended for the isolation and enumeration of *Salmonella* Typhi and other *Salmonella* species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP	**54.80** gms/litre	**100 gm** **500 gm** **2.5 kg** **5 kg**
DM 2251	**YT Broth (2XYT Broth)** for the cultivation of recombinant strains of *Escherichia coli*.	**31.00** gms/litre	**500 gm**
BA 2194	**Yeast Autolysate** extract from autolysing yeast cells (*Saccharomyces*) specially cultivated to obtain yeast autolysate.		**500 gm**
DM 2413	**Yeast and Mould Broth** for isolation and cultivation of yeasts and moulds.	**20.00** gms/litre	**500 gm**
DM 1140	**Yeast Beef Agar** See **Antibiotic Assay Medium No. 4**	**26.50** gms/litre	**500 gm**
BA 2025	**Yeast Extract** Paste suitable for culture media		**500 gm**
BA 2027	**Yeast Extract** Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.		**500 gm** **2.5 kg**
BC 2027	**Yeast Extract** Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.		**500 gm**
BA 2668	**Yeast Extract** Powder Type I specially developed for routine bacteriological work.		**500 gm** **5 kg**
DM 1456	**Yeast Extract Agar** highly nutritive medium recommended for plate count of microorganisms in water.	**23.00** gms/litre	**100 gm** **500 gm**
DM 1955	**Yeast Extract Rose Bengal Broth Base** for the cold enrichment for the recovery of *Yersinia enterocolitica* and *Yersinia pseudotuberculosis* from food sample.	**26.30** gms/litre	**500 gm**
DM 1676	**Yeast Fermentation Broth Base** See **Bromo Cresol Purple Broth**	**18.04** gms/litre	**500 gm**
DM 1720	**Yeast Lactose Agar** for cultivation of soil microorganisms such as *Rhizobium* species.	**26.80** gms/litre	**100 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Qty Per Litre ⊙ of medium	Packing
DM 1424	**Yeast Malt Agar (YM Agar)** See **ISP Medium No. 2**	**41.00** gms/litre	**100 gm** **500 gm**
DM 1425	**Yeast Malt Broth (YM Broth)** for isolation and cultivation of yeasts, moulds and aciduric microorganisms.	**21.00** gms/litre	**100 gm** **500 gm**
MS 2095	***10% Lactic Acid Solution (10 ml per vial)**		**5 vl**
DM 1715	**Yeast Mannitol Agar w/1.5% Agar** for cultivation, isolation & enumeration of soil microorganisms like *Rhizobium* species.	**27.80** gms/litre	**100 gm** **500 gm**
DM 1716	**Yeast Mannitol Broth** for cultivation of *Rhizobium* species.	**12.80** gms/litre	**500 gm**
DM 1138	***Yeast Morphology Agar** for classification of yeasts on the basis of their colonial characteristics & cell morphology.	**34.75** gms/litre	**100 gm**
DM 1139	***Yeast Nitrogen Base** for classification of yeasts on the basis of their ability to assimilate carbon compounds.	**6.75** gms/litre	**100 gm**
DM 1878	***Yeast Nitrogen Base w/o Amino Acids** for investigating carbon and nitrogen requirements of yeasts.	**6.70** gms/litre	**100 gm**
DM 1151	***Yeast Nitrogen Base w/o Amino Acids and Ammonium Sulphate** for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds.	**1.71** gms/litre	**100 gm**
DM 2061	**Yeast Phosphate Agar** for isolation of dimorphic pathogenic fungi from clinical specimens.	**21.50** gms/litre	**500 gm**
DM 2367	**Yersinia Enrichment Broth Base** for the enrichment of Yersinia species, in particular Yersinia enterocolitica from human and animal intestinal contents.	**13.01** gms/litre	**500 gm**
DM 2221	**Yersinia Identification Broth Base** recommended for identification of *Yersinia* species.	**10.02** gms/litre	**500 gm**
MS 2048	***Urea 40% (5 ml per vial)**		**5 vl**
DM 1564	**Yersinia Isolation Agar** recommended for selective isolation of *Yersinia* species from foods.	**79.02** gms/litre	**500 gm**
DM 1843	**Yersinia Selective Agar Base** recommended for selective isolation and enumeration of *Yersinia enterocolitica* from clinical specimens and foods samples.	**58.04** gms/litre	**500 gm**
MS 2034	***Yersinia Selective Supplement**		**5 vl**
DM 1384	**Zobell Marine Agar 2216** See **Marine Agar 2216**	**55.25** gms/litre	**100 gm** **500 gm**
DM 1385	**Zobell Marine Broth 2216** See **Marine Broth 2216**	**40.25** gms/litre	**100 gm** **500 gm**


★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Packing
BC 2112	**Basic Fuchsin** Certified	**10 gm**
BA 2274	**Beef Extract** Paste	**500 gm**
BA 2002	**Beef Extract** Powder refined for use in microbial culture media	**500 gm** **2.5 kg**
BC 2002	**Beef Extract Powder,** Certified for the maximum recovery and growth of a wide variety of microorganisms. It is usually incorporated in a concentration of 0.3% to 0.5% when combined with suitable peptones.	**500 gm**
BA 2669	**Beef Extract** Powder Type 1 used in media for routine cultivation and diagnostic purposes.	**500 gm** **5 kg**
BA 2008	**Bile Salts** for Bacteriology.	**500 gm**
BC 2008	**Bile Salts, Certified** a specially manufactured extract of bile salts, prepared from fresh ox bile, is recommended as a selectively inhibitory agent in microbiological culture media	**500 gm**
BA 2009	**Bile Salts Mixture** equivalent to Bile Salt No. 3 for use in Bacteriological culture media as selective inhibitory agent	**100 gm**
BC 2009	**Bile Salts Mixture, Certified** recommended for use in microbiological culture media for selective isolation and cultivation of bile tolerant enteric bacteria	**100 gm**
BA 2021	**Bio Peptone** mixture of Casein and Meat Peptones employed in media used for cultivation of microorganisms.	**500 gm**
BC 2021	**Bio Peptone,** Certified provides a broad spectrum of peptides and amino acids which supports better microbiological growth characteristics to a large variety of organisms	**500 gm**
BA 2189	**Casein Acid Hydrolysate,** Certified Sodium chloride less than 3%	**500 gm**
BA 2498	**Casein Acid Hydrolysate** special for Pertussis Vaccine production.	**500 gm**

Product Code	Product Name	Packing
BA 2013	**Casein Acid Hydrolysate,** Technical used in antibiotic sensitivity test media, vaccine preparation media etc.	**500 gm**
BC 2013	**Casein Acid Hydrolysate,** Certified recommended for use in culture media where microbiological growth is measured optically for example Antibiotic Assay Media.	**500 gm**
BA 2190	**Casein Acid Hydrolysate** Vitamin Free	**500 gm**
BA 2014	**Casein Enzyme Hydrolysate,** Type-I Tryptone, used in sterility testing, diagnostic media preparations.	**500 gm** **2.5 kg**
BC 2014	**Casein Enzyme Hydrolysate, Certified** Tryptone, rich in tryptophan and is used by a wide variety of microorganisms, recommended in a number of media such as Sterility Testing media. Diagnostic media for biochemical characterization, etc.	**500 gm**
BA 2028	**Casein Enzyme Hydrolysate,** Type-II equivalent to Casitone, used in Antibiotic Assay Media.	**500 gm** **5 kg**
BC 2028	**Casein Enzyme Hydrolysate,** Type-II, **Certified** is a refined product providing high quality soluble source of amino acids, polypeptides and peptides. It is a very rich source of Amino Nitrogen. Recommended for Laboratory and fermentation media, for commercial production of antibiotics, toxins and enzymes.	**500 gm**
BA 9707	**Casein Enzyme Hydrolysate (MB grade)** suitable for recombinant strains growth and molecular biology work	**500 gm**
BA 2714	**Casein Peptone** enzymic, digest of casein	**500 gm** **2.5 kg**
BA 6902	**Casein Peptone Soya Meat** a mixture of casein, soya and meat peptones that provides broad spectrum of peptides and amino acids that supports better microbiological growth characteristics.	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Packing
BC 2032	**Certified Heart Infusion, with Low Endotoxin** a rich nutritive component used in media for propogation of cell line.	500 gm
BC 2031	**Certified Peptone, with Low Endotoxin** recommended as a source of organic nitrogen and growth factor for propogation of cell line.	500 gm
	Cholic Acid, Sodium Salt see Sodium Cholate	
BC 2114	**Crystal Violet,** Certified	10 gm 25 gm
BC 2115	**Eosine Yellow,** Certified Water Soluble	10 gm 25 gm
BA 2019	**Gelatin** Crystal for Bacteriology	500 gm
BA 2020	**Gelatin Peptone** enzymic digestion of gelatin, used, for antibiotic assay media and various fermentation media.	500 gm 2.5 kg
BA 2449	**L-Glutamine** TC grade	10 gm
BA 2191	**Heart Infusion Powder** a rich nutritive component used in media employed for cultivation of fastidious organisms and antibiotic sensitivity test.	500 gm
BA 2565	**Lactose Monohydrate** Bacteriological grade	5 kg
BA 9710	**Liver Extract Paste** used for cultivation of fastidious anaerobic bacteria and bulk production of vaccines, steroides, enzymes etc.	500 gm
BA 2326	**Liver Extract** Powder for cultivation of fastidious anaerobic bacteria. Also for bulk production of vaccines, steroids, enzymes etc.	500 gm
BA 2023	**Liver Hydrolysate** an ideal ingredient of culture media used for the cultivation of fastidious anaerobic bacteria.	500 gm
BA 8405	**Liver Hydrolysate, Neutralized** recommended for use in culture medium for cultivation of fastidious anaerobic bacteria.	500 gm

Product Code	Product Name	Packing
BA 2022	**Liver Infusion Powder** suitable for vaccine manufacturing.	500 gm
BA 2004	**Malt Extract** Powder ideally suitable for use in media for cultivation of fungi.	500 gm
BR 2004	**Malt Extract** Powder, **Refined** purified under controlled condition which is ideally suitable for broth media.	500 gm
BC 2004	**Malt Extract,** Certified ideally suitable for use in media for cultivation of fungi.	500 gm
BA 2569	**D(+) Maltose,** Monohydrate, Extra pure NCR grade, for vaccine production	100 gm 500 gm
BA 2018	**D(+) Maltose,** Monohydrate, for bacteriological purpose	100 gm 500 gm
BA 2570	**D-Mannitol, A.R. Sterile (γ irradiated)** suitable for use in media fill trials.	5 kg
BA 2003	**Meat Extract** Powder used in general purpose and diagnostic media preparations	500 gm
BC 2003	**Meat Extract,** Certified replaces the meat peptone which yields earlier and/or heavier growth of microorganisms, bulk production of antibiotics, enzymes and other biological preparations.	500 gm
BA 2192	**Meat Infusion** Powder a highly nutritious ingredients, used in standard nutrient media and as an additive in vaccine preparation.	500 gm
BA 2635	**Meat Peptone** for routine and mass scale cultivation of organisms for antibiotics, enzymes etc. production.	500 gm
BA 3049	**Meat Peptone** Type P peptone from meat (peptic) is obtained by proteolytic digest of meat with pepsin.	500 gm
BA 3050	**Meat Peptone** Type T peptone from meat (peptic) is obtained by proteolytic digest of meat with trypsin.	500 gm


★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Packing
BC 2116	**Methylene Blue** Certified	**25 gm** **100 gm**
BA 2006	**Mycological Peptone** See Peptone M	**500 gm**
BC 2006	**Mycological Peptone,** Certified nutritious source for the isolation, cultivation and identification of saprophytic and dermatophytic fungi-yeast and moulds.	**500 gm**
BC 2357	**Nigrosin** Certified	**10 gm**
BA 4565	**Oat Meal** Powder recommended for cultivation of fungi in microbiological culture media.	**500 gm**
BA 2010	**Ox Bile, Dried,** Purified used for general purpose.	**500 gm**
BC 2010	**Ox Bile, Dried, Certified** used in culture media as a selectively inhibitory agent	**500 gm**
BA 2621	**Ox Bile,** Bacteriological used in various culture media as a selectively inhibitory agent.	**100 gm** **500 gm**
BA 2656	**Papaic Digest of Casein** it is rich in proteases, peptidesand free amino acids, recommended for bulk production of antibiotics, enzymes and biomolecule production.	**500 gm**
BA 2001	**Peptone,** Bacteriological contains high tryptophan content used as culture media ingredient invariety of media. Also useful for commercial production of enzymes, vaccines, antibiotics and other products.	**500 gm** **1 kg** **2.5 kg**
BA 8190	**Peptone, Cell Culture grade** recommended for cell culture.	**500 gm**
BC 2001	**Peptone,** Certified recommended as a source of organic nitrogen and growth factors in culture media, fermentation processes and biological preparations.	**500 gm**
BA 2006	**Peptone** M equivalent to Mycological Peptone. Suitable for cultivation of yeasts and moulds.	**500 gm**

Product Code	Product Name	Packing
BA 2015	**Peptone** Special equivalent to Neopeptone. An enzymatic protein digest especially adapted for the preparation of media for culturing fastidious bacteria.	**500 gm**
BA 2667	**Peptone** Type I, Bacteriological used as culture media ingredient.	**500 gm** **5 kg**
BA 9709	**Peptone** Type III, Bacteriological recommended for general bacteriological work including mass cultivation.	**500 gm**
BA 2275	**Peptonized Milk** suitable for Lactobacilli, yeasts and moulds.	**500 gm**
BA 2005	**Proteose Peptone** a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	**500 gm** **2.5 kg**
BC 2005	**Proteose Peptone,** Certified a highly nutritious ingredient employed in media used for bulk production of antibiotics, enzymes, bacterial toxins etc.	**500 gm**
BA 8394	**Proteose Peptone A** enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, recommended for cultivation of fastidious pathogens and particularly for bulk production of antibiotics, enzyme, veterinary preparations and bacterial toxins, specially diphtheria toxin.	**500 gm**
BA 8392	**Proteose Peptone B** enzymic hydrolysate of protein, rich in proteoses, peptide and free amino-acids, provides superior nutrition for fastidious organisms including pyogenic cocci.	**500 gm** **2.5 kg**
BA 2280	**Protose** enzymic digest of mixed proteins, recommended for fermentation and vaccine industries.	**500 gm**
BA 4973	**Sodium Bicarbonate** TC grade	**100 gm** **500 gm**
BA 2154	**Sodium Biselenite**	**100 gm**
BA 3150	**Sodium Chloride TC grade**	**500 gm**

★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium



Product Code	Product Name	Packing
BA 2202	**Sodium Cholate** cholic acid, sodium salt as a selective inhibitory agent for bacteriological culture media.	25 gm 100 gm
BA 2131	**Sodium Deoxycholate** as a selective inhibitory agent for	25 gm 100 gm 500 gm
BA 2011	**Sodium Taurocholate** as a selective inhibitory agent for bacteriological culture media.	500 gm
BC 2011	**Sodium Taurocholate, Certified** a purified component of Ox bile (free from bile acid) is recommended as a selective agent in microbiological culture media.	500 gm
BA 2708	**Sodium Tauroglycocholate**	500 gm
BA 2007	**Soya Peptone** papaic digest of soyabean meal, plant peptone	500 gm 5 kg
BC 2007	**Soya Peptone,** Certified recommended in media that are required to support a short lag phase and smaller generation time to allow rapid luxuriant growth.	500 gm
BA 9714	**Soya Peptone Type I** plant peptone is a soluble end product of the enzymic digestion of soyabean meal by papain.	500 gm 5 kg
BA 2015	**Special Peptone** see Peptone Special	500 gm
BC 2015	**Special Peptone,** Certified specially designed to maximize the growth of fastidious microorganisms.	500 gm
BA 3158	**Sucrose** TC grade	500 gm 1 kg 5 kg
BA 2014	**Tryptone** Type I see Casein Enzyme Hydrolysate	500 gm 2.5 kg

Product Code	Product Name	Packing
BC 2014	**Tryptone,** Certified see Casein Enzyme Hydrolysate, Certified	500 gm
BA 2193	**Tryptone** D, Type IV tryptic digest of casein, recommended for vaccine production.	500 gm
BA 2029	**Tryptone** T, Type-III for tetanus toxin, culture media ingredient.	500 gm
BA 2030	**Tryptose** bacteriological grade enzymatic hydrolysate of protein that can replace meat infusion.	500 gm 2.5 kg
BC 2030	**Tryptose,** Certified designed to promote luxuriant growth of highly fastidious microorganisms.	500 gm
BA 2194	**Yeast Autolysate** extract from autolysing yeast cells (*Saccharomyces*) specially cultivated to obtain yeast autolysate.	500 gm
BA 2025	**Yeast Extract** Paste suitable for culture media	500 gm
BA 2027	**Yeast Extract** Powder a low salt extract refined for use in microbial culture media, fermentation and other biological products. Also used with beef extract or in place of beef extract.	500 gm 2.5 kg
BC 2027	**Yeast Extract** Powder, Certified rich in vitamins, especially those belonging to B-Complex and used particularly for cultivation of microorganisms encountered in milk or other dairy products.	500 gm
BA 2668	**Yeast Extract** Powder Type I specially developed for routine bacteriological work.	500 gm 5 kg
BA 9087	**CC Yeast Extract** Powder, UF an ultrafiltered yeast extract recommended for animal cell culture and insect cell culture application.	500 gm


★ Store below 8°C
⊙ Gms. / Litre figure indicates wt. of powder medium required to prepare 1 litre of medium

PREPARED MEDIA IN 90 mm POLYSTYRENE PLATES



Product Code	Product Name	Packing
PM 1217	**Bi.G.G.Y. Agar Plate (Nickerson Agar Plate)** For detection, selective isolation, differentiation and presumptive identification of Candida albicans and Candida tropicalis.	20 plts
PM 1211	**Brain Heart Infusion Agar Plate** For cultivation of fastidious pathogenic bacteria, yeasts and moulds.	20 plts
PM 2139	**Brucella Agar Plate with Hemin & Vitamin K1** used for the isolation and cultivation of Brucella species.	20 plts
PM 1792	**CLED Agar w/Bromo Thymol Blue Plate** For isolation and differentiation of urinary pathogens on the basis of lactose fermentation	20 plts
PM 1024	**Cetrimide Agar Plate** For selective isolation of Pseudomonas aeruginosa from clinical specimens.	20 plts
PM 1024H	**Cetrimide Agar Plate** For the selection and subculture of Pseudomonas aeruginosa in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts
PM 1103	**Chocolate Agar Plate** For isolation of Neisseria gonorrhoeae from chronic and acute cases of gonococcal infections.	20 plts
PM 1317	**EMB Agar Plate** For differential isolation of gram-negative enteric bacilli from clinical and non-clinical specimens.	20 plts
PM 1022	**EMB Agar, Levine Plate** For isolation, enumeration and differentiation of members of Enterobacteriaceae	20 plts
PM 1029	**Endo Agar Plate** For the confirmation of the presumptive test for members of coliform group.	20 plts
PM 1015	**Hoyles Media Plate with Supplement** For selective isolation and differentiation of Corynebacterium diphtheria types.	20 plts
PM 1180	**Lead Acetate Agar Plate** for detection of hydrogen sulphide producing enteric bacteria.	20 plts
PM 1151	**Luria Bertani Agar Plate** for the cultivation and maintenance of recombinant strains of E.coli for genetic and molecular studies; may be used for routien isolation,cultivation of not particularly fastidious microorganisms	20 plts
PM 2108	**M-Enterococcus Agar Plate** for isolation & enumeration of Enterococci in water, sewage, food and other materials by membrane filter technique as well as direct plating of specimens.	20 plts
PM 2123	**M-(HPC) Heterotrophic Plate Count Agar Plate** for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	20 plts
PM 1081	**MacConkey Agar w/ 0.15% Bile Salts, CV and NaCl Plate** For selective isolation and differentiation of coliform organisms and other enteric pathogens	20 plts
PM 1082	**MacConkey Agar w/o CV, NaCl w/ 0.5% Sodium Taurocholate Plate** For cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram-positive organisms.	20 plts
PM 1298	**MacConkey Sorbitol Agar Plate** for isolation and identification of enteropathogenic Escherichia coli strains associated with infant diarrhoea.	20 plts

All the above products to be stored between15-25°C
Due to short self-life this product will be directly supplied to the customer
* On receipt, all the above products to be stored between 2-8°C



PREPARED MEDIA IN 90 mm POLYSTYRENE PLATES

Product Code	Product Name	Packing
PM 1118	**Mannitol Salt Agar Plate** For selective isolation of pathogenic Staphylococci.	20 plts
PM 1173	**Mueller Hinton Agar Plate** For determination of susceptibility of microorganisms to antimicrobial agents.	20 plts
PM 1001	**Nutrient Agar Plate** A general purpose medium used for cultivation of wide variety of microorganisms	20 plts
PM 1091	**Plate Count Agar Plate** For determination of plate counts of microorganisms in foods, water and waste water	20 plts
PM 1096	**Potato Dextrose Agar Plate** For isolation and enumeration of yeasts and moulds from dairy and other food products.	20 plts
PM 1120	**Pseudomonas Fluorescein Agar Plate** For detection of fluorescein production by Pseudomonas species.	20 plts
PM 1119	**Pseudomonas Pyocyanin Agar Plate** For detection of pyocyanin production by Pseudomonas species.	20 plts
PM 1962	**R-2A Agar Plate** For heterotrophic plate count of treated potable water, using longer incubation period.	20 plts
PM 2052	**R-3A Agar Plate** For subculturing microorganisms recovered on less nutritive R-2A Agar from potable water samples.	20 plts
PM 1108	**SS Agar (Salmonella Shigella Agar) Plate** For differential and selective isolation of Salmonella and Shigella species from pathological speciemens, suspected foodstuffs etc.	20 plts
PM 2067	**Sabouraud Chloramphenicol Agar Plate** For selective cultivation of yeasts and moulds.	20 plts
PM 1063H	**Sabouraud Dextrose Agar Plate** For the subculture of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP./IP	20 plts
PM 1063	**Sabouraud Dextrose Agar Plate** For cultivation of yeasts, moulds and aciduric microorganisms.	20 plts
PM 1290	**Soyabean Casein Digest Agar Plate (Tryptone Soya Agar Plate)** A general purpose medium used for cultivation of a wide variety of microorganisms.	20 plts
PM 1413	**Thayer Martin Agar Plate w/ VCNT** For selective isolation of Gonococci from pathological specimens.	20 plts
PM 1031H	**Xylose Lysine Deoxycholate Agar Plate** for the selection and subculture of salmonella in accordance with the harmonized method of USP/EP/BP/JP/IP.	20 plts
PM 1031	**Xylose Lysine Deoxycholate Agar (XLD Agar) Plate** for selective isolation and enumeration of Salmonella Typhi and other Salmonella species.	20 plts

- **Ready to use sterile poured plates**
- **Saves Preparation and sterilization time**
- **Wide range of media in prepared from to cover needs of microbiologists and pathologists.**

All the above products to be stored between15-25°C
Due to short self-life this product will be directly supplied to the customer
* On receipt, all the above products to be stored between 2-8°C

READY PREPARED STERILE SOLID MEDIA IN GLASS BOTTLES



Product Code	Product Name	Packing
SM 1972	**Bile Esculin Agar** For differential isolation and presumptive identification of Group D Streptococci in food and pharmaceutical products	**5x100 ml** **5x500 ml**
SM 1211	**Brain Heart Infusion Agar** Recommended for the cultivation of fastidious pathogenic bacteria, yeasts andmoulds.	**5x100 ml** **5x500 ml**
SM 1024H	**Cetrimide Agar** For the selection and subculture of Pseudomonas aeruginosa in accordance with harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
SM 1728	**Citrate Agar** For cultivation of iron bacteria	**5x100 ml** **5x500 ml**
SM 1144H	**Columbia Agar** For the selection and subculture of Clostridium sporogenes in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
SM 1150	**Corn Meal Dextrose Agar** For cultivation of phytopathological fungi and other fungi.	**5x100 ml** **5x500 ml**
SM 1467	**Hektoen Enteric Agar** For differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens.	**5x100 ml** **5x500 ml**
SM 1078	**Kligler Iron Agar** For differential identification of gram negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S production.	**5x100 ml**
SM 1057	**Luria Agar** For routine cultivation and estimation of not particularly fastidious microorganisms.	**5x100 ml** **5x500 ml**
SM 1081	**MacConkey Agar** Recommended for selective isolation and differentiation of coliform organisms and other enteric pathogens.	**5x100 ml** **5x500 ml**
SM 1081H	**MacConkey Agar** For the selection and subculture of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
SM 1082	**MacConkey Agar** Recommended for cultivation and differentiation of enteric bacteria, restricting swarming of Proteus species from specimens such as urine which may contain large number of Proteus species as well as potentially pathogenic gram positive organisms.	**5x100 ml** **5x500 ml**
SM 1118H	**Mannitol Salt Agar** For the selection and subculture of Staphylococcus aureus in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
SM 1260	**Motility Test Agar** For detection of bacterial motility.	**5x100 ml** **5x500 ml**
SM 1173	**Mueller Hinton Agar** Recommended for cultivation of Neisseria and for determination of susceptibility of microorganisms.	**5x100 ml** **5x500 ml**

All the above products to be stored between15-25°C
 # Due to short self-life this product will be directly supplied to the customer
*** On receipt, all the above products to be stored between 2-8°C**



READY PREPARED STERILE SOLID MEDIA IN GLASS BOTTLES

Product Code	Product Name	Packing
SM 1001	**Nutrient Agar** Recommended as general culture medium for cultivation of less fastidious microorganisms.	**5x100 ml** **5x500 ml**
SM 1091	**Plate Count Agar** Recommended for determination of plate counts of microorganisms in food, water and waste	**5x100 ml** **5x500 ml**
SM 1096	**Potato Dextrose Agar** Recommended for isolation and enumeration of yeasts and moulds from dairy and other food products.	**5x100 ml** **5x500 ml**
SM 1096H	**Potato Dextrose Agar** For the subculture of fungi in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
SM 1962B	**R2A Agar** For heterotrophic plate count of treated potable water using longer incubation periods.	**5x100 ml** **5x500 ml**
SM 1063	**Sabouraud Dextrose Agar** For cultivation of yeasts, moulds and aciduric microorganisms.	**5x500 ml**
SM 1063H	**Sabouraud Dextrose Agar** For cultivation of C. albicans in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x250 ml** **5x500 ml**
SM 1290	**Soyabean Casein Digest Agar** Recommended as a general purpose medium for cultivation of wide variety of microorganisms.	**5x100 ml** **5x500 ml**
SM 1290H	**Soyabean Casein Digest Agar** For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x250 ml** **5x500 ml**
SM 1021	**Triple Sugar Iron Agar** For identification of gram negative enteric bacilli on the basis of dextrose lactose and sucrose fermentation and hydrogen sulphide production	**5x100 ml**
SM 1581H	**Violet Red Bile Glucose Agar** For the subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
SM 1049	**Violet Red Bile Glucose Agar** For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy food products.	**5x100 ml**
SM 1031H	**Xylose Lysine Deoxycholate Agar** For the selection and subculture of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	**5x100 ml** **5x500 ml**

- Ready to use sterile solid media in glass bottles.
- No sterilization required just melt and pour plates.
- Economical and saves preparation time.
- Wide range available to meet the needs of microbiologists and pathologists.
- On request other media can also be available as ready to use sterile solid media.

All the above products to be stored between15-25°C
Due to short self-life this product will be directly supplied to the customer
* On receipt, all the above products to be stored between 2-8°C


READY PREPARED LIQUID MEDIUM IN GLASS BOTTLES



Product Code	Product Name	Packing
LQ 1210	**Brain Heart Infusion Broth** Recommended for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations.	**5x100 ml** **5x500 ml**
LQ 1157	**GN Broth, Hajna** For the selective enrichment of gram negative organisms of the enteric group	**5x100 ml**
LQ 1108	**Letheen Broth** For determination of bacterial activity of quarternary ammonium compounds using Escherichia coli or Staphylococcus aureus.	**5x100 ml**
LQ 1131	**Letheen Broth Modified** For screening cosmetic products for microbial contamination	**5x100 ml** **5x500 ml**
LQ 1104H	**#Rappaport Vassiliadis Broth** For selective enrichment of Salmonella species in accordance with the harmonized method of USP/EP/BP/JP/IP	**5x100 ml**
LQ 1148	**Soyabean Casein Digest Medium w/BCP** Soyabean Casein Digest Medium with BCP is a general-purpose medium used for the cultivation of a wide variety of microorganisms. With the addition of carbohydrates it can be also used for the fermentation studies.	**10x100 ml**
LQ 1158	**Soyabean Casein Digest Medium with Tween 80 & ecithin** For determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	**10x100 ml**
LQ 1114	**Terrific Broth** For the cultivation of recombinant strains of Escherichia coli.	**5x100 ml**
	READY TO USE WASH SOLUTION	
LQ 1123	**Buffered Sodium Chloride Peptone Solution pH 7.0** For the preparation of test suspension in accordance with harmonized methods of USP, EP, BP & JP	**10x100 ml** **5x300 ml**
LQ 1121	**Diluting Fluid A** Diluent in testing of pharmaceuticals in accordance with USP.	**10x100 ml** **5x300 ml** **5x500 ml**
LQ 1510	**Diluting Fluid D** Diluent in testing of pharmaceuticals in accordance with USP.	**10x100 ml** **5x300 ml**
LQ 1122	**Diluting Fluid K** Diluent in testing of pharmaceuticals in accordance with USP.	**10x100 ml** **5x300 ml**
LQ 1124	**Neutralizing Fluid** For neutralizing the activity of antimicrobial agents in accordance with EP & BP	**10x100 ml** **5x300 ml**
LQ 1141	**Sterile Saline 0.85%** Used as a diluent.	**5x90 ml** **50x10 ml**
	READY TO USE MEDIA FOR MICROBIAL LIMIT TEST.	
LQ 1119H	**Enterobacteria Enrichment Broth Mossel** For enrichment of bile organisms in accordance with the harmonized method of USP/EP/BP/JP/IP	**10x100 ml**
LQ 1115H	**MacConkey Broth** For selective enrichment of Escherichia coli in accordance with the harmonized method of USP/EP/BP/JP/IP	**10x100 ml**
LQ 1130H	**Reinforced Medium for Clostridia** For the cultivation and enumeration of Clostridia from pharmaceutical productsin accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.	**5x100 ml** **5x500 ml**
LQ 1120H	**Sabouraud Dextrose Broth** For enrichment of Candida albicans in accordance with the harmonized method of USP/EP/BP/JP/IP	**10x100 ml** **5x500 ml**

- Ready prepared Liquid Medium in Glass Bottles
- To meet the needs of microbiologists and pathologist
- Liquid medium available for general cultivation
- Sterility test media also available for easy detection of aerobes anaerobes and fungi
- Medium available for Microbial Limit test in accordance with harmonized methods of USP/EP/BP/JP/IP

We Offer Quality with Quantity
On receipt all the products to be stored between 2-8°C
All the above products to be stored between 15-25°C



READY PREPARED VIRAL TRANSPORT SYSTEM

Product Code	Product Name	Packing
MS 1316	**CDHCulture Transport Swab w/ CVTR Medium** Recommended for transporting viral specimens at ambient temperature.	**10 nos** **50 nos**
MS 1316S	**CDHCulture Transport Swab w/ CVTR Medium with metal stick** Recommended for transporting viral specimens at ambient temperature.	**10 nos** **50 nos**
MS 2760	**CDHViral Transport Swab** with 3ml viral transport medium in a 15ml centrifuge tube and 1 sterile Flocked Nylon Swabs recommended for collection and transport of viruses.	**50 nos**
AL 1167	**CDHViral Transport Swab Medium** with 3ml viral transport medium in a 15 ml centrifuge tube, recommended for collection and transport of viruses.	**50x3 ml**
MS 2760A	**CDHViral Transport Swab kit (A)** with 3ml viral transport medium 15 ml centrifuge tube with nasopharyngeal swab and throat swab (viscose), recommended for collection and transport of viruses.	**50 nos**
MS 2760B	**CDHViral Transport Swab kit (B)** with 3ml viral transport medium in 15 ml centrifuge tube with nasopharyngeal swab and polyester swab, recommended for collection and transport of viruses.	**50 nos**
MS 2760C	**CDHViral Transport Swab Kit (C)** With 3ml viral transpot medium in 15 ml self standing tube with nasopharyngeal swab recommended for collection and transport of viruses.	**50 nos**
MS 2760D	**CDHViral Transport Swab Kit (D)** with 3ml viral transport medium in 15 ml centrifuge tube and throat swab (viscose). recommended for collection and transport of viruses.	**50 nos**
MS 1760E	**CDHViral Transport Swab Kit (E)** with 3ml viral transpot medium in 15 ml centrifuge tube with nasopharyngeal swab and polyester swab (scored), recommended for collection and transport of viruses.	**50 nos**
MS 1760F	**CDHViral Transport Swab Kit (F)** with 3ml viral transport medium in 15 ml self standing tube with polyester swab (scored) recommended for collection and transport of viruses.	**25 nos** **50 nos**
MS 1760G	**CDHViral Transport Swab Kit (G)** with 3ml viral transport medium in 15 ml self standing tube with sterile foam tipped swab (scored), recommended for collection and transport of viruses.	**25 nos** **50 nos**

READY PREPARED
VIRAL TRANSPORT SYSTEM




Comparative Chart of Viral Transport Kits								
	MS1760	A	B	C	D	E	F	G
Centrifuge Tube W/3 ml Medium	✓	✓	✓	–	✓	✓	–	–
Self Standing Tube W/3 ml Medium	–	–	–	✓	–	–	✓	✓
Nasopharyngeal Swab	✓	✓	✓	✓	–	✓	–	–
Throat swab (viscose)	–	✓	–	–	✓	–	–	–
Polyester swab	–	–	✓	–	–	–	–	–
Polyester swab (scored)	–	–	–	–	–	✓	✓	–
Sterile foam tipped swab (scored)	–	–	–	–	–	–	–	✓

- System Contains combination of medium and swab
- Maximizes sample yield
- Maximizes recovery
- Compatible with cell culture and molecular based assays.
- PW2172 has a molded breakpoint which allows swab to be broken into the tube




We Offer Quality with Quantity
On receipt all the above products to be stored between 2-8°C
*On receipt, all the above products to be stored between 5-25°C



Product Code	Product Name	Packing
Simple Stains for Bacteria		
814920	**Carbol Fuchsin (ZN, Dilute)**	**125 ml** **500 ml**
829620	**Eosin, 2% w/v**	**125 ml**
839200	**Gentian Violet Alcoholic Solution**	**125 ml**
863430	**Malachite Green, 1% w/v**	**100 ml**
865650	**Methylene Blue (Aqueous)**	**125 ml**
Stains for Bacteria and Bovine Cells in Milk		
868820	**Newman's Stain, Modified**	**100 ml**
Stains for Blood Films for Spirochaets, Protozoa and other purposes		
839300	**Giemsa's Stain Solution**	**125 ml** **250 ml**
844050	**Haematoxylin (Delafield's)**	**125 ml**
860370	**Leishman's Stain (Powder Separte)**	**250 ml**
903010	**Wright 's Staining Solution**	**125 ml** **250 ml**
863460	**Malarial Parasite-Kit** (contains 834430 and 834440)	**kit**
834430	**Field's Stain A Solution**	**125 ml**
834440	**Field's Stain B Solution**	**125 ml**
864070	**May-Grunwald's Staining Solution**	**125 ml** **500 ml**
Stains for Capsule Staining		
814810	**Capsule Stains-Kit** (contains 035028 and 024892)	**kit**
865650	**Methylene Blue (Aqueous)**	**125 ml**
869200	**Nigrosin Stain, 10% w/v For Negative Staining**	**125 ml**
Other Stains		
810600	**Borax Carmine (Grenacher's)** Alcoholic Stain	**125 ml**
810620	**Borax Carmine (Grenacher's)** Aqueous Stain	**125 ml**
874420	**Haematoxylin (Harris)**	**125 ml**
Stains for Acid Fast Staining		
909810	**ZN Acid Fast Stains-Kit** (contains 025950, 035007, 035027)	**kit**
801790	**Acid fast Decolourizer**	**125 ml**
814900	**Carbol Fuchsin (ZN, Strong)**	**125 ml**
865630	**Methylene Blue (Loffler's)**	**125 ml**
Stains for Mycobacteria Staining		
834730	**Fluorescent Stains -Kit for mycobacteria** (Contains 024684, 025964, 024693)	**kit**
024684	**Phenolic Auramine**	**125 ml**
801740	**Acid Alcohol**	**125 ml**
878880	**Potassium Permanganate**	**500 ml**
Stains for Fungi		
859280	**Lactophenol** Cotton Blue	**500 ml**
859300	**Lactophenol Picric Acid Soln.**	**100 ml** **500 ml**
875920	**Picric Acid (Saturated, Aqueous)**	**100 ml** **500 ml**
Stains for Gram Staining		
840050	**Gram Stains- Kit** (Contains 025350, 025354, 035015,025343, 025351)	**kit**
840090	**Gram's Crystal Violet**	**125 ml**
840120	**Gram's Decolourizer**	**500 ml**
840200	**Gram's Iodine Solution**	**125 ml**
887100	**Safranin, 0.5% w/v** (Gram's Counterstain)	**125 ml**
835600	**Basic Fuchsin 0.1% w/v** (Gram's Counterstain)	**125 ml**



Product Code	Product Name	Packing	Product Code	Product Name	Packing
Staining of Intestinal Protozoa					
861390	Lugol's Iodine	125 ml			
Stains for Metachromatic Staining					
865630	Methylene Blue (Loffler's)	125 ml 500 ml	868500	Neisser's Metachromatic Stains-Kit (contains 035015, 024874, and 035154)	kit
802390	Albert's Metachromatic Stains- Kit (contains 025976 and 025977)	kit	840200	Gram's Iodine Solution	125 ml
802370	Albert's Stain A	125 ml	868520	Neisser's Methylene Blue A Solution	125 ml
802380	Albert's Stain B	125 ml	868790	Neutral Red Solution	125 ml
Stains for Negative Staining					
869200	Nigrosin Stain, 10% w/v	125 ml			
Stains for Spore Staining					
887390	Schaeffer & Fulton's Spore Stains-Kit (contains 024374 and 024370)	kit	887330	Schaeffer & Fulton's Spore Stain A	100 ml
			887360	Schaeffer & Fulton's Spore Stain B	100 ml
Stains for Malignant Cells					
874430	Papanicolaous-2b-Orange (II) Soultion	125 ml	874440	Papanicolaous-3b-Polychromatic EA 50 Soln.	125 ml
Readymade Indicators (in liquid form)					
806250	Andrade's Indicator	125 ml	875180	Phenolphthalein, 1% w/v	125 ml
811740	Bromo Cresol Green Indicator Solution	125 ml	875200	Phenol Red Indicator	125 ml
811780	Bromo Cresol Purple Indicator Solution	125 ml	897440	Thymol Blue Indicator	125 ml
812000	Bromo Phenol Blue Indicator Solution	125 ml	897490	Thymolphthaleine Indicator	125 ml
865850	Methyl Orange Indicator	125 ml	901000	Universal Indicator Solution pH 4-11	125 ml 500 ml
866040	Methyl Red Indicator	125 ml			
868790	Neutral Red Indicator	125 ml			
Readymade Analytical Reagents					
808100	Barium Chloride Solution, 10% w/v	500 ml	868740	Nessler's Reagent for Ammonia & Ammonia Salt	100 ml
808700	Barritt Reagent A	100 ml	868760	Nessler's Reagent (for serum urea nitrogen)	100 ml
808710	Barritt Reagent B	100 ml	897900	O-Tolidine Reagent (For chlorine estimation)	500 ml
808810	Benedict's Qualitative Reagent	500 ml 5 lit	877100	Potassium Chromate, 5% w/v	125 ml
808820	Benedict's Quantitative Reagent	500 ml	878640	Potassium oxalate, 5% w/v	125 ml
819960	C.S.F. Diluting Fluid	125 ml	883000	R.B.C. Diluting Fluid (Gower's)	500 ml
829100	E.D.T.A. (di-sodium) 5%	125 ml	883010	R.B.C. Diluting Fluid (Hayem's)	500 ml
829520	Ehrlics's Aldehyde Reagent	125 ml	891410	Sodium Citrate, 3.8% w/v	500 ml
835070	Folin & Wu's Alkaline Copper Solution	500 ml	894490	Sulphanilic Acid, 0.8%	100 ml
835100	Folin & Wu's Phosphate,Molybdate Solution	500 ml	894610	5-Sulphosalicylic Acid 3%	125 ml
835500	Fouchet's Reagent	125 ml	898140	Topfer Reagent	125 ml
854500	Kovac's Indole Reagent	100 ml	030467	o-Toluidine (for blood glucose estimation)	500 ml
871200	O'Meara Reagent	100 ml	902550	W.B.C. Diluting Fluid	125 ml/500 ml
868420	a-Naphthylamine Solution	100 ml			



Product Code	Product Name	Symbol	Strength Packing (100 Discs)
AD 1035	**Amikacin**	Ak	**30 mcg**
AD 1001	**Amoxycillin**	Am	**10 mcg**
AD 1002	**Ampicillin**	A	**10 mcg**
AD 1077	**Ampicillin**	A	**25 mcg**
AD 1003	**Bacitracin**	B	**10 units**
AD 1157	**Cefaclor**	Cj	**30 mcg**
AD 1047	**Cefazolin**	Cz	**30 mcg**
AD 1072	**Cefoperazone**	Cs	**75 mcg**
AD 1062	**Ceftazidime**	Ct	**30 mcg**
AD 1110	**Ceftizoxime**	Ck	**30 mcg**
AD 1065	**Ceftriaxone**	Ci	**30 mcg**
AD 1061	**Cefuroxime**	Cu	**30 mcg**
AD 1116	**Cephadroxil**	Cq	**30 mcg**
AD 1048	**Cephalexin**	Cp	**30 mcg**
AD 1050	**Cephalothin**	Ch	**30 mcg**
AD 1040	**Cephotaxime**	Ce	**30 mcg**
AD 1006	**Chloramphenicol**	C	**30 mcg**
AD 1060	**Ciprofloxacin**	Cf	**5 mcg**
AD 1051	**Clindamycin**	Cd	**2 mcg**
AD 1008	**Cloxacillin**	Cx	**1 mcg**
AD 1009	**Colistin** (Methane Sulphonate)	Cl	**10 mcg**
AD 1071	**Co-Trimazine (Human)**	Cm	**25 mcg**


Product Code	Product Name	Symbol	Strength Packing (100 Discs)
AD 1010	**Co-Trimoxazole**	Co	**25 mcg**
AD 1012	**Doxycycline Hydrochloride**	Do	**30 mcg**
AD 1013	**Erythromycin**	E	**15 mcg**
AD 1015	**Furazolidone**	Fr	**50 mcg**
AD 1016	**Gentamicin**	G	**10 mcg**
AD 1170	**Gentamicin**	G	**30 mcg**
AD 1017	**Kanamycin**	K	**30 mcg**
AD 1018	**Lincomycin**	L	**2 mcg**
AD 1206	**Lomefloxacin**	Lo	**10 mcg**
AD 1019	**Methicillin**	M	**5 mcg**
AD 1021	**Nalidixic Acid**	Na	**30 mcg**
AD 1022	**Neomycin**	N	**30 mcg**
AD 1046	**Netillin (Netilmicin Sulphate)**	Nt	**30 mcg**
AD 1023	**Nitrofurantoin**	Nf	**300 mcg**
AD 1057	**Norfloxacin**	Nx	**10 mcg**
AD 1053	**Novobiocin**	Nv	**30 mcg**
AD 1069	**Ofloxacin**	Of	**2 mcg**
AD 1043	**Oxacillin**	Ox	**5 mcg**
AD 1070	**Pefloxacin**	Pf	**5 mcg**
AD 1028	**Penicillin-G**	P	**10 units**
AD 1066	**Piperacillin**	Pc	**100 mcg**
AD 1096	**Rifampicin**	R	**2 mcg**

We Offer Quality with Quantity
***Store below 8°C**

DODECA DISCS



Product Code	Product Name	Symbol	Strength Packing (100 Discs)
AD 1126	Roxithromycin	Ro	30 mcg
AD 1031	Streptomycin	S	10 mcg
AD 1037	Tetracycline	T	30 mcg
AD 1044	Tobramycin	Tb	10 mcg
AD 1039	Trimethoprim	Tr	5 mcg
AD 1045	Vancomycin	Va	30 mcg
DD 0001	For Gram Positive Bacteria		
	Ampicillin/Sulbactam	A	20 mcg
	Co-Trimoxazole	Co	25 mcg
	Cephalexin	Cp	30 mcg
	Tetracycline	T	30 mcg
	Cefotaxime	Ce	30 mcg
	Ciprofloxacin	Cf	5 mcg
	Pefloxacin	Pf	10 mcg
	Ofloxacin	Of	1 mcg
	Roxythromycin	Rf	15 mcg
	Lincomycin	L	2 mcg
	Gentamicin	G	10 mcg
	Cloxacillin	Cx	1 mcg
DD 0050	For Gram Negative Bacteria		
	Ampicillin/Sulbactam	A	20 mcg
	Co-Trimoxazole	Co	25 mcg
	Cefotaxime	Ce	30 mcg
	Piperacillin	Pc	100 mcg
	Chloramphenicol	C	30 mcg
	Ciprofloxacin	Cf	5 mcg
	Ceftizoxime	Ck	30 mcg
	Tetracycline	T	30 mcg
	Ofloxacin	Of	5 mcg
	Gentamicin	G	10 mcg
	Amikacin	Ak	30 mcg
	Pefloxacin	Pf	10 mcg
DD 0100	For Urinary Tract Isolates		
	Ampicillin/Sulbactam	A	20 mcg
	Co-Trimoxazole	Co	25 mcg
	Ceftizoxime	Ck	30 mcg
	Chloramphenicol	C	30 mcg
	Cephalexin	Cp	30 mcg
	Tetracycline	T	30 mcg
	Ciprofloxacin	Cf	5 mcg
	Nitrofuran Toin	Nf	300 mcg
	Nalidixic Acid	NA	30 mcg
	Pefloxacin	Pf	10 mcg
	Norfloxacin	Nx	10 mcg
	Ofloxacin	Of	5 mcg



general instructions to the users

The Dehydrated Media are highly hygroscopic and get deteriorated easily unless stored in a cool & dry place away from bright light.

So care must be taken in the storage of dehydrated media.

Following instructions should be followed while using dehydrated culture media.

1. Read carefully the instruction given on the label.
2. Note the batch no. and date before opening the container.
3. Before use confirm that the media is not deteriorated physically.
4. Since the media is hygroscopic in nature, please ensure that the container is tightly closed and stored in cool and dry place after use.

DISSOLVING THE MEDIA : For dissolution use clean undamaged glassware two-three times larger in volume than the final volume of media to be prepared. Water which meets the U.S.P./I.P specifications should only be used.

Place accurately weighed amount of the medium in a clean dry flask. Add part of water and swirl until dissolved then add the remaining water through the sides of the flask to make up the required volume. For complete dissolution heat the media taking care to avoid overheating or scorching.

ADJUSTMENT OF pH : After preparations the pH of the media should be in concordance with value mentioned on the label at 25°C. If required, the pH should be adjusted to the specified value by adding 1N or 0.1N HCl or NaOH solution.

STERILIZATION : Sterilization of the media is usually carried out at 121 °C for 15 minutes using an autoclave. Autoclave efficiency should be checked from time to time.

POURING OF STERILIZED MEDIA : After sterilization Agar media should be poured into petri dishes at 45-50°C. The medium should be mixed well avoiding bubble formation. Agar surface should be dried at 30-40°C in the incubator before inoculation to avoid microbial swarming.

STORAGE OF PREPARED MEDIA : Unless the medium is not used in the same day it is prepared, then it should be kept in moisture proof containers.

Agar containing media should not be stored at higher temperatures. Agar plates should be stored at 2-8°C in sealed moisture proof containers. Stability of the prepared culture media is limited and varies considerably. Never store media below 0°C as it destroys its gel strength.

DISPOSAL OF MEDIA : All specimens and cultures should be carefully handled and must not disposed without autoclaving. Cultures in vessels should be autoclaved for approximately 30 minutes at 121 °C before disposal.

STORAGE OF MICROGEN CULTURE MEDIA PRODUCTS : For obtaining desired results microgen culture media products should be stored in specified storing conditions. It is recommended to use the products in the order of Batch number/Mfg. date.

Storage temperature and shelf-life of the microgen culture media products are as follows.

(a) Dehydrated media : Dehydrated media if stored under specified conditions will have shelf-life of 2 to 5 years. Storage temperature for dehydrated media are preferably between 8 and 25°C.

(b) Selective supplements : Except Horse serum (-20°C) all other supplements are required to store at 2 - 8°C. These products have a shelf-life of 1 - 3 years.

(c) Antimicrobial susceptibility discs : These are to be stored at -20°C but working stock at 28°C Shelf-life is from 1 to 3 years.

certain precautions while using dehydrated media

Faults	Reasons
Drift in pH hydrolysis of	Overheating, incomplete mixing, prolonged sterilization, use of alkaline glass, impure water, ingredients, prolonged storage at high temperature.
Incomplete Solubility	Inadequate heating of agar media incomplete mixing.
Darkening	Overheating of the medium, excess amount of dehydrated powder, improper mixing.
Soft Gel	Agar not in solution, improper reconstitution of dehydrated medium, acid hydrolysis of agar, failure to compensate for dilution of agar by the incoclum.
Loss of Growth differentiating properties	Promoting of repeated remelting, excessive heating, incomplete mixing, failure to compensate for dilution of ingredients, disturbance in the formula by inoculum carriers, etc.
Abnormal Colour of Medium	Deteriorated, dehydrated medium, improperly washed glassware, impure water.
Contamination	Improper/Insufficient sterilization. Poor technique in adding enrichments and pouring plates.

NOTES

BULK PACKS



We offer a wide range of chemicals in attractive containers

Available Packs

Solids : 25 Kg. & 50 Kg.

Liquids : 25 lit., 100 lit. & 200 lit.

- Fast Deliveries
- Safe & Convenient to handle
- Consistent & High quality as per international standards
- And all these at affordable prices.

Certificate of Analysis is available on request

Central Drug House (P) Ltd.

AN ISO 9001:2008 CERTIFIED COMPANY

Corporate Office : 7/28, Vardaan House, Ansari Road, Daryaganj
New Delhi –110 002 (India)

Phone : +91-11-49404040 (100 Lines) Fax : 49404050

E-mail : export@cdhfinechemical.com

Website : www.cdhfinechemical.com



CDH

Central Drug House (P) Ltd.

AN ISO 9001:2008 CERTIFIED COMPANY

Corporate Office : 7/28, Vardaan House, Ansari Road, Daryaganj
New Delhi –110 002 (India)

Phone : +91-11-49404040 (100 Lines) Fax : 49404050

E-mail : export@cdhfinechemical.com

Website : www.cdhfinechemical.com

Works : Plot No. D-2/CH/9, Dahej – 2 Industrial Estate,
GIDC, Dahej, Dist. Bharuch – 392130 (Gujarat)